## DIOSYNTH B V -- ORG 9426 ROCURONIUM BROMIDE -- 6850-00F039974

======== Product Identification ===============

Product ID:ORG 9426 ROCURONIUM BROMIDE MSDS Date: 04/24/1991 FSC:6850 NIIN:00F039974 MSDS Number: BXKTP === Responsible Party === Company Name: DIOSYNTH B V Box:20 City:5340 BH OSS THE NETHERLANDS Country: US Info Phone Num: 04120-51333 Emergency Phone Num:04120-51333 CAGE:GO401 === Contractor Identification === Company Name: DIOSYNTH B V Box:20 City:5340 BH OSS THE NETHERLANDS Country: --Phone: 04120-51333 CAGE:GO401 ======= Composition/Information on Ingredients ========= Ingred Name:ROCURONIUM BROMIDE CAS:119302-91-9 ======== Hazards Identification ============================= Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ABSORPTION THROUGH WOUNDS &/SKIN DEFECTS. RESPIRATORY FAILURE. Explanation of Carcinogenicity: NONE Effects of Overexposure: PARALYSIS, VOMITING, APNEA. =========== First Aid Measures ================ First Aid: INHALATION: REMOVE TO FRESH AIR. SKIN: WASH W/WATER & SOAP; SHOWER THOROUGHLY. EYES: FLUSH W/WATER FOR 10 MINS. INGESTION: INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES. ======== Fire Fighting Measures ============= Extinguishing Media: WATER, EXTINGUISHING POWDER, CO2, FOAM Fire Fighting Procedures: EVACUATE PERSONNEL TO SAFE AREA. USE SCBA & PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: GROUND MECHANICAL EQUIPMENT IN CONTACT W/DRY MATERIAL TO DISSIPATE THE POTENTIAL BUILT UP OF STATIC ELECTRICITY AS PREVENTION AGAINST DUST EXPLOSION. (SEE SUPP) ======= Accidental Release Measures ==========

Spill Release Procedures: VACUUM/SWEEP UP & TRANSFER INTO AN APPROPRIATE CONTAINER FOR WASTE DISPOSAL. AVOID DUST. VENTILATE AREA & WASH SITE.

========= Handling and Storage ============

Handling and Storage Precautions: STORE AT 35.6-46.4F IN TIGHT CONTAINERS PROTECTED FROM LIGHT & MOISTURE.

Other Precautions: AVOID CONTACT W/EYES, SKIN/CLOTHING. AVOID BREATHING OF DUST. WHEN GRINDING/MICRONISING MATERIAL A SUPPLIED AIR RESPIRATOR (HOOD FIT TYPE) HAS TO BE USED.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: DUSTMASK 3M NO8710.

Ventilation: MECHANICAL (GENERAL)

Protective Gloves: CHEMICAL

Eye Protection:GOGGLES

Other Protective Equipment: WEAR A CLEAN WELL FITTED & CLOSED OVERALL. CHANGE DAILY.

Work Hygienic Practices: EATING, DRINKING/SMOKING NEAR MATERIAL IS FORBIDDEN.

Supplemental Safety and Health

FIRE HAZARDS CONT'D: EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

======== Physical/Chemical Properties ==========

Solubility in Water: COMPLETE

Appearance and Odor:LIGHT-YELLOW/CREAM COLORED AMORPHOUS POWDER W/A SLIGHT ODOR

======= Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid: TEMPS > -40F, MOISTURE.

Hazardous Decomposition Products:ALLYLBROMIDE

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL ON CHEMICAL WASTE DUMP SITE/INCINERATE IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.