

# ICP-ANALYSIS.COM

St. Helens Reef - 275 Gallons Test 2018-08-14

COMPARE Fiji

Silver	0.00 ppm	0.00 ppm
Aluminum	0.11 ppm	0.05 ppm
Arsenic	0.02 ppm	0.01 ppm
Boron	6.00 ppm	4.57 ppm
Barium	0.02 ppm	0.00 ppm
Beryllium	0.00 ppm	0.00 ppm
Bromine	84.84 ppm	81.72 ppm
Calcium	520.17 ppm	397.67 ppm
Cadmium	0.00 ppm	0.00 ppm
Cerium	0.00 ppm	0.00 ppm
Chlorine	20142.00 ppm	19415.12 ppm
Cobalt	0.01 ppm	0.15 ppm
Chromium	0.02 ppm	0.08 ppm
Copper	0.07 ppm	0.00 ppm
Iron	0.00 ppm	0.00 ppm
Gallium	0.04 ppm	0.96 ppm
Iodine	0.03 ppm	0.03 ppm
Potassium	418.66 ppm	384.69 ppm
Lanthanum	0.01 ppm	0.01 ppm
Lithium	0.48 ppm	0.18 ppm
Magnesium	1413.73 ppm	1239.34 ppm
Manganese	0.00 ppm	0.00 ppm
Molybdenum	0.01 ppm	0.23 ppm
Sodium	11551.99 ppm	9729.05 ppm
Nickel	0.01 ppm	0.01 ppm
Phosphorus	0.07 ppm	0.09 ppm
Lead	0.01 ppm	0.00 ppm
Rubidium	0.00 ppm	0.00 ppm
Sulfur	1425.18 ppm	895.65 ppm
Antimony	0.02 ppm	0.00 ppm
Selenium	0.01 ppm	0.05 ppm
Silicon	0.74 ppm	0.21 ppm
Tin	0.01 ppm	0.01 ppm
Strontium	12.28 ppm	10.16 ppm
Titanium	0.00 ppm	0.00 ppm
Thallium	0.00 ppm	0.00 ppm
Uranium	0.01 ppm	0.09 ppm
Vanadium	0.00 ppm	0.06 ppm
Tungsten	0.03 ppm	0.00 ppm
Zinc	0.01 ppm	0.00 ppm