

BURLEIGH DODDS SERIES IN AGRICULTURAL SCIENCE

# Achieving sustainable cultivation of apples

Edited by Dr Kate Evans, Washington State University, USA



# Contents

Series list	xii
Acknowledgements	xvi
Introduction	xvii

## Part 1 Plant physiology and breeding

1	Ensuring the genetic diversity of apples	3
	<i>Gayle M. Volk, USDA-ARS-CARR National Laboratory for Genetic Resources Preservation, USA</i>	
1	Introduction: the importance of apples	3
2	Threats to production and the need for new varieties	4
3	Sources of genetic diversity	4
4	Understanding <i>Malus</i> diversity	9
5	Capturing, maintaining and accessing genetic diversity	10
6	Future trends: new technologies to facilitate enhanced and sustainable crop production	13
7	Where to look for further information	14
8	References	15
2	The apple genome – harbinger of innovation for sustainable apple production	23
	<i>Amit Dhingra, Washington State University, USA</i>	
1	Introduction	23
2	Brief overview of genome sequencing technology development	24
3	Sequencing of the apple genome and lessons learned	25
4	Harvesting the genome for improvement of apple	27
5	Utility of the apple genome in resolving issues in the apple industry	29
6	The future of genomics research in apple	30
7	Conclusion	30
8	Where to look for further information	30
9	References	31
3	Advances in understanding apple tree growth: rootstocks and planting systems	35
	<i>Dugald C. Close and Sally A. Bound, University of Tasmania, Australia</i>	
1	Introduction	35
2	Tree growth and the development and propagation of apple	36
3	Dwarfing rootstocks: history of selection and key morphological effects	37
4	Dwarfing rootstocks: mechanisms and example application	41
5	An introduction to manipulating tree growth and development	44
6	Planting systems	46
7	Summary	47
8	Future trends in research	48
9	Where to look for further information	48
10	Acknowledgements	49
11	References	49

4	Advances in understanding apple tree growth: the manipulation of tree growth and development	53
	<i>Dugald C. Close and Sally A. Bound, University of Tasmania, Australia</i>	
1	Introduction	53
2	Canopy development	54
3	Dormancy release and bud break	56
4	Managing vegetative growth	59
5	Training and pruning	63
6	Case study 1: intensive growing systems in Tasmania, Australia	70
7	Case study 2: comparison of artificial spur extinction and chemical thinning for crop load control	73
8	Summary	76
9	Future trends in research	77
10	Where to look for further information	78
11	Acknowledgements	79
12	References	79
5	Advances in understanding flowering and pollination in apple trees	85
	<i>Peter M. Hirst, Purdue University, USA</i>	
1	Introduction	85
2	Flowering: introduction and biology	86
3	Horticultural aspects of flowering	89
4	Pollination: introduction and biology	92
5	Horticultural aspects of pollination	95
6	Conclusion	97
7	Where to look for further information	97
8	Acknowledgements	98
9	Dedication	98
10	References	98
6	Advances in understanding apple fruit development	103
	<i>A.N. Lakso and M. C. Goffinet, Cornell University, USA</i>	
1	Introduction	103
2	Developmental sequence of apple growth	104
3	Seasonal growth pattern of an apple	108
4	Chemical composition and seasonal changes in apples	109
5	Fruit abscission and growth rate	110
6	Fruit 'set'	111
7	Role of hormones in fruit development and abscission	112
8	Competition within the flower/fruit cluster	113
9	Seasonal patterns of respiration and ripening	115
10	Factors influencing fruit growth	117
11	Regulation of cropping for sustainability	124
12	Modelling to integrate factors in thinning	126
13	Molecular biology and apple cultivation	127
14	Future trends and conclusion	129
15	Where to look for further information	129
16	References	130

7	Evaluating and improving rootstocks for apple cultivation	135
	<i>G. Fazio, USDA-ARS/Cornell University, USA</i>	
1	Introduction	135
2	Apple breeding methods	137
3	Scion traits affected by rootstocks	138
4	Disease and pest resistance	147
5	Future trends and conclusions	152
6	Where to look for further information	153
7	References	153
8	Advances in marker-assisted breeding of apples	165
	<i>K. Evans and C. Peace, Washington State University, USA</i>	
1	Introduction	165
2	Advances in apple MAB	167
3	History of apple MAB	167
4	Current tools in MAB for apple	171
5	Impacts of MAB on apple breeding	173
6	Case study: MAB in the Washington State University apple breeding program	176
7	Future trends and conclusion	180
8	Where to look for further information	182
9	Acknowledgements	183
10	References	183

## Part 2 Cultivation techniques

9	Innovations in apple tree cultivation to manage crop load and ripening	195
	<i>Stefano Musacchi, Washington State University, USA; and Duane Greene, University of Massachusetts, USA</i>	
1	Introduction	195
2	Training system	197
3	Pruning techniques related to the cultivar habit	205
4	Mechanical pruning and 'Mur Fruitier'	211
5	Crop load determination and effect on fruit quality	212
6	Tree production in the nursery	213
7	Control of vegetative growth using plant growth regulators (PGRs)	219
8	The physiological basis of chemical thinning: current situation and new perspectives	221
9	Improving fruit appearance	228
10	Preharvest application of plant growth regulators	229
11	Future trends in research	232
12	Where to look for further information	232
13	References	233
10	Advances in soil and nutrient management in apple cultivation	239
	<i>G. H. Neilsen, D. Neilsen and T. Forge, Summerland Research and Development Centre Agriculture and Agri-Food Canada; and K. Hannam, Natural Resources Canada</i>	
1	Introduction	239

2	Emerging issues affecting soil and nutrient management	240
3	Precision nutrient management: fertigation and targeted foliar application	246
4	Precision nutrient management: improved fertilizer forms and sensing of nutrient limitations	251
5	Precision water management	254
6	Altered production systems and altered production areas	259
7	Conclusions	269
8	Where to look for further information	269
9	References	270
11	Mechanization and automation for apple production	279
	<i>Q. Zhang, M. Karkee and L. R. Khot, Washington State University, USA</i>	
1	Introduction	279
2	Levels of mechanization	280
3	Training and pruning	281
4	Thinning	286
5	Pest and disease control	289
6	Technologically-assisted apple harvesting	293
7	Robotic apple harvesting	298
8	Future trends and conclusion	301
9	Where to look for further information	303
10	References	303
12	Sustainable approaches to control postharvest diseases of apples	307
	<i>W. J. Janisiewicz and W. M. Jurick II, USDA-ARS, USA</i>	
1	Introduction	307
2	Natural plant-derived products	309
3	GRAS substances and sanitizers	312
4	Heat treatment	315
5	Controlled atmosphere	317
6	Irradiation with UV-C	318
7	Natural sources of resistance	319
8	Biological control	321
9	Integrated control	324
10	Future trends and conclusions	325
11	Where to look for further information	325
12	References	326
13	Advances in postharvest handling and storage of apples	337
	<i>Christopher B. Watkins, Cornell University, USA</i>	
1	Introduction	337
2	Fruit quality assessment	339
3	Harvest maturity and harvest indices	340
4	Plant growth regulators	342
5	Harvest, handling and grading operations	343
6	Postharvest storage technologies	345
7	Comparing and assessing storage technologies	349
8	Postharvest treatments	351

9	Physiological disorders	353
10	Summary	356
11	Where to look for further information	357
12	References	357

### Part 3 Diseases and pests

14	Pre- and postharvest fungal apple diseases	371
	<i>Wayne M. Jurick II, USDA-ARS, USA; and Kerik D. Cox, Cornell University, USA</i>	
1	Introduction: apple cultivation, production and storage and the impact of fungal apple diseases	371
2	Pre- and postharvest apple diseases	374
3	Chemical, biological and cultural forms of disease management during apple production and storage	376
4	Emerging pathogens affecting apple production in the United States	378
5	Conclusion	379
6	Where to look for further information	380
7	References	380
15	Management of viruses and virus-like agents affecting apple production	383
	<i>Kenneth C. Eastwell, Washington State University, USA</i>	
1	Introduction	383
2	Reducing the economic impact of virus-like agents	384
3	Viruses and virus-like agents of apple	386
4	Advancing diagnostic technology	392
5	Remaining challenges	394
6	Where to look for further information	397
7	References	398
16	Bacterial diseases affecting apples	403
	<i>John Norelli, USDA-ARS, USA</i>	
1	Introduction	403
2	Bacterial diseases: the example of fire blight	404
3	Development of fire blight tolerant apple scion cultivars	410
4	Other diseases caused by bacteria	413
5	Diseases caused by phytoplasmas	415
6	Outlook and summary	416
7	Future research trends	417
8	Where to look for further information	418
9	References	420
17	Sustainable arthropod management for apples	425
	<i>Elizabeth H. Beers, Washington State University, USA</i>	
1	Introduction	425
2	Key arthropod pests	426
3	Other key arthropod pests	430
4	Secondary arthropod pests: introduction, leaf and bud damage	433
5	Secondary arthropod pests: shoot, branch, trunk, root and fruit damage	436

6	Models, decision aids and monitoring	440
7	Tools and tactics: pesticides, biological control, mating disruption and host plant resistance	443
8	Challenges to the sustainability of integrated pest management (IPM)	447
9	Where to look for further information	451
10	Acknowledgements	451
11	References	452
18	Advances in pest-resistant and disease-resistant apple varieties <i>Markus Kellerhals, Agroscope, Switzerland</i>	461
1	Introduction: the development of disease-resistant apple varieties	461
2	Resistance to apple scab, powdery mildew and fire blight	462
3	Resistance to necrotic canker, <i>Marssonina</i> apple blotch and other diseases	467
4	Resistance to pests	469
5	Selection techniques and resistance mechanisms	470
6	Current disease-resistant apple varieties	472
7	Summary	472
8	Where to look for further information	475
9	References	475
<b>Part 4 Sustainability</b>		
19	The economics of apple production <i>R. Karina Gallardo, Washington State University, USA; and Hildegard Garming, Thünen Institute of Farm Economics, Germany</i>	485
1	Introduction	485
2	Cost analysis of apple production	486
3	Apple production costs around the world	492
4	Outlook and challenges for the global apple industry	501
5	Conclusion	507
6	Where to look for further information	507
7	References	508
20	Consumer trends in apple sales <i>Desmond O'Rourke, Washington State University and Belrose Inc., USA</i>	511
1	Introduction	511
2	The influence of suppliers and retailers on apple sales	512
3	Global forces affecting apple demand	514
4	Recent trends in apple consumption	516
5	Factors affecting consumer demand for apples	518
6	Challenges in marketing apples	520
7	Where to look for further information	521
8	References	521
21	Assessing the environmental impact and sustainability of apple cultivation <i>D. Granatstein, Washington State University, USA; and G. Peck, Cornell University, USA</i>	523
1	Introduction	523
2	Sustainability: definitions and trends	524

3	Environmental impacts of apple production	526
4	Studies of sustainable apple production	529
5	Regulatory and marketing schemes for sustainable orchard systems	537
6	Future trends and conclusion	543
7	Where to look for further information	544
8	References	545
22	Growing organic apples in Europe	551
	<i>Jutta Kienzle, Independent Researcher, Germany; and Markus Kelderer, Research Station of Laimburg, Italy</i>	
1	Introduction	551
2	Developing varieties and rootstocks suited to organic farming (OF) systems	553
3	Improving soil fertility management	557
4	Strategies for improving plant health care: pest and disease control, regulation of crop set and tree growth	558
5	Strategies for improving ecosystem services	565
6	Case studies	567
7	Future trends in research	569
8	Where to look for further information	570
9	References	571
	Index	579

# Introduction

The apple is an iconic fruit recognized in most countries of the world and is produced in many. China is the biggest producer by far, producing around 40% of the world's 63 million tons of apples, almost ten times that of the second largest producer, the United States. Production levels and advances in storage technologies have resulted in the availability of apples year round in many markets. As a fruit with a high content of flavonoids and dietary fibre, apple has been linked to many health benefits. Indeed, apple has achieved what most other fruits have not in that it has successfully made its way into the fast food industry and can be frequently found, typically sliced, accompanying a considerably less healthy burger.

We have been cultivating apples for thousands of years, but the last century has seen the biggest changes in our production systems. Like other crops, we have moved into intensive agriculture. Dwarfing rootstocks for apple have enabled intensive, more efficient plantings of almost-two-dimensional trees before most other tree fruits. Such high-density plantings are moving apple production towards precision horticulture and provide orchard structure that fits mechanization and automation, rapidly becoming a requirement as labour shortage is the principal challenge currently facing sustainability of apple in many areas of the world. Our ability to optimize cultural practices through integrated pest management, biocontrol, and measured irrigation and nutrition, increases the sustainability of the orchard systems. Growers and pack-houses worldwide are striving to achieve Global GAP certification of farm assurance leading to Good Agricultural Practice status; apple precision horticulture is perfectly aligned.

Apple cultivation can be challenging in many ways; growers need the orchard to remain in the ground often for decades to recoup their very high initial investments. In addition, they must develop and execute careful management plans. However, while complex, working with a composite tree brings a level of flexibility and purposefully intensive management that is not present in some other production systems. As opposed to most annual crop producers, skilled apple growers can literally 'build' the tree to their requirements by carefully choosing a rootstock to suit their soil conditions and fitness for their preferred production system, and a scion to suit their climate and the available market. Once the tree is planted, the growers can train it into a structure that is desired by them and manipulate the leaf canopy and crop load to achieve the optimum balance of fruit quality and yield. Of course, none of this is easy, so perhaps the key skill for a grower is the ability to forecast 10–20 years ahead and prepare for change. Will it be hotter and drier, or will our precipitation patterns change dramatically? What will new technology bring and will it fit the current orchard training system? Will the variety still be profitable? And of course, there is the constant threat of new exotic pests. While apple growers using conventional farming practices confront these challenges, those utilizing organic systems must follow appropriate, and often quite different, practices. Nonetheless many are doing so successfully.

More growers are moving towards the physical protection of their crop using netting, initially for mitigation of hail but now also to filter potentially damaging levels of light that can damage fruit and stress vegetative growth, and in some areas, are also being considered for pest protection. Such investments in infrastructure add to the already expensive establishment costs, so obviously the grower has to take into account the

market price and typical grade-out of the variety to recover their initial costs and generate a revenue stream.

Ultimately, in my view, it is consumer demand that will sustain apple production as long as we can produce and deliver quality pieces of fruit consistently throughout the year. One thing that sets apple apart from most other fruit crops is the range of fruit types that are in demand, in terms of both internal eating quality and, of course, appearance. Another advantage for apple is that new varieties are clearly named and can easily be distinguished, providing the retailer with a marketing incentive and ensuring consumers can be confident that the ones they chose to purchase again have the characteristics that they prefer. We can offer the consumer more than simply fresh fruit by extending the sliced apple market, developing high-quality juices, sauces, dried apple and other lightly processed products.

Worldwide, consumers prefer different fruit flavour and texture attributes. Breeders are challenged to combine those diverse consumer-preferred attributes with varieties that also enable producer- and environmentally-friendly production practices. Continued breeding and selection to feed the demand for new improved eating experiences as well as to develop varieties that will face the challenges of a changing climate is essential for long-term sustainability. Cultivated *Malus* are only a few generations removed from wild progenitors compared to many other crop species, so we have plenty of opportunities for genetic gain to develop superior new cultivars. Further, we have widely diverse genetic resources available to us and, with new DNA-based tools, breeders are becoming better enabled to access this diversity and attempt the introgression of new traits.

The authors and topics in the book have been carefully chosen to provide the reader with an introduction to apple as a crop species plus present updates from leading international scientists on multiple aspects of apple production. Each chapter contributes to the ultimate aim of achieving sustainable cultivation, whether the word sustainable is interpreted as meaning economically viable, environmentally sound and/or socially acceptable, or the more general definition to endure or last indefinitely. Specific chapters on environmental impact assessment, economics of production and consumer trends in apple sales add to the bigger picture of the current position of global apple sustainability. Our goal was not just to provide a current review, but also to provide a useful resource for further information in terms of publications, research groups and conference series. Apple cultivation is certainly heading in a more sustainable direction. Advances over recent years have been dramatic. This book is a unique, timely and comprehensive review of these scientific advances and their potential implementation by apple producers worldwide.

## Part 1 Plant physiology and breeding

The first group of chapters looks at advances in understanding apple physiology and breeding. Chapter 1 highlights the critical importance of genetic diversity. Widely used apple cultivars exhibit low resistance to pathogens and low tolerance to climatic threats. Apple breeding programmes therefore need to develop new cultivars which are more resilient in the face of key threats, while also selecting for other important qualities. Previously, it was difficult to use wild apple species for breeding because typically they have undesirable fruit, non-uniform ripening times, and other traits that are not amenable to commercial apple production. Apple progenitor species, *M. sieversii*, *M. orientalis*,

*M. sylvestris*, *M. prunifolia*, and *M. baccata* offer desirable variation, and are more amenable to use in breeding programmes because they are diploid and often have fruit traits more similar to *M. × domestica* than many of the more distant wild *Malus* species. The chapter explores the opportunities and challenges of using progenitor species of *Malus × domestica* in traditional breeding programmes.

Key challenges include understanding *Malus* diversity, capturing and maintaining this diversity, and ensuring that researchers and breeders have access to living apple accessions. The chapter highlights the role of genebanks, such as the USDA-ARS National Plant Germplasm System. Genebanks provide breeders access to *Malus* wild species and local cultivars (which may also have desirable traits). The USDA-ARS National Plant Germplasm System, for example, maintains an apple collection with 3070 unique grafted trees representing *M. × domestica* cultivars and 33 *Malus* species, and 15 hybrid species that are available to breeding programmes.

It is important to note that many wild *Malus* species are, however, poorly represented in genebank collections, and phytosanitary restrictions and treaty agreements may limit access to wild materials, particularly at the international level. Ongoing coordinated efforts among genebanks to compare collections at the phenotypic and genetic levels as well as confirm cultivar identities will facilitate use of genebank collections in the future. These efforts will enable future researchers specializing in apple improvement to provide consumers with higher quality fruit that can be produced more sustainably. Finally, new technologies that make use of marker-assisted selection, genomic selection, genetic engineering, genome-wide association mapping, high-throughput genotyping and/or rapid-cycling plants are paving the way toward the increased use of wild *Malus* species in apple breeding.

Chapter 2 provides an overview of the development of genome sequencing technology, reviews the process of sequencing the apple genome and then considers how this information can be employed, both to develop new and better varieties of apple and, in the shorter term, to improve current horticultural practices. In the future, knowledge of specific genes can be used to improve vegetative growth and development, biotic and abiotic disease tolerance or resistance, pre-harvest stages of fruit development, postharvest fruit storage, shelf-life and organoleptic traits.

The next group of chapters reviews the latest research in understanding apple tree growth and its implications for cultivation practice, starting with rootstocks and planting systems. Chapter 3 discusses the importance of rootstocks, with an emphasis on the mechanisms and morphological effects of dwarfing. This chapter outlines the key attributes of widely used dwarfing and semi-dwarfing rootstocks including relatively recent releases that confer resistance to economically important pests and diseases and tolerance to abiotic conditions of drought, low temperature and waterlogging. These traits significantly widen the potential sites and regions that can potentially support modern apple systems.

Understanding how rootstocks and scions interact to manifest in various growth attributes of size, architecture and precocity (earliness of flowering and bearing) has been a major focus of research. Understanding of growth attributes also enables managers to design growing systems that allow the tree to fill the allocated canopy space to optimise light capture early in the life of the orchard (and prevent excessive shading after establishment) in order to produce better yields. The chapter summarises recent research on the manipulation of tree growth and development, with an emphasis on the use of plant growth regulators, followed by a discussion of the effects of different planting systems.

Chapter 4 provides a detailed discussion of the practices which affect canopy development, dormancy release, bud break and vegetative growth. As an example, the chapter explores how application of branching agents has become standard nursery practice while notching has gained acceptance for branch induction in older trees, particularly in combination with cytokinin. Under conditions of inadequate winter chilling, bud break can be manipulated by cultural practices or application of chemical rest-breaking agents. Understanding how scion cultivars interact with rootstocks has driven studies on training and pruning, underpinned by knowledge of architectural traits and tree physiology. The chapter ends by presenting two case studies which show the importance of post-planting apple tree management, and illustrate how it can interact with choice of rootstock and planting system to determine yield, including artificial spur extinction and chemical thinning for crop load control.

Chapter 5 looks at recent research on the biology and horticultural aspects of flowering with a particular focus on pollination. Fruit production begins with the transition of a bud from vegetative to floral state. The bud differentiates, overwinters, and emerges as a flower the following spring. Flowers are then pollinated, fertilized, and the fruit grows firstly by cell division and later by cell enlargement. All of these processes are vital to the development of high-quality fruit. Sub-optimal environmental, biological or cultural conditions during any of these stages can reduce both productivity and fruit quality. The chapter discusses the biological processes and genetic controls of these developmental stages. It also highlights some of the key environmental effects and how these processes can be manipulated by cultural management.

As with earlier processes, understanding the ways in which apple fruit grow and develop is crucial for achieving sustainable apple cultivation. Chapter 6 examines how apples grow and ripen, what we know about the factors that support or limit growth, why fruit abscise and how growers can manipulate fruit growth and abscission to optimize cropping. Amongst other topics, the chapter explores in detail seasonal growth patterns, the chemical composition of apples in different seasons, the role of hormones in abscission, and seasonal ripening patterns as well as competition within the flower/fruit cluster. The chapter suggests ways to model optimal crop load and suggests future trends for research in this area.

The foundations of a productive and healthy orchard are the rootstocks that provide anchorage, water and nutrients essential to the above-ground portions of the trees. Utilization of composite trees has increased the efficiency of breeding productive apple trees by dividing the selection of scion traits and rootstock traits into two genetically (and functionally) different specimens which are then brought together through grafting. As part of the tree, the rootstock influences many factors in addition to tree size, particularly productivity, fruit quality, pest resistance and stress tolerance. Understanding how scion properties are modulated by rootstocks allows targeting of traits that may be selected to improve whole tree performance by improving rootstock performance. Chapter 7 examines apple breeding methods and explores how rootstocks affect scion traits, before addressing the impact of rootstocks on disease and pest resistance.

Breeding and selecting new, improved cultivars by exploiting natural genetic diversity is an essential route forward in ensuring sustained and sustainable apple production. There can be no doubt that breeders have an expanding set of tools at their disposal to achieve these goals with the advent of marker-assisted (and DNA-informed) breeding. Chapter 8 discusses the promise of marker-assisted breeding in apple and reviews the advances that have been made, particularly over the last two decades, in practical application of genetic

markers to breeding programmes, current tools, and the impacts of this technology. A case study of genetic marker application in the Washington State University apple breeding programme is also described. The chapter suggests what the near future may hold for marker-assisted breeding in apple. The rapid increase in genomic data will present its own challenges in terms of managing decision-making although the result will be enhanced efficiency, accuracy and pace of new apple cultivar development.

## Part 2 Cultivation techniques

The next group of chapters reviews improvements in cultivation techniques. Chapter 9 provides a summary of recent innovations in orchard training system design, pruning techniques, thinning, plant growth regulators and fruit finishing with the aim of identifying more sustainable practices. New training systems like the 'bi-axis' are described to achieve planar, vertical or angle canopies, as well as mechanical and other pruning and thinning techniques to minimize labour requirements. It is now possible to purchase specific typologies of tree that are more compatible with training techniques which will further improve production. New uses of plant growth regulators to manipulate tree growth and fruit finish are also analysed.

Chapter 10 explores the emerging issues that will influence future approaches to soil and nutrient management in apple orchards. These include climate change and variability, the degradation of soil and water resources, and the future availability and cost of fertilizers. The chapter then reviews strategies for precision nutrient and water management. These include fertigation and targeted foliar application as well as improved types of fertilizer and technologies for sensing nutrient limitations. Improved irrigation scheduling and conservation irrigation techniques, including partial and deficit irrigation, are also discussed. Finally, the chapter considers the prospects for alternative production systems and production areas given the changing climate.

As Chapter 11 points out, sustaining large-scale commercial apple production depends on the availability of a large, seasonal and suitably skilled workforce. Costs and overall productivity could be improved by mechanization of apple production operations. Chapter 11 begins by reviewing the levels of mechanization that may be introduced into apple production and then considers a variety of mechanization solutions for each of the four key operations in apple production: training and pruning, thinning, pest and disease control, and harvesting. In each case, the chapter first considers those solutions which employ lower levels of mechanization, and then moves up to solutions which involve a higher level of mechanization, including automation and robotics. The advantages and disadvantages of each solution and directions for further development are also discussed.

Use of fungicides to control disease in postharvest apples is becoming less acceptable to many consumers, and the search for alternative approaches that are more sustainable in controlling postharvest diseases of fruits has intensified during the last three decades. Chapter 12 describes various alternative approaches to synthetic fungicides for controlling postharvest diseases of apples that are potentially safer for human health and the environment. The main focus has been on exploring natural products and substances generally regarded as safe (GRAS) which have anti-fungal properties. The chapter also reviews physical treatments (such as heat treatment, irradiation or the use of controlled atmospheres), biological control and natural fruit resistance, either by induction in

harvested fruit or through breeding programmes. When used in combination, these techniques can now rival fungicide treatments in effectiveness.

Postharvest handling of apples, as for most horticultural products, is largely concerned with the maintenance of product quality after harvest. Chapter 13 outlines recent advances in understanding the various factors affecting fruit maturation and ripening. It reviews harvest, handling and grading operations, and discusses postharvest storage technologies including refrigeration, controlled atmosphere (CA) storage and the use of 1-Methylcyclopropene (1-MCP). It also considers a range of postharvest treatments of apples and the physiological disorders to which apples are subject.

## Part 3 Diseases and pests

Fungal plant pathogens cause significant economic losses in the field and during storage which decreases fruit quality. Several pathogens also produce mycotoxins that are harmful to human health. Pathogens include *Alternaria mali* (Alternaria leaf spot), *Colletotrichum* species (bitter rot), *Glomerella cingulata* (Glomerella leaf spot), *Gymnosporangium juniperi-virginianae* (cedar apple rust), *Podosphaera leucotricha* (powdery mildew), *Botryosphaeria dothidea* (white rot), *Schizothyrium pomi* (flyspeck) and, in particular, *Venturia inaequalis* (apple scab). There have been a number of advances in biological, chemical and cultural methods of control which help to combat these diseases. Chapter 14 reviews these developments together with a discussion of the main pre- and postharvest apple pathogens and methods of integrated disease management.

Like fungal diseases, viruses and virus-like agents are a recurring problem in apple production. Viruses include so-called 'latent viruses', apple mosaic virus, flat apple disease and viroids. They are graft-transmissible, and are readily disseminated through the use of infected budwood. Since many of these agents do not have arthropod or nematode vectors, the most effective control strategy is to develop orchards with clean, virus-tested planting stock. As Chapter 15 states, the implementation of quarantine and certification programmes globally is essential to safeguard apple production and minimize the risk of spreading disease by removing virus-infected plants from the supply chain. Procedures for virus testing and elimination are constantly being revised to incorporate the best and most appropriate technologies, including developments in high-throughput sequencing techniques.

As Chapter 16 indicates, bacterial diseases remain an ongoing challenge to the sustainability of apple production. Fire blight, for example, is a serious economic threat to apple production. Chapter 16 uses it as an example to present the key issues and challenges which bacterial diseases raise for apple production. The chapter reviews the history of fire blight and its spread around the globe, economic impact, symptoms, disease biology and management. The chapter also includes a case study on current efforts to develop apple cultivars which are resistant to fire blight disease. Other apple diseases caused by bacteria, including blister spot, crown gall and hairy root, bacterial blister bark and apple proliferation are also considered.

Management of apple pests is a necessary and challenging part of crop production. Chapter 17 begins by covering key pests of apple such as the codling moth. The chapter then considers indirect pests, which may be tolerated in moderate densities, and are therefore more amenable to other control tactics, especially biological control. The chapter

suggests that integrated pest management (IPM) tactics which control key pests without disrupting biological control of secondary pests are the best way forward for sustainable IPM in apple production. After considering the tools and tactics available as part of a sustainable IPM programme, the chapter considers the challenges facing IPM, such as pesticide resistance and invasive species, which require innovative solutions for future IPM systems.

Disease- and pest-resistant cultivars can significantly contribute to sustainable and resilient cultivation of apples. Chapter 18 reviews the development of apple varieties resistant to a number of important diseases, including apple scab, powdery mildew, fire blight, nectria canker and Marssonina apple blotch. The chapter also consider the development of pest-resistant apple varieties, before discussing DNA-based selection techniques for developing resistance and the mechanisms on which resistance depends.

## Part 4 Sustainability

A viable business is a key element of sustainability. Chapter 19 reviews and compares costs in apple production worldwide. The chapter analyses the economics of apple production around the world, including in countries such as Germany, Italy, South Africa, Switzerland and Chile. A detailed case study of apple production in Washington State, USA, is also provided. The chapter includes a comparison of apple production costs by variety across the United States, Germany, Italy, and South Africa. Given the importance of international markets for major apple producing countries in the world, the chapter considers apple production in relation to global trends in production and international trade. It discusses structural changes in the apple industry around the world, as well as trends in production systems and technologies.

As Chapter 20 indicates, the world of apple marketing presents many complex challenges. Consumers have become increasingly disparate and selective in what they expect from the products they buy. They remain concerned about the intrinsic qualities of apples, such as colour, taste and texture, but continue to add new concerns such as social responsibility and environmental sustainability. The chapter reviews topics such as the influence of suppliers and retailers on apple sales, global forces affecting apple demand, recent trends in apple consumption, factors affecting consumer demand for apples and the challenges this creates in marketing apples.

As Chapter 21 suggests, the environmental impact of apple production can be managed through cultivation practices and inputs. Pesticides typically have the greatest environmental impact, but energy use from cultivation techniques (including the costs of nutrient, irrigation and pesticide inputs) is also substantial. This chapter shows that apple production sustainability has improved in the area of pest management and decreased for resource use. It demonstrates that high-density apple orchards require higher levels of infrastructure and resource inputs than older systems, and argues that enhancing biocontrol of pests and lengthening the usable life of equipment and infrastructure are important strategies for reducing the environmental impact of modern production systems.

The final chapter in the book, Chapter 22, reviews key research areas for those involved in organic apple production. It covers the development of suitable varieties and rootstocks, soil fertility management, and strategies for maintaining apple tree health.

The latter include weed and disease control as well as methods for regulating crop set and tree growth. A number of case studies are used to show how research can have real practical impacts, for example by adding to the organic farmer's toolbox of disease control strategies.

# Index

- 1-aminocyclopropane-1-carboxylic acid (ACC) 343
- 1-MCP. *see* 1-methylcyclopropene (1-MCP)
- 1-methylcyclopropene (1-MCP) 231, 343, 347–349, 355
  - DCA *vs.*, 349–350
- 1-N-naphthylphthalamic acid (NPA) 42
- 6-benzyladenine 54, 55
- 9-chromosome ancestor 27
- Aa. *see* Acetaldehyde (Aa)
- ABA. *see* Abscisic acid (ABA)
- Abscisic acid (ABA) 44
- Abbott Laboratories 229, 230
- Abscission, fruit 222
- ACC. *see* 1-aminocyclopropane-1-carboxylic acid (ACC)
- Acetaldehyde (Aa) 309
- Acetic acid vapour, and peracetic acid 314
- ACLSV. *see* *Apple chlorotic leafspot virus* (ACLSV)
- ACP. *see* Anaerobic compensation point (ACP)
- Acylcyclohexanediones 62, 63
- ADFVd. *see* *Apple dimple fruit viroid* (ADFVd)
- Advancing diagnostic technology 392–394
- AFCVd. *see* *Apple fruit crinkle viroid* (AFCVd)
- AFPM. *see* Autonomous Fruit Picking Machine (AFPM)
- Agribot project 298
- Agricultural mechanization 280
- Agricultural Resource Management Survey (ARMS) 489
- AgroFresh Inc., 347
- Air temperatures 240–241
- AITC. *see* Allyl isothiocyanates (AITC),
- Alkylresorcinols (AR) 310
- Allyl isothiocyanates (AITC) 310
- AMF. *see* Arbuscular mycorrhizal fungi (AMF)
- Aminoethoxyvinylglycine (AVG) 229–231, 343
- Anaerobic compensation point (ACP) 347
- Angled canopy 204–205
  - V-systems 204
  - Y System 204–205
- Anilino-pyrimidines (APs) 377
- Anthesis 92
- AP1 gene 88
- Apical dominance 37, 114
- Apical meristems 36
- ApMV. *see* Apple mosaic virus (ApMV)
- Apogee®, 220
- Apomixis 143–144
- Apple breeding 265
  - MAB impacts on 173–176
  - methods 137–138
- Apple carbon balance model 226–227
- Apple chlorotic leafspot virus* (ACLSV) 384, 386–387
- Apple consumption, consumer trends in 516–518
- Apple Crop Outlook and Marketing Conference 521
- Apple cultivation 135–153, 195–233
  - apple breeding methods 137–138
  - chemical thinning 221–228
    - categories 223–224
    - description 221–223
    - precision 225–228
  - crop load determination and effect on fruit quality 212–213
  - disease and pest resistance 147–151
    - fire blight 147–149
    - replant disease complex 149–150
    - tolerance of phytoplasmas and viruses 151
    - woolly apple aphids (WAA) 150–151
  - improving fruit appearance 228–229
    - russet control 228
    - shape 229
  - mechanical pruning 211–212
  - molecular biology and 127–129
  - Mur Fruitier 211–212
  - in nursery 213–219
    - bi-axis tree 217
    - knip tree 215–217
    - one year short cycles 215
    - plant growth regulators (PGRs) application 218
    - potted plants 217–218
    - two-year 214
    - two-year cycle with side graft 214–215
  - overview 135–137, 195–197
  - pre-harvest application of PGRs 229–232
    - delay preharvest drop 229–232
  - pruning techniques 205–210
  - scion traits affected by rootstocks 138–147
    - architectural changes 140–142
    - cold tolerance 144–145
    - drought tolerance 144
    - early bearing inducement 140
    - nutrient uptake 146–147
    - propagation traits 142–144
    - root morphology and architecture 145–146
    - tree vigour 139–140
  - soil and nutrient management in 239–270
    - altered production areas 268–269
    - altered production systems 259–268
    - fertilizer forms and limitations 246–254
    - issues affecting 240–246
    - overview 239–240

- water management 254–258
  - training systems 197–205
    - angled canopy 204–205
    - planar canopy 197–199
    - vertical canopy 199–204
  - vegetative growth control
    - using PGRs 219–221
    - ethephon 220–221
    - flowering promotion on bearing trees 221
    - prohexadione-calcium 219–220
  - Apple decline 391
    - union necrosis 388
  - Apple *dimple fruit viroid* (ADFVd) 388
  - Apple flat limb disease 391–392
  - Apple flavor 340
  - Apple *fruit crinkle viroid* (AFCVd) 388
  - Apple fruit development 103–129
    - abscission and growth rate 110–111
    - chemical composition and seasonal changes 109–110
    - competition within flower/fruit cluster 113–115
    - cropping regulation for sustainability 124–126
    - factors influencing 117–124
      - carbohydrate reserves 117
      - mineral nutrition 123–124
      - post-bloom carbohydrate support 117–121
      - temperature 122
      - water 121–122
    - fruit set 111–112
    - hormones role 112–113
    - modelling to integrate factors in thinning 126–127
      - carbohydrate supply-demand 126–127
      - thinning response assay 127
    - molecular biology and apple cultivation 127–129
    - overview 103–104
    - seasonal growth pattern 108–109
    - seasonal patterns of respiration and ripening 115–116
    - sequence 104–108
  - Apple fruit growth model 227
  - Apple genome 23–31
    - harvesting for improvement 27–29
    - overview 23–24
    - research 30
    - resolving issues in apple industry 29
    - Sanger sequencing methodology 24–25
    - sequencing 25–27
  - Apple genome 2.0, 26
  - Apple green crinkle disease 389–391
  - Apple habit 205–206
  - Apple harvesting
    - robotic 298–301
    - fruit detachment 300
    - fruit detection and localization 299–300
    - fruit placement 300–301
    - historical perspective 298–299
    - technologically assisted 293–298
      - bin management 295
      - bulk harvesting 295–298
      - harvest-assist machines 294–295
  - Apple maggot (*Rhagoletis pomonella*) 432
  - Apple mosaic virus (ApMV) 387
  - Apple production
    - cost analysis of
      - analysis of financial statement and accounts 489
      - categories 490–492
      - classification 487–488
      - engineering approach 489–490
      - overview 486–487
      - Washington State 492–495
    - environmental impacts of
      - biodiversity 528–529
      - crop nutrients 528
      - pesticides 526
      - resource use 526–527
      - water availability and quality 527–528
  - global comparison
    - by typical farm 495–499
    - by variety 499–501
  - global trends in 501–504
  - labour use in 505–506
  - regulatory and marketing schemes for
    - evaluation protocols 540–543
    - integrated fruit production 538
    - organic farming 539–540
    - overview 537–538
  - structural change 504
  - sustainability
    - apple systems study 534–535
    - biodiversity effects 536–537
    - definitions and trends 524–525
    - economic 486
    - environmental 485–486
    - and LCA 532–534
    - nutrient loss 535–536
    - pesticide impacts 529–532
    - social 486
    - water consumption 536
    - trends in systems and technologies 504–505
- Apple proliferation 389, 415–416
- Apple rubbery wood disease 391–392, 416
- Apple scab (*Venturia inaequalis*) 462–463
  - pathogen 4
  - ‘resistant’ varieties 567
- Apple *scar skin viroid* (ASSVd) 388
- Apple *stem grooving virus* (ASGV) 384, 386–387
- Apple *stem pitting virus* (ASPV) 384, 386–387
- Apple systems study 534–535

- Apple tree growth 35–49  
 manipulation and development 53–79  
 artificial spur extinction and chemical thinning 73–76  
 canopy development 54–56  
 dormancy release and bud break 56–59  
 intensive growing systems in  
 Tasmania 70–72  
 managing vegetative growth 59–63  
 overview 53–54  
 training and pruning 63–69  
 rootstocks  
 development and propagation 36–37  
 dwarfing 37–44  
 manipulating 44–46  
 overview 35–36  
 and planting systems 46–47
- APs. *see* Anilinopyrimidines (APs)  
 AR. *see* Alkylresorcinols (AR)  
*Arabidopsis thaliana* 24, 88, 319  
 Arbuscular mycorrhizal fungi (AMF) 252  
 Armobreak 58  
 ARMS. *see* Agricultural Resource Management Survey (ARMS)  
 Artificial spur extinction (ASE) 66  
 and chemical thinning 73–76  
 ASE. *see* Artificial spur extinction (ASE)  
 ASGV. *see* Apple stem grooving virus (ASGV)  
 Aspire™ 322  
 ASPV. *see* Apple stem pitting virus (ASPV)  
 ASSVd. *see* Apple scar skin viroid (ASSVd)  
 Attracticides 432  
 Aurora Golden Gala™ 411  
 Autonomous Fruit Picking Machine (AFPM) 299  
 Auto-steered system 282  
 Auxin 112  
 AVG. *see* Aminoethoxyvinylglycine (AVG)  
 Axial fan air-blast sprayer 290
- BA. *see* Benzyladenine (BA)  
 Baby Boomers 519  
 BAC. *see* Bacterial artificial chromosome (BAC)  
 Bacterial artificial chromosome (BAC) 24  
 Bacterial diseases in apple  
 blister bark 414–415  
 blister spot 413  
 breeding efficiency  
 DNA-informed and marker-assisted selection 411–412  
 and shortening the juvenile phase of apple 412–413  
 caused by phytoplasmas  
 apple proliferation 415–416  
 features of 415  
 other diseases 416  
 crown gall and hairy root 414  
 and *E. amylovora* 418  
 fire blight  
 disease biology 408–409  
 disease management 409–410  
 economic impact 405–406  
 history and spread 404–405  
 symptomatology 406–407  
 tolerant apple scion cultivars 410–411, 417  
 general features of 403  
 management 403–404  
 overview 404  
 role of biofilm formation 418  
 Beating tray/beating sheet 442  
 Bench grafts 215  
 Bending, and long pruning 207–209  
 Benzyladenine (BA) 224–225  
 B fertigation 248–249  
 Bi-axis system 198–199  
 Bi-axis tree 217  
 Bibaum®, 78, 198, 213, 217  
 Bicarbonate salt 312  
 Biennial bearing 89, 90  
 Billing Integrated/Revised System 409  
 Bin management 295  
 Biodiversity 528–529, 536–537  
 Biofilm formation, and bacterial plant diseases 418  
 Biological control 443–444  
 Biological control, of postharvest diseases 321–324  
 BioSave™, 322, 377–378  
 Bitter pit 354  
 Blister bark 414–415  
 Blister spot 413  
 Blossom thinning 223, 227–228, 287–288  
 ‘Boom-and-bust’ cycles 471  
 Boron applications 96  
 Bourse 37  
 BpMADS4 gene 412–413  
 Bracero Program 506  
 Braeburn 206  
 Branch/trunk damage 438–439  
 Breeding efficiency, of apple  
 DNA-informed and marker-assisted selection 411–412  
 and shortening the juvenile phase of apple 412–413  
 Budagovsky 9 (B.9) rootstock 38, 147  
 Bud damage 436–437  
 Bud differentiation 87  
 Bulk harvesting 295–298  
 description 296–297  
 targeted shake-and-catch 297–298
- CA. *see* Controlled atmosphere (CA)  
 Ca concentrations 123  
 Calcium chloride (CaCl<sub>2</sub>), apple treatment with 312–313  
 Calcium concentration, fruit 123, 256

- Candidatus* Phytoplasma mali 389, 415–417.  
 see also Apple proliferation
- Canopy development 54–56  
 notching and branching 55–56  
 plant bioregulator (PBR) application 54–55
- Carbaryl 224
- Carbohydrate  
 post-bloom support 117–121  
 reserves 117  
 supply-demand 126–127
- Cash costs 487–488
- Cation exchange capacities (CEC) 261–262
- Caustic thinners 223
- CEC. see Cation exchange capacities (CEC)
- Cell division 108
- Central leader system 65
- Chat fruit 416
- Chemical application 57–59
- Chemical composition, and seasonal changes 109–110
- Chemical thinning 90, 125, 221–228, 287  
 and ASE 73–76  
 categories 223–224  
 benzyladenine (BA) 224–225  
 carbaryl 224  
 ethephon 225  
 naphthalenacetamide (NAD) 224  
 naphthaleneacetic acid (NAA) 224  
 description 221–223  
 modelling to integrate factors in 126–127  
 carbohydrate supply-demand 126–127  
 response assay 127  
 precision 225–228  
 apple carbon balance model 226–227  
 apple fruit growth model 227  
 dormant pruning 225–226  
 pollen tube growth model 227–228  
 of young fruit 288–289
- Chemogenomics approach 29
- Cherry rasp leaf virus (CRLV) 388
- Chewing insects 434
- Chill portions 56
- Chip-budding 214, 215
- Chitosan 313
- Chlorine, and ozone 314–315
- Chlormequat chloride 62
- Chloroplast-based sequence analyses 5–6
- Classical biological control 445–446
- CLC Genomics workbench 6.0.1, 26
- Clean Plant Center Northwest 177
- Click pruning 69, 209–210  
 Dutch cut 210  
 scoring and girdling 210
- Climate change  
 and arthropod management 444–445  
 and variability 240–242
- Clustered regularly interspaced short palindromic repeats (CRISPRs) 405
- Codling moth (*Cydia pomonella*) 427–429
- CO<sub>2</sub> injuries 354–355
- Colletotrichum acutatum* 320
- Computer vision-based automated sorting apparatus 295
- Conservation biological control 444
- Conservative irrigation 256
- Consumer demand, and apple sales 518–520
- Consumer trends, in apple sales  
 factors affecting consumer demand 518–520  
 global forces affecting apple demand 514–516  
 influence of suppliers and retailers on 512–514  
 marketing challenges 520  
 overview 511–512  
 trends in apple consumption 516–518
- Controlled atmosphere (CA)  
 storage 346–349  
 treatment 317–318
- Conveying belts, and bin-filling mechanisms 294
- Cortex tissue 107
- Cortland 206
- Cosmic Crisp 206
- Cost analysis, of apple production  
 analysis of financial statement and accounts 489  
 categories 490–492  
 classification 487–488  
 engineering approach 489–490  
 overview 486–487  
 Washington State 492–495
- Cougar Blight model 409
- Cox's Orange Pippin 316
- CpGV, and organic farming 568–569
- Cripps Pink 206
- CRISPRs. see Clustered regularly interspaced short palindromic repeats (CRISPRs)
- CRLV. see Cherry rasp leaf virus (CRLV)
- Crop load 117  
 impacts on fruit quality 212–213  
 management method 73–76
- Crop nutrients 528
- Crop set and tree growth regulations 564–565
- Crown gall, of apple 414
- Cultivation, and fungal apple diseases 371
- Cyclanilide 55
- Cyocel. see Chlormequat chloride
- Daminozide 61–62
- DAS. see Decision Aid System (DAS)
- DCA. see Dynamic CA (DCA) storage
- DDT. see Dichlorodiphenyltrichloroethane (DDT)
- Decision Aid System (DAS) 441
- Deficit, and partial irrigation strategies 256–257
- Depth of coverage 25

- Dhingra Genomics Lab 26  
 Dichlorodiphenyltrichloroethane (DDT) 427, 444, 525  
 Diffuse skin browning (DSB) 356  
 Dinitro-butyl-phenol (DNBP) 58  
 Dinitro-ortho-cresol (DNOC) 58  
 Diphenylamine (DPA) 351–352, 355, 373  
 Disease, and pest resistance 147–151  
   fire blight 147–149  
   replant disease complex 149–150  
   tolerance of phytoplasmas and viruses 151  
   woolly apple aphids (WAA) 150–151  
 Disease control, and organic farming 560–562  
 DMC. *see* Dry matter concentration (DMC)  
 DNA base detection 25  
 DNA testing 170, 171  
 DNBP. *see* Dinitro-butyl-phenol (DNBP)  
 DNOC. *see* Dinitro-ortho-cresol (DNOC)  
 Dormancy release, and bud break 56–59  
   chemical application 57–59  
   cultural practices 57  
 Doubled haploid genome version 1.0, 26  
 Double fertilization 93  
 DPA. *see* Diphenylamine (DPA)  
 Drip irrigation 256  
 Dry matter concentration (DMC) 342  
 DSB. *see* Diffuse skin browning (DSB)  
 Dutch cut 210  
 Dwarfing rootstocks 37–44  
   mechanisms of precocity and 41–43  
   morphological effects and interstems 38–41  
     on apple scions 39  
     on growth and tree volume 39–41  
     on precocity 39  
   selection programmes and releases 37–38  
   tolerance to soil water limitation 44  
 Dynamic CA (DCA) storage 346–347  
   vs. 1-MCP 349–350  
 Dynamic chill model 56  
  
 Early bearing, in scions 140  
 East Malling Research Station 37  
 Eco-dormancy 56  
 Economic impact, of viruses/virus-like agents 384–385  
 Economic Research Service (ERS) 489  
 Economic sustainability, and apple production 486  
 Ecosystem services, and and organic farming 565–567  
 Edible coatings 352–353  
 Effective pollination period (EPP) 94  
 Effector-triggered immunity (ETI) 471  
 Effector-triggered susceptibility (ETS) 471  
 EIQ. *see* Environmental impact quotient (EIQ)  
 Electrostatic sprayers 291  
 Endo-dormancy 56  
 Environmental impact quotient (EIQ) 529  
 Environmental impacts, of apple production  
   biodiversity 528–529  
   crop nutrients 528  
   pesticides 526  
   resource use 526–527  
   water availability and quality 527–528  
 Environmental sustainability, and apple production 485–486  
 EO. *see* Essential oils (EO)  
 EPP. *see* Effective pollination period (EPP)  
 Erger®, 59  
 ERS. *see* Economic Research Service (ERS)  
*Erwinia amylovora* 147, 149  
 Essential oils (EO) 310–312  
 Ethephon 62, 220–221, 225  
 Ethylene 112, 116, 128, 229, 341  
 ETI. *see* Effector-triggered immunity (ETI)  
 ETS. *see* Effector-triggered susceptibility (ETS)  
 European Free Trade Agreements 70  
 Expolinear 109  
  
 FACE. *see* Free air CO<sub>2</sub>-enrichment (FACE) technology  
 FADN. *see* Farm Accounting Data Network (FADN)  
 Farm Accounting Data Network (FADN) 489  
 Farm Level Income and Policy Simulation Model (FLIPSIM) 490  
 Farm Service Agency (FSA) 489  
 FDA. *see* Food and Drug Administration (FDA)  
 Fertigation 246–250  
 Fertilization 92  
 Fertilizer  
   availability and management 245–246  
   formulations 251–253  
 FGC. *see* Flavour Group Concept' (FGC)  
 Financial statement and accounts analysis 489  
 Fire blight (*Erwinia amylovora*) 147–149  
   disease biology 408–409  
   disease management 409–410  
   economic impact 405–406  
   history and spread 404–405  
   pest and disease-resistant apple varieties 461–462  
   symptomatology 406–407  
   tolerant apple scion cultivars 410–411  
 Firm flesh browning 355  
 Flat apple disease 388  
 Flavour Group Concept' (FGC) 554  
 FLIPSIM. *see* Farm Level Income and Policy Simulation Model (FLIPSIM)  
 Flower induction 87  
 Flowering 85–91  
 FLOWERING LOCUS T (FT) 88  
 Foliar nutrient application 251  
 Fondazione Edmund Mach–Istituto Agrario di San Michele all'Adige 26  
 The Food Alliance 540

- Food and Drug Administration (FDA) 376  
 Food and Drug Administration Food Safety  
 Modernization Act 339  
 Free air CO<sub>2</sub>-enrichment (FACE)  
 technology 242  
 French National Institute for Agricultural  
 Research 26  
 French Vertical Axis System 201  
 Fruit abscission  
 and growth rate 110–111  
 hormones role in development and 112–113  
 FruitBreedomics project 171  
 Fruit damage 439  
 Fruit detachment 300  
 Fruit detection, and localization 299–300  
 Fruit placement 300–301  
 Fruit quality assessment 339–340  
 Fruit set 111–112  
 Fruit shape 229  
 FSA. *see* Farm Service Agency (FSA)  
 FT. *see* FLOWERING LOCUS T (FT)  
 Fumigation treatments 149  
 Fungal apple diseases  
 biological form of 377–378  
 chemical form of 376–377  
 and cultivation 371  
 cultural form of 378  
 impact of 373–374  
 postharvest diseases 375–376  
 preharvest diseases 374–375  
 and production 371–372  
 and storage 372–373  
 in United States 378–379  
 Gala 206  
 GAs. *see* Gibberellins (GAs)  
 GBS. *see* Genotyping-by-sequencing (GBS)  
 GDR. *see* Genome Database for Rosaceae  
 (GDR)  
 Genebanks 11, 13  
 Gene expression 128  
 Generation X 519  
 Generation Y 519  
 Genetically modified organisms  
 (GMOs) 551  
 Genetic complexity 265–268  
 Genetic diversity, of apples 3–15  
 access to 13  
 capturing and maintaining 10–13  
 importance 3–4  
*Malus* species 9–10  
 sources 4–9  
 progenitor species of  
*Malus × domestica* 8–9  
 wild apple species 4–8  
 technologies to facilitate enhanced and  
 sustainable crop production 13–14  
 threats and new varieties 4  
 Geneva (G) apple rootstock breeding  
 program 37  
 Genome Database for Rosaceae (GDR) 26,  
 169, 182  
 Genome-wide associate studies (GWAS) 28  
 Genotyping-by-sequencing (GBS) 27–28  
 Gibberellins (GAs) 54, 55, 62  
 Global forces, and apple demand 514–516  
 Global Soil Partnership 243  
 Gloeosporium spp., 316  
 Gloster 206  
 Glycol chitosan 313  
 GMOs. *see* Genetically modified organisms  
 (GMOs)  
 Golden Delicious 25, 206  
 Graft compatibility 142  
 Granny Smith 206  
 GRAS substances, and sanitizers 312–315  
 acetic acid vapour and peracetic acid 314  
 bicarbonate salt 312  
 calcium 312–313  
 chitosan 313  
 chlorine and ozone 314–315  
 other chemicals 313–314  
 GRIN-Global database 13  
 G.213 rootstock 142  
 G.935 rootstock 140–141  
 GWAS. *see* Genome-wide associate studies  
 (GWAS)  
 Hairy root, of apple 414  
 Hand pruning 283  
 Harvest-assist machines 294–295  
 Harvest Index 117  
 Harvest maturity, and harvest indices 340–342  
 Harvista™ 231, 343  
 HCN. *see* Hydrogen cyanamide (HCN)  
 HDP. *see* High-Density Plantings (HDP)  
 Heat treatment, of apples 315–316, 353  
 hot air 315–316  
 hot water and steam vapour 316  
 Hexanal 309–310  
 High-Density Plantings (HDP) 196  
 Hormone thinners 223  
 Host defence mechanisms 319–320  
 Host plant resistance 443  
 Hot air treatment 315–316  
 Hot water dip treatment 316  
 Human-operated machines 281  
 Hydrogen cyanamide (HCN) 58  
 HYR transcription factor 28  
 IAA. *see* Indole-3-acetic acid (IAA)  
 IEC. *see* Internal ethylene concentration (IEC)  
 IFP. *see* Integrated Fruit Production (IFP)  
 Illumina HiSeq data 26  
 ILOS. *see* Initial low O<sub>2</sub> stress (ILOS)  
 Indole-3-acetic acid (IAA) 42

- Initial low O<sub>2</sub> stress (ILOS) 346
- Innoculative/augmentative/innundative biological control 442
- Integrated fruit production 538
- Integrated Fruit Production (IFP) 529
- Integrated pest management (IPM). *see* Sustainable arthropod management
- Intergovernmental Panel on Climate Change (IPCC) 240, 535
- Intermittent warming 353
- Internal ethylene concentration (IEC) 341
- International Dwarf Fruit Tree Association 152
- International Fruit Tree Association. *see* International Dwarf Fruit Tree Association
- International Plant Nutrition Institute 245
- International trade, and apple production 501–504
- International Union for the Protection of New Varieties of Plants 172
- Invasive species, and arthropod management 449–450
- In vitro* dual culture plate method 323
- IPCC. *see* Intergovernmental Panel on Climate Change (IPCC)
- Irrigation scheduling 254–256
- KASP™ assays 173
- Kazak wild apple germplasm collection 320
- Knip tree 215–217
- KNO<sub>3</sub>. *see* Potassium nitrate (KNO<sub>3</sub>)
- Kudos®, 220
- Labour-assist platforms 281–283
- Labour use, in apple production 505–506
- Lakso, Alan 226
- Latent viruses 386
- LCA. *see* Life cycle assessment (LCA)
- Leaf damage 434–435
- Leafrollers 431–432
- L'Equili-fruit®, 207
- Lespinasse, Jean Marie 207, 209
- Lespinasse's Typology 64
- LFY gene 88
- LiDAR. *see* Light detection and ranging (LiDAR) sensors
- Life cycle assessment (LCA) 529, 532–534
- Light detection and ranging (LiDAR) sensors 292
- Lorette, L., 211
- MAB. *see* Marker-assisted breeding (MAB)
- MADS Box II 27
- Mafcot research group 207
- MAGALI prototype 298
- Malling-Merton (MM) apple 150
- Malus* × *domestica* genome v2.0, 26
- progenitor species of 8–9
- Malus floribunda* 821, 4
- MaluSim 126
- Malus orientalis* 9
- Malus sieversii* 8–9, 145, 320
- Malus* species 5, 9–10
- Malus sylvestris* 9–10
- Manchurian crab 96
- Manual thinning 286–287
- MAPS. *see* Marker-assisted parent selection (MAPS)
- Marker-assisted breeding (MAB) 137, 165–183, 175, 176
- advances 167
- history 167–171
- DNA-based diagnostics services 170–171
- fundamental genomics resources 167–169
- practical apple 169–170
- impacts on apple breeding 173–176
- overview 165–167
- tools 171–173
- characterization 172
- evaluation 172–173
- Washington State University apple breeding program 176–180
- characterization 177
- evaluation 178–180
- Marker-assisted parent selection (MAPS) 172, 175
- Marker-assisted selection (MAS) 167
- Marssonina* apple blotch (*Diplocarpon mali*) 468–469
- Maryblyt™ 409
- MAS. *see* Marker-assisted selection
- Mass harvesting systems 296
- Mass pruning machines 284
- Mating disruption, and arthropod management 430, 442–443
- Maximum residue levels (MRL) 351, 541
- MBCs. *see* Methyl benzimidazole carbamates (MBCs)
- Md-ACO1*, 178, 179
- Md-ACS1*, 178, 179
- MDP. *see* Medium-Density Planning (MDP)
- Mechanical pruning 211–212
- Mechanization, and automation 279–303
- levels 280–281
- overview 279–280
- adoption 280
- manual labour use 279
- pest and disease control 289–293
- application technologies 290–291
- variable rate spraying 291–293
- robotic apple harvesting 298–301
- fruit detachment 300
- fruit detection and localization 299–300
- fruit placement 300–301

- historical perspective 298–299
- technologically assisted apple
  - harvesting 293–298
  - bin management 295
  - bulk harvesting 295–298
  - harvest-assist machines 294–295
- thinning 286–289
  - labour-assist tools for manual 286–287
  - non-selective chemical and mechanical 287–289
  - robotics for selective/targeted 289
- training and pruning 281–286
  - labour-assist platforms 281–283
  - non-selective mechanical 283–285
  - powered hand tools 283
  - robotics for 285–286
- Medium-Density Planning (MDP) 196
- Membrane method 323
- Mendelian trait loci (MTLs) 168, 169
- Metamitron 125
- Methyl benzimidazole carbamates (MBCs) 376–377
- Mildew immune selection (MIS) 465
- Mingyu Han 97
- Minimal pruning 71–72
- MIS. *see* Mildew immune selection (MIS)
- MM. *see* Malling-Merton (MM) apple
- Mobile platform technology 282
- Molecular biology, and apple cultivation 127–129
- Monitoring/thresholds 441
- MRL. *see* Maximum residue levels (MRL)
- MTLs. *see* Mendelian trait loci (MTLs)
- Mulching 257–258
- Mur Fruitier 211–212
- Mycoplasmas 415
  
- NAA. *see* Naphthaleneacetic acid (NAA)
- NAD. *see* Naphthalenacetamide (NAD)
- Naphthalenacetamide (NAD) 224
- Naphthaleneacetic acid (NAA) 224, 232, 343
- NAPPO. *see* North American Plant Protection Organization (NAPPO)
- NASS. *see* National Agricultural Statistics Service (NASS)
- National Agricultural Statistics Service (NASS) 489
- National Laboratory for Genetic Resources Preservation 13
- National Plant Germplasm System (NPGS) 11, 12
- Natural plant-derived products 309–312
  - alkylresorcinols 310
  - essential oils (EO) 310–312
  - volatile compounds 309–310
    - acetaldehyde (Aa) 309
    - allyl isothiocyanates (AITC) 310
    - hexanal 309–310
    - trans-2-hexanal 309–310
- Natural spur extinction 66
- Nectria canker (*Neonectria ditissima*) 467
- Nitrogen-containing heterocycle 62
- Nitrogen fertilizer 247
- N leaching loss 254, 256
- NO<sub>3</sub>-N concentrations 244
- 'Non-plastic' cultivars 69
- Non-selective chemical, and mechanical thinning 287–289
  - blossom thinning 287–288
  - young fruit thinning 288–289
- Non-selective mechanical training, and pruning 283–285
- North American Plant Protection Organization (NAPPO) 384
- 'Northern Spy,' 150
- Northwest Agricultural and Forestry University 97
- Notching, and branching 55–56
- NPA. *see* 1-N-naphthylphthalamic acid (NPA)
- NPGS. *see* National Plant Germplasm System (NPGS)
- Nursery, tree production in 213–219
  - bi-axis tree 217
  - knip tree 215–217
  - one year short cycles 215
    - bench grafts 215
    - chip-budding in spring 215
  - plant growth regulators (PGRs) application 218
  - potted plants 217–218
  - two-year 214
  - two-year cycle with side graft 214–215
- Nutrient limitations 253–254
- Nutrient loss, and apple production 535–536
- Nybm, Nils 166
  
- OECD. *see* Organization for Economic Cooperation and Development (OECD)
- Onium compounds 62
- Opportunity costs 488
- OPs. *see* Organophosphates (OPs)
- Orchard production system 46
- Organic, and integrated systems 259–265
- Organic farming
  - apple scab-'resistant' varieties 567 and CpGV 568–569
  - crop set and tree growth regulations 564–565
  - developing varieties and rootstocks 553–556
  - disease control 560–562 and ecosystem services 565–567
  - general aspects 558–560
  - lime sulphur and carbonates in scab management strategy 568

- neem extract for the control of rosy apple aphid 567–568
- organic fruit production 551–552
- participatory and holistic approach 552–553
- pest control 562–564
- regulatory and marketing schemes 539–540
- soil fertility management 557–558
- weed control 560
- Organic fruit production 551–552
- Organization for Economic Cooperation and Development (OECD) 515
- Organophosphates (OPs) 428
- Oriental fruit moth (*Grapholita molesta*) 430–431
- PacBio data 26
- Pacific Rose™ 411
- Packinghouse sector 504
- Paclobutrazol 62
- Palmette 197–198
- PAMPs. *see* Pathogen-associated molecular patterns (PAMPs)
- Particulate soil C 261
- Pathogen-associated molecular patterns (PAMPs) 471
- Pattern-recognition receptors (PRRs) 471
- PBA. *see* Pedigree-Based Analysis (PBA)
- PBRs. *see* Plant bioregulators (PBRs)
- PCR. *see* Polymerase chain reaction (PCR); Polymerase chain reaction (PCR)
- Pedigree-Based Analysis (PBA) 170
- Penicillium expansum* 316, 320, 375–376
- Pest, and disease control 289–293
  - application technologies 290–291
  - and organic farming 562–564
  - variable rate spraying 291–293
- Pest and disease-resistant apple varieties
  - apple scab (*Venturia inaequalis*) 462–463
  - DNA-based selection techniques 470
  - fire blight (*Erwinia amylovora*) 460–461
  - Marssonina* apple blotch (*Diplocarpon mali*) 468
  - mechanisms 471
  - nectria canker (*Neonectria ditissima*) 467
  - overview 457–458, 463–464
  - powdery mildew (*Podosphaera leucotricha*) 465
  - storage diseases 469
- Pesticides
  - and arthropod management 440
  - resistance 443–444
  - impacts, and apple production 529–532
- PFGE. *see* Pulsed field gel electrophoresis (PFGE)
- PGRs. *see* Plant growth regulators (PGRs)
- Phaciidiopycnis washingtonensis* 96
- Phenology models/decision aids 441–442
- Pheromone mating disruption (PMD) 525, 531
- Physiological disorders 353–356
- Physiological resistance 112
- Phytophthora cactorum* 147
- Phytoplasmata
  - apple proliferation 415–416
  - features of 415
  - other diseases 416
  - and viruses 151
- Planar canopy 197–199
  - bi-axis system 198–199
  - palmette 197–198
- Plant bioregulators (PBRs) 36, 44–45
  - application 54–55
  - biology 87–89
  - description 86–87
  - horticultural aspects 89–91
  - overview 85–86
  - use 61–63
- Plant growth regulators (PGRs) 197, 342–343
  - nursery application of 218
  - pre-harvest application of 229–232
    - delay preharvest drop 229–232
    - vegetative growth control using 219–221
    - ethephon 220–221
    - flowering promotion on bearing trees 221
    - prohexadione-calcium 219–220
- Planting systems 46–47
- Plant volatile compounds 309–310
  - acetaldehyde (Aa) 309
  - allyl isothiocyanates (AITC) 310
  - hexanal 309–310
  - trans-2-hexanal 309–310
- 'Plastic' cultivars 69
- Plastid-targeted genes 26
- Plum curculio (*Conotrachelus nenuphar*) 433
- PMD. *see* Pheromone mating disruption (PMD)
- Pollen tube growth model 227–228
- Pollination 92–96
  - biology 92–95
  - description 92
  - horticultural aspects 95–96
- Pollinators 92
- Pollinizer 92, 96
- Polymerase chain reaction (PCR) 172–173, 379
- Polyvinyl chloride (PVC) 178
- Postharvest apple diseases 375–376
- Postharvest diseases control 307–326
  - biological 321–324
  - controlled atmosphere 317–318
    - irradiation with UV-C 318
    - natural sources of resistance 319–321
  - genetic sources and their application 320–321
  - GRAS substances and sanitizers 312–315
    - acetic acid vapour and peracetic acid 314
    - bicarbonate salt 312
    - calcium 312–313

- chitosan 313
- chlorine and ozone 314–315
- other chemicals 313–314
- heat treatment 315–316
  - hot air 315–316
  - hot water and steam vapour 316
- host defence mechanisms 319–320
- integrated 324–325
- natural plant-derived products 309–312
  - alkylresorcinols 310
  - essential oils (EO) 310–312
  - volatile compounds 309–310
- overview 307–309
- Postharvest handling, and storage 337–357
  - comparing and assessing 349–351
    - DCA vs. 1-MCP 349–350
    - sustainability 351
  - fruit quality assessment 339–340
  - and grading operations 343–345
  - harvest maturity and
    - harvest indices 340–342
  - overview 337–339
  - physiological disorders 353–356
  - plant growth regulators 342–343
  - technologies 345–349
    - controlled atmosphere
      - (CA) storage 346–349
    - 1-methylcyclopropene (1-MCP) 347–349
    - refrigeration 346
  - treatments 351–353
    - diphenylamine (DPA) 351–352
    - edible coatings 352–353
    - heat 353
- Potassium nitrate (KNO<sub>3</sub>) 58
- Potted plants 217–218
- Powdery mildew (*Podosphaera leucotricha*) 465
- Powered hand tools 283
- Pratylenchus penetrans* 263
- Precision and Automated Agricultural Systems 286
- Precision Crop Load Management 225
- Precocity 38, 89
  - and dwarfing 41–43
  - rootstock effects on 39
- Preharvest apple diseases 374–375
- Pro-Ca. see Prohexadione-calcium (Pro-Ca)
- Production, and fungal apple diseases 371–372
- Progenitor species, of *Malus × domestica* 8–9
- Prognosfruit 521
- Prohexadione-calcium (Pro-Ca) 63, 219–220
- Promalin®, 54, 55, 229
- Provincia Autonoma di Trento 26
- PRRs. see Pattern-recognition receptors (PRRs)
- Pruning
  - click 209–210
    - Dutch cut 210
    - scoring and girdling 210
  - mechanical 211–212
    - related to cultivar habit 205–210
      - apple habit 205–206
      - types 206–210
  - and training 63–69
    - labour-assist platforms 281–283
    - non-selective mechanical 283–285
    - powered hand tools 283
    - robotics for 285–286
    - to rootstocks and cultivars 69
    - types 64–69
- Pulsed field gel electrophoresis (PFGE) 405
- Pulse width modulation (PWM) solenoid valve 292
- PVC. see Polyvinyl chloride (PVC)
- PWM. see Pulse width modulation (PWM) solenoid valve
- Qols. see Quinone-outside inhibitors (Qols)
- QRLs. see Quantitative resistance loci (QRLs)
- QTL. see Quantitative trait loci (QTL)
- Quantitative resistance loci (QRLs) 464
- Quantitative trait loci (QTL) 41, 146, 168, 169–170, 265, 321, 411, 464
- Quinone-outside inhibitors (Qols) 377
- Rapid deployment actuator (RDA) 296
- RDA. see Rapid deployment actuator (RDA)
- Recycling sprayers. see Tunnel-shaped sprayers
- Red Delicious 205–206
- Refrigeration technology 346
- Regalis®, 220
- Regulatory and marketing schemes
  - evaluation protocols 540–543
  - integrated fruit production 538
  - organic farming 539–540
  - overview 537–538
- Reine des Reinettes 206
- Replant disease complex 149–150, 244
- Resource use, in apple production 526–527
- ReTain®, 230, 231, 232, 343
- Risk Management Agency (RMA) 489
- RMA. see Risk Management Agency (RMA)
- Robotic apple harvesting 298–301
  - fruit detachment 300
  - fruit detection and localization 299–300
  - fruit placement 300–301
  - historical perspective 298–299
- Robotic end-effectors 300
- 'Robusta 5,' 147
- Rome Beauty 206
- Root damage 439
- Root morphology, and architecture 145–146
- Root pruning 60–61
- Rootstocks 90–91
  - for apple cultivation 135–153
    - apple breeding methods 137–138
    - disease and pest resistance 147–151

- overview 135–137
- scion traits affected by
  - rootstocks 138–147
- development and propagation 36–37
- dwarfing 37–44
  - mechanisms of precocity and 41–43
  - morphological effects and
    - interstems 38–41
  - selection programmes and
    - releases 37–38
  - tolerance to soil water limitation 44
- manipulating 44–46
- overview 35–36
- and planting systems 46–47
- training and pruning to 69
- RosBREED project 168, 169, 171, 411
- Royal Gala 39, 40
- Rubbery wood, of apple 391–392, 416
- Russet control, fruit 228
- Rvi6 (Vf)* 4
  
- Sanger sequencing methodology 24–25
- Sansavini, S. 211
- SBLs. *see* Sterol biosynthesis inhibitors (SBLs)
- Scarf skin 228
- SCAR markers 173
- Scion, and rootstock effects 39, 138–147
- Scoring, and girdling 210
- SDHI. *see* Succinate dehydrogenase inhibitor (SDHI)
- Seasonal growth pattern 108–109
  - of apple 108–109
  - of respiration and ripening 115–116
- Secondary pests, and arthropod management
  - branch/trunk damage 438–439
  - bud damage 436–437
  - fruit damage 439–440
  - leaf damage 434–435
  - overview 431–432
  - root damage 439
  - shoot damage 436–437
- Selective pruning operations 285
- Self-incompatibility (SI) systems 92
- Self-propelled platforms 282
- Self-steered system 282
- Self-thinning apples 129
- Senescent breakdown 354
- S-genotype 92–93
- Shade effects 128
- Shoot damage 434–435
- Shoots 118
- SI. *see* Self-incompatibility (SI) systems
- Simple, narrow, accessible and productive (SNAP) systems 280, 284
- Simple sequence repeat (SSR) 172–173
- Single nucleotide polymorphisms (SNPs) 173, 396
  - arrays 27, 28
- SIT. *see* Sterile insect technique (SIT)
- SKUs. *see* Stock-keeping units (SKUs)
- Slender Pyramid 66
- Slender spindle 201–202
- SLF. *see* S-locus F-box (SLF)
- Slipstream Automation 171
- S-locus F-box (SLF) 92
- S-locus ribonucleases (S-RNase) 92
- SmartFresh™ 347, 349
- SNAP. *see* Simple, narrow, accessible and productive (SNAP) systems
- SNPs. *see* Single nucleotide polymorphisms (SNPs)
- Social sustainability, and apple production 486
- Societal factors, and arthropod management 450
- Sodium bicarbonate 312
- Soft scald 355
- Soggy breakdown 355
- Soil carbon sequestration 242
- Soil degradation 243–244
- Soil fertility management 557–558
- Soil K availability 250
- Soil N testing 245
- Soil organic matter 262–263
- Soil P availability 249–250
- Soil pH 146
- Solaxe 66, 202–203
- Solid State Canopy Delivery System 293
- Soluble solids concentration (SSC) 339, 342
- SPAD-507, 253
- SPI. *see* Starch pattern index (SPI)
- Spindle 199–201
- Spur structure 104
- S-RNase. *see* S-locus ribonucleases (S-RNase)
- SSC. *see* Soluble solids concentration (SSC)
- SSR. *see* Simple sequence repeat (SSR)
- Starch pattern index (SPI) 341
- Stayman 206
- Sterile insect technique (SIT) 429, 446
- Sterol biosynthesis inhibitors (SBLs) 377
- Stock-keeping units (SKUs) 512
- Storage
  - diseases 469
  - fungal apple 372–373
- String thinning machines 287–288
- Succinate dehydrogenase inhibitor (SDHI) 377
- Sucking pests 434
- Superficial scald 354
- Super spindle 204
- Suppliers and retailers, in apple sales 512–514
- Suppression subtractive hybridization 469
- Sustainability, and apple production
  - apple systems study 534–535
  - biodiversity effects 536–537
  - definitions and trends 524–525
  - economic 486
  - environmental 485–486

- and LCA 532–534
- nutrient loss 535–536
- pesticide impacts 529–532
- social 486
- water consumption 536
- Sustainable arthropod management challenges
  - climate change 448
  - invasive species 449
  - pesticide resistance 447
  - societal factors 450
- key pests
  - apple maggot (*Rhagoletis pomonella*) 432
  - codling moth (*Cydia pomonella*) 427–429
  - leafrollers 431
  - oriental fruit moth (*Grapholita molesta*) 430
  - plum curculio (*Conotrachelus nenuphar*) 433
- monitoring/thresholds 438–440
  - overview 425–426
- phenology models/decision aids 437–438
- secondary pests
  - branch/trunk damage 438–439
  - bud damage 436–437
  - fruit damage 439–440
  - leaf damage 434–435
  - overview 431–432
  - root damage 439
  - shoot damage 436–437
- tools and tactics
  - biological control 444
  - host plant resistance 447
  - mating disruption 446
  - pesticides 447
  - sterile insect technique (SIT) 446
- TA. see Titratable acidity (TA)
- Tall spindle 203–204
- Targeted bulk harvesting systems. see Targeted shake-and-catch harvesting
- Targeted shake-and-catch harvesting 297–298
- Tatura Trellis. see V/Geneva Y trellis systems
- T-budding 214
- TCSA/Y. see Trunk cross-sectional area/yield (TCSA/Y)
- T-DNA. see Transfer DNA (T-DNA)
- TDZ. see Thidiazuron (TDZ)
- Texture analyses, of apple cultivars 339
- TFL1 gene 88
- Thidiazuron (TDZ) 55
- Thinning 286–289. see also specific entries
  - labour-assist tools for manual 286–287
  - non-selective chemical and mechanical 287–289
  - blossom 287–288
  - robotics for selective/targeted 289
  - young fruit 288–289
- Three-degrees-of-freedom (3 DOF) 298, 299
- 3 DOF. see Three-degrees-of-freedom (3 DOF)
- 3D vision-based system 286
- Tissue structure 105
- Titratable acidity (TA) 339
- Tomato ring spot virus (ToRSV) 150
- Tomato ringspot virus* (ToRSV) 388
- ToRSV. see Tomato ring spot virus (ToRSV); Tomato ringspot virus (ToRSV)
- Tower sprayers 290
- Tractor-pulled platforms 282
- Training, and pruning 63–69
  - labour-assist platforms 281–283
  - non-selective mechanical 283–285
  - powered hand tools 283
  - robotics for 285–286
  - to rootstocks and cultivars 69
  - types 64–69
- Training systems 197–205
  - angled canopy 204–205
    - V-systems 204
    - Y System 204–205
  - planar canopy 197–199
    - bi-axis system 198–199
    - palmette 197–198
  - vertical canopy 199–204
    - slender spindle 201–202
    - solaxe 202–203
    - spindle 199–201
    - super spindle 204
    - tall spindle 203–204
- Transfer DNA (T-DNA) 414
- Trans-2-hexanal 309–310
- Tree density 47
- Tree vigour 139–140
- Triploid cultivars 95
- Trunk cross-sectional area/yield | (TCSA/Y) 117, 264–265
- Trunk scoring, and girdling 60
- T3SS. see Type three secretion systems (T3SS)
- Tunnel-shaped sprayers 290
- Type II ‘Galaxy Gala,’ 69
- Type IV ‘Granny Smith,’ 69
- Type three secretion systems (T3SS) 471
- UHDP. see Ultra High Density Planting (UHDP)
- Ultra High Density Planting (UHDP) 196, 204
- Ultrasonic sensors 292
- UN FAO. see UN Food and Agriculture Organization (UN FAO)
- UN Food and Agriculture Organization (UN FAO) 517
- U.S. Apple Reference Germplasm Set 170
- USDA-ARS apple rootstock breeding programme 137
- UV-C irradiation 318, 319

- Vacuum-conveying systems 295
- Variable rate spraying 291–293
- Vegetative growth 59–63
  - control 219–221
    - with ethephon 220–221
    - flowering promotion on bearing trees 221
  - using prohexadione-calcium 219–220
  - cultural practices 60–61
    - root pruning 60–61
    - trunk scoring and girdling 60
  - use of plant bioregulators 61–63
- Vertical axis system 66
- Vertical canopy 199–204
  - slender spindle 201–202
  - solaxe 202–203
  - spindle 199–201
    - super spindle 204
    - tall spindle 203–204
- V/Geneva Y trellis systems 66
- Viroids 388–389
- Viruses/virus-like agents
  - ACLSV, ASPV and ASGV 386–387
  - advancing diagnostic technology 392–394
  - apple decline 391
  - apple flat limb disease 391–392
  - apple green crinkle disease 389–391
  - apple mosaic virus (ApMV) 387
  - apple proliferation 389
  - apple rubbery wood disease 391–392
  - apple union necrosis and decline 388
  - challenges 394–397
  - economic impact of 384–385
  - flat apple disease 388
  - overview 383–384
  - viroids 388–389
- Visible, and infrared radiation sensors 253
- V-systems 204
- WAA. see Woolly apple aphids (WAA)
- WABP. see WSU apple breeding program (WABP)
- Waiken®, 58–59
- Washington Apple Commission 378
- Washington State University apple breeding program 176–180
- Water consumption, and apple production 536
- Watercore 353–354
- Water management 254–258
  - deficit and partial irrigation strategies 256–257
  - irrigation scheduling 254–256
  - mulching 257–258
- Water quality, in apple production 527–528
- Water resources degradation 244–245
- Weed control, and organic farming 560
- Wild apple species 4–8
- Wild *Malus* species 5, 14
- Winter chill 57
- Woolly apple aphids (WAA) 150–151
- World Apple and Pear Association 371
- WSU apple breeding program (WABP) 176, 177
- WSU Tree Fruit Genotyping Laboratory (WTFGL) 176
- WTFGL. see WSU Tree Fruit Genotyping Laboratory (WTFGL)
- Young fruit thinning 288–289
- Y System 204–205
- 'Zigzag' model 471