



Send Bulk Emails

Readme

Version 1.0

20/08/2020

Table of Contents

1. Introduction	3
1.1 Overview	3
1.2 Use Cases	3
2. Requirements & Prerequisites	4
2.1 System Requirements	4
2.2 Prerequisites	4
3. Getting Started	5
3.1 Quick Start	5
3.1.1 Setup	5
3.1.2 Configuration	5
4. Support & FAQs	6
4.1 Support	6
4.2 FAQs	6
Appendix A: Record of Changes	7
Appendix B: References	8

1. Introduction

This document contains all essential information for the user to make full use of this A2019 Send Bulk Emails Bot. It includes a description of the functions and capabilities and step-by-step procedures for setup & configuration of the Datetime Utilities Package.

1.1 Overview

This bot enables you to design and send out bulk messages to your mailing list subscribers. This way you can better communicate with your members in the organization, your existing customers, and reach out new audiences.

1.2 Use cases

The key use cases include:

- Send Monthly Payroll for each employee in the organization.
- Send emails to introduce new products to customers.

2. Requirements & Prerequisites

2.1 System Requirements

[Enterprise A2019 \(Cloud deployed\) and Community Edition device requirements.](#)

Review the machine hardware specifications, operating system versions, and browser types supported by Automation Anywhere Enterprise for creating and running bots and command packages as an Enterprise A2019 (Cloud deployed) or Community Edition user on your local machine.

2.2 Prerequisites

No specific prerequisites beyond the installation of A2019.

3. Getting Started

3.1 Quick Start

3.1.1 Setup

No special setup is required.

3.1.2 Configuration and Use

No	Variable Name	Type	Purpose
1	sInputFolder	String	The folder use to store the input file.
2	sOutputFolder	String	The folder use to store the output file.
3	sEmailConfigFile	String	The file use to store a list email address, email template and other information.
4	sSubject	String	Use to store subject email after retrieving from input file.
5	sBody	String	Use to store body email after retrieving from input file.
6	sTo	String	Use to store to email address.
7	sCC	String	Use to store CC email address.
8	sBCC	String	Use to store BCC email address.
9	sAttachment	String	Use to store attachment file path address.
10	tEmailInfo	Table	Use to store email data read from input file.
11	tEmailTemplate	Table	Use to store email template data read from input file.

4. Support & FAQs

4.1 Support

Free bots are not officially supported. You can get access to Community Support through the following channels:

- You can get access to Community Support, connecting with other Automation Anywhere customers and developers on [APeople](#) – the [Bot Building Forum](#), the [Bot Store Support Forum](#), or the [Developers Everywhere Group](#).
- Automation Anywhere also provides a [Product Documentation portal](#) which can be accessed for more information about our products and guidance on [Enterprise A2019](#).

4.2 FAQs

For questions relating to Enterprise A2019: See the [Enterprise A2019 FAQs](#).

Appendix A: Record of Changes

No.	Version Number	Date of Change	Author	Notes
<i>1</i>	<i>1.0.0-</i>	<i>2020/08/20</i>	<i>FPT</i>	

Appendix B: References

No.	Topic	Reference Link
1	Overview of Enterprise A2019	Click here
2	Guidance: Building basic A2019 bots	Click here
3	Guidance: Building A2019 action packages	Click here
4	APeople Community Forum	Click here
5	Automation Anywhere University	Click here