

ExcelToExcelReconciliation – Persys Tehnologies – Readme

Bot Overview

This bot performs the following:

- Reads the text from a file and returns a variable with all the content.

Pre-Requisites

- Automation Anywhere Enterprise v11.3.3 or latest

Installation

- Download the bot from Bot Store.
- You will find the folder under {AAFolderpath}\Automation Anywhere\My Tasks\Bot Store\ExcelReconciliation-Persys

Following folder structure of the content in the {AAFolderpath}..\ExcelReconciliation-Persys:

- FileBackup-Persys
 - My Task
 - 4 atmx files
 - Error Folder
 - Logs (Folder)
 - Snapshots (Folder)
 - My MetaBots
 - 1 mbot file
 - Input Folder
 - Config (File)

How to Use the Bot:

Use the following information to configure your bot:

Parameter Name	Type	Direction	Additional Info
vExcel1_Col_Key	String	Input	Excel column that from Excel 1 you want to be as a key to compare. **Note: this column value must be unique. Example: A
vExcel2_Col_Key	String	Input	Excel column that from Excel 2 you want to be as a key to compare. **Note: this column value must be unique. Example: A
vExcel1_Compare_Col	String	Input	Excel columns that you want to compare as a child value. **Note: It can be multiple columns. Example: B,C,D,E
vExcel2_Compare_Col	String	Input	Excel columns that you want to compare as a child value. **Note: It can be multiple columns. Example: B,C,D,E
vExcel1_Path	String	Input	Provide the file path for Excel 1 as a base to compare. Example: D:\ExcelBase
vExcel2_Path	String	Input	Provide the file path for Excel 2 as a target to compare. Example:E:\ExcelTarget
vExcel1_FileName	String	Input	Provide the file name for Excel 1. Example: ExcelBase
vExcel2_FileName	String	Input	Provide the file name for Excel 2. Example: ExcelTaget

Error Handling

- Each Bot folder contains the below hierarchy.
 - o Error Folder
 - Logs
 - Error Logs will create a new folder with time stamp Year-Month-Day: In case of any error, the logs.txt will created inside the folder and each new error message within the same day will be attempt in the existing logs.txt.
 - Snapshots
 - Error Snap will create a new folder with time stamp Year-Month-Day: In case of any error, the SnapError.jpeg will created inside the folder and all the error snap within the same day will contains in same file.
- Task Status of bot is set to failed in case of error.

Bot Deployment

