

PRODUCT CODE

S80D

SPHERE 800D

LED MIRROR

SPECIFICATIONS		
WIDTH	800mm	
HEIGHT	800mm	
DEPTH	35mm	
WEIGHT	11kg	


FEATURES
Copper Free Mirror
LED Lighting (Adjustable Colour Temperature)
Backlit
Touch Sensor
Demister with 1 Hour Auto Cut-off

LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	

ССТ	2700K - 6500K
CRI	>80

INSTALLATION
Wall mount
Hardwire
Input voltage: 220-240v 50Hz

<u> </u>	A CONTRACTOR OF THE PARTY OF TH		-8 -13
Ø800		7 *	
	⊛ ⊕		













Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products.

Installation of faulty, warped, chipped or damaged products will void our warranty.





PRODUCT CODE

S80D

SPHERE 800D


LED MIRROR

SPECIFICATIONS		
WIDTH	800mm	
HEIGHT	800mm	
DEPTH	35mm	
WEIGHT	11kg	

LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	
CRI	>80	

INSTALLATION Wall Mount Hardwire Input Voltage: 220-240v 50Hz

FEATURES
Copper Free Mirror
LED Lighting
(Adjustable Colour Temperature)
Touch Sensor











Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products.

Installation of faulty, warped, chipped or damaged products will void our warranty.





SPHERE 800D

LED MIRROR WITH ALUM

Frontlit

Touch Sensor

Demister with 1 Hour Auto Cut-off


SPECIFICATIONS		
WIDTH	810mm	
HEIGHT	810mm	
DEPTH	40mm	
WEIGHT	12kg	


LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	
CRI	>80	

INSTALLATION	
Wall mount	
Hardwire	
Input voltage: 220-240v 50Hz	

	Baltic Brass	S80D-BE
ALUMINIUM FRAME	Brits Nickel	S80D-BN
	Cuban Bronze	S80D-CE
FEATURES	Georgian Metal	S80D-GM
Copper Free Mirror		
LED Lighting (Adjustable Colour Temperature)		

NISH	PRO	DUCT CODE	FINISH	PRO	DUCT CODE
ltic Brass		S80D-BB	Manhattan Black		S80D-MB
ts Nickel		S80D-BN	Milano White		S80D-MW
ban Bronze		S80D-CB	Nordic Gold		S80D-NG
eorgian Metal		S80D-GM			













Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





SPHERE 800D

LED MIRROR

SPECIFICATIONS		
WIDTH	805mm	
HEIGHT	805mm	
DEPTH	40mm	
WEIGHT	11kg	
		_

LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	
CRI	>80	

INSTALLATION	
Wall Mount	
Hardwire	
Input Voltage: 220-240v 50Hz	

11111311	IKOD	JCI CODE
 Baltic Brass		S80D-BB
Brits Nickel		S80D-BN
Cuban Bronze		S80D-CB
Georgian Metal		S80D-GM

FINISH PRODUCT

CODE	FINISH	PRO	DUCT CODE
80D-BB	Manhattan Black		S80D-MB
30D-BN	Milano White		S80D-MW
BOD-CB	Nordic Gold		S80D-NG
UD-CM			

Touch Sensor	400
Demister with 1 Hour Auto Cut-off	400 202.5
13	157.5









Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES

LED Lighting

Touch Sensor

Copper Free Mirror

(Adjustable Colour Temperature)

