



ENWORK

EquilibriumTM

The perfect balance of form and function, Equilibrium turns any space into a design statement. Its patented, revolutionary design leverages a single base to create the illusion of a floating surface up to 20 feet wide.

enwork.com

Details

- Available in seated (29" with 1-1/4" top) or standing (42" with 1-1/4" top) heights
 - Cantilevered supports available centered or offset with a solid or truss aesthetic design
 - Removable covers are provided to conceal power and cable routing vertically and horizontally below the top
 - Supports tops 36" to 72" deep and 84" to 240" wide
 - Installation requires 4" concrete. Base bolts to floor with provided hardware
 - Top material options include laminate, veneer, and designer finishes
 - Optional freestanding baseplate dimensions: 15"D x 55"W x 0.5"H. Center cutout for wire management: 12"x12"
-

Base Options

*60" deep quartz and back-painted glass tops are only available on seated height bases with 26"W x 34"D footprint and centered cantilever supports.

Seated Height (16"D Base)

for 36"–*60" deep, 84" x 240" wide tops
26"W x 16"D footprint

Base Options: Triangle or Inverse V
Centered or Offset Cantilever Supports



Seated Height (34"D Base)

for *60", 66"–72" deep, 84" x 240" wide
26"W x 34"D footprint

Base Options: Triangle or Inverse V
Centered Cantilever Supports




Standing Height (16"D Base)



for 36"–*60" deep, 84" x 240" wide top
33"W x 16"D footprint

Base Options: Inverse V
Centered or Offset Cantilever Supports





Triangle and Inverse V Base options



Truss or Solid design cantilever supports




Centered and Offset cantilever supports



Optional baseplate for freestanding applications

Cable Management



Cantilever support removable trough covers
(Standard on solid cantilever design)



Inverse V base removable cable
management covers



Triangle base removable cable
management covers

Equilibrium Round Details

- Available in seated (29" with 1-1/4" top) or standing (42" with 1-1/4" top) heights
- Bases up to 54" diameter have 5.875"D x 13.5"W x 3.5"H power data clearance and bases 60"–84" diameter have 9.875"D x 22"W x 3.75"H power data clearance
- Removable covers are provided to conceal power and cable routing vertically and horizontally below the top
- Installation requires 4" concrete. Base bolts to floor with provided hardware
- Supports tops 36" to 84" round
- Top material options include laminate, veneer, and designer finishes

Base Options



Seated Height 29"H
36"–54" diameter, 6" x 3.5" footprint
60"–84" diameter, 8" x 6" footprint



Standing Height 42"H
36"–54" diameter, 6" x 3.5" footprint
60"–84" diameter, 8" x 6" footprint

Dimensions

96"–144"W



6" x 3.5" footprint

96"–144"W



8" x 6" footprint



Wire management with removable cover to conceal cables.



enwork.com

1.800.815.7251

Specifications are subject to change without prior notice.

Rev 03.2024

ENWORK