



ENWORK

FoundationTM Drum Bases

Defined by its gentle silhouette, Foundation Drum celebrates soft curves and graceful profiles to form a singular base with elegant spirit. Ideals of simplicity and structural form blend touches of architectural intrigue with commercial endurance for a seamless balance between design-centric seating or expansive collaborative environments.

enwork.com

Tapered Drum Base Details

- Standard height is 27.75" (29" with 1.25" top)
- Base includes plinth and levelers
- Base includes ballast weight
- Optional power/data integration
- Optional Access Door for cable management
- Bottom of base is open for cable management
- Available in laminate or veneer surfaces

Tapered Drum Sizes

Foundation Tapered Drum Bases support round top diameters from 36–96" on a single base, and conference tops up to 60"D x 144"W on multiple bases.



Base dimensions range from 20–48" diameter depending on top size.
Taper varies depending on top size. See next page for details.



Combine multiple Foundation Tapered Drum bases for conference applications.

Power/Data Options

For 36–48"dia. Round Tops and 36"–42"D
Conference Tops (20" Base)

- Axil
- Node
- Satellite

For 54–72"dia. Round Tops and 48–60"D
Conference Tops (24–36" Bases)

- Axil
- Ellora Single-Sided
- Ellora B
- Node
- Satellite

For 84–96"dia. Round Tops
(42–48" Bases)

- Axil
- Ellora (except 6 power units)
- Ellora B
- Node
- Satellite



Power/Data Integration



Access Door for Cable Management

Tapered Drum Top & Base Sizing

Taper angle varies depending on top size.



Drum Base Internal Access

Base Size	Top Access Dimensions	Bottom Access Dimensions
20"	6"	10"
24"	10"	10"
30"	10"	10"
36"	10"	10"
42"	13"	17"
48"	13"	17"

Number of Laminate/Veneer Seams Per Base

Base Size	Number of Seams
20"	2 Seams
24"	2 Seams
30"	3 Seams
36"	3 Seams
42"	4 Seams
48"	4 Seams

Drum Base Details

- Standard height is 27.75" (29" with 1.25" top)
- Base includes levelers
- Base includes ballast weight
- Optional power/data integration
- Optional Access Door for cable management
- Bottom of base is open for cable management
- Available in laminate or veneer surfaces

Drum Sizes

Foundation Drum Bases support round top diameters from 36–96" on a single base, and conference tops from 36–72"D on multiple bases.



Base dimensions range from 16–48" diameter depending on top size.



Combine multiple Foundation Drum bases for conference applications.

Power/Data Options

For 36–48"dia. Round Tops (16–20" Base)

- Axil
- Ellora Single-Sided
- Node
- Satellite

For 54–66"dia. Round Tops (24–30" Base)

- Alexander (4 power units)
- Axil
- Ellora Single-Sided
- Ellora B
- Ghost
- Node
- Oasis 6 power units (15" unit)
- Satellite

For 72–96"dia. Round Tops and 72"D Conference Tops (36–48" Base)

- Alexander
- Axil
- Ellora
- Ellora B
- Ghost
- Node
- Oasis 6 power units (15" unit)
- Satellite



Power/Data Integration



Access Door for Cable Management



enwork.com

1.800.815.7251

Specifications are subject to change without prior notice.

Rev 01.2025

ENWORK