



if it flows,
we go with it

1.800.665.4499
barrplastics.com

Gas Powered Pumps

NP-2065HR: 2" Chemical Transfer Pump



NP-2065HR

- Versatile pump system that can move water as well as a variety of chemicals such as liquid fertilizer.
- Commercial Honda engine with excellent weight to power ration. Designed to be used all day, everyday.
- Fiberglass-reinforced polyester pump body construction with-stands agriculture and industrial chemicals that would corrode aluminum pumps.
- Steel roll cage protects the machine and provides ergonomic hand holds to easily maneuver it.
- Built-in data plate includes all the key information the user would need to operate.


ENGINE

MODEL: HONDA GX200
TYPE: AIR COOLED, 4-STROKE OHV
DISPLACEMENT: 196CC
FUEL TYPE: 86 OCTANE, UP TO 10% ETHANOL
OIL TYPE: SAE 10W30

PUMP REPLACEMENT PARTS

PUMP KIT: 85.150.222
INLET/OUTLET: 85.571.161
IMPELLER: 85.571.163
SEAL KIT: 85.571.162
DRAIN PLUG: 85.571.160

UNIT SIZE



PUMP SPECS

INLET/OUTLET SIZE: 2" SUCTION LIFT: 26'
GPM: 154 DISCHARGE LIFT: 89'
PSI: 40 TOTAL LIFT: 115'

BOXED SIZE

LxWxH: 21" x 17" x 19"
WEIGHT: 60 LBS

UNIT WEIGHT: 54 LBS

WARRANTY

ENGINE: 3 YEARS
PUMP: 2 YEARS
UPC: 777897155723



if it flows,
we go with it

1.800.665.4499
barrplastics.com

Gas Powered Pumps

NP-2070R: 2" Chemical Transfer Pump



- Versatile pump system that can move water as well as a variety of chemicals such as liquid fertilizer.
- Rugged and reliable Powerease engine drives the pump with plenty of power.
- Fiberglass-reinforced polyester pump body construction withstands agriculture and industrial chemicals that would corrode aluminum pumps.
- Steel roll cage protects the machine and provides ergonomic hand holds to easily maneuver it.
- Built in data plate includes all the key information the user would need to operate.

NP-2065HR

ENGINE

MODEL: **POWEREASE 225**
 TYPE: **AIR COOLED, 4-STROKE OHV**
 DISPLACEMENT: **223CC**
 FUEL TYPE: **86 OCTANE, UP TO 10% ETHANOL**
 OIL TYPE: **SAE 10W30**

PUMP REPLACEMENT PARTS

PUMP KIT: **85.150.222**
 INLET/OUTLET: **85.571.161**
 IMPELLER: **85.571.163**
 SEAL KIT: **85.571.162**
 DRAIN PLUG: **85.571.160**

UNIT SIZE



PUMP SPECS

INLET/OUTLET SIZE: **2"** SUCTION LIFT: **26'**
 GPM: **154** DISCHARGE LIFT: **89'**
 PSI: **40** TOTAL LIFT: **115'**

BOXED SIZE

LxWxH: **21" x 17" x 19"**
 WEIGHT: **60 LBS**

UNIT WEIGHT: **54 LBS**

WARRANTY

ENGINE: **2 YEARS**
 PUMP: **2 YEARS**
 UPC: **777897152883**



if it flows,
we go with it

1.800.665.4499
barrplastics.com

Gas Powered Pumps

NP-3065HR: 3" Chemical Transfer Pump



- Versatile pump system that can move water as well as a variety of chemicals such as liquid fertilizer.
- Commercial Honda engine with excellent weight to power ratio. Designed to be used all day, every day.
- Fiberglass-reinforced polyester pump body construction withstands agriculture and industrial chemicals that would corrode aluminum pumps.
- Steel roll cage protects the machine and provides ergonomic hand holds to easily maneuver it.
- Built-in data plate includes all the key information the user would need to operate.

NP-3065HR


ENGINE

MODEL: **HONDA GX200**
 TYPE: **AIR COOLED, 4-STROKE OHV**
 DISPLACEMENT: **196CC**
 FUEL TYPE: **86 OCTANE, UP TO 10% ETHANOL**
 OIL TYPE: **SAE 10W30**

PUMP REPLACEMENT PARTS

PUMP KIT: **85.150.223**
 INLET/OUTLET: **85.571.174**
 IMPELLER: **85.571.179**
 SEAL KIT: **85.571.175**
 DRAIN PLUG: **85.571.160**

UNIT SIZE



UNIT WEIGHT: **58 LBS**

PUMP SPECS

INLET/OUTLET SIZE: **3"** SUCTION LIFT: **26'**
 GPM: **265** DISCHARGE LIFT: **66'**
 PSI: **37** TOTAL LIFT: **92'**

BOXED SIZE

LxWxH: **21" x 17" x 19"**
 WEIGHT: **64 LBS**

WARRANTY

ENGINE: **3 YEARS**
 PUMP: **2 YEARS**
 UPC: **777897172768**



if it flows,
we go with it

1.800.665.4499
barrplastics.com

Gas Powered Pumps

NP-3070R: 3" Chemical Transfer Pump



- Versatile pump system that can move water as well as a variety of chemicals such as liquid fertilizer.
- Rugged and reliable Powerease engine drives the pump with plenty of power.
- Fiberglass-reinforced polyester pump body construction withstands agriculture and industrial chemicals that would corrode aluminum pumps.
- Steel roll cage protects the machine and provides ergonomic hand holds to easily maneuver it.
- Built-in data plate includes all the key information the user would need to operate.

NP-3070R

ENGINE

MODEL: **POWEREASE 225**
 TYPE: **AIR COOLED, 4-STROKE OHV**
 DISPLACEMENT: **223CC**
 FUEL TYPE: **86 OCTANE, UP TO 10% ETHANOL**
 OIL TYPE: **SAE 10W30**

PUMP REPLACEMENT PARTS

PUMP KIT: **85.150.223**
 INLET/OUTLET: **85.571.174**
 IMPELLER: **85.571.179**
 SEAL KIT: **85.571.175**
 DRAIN PLUG: **85.571.160**

UNIT SIZE



PUMP SPECS

INLET/OUTLET SIZE: **3"** SUCTION LIFT: **26'**
 GPM: **265** DISCHARGE LIFT: **66'**
 PSI: **37** TOTAL LIFT: **92'**

BOXED SIZE

LxWxH: **21" x 17" x 19"**
 WEIGHT: **64 LBS**

UNIT WEIGHT: **58 LBS**

WARRANTY

ENGINE: **2 YEARS**
 PUMP: **2 YEARS**
 UPC: **777897172805**