



Hopper Bins

Bottom & Side Discharge Hopper Bins

Hopper Bins are perfect for the storing and dispensing of granuals of all types. These side discharge models feature bases made of molded one-piece FDA approved polyethylene and can be filled through a large 16" diameter opening at their tops. The hopper base design allows 2-way forklift/ pallet jack entry for easy positioning and the bins are stackable up to 3-high even when full.

Bottom Discharge

These all plastic, one-piece molded hoppers with separate double wall bases are ideal for foods, chemicals and pharmaceuticals. All plastic construction is much lighter than conventional metal hoppers and eliminates metal corrosion. Top filling opening and bottom discharge allows fast filling and dispensing of bulk powders, granulars and tablets and they are roto-molded of heavy duty polyethylene for toughness, durability and weight advantages.



Standard Features:

- Steep 45 degree angle allows fast, easy "free-flow" for complete discharge
- Innovative design permits worker access to valve without "reaching" under hopper
- Lightweight poly construction bottle lowers transportation costs
- Removeable top on the 8900 allows easy hopper loading and cleanup
- Closed top on 8091/92 prevents moisture absorption
- Extra thick corners and floor resist impact and wear
- Stackable 2-high

Part #	Description	Lbs	Kg	Dimensions (inches)		
				Length	Width	Height
8090	45 CF Bottom Discharge Hopper w/ 12"D Slidegate	2000	907	44	44	50
8091	20 CF Bottom Discharge Hopper w/ 6" Slidegate (Solid Lid)	1200	544	44	44	40
8092	27 CF Bottom Discharge Hopper w/ 10"D Slidegate	2000	907	44	44	46



Bottom Discharge

Constructed of FDA-approved, chemical resistant polyethylene, these rugged hoppers are impressively durable yet less expensive than stainless steel. Smooth bottle interiors allow for easy material flow. Ergonomically-convenient slidegate allows access without having to reach under hopper. The lightweight, two-piece design is easy to move and transport, even with large loads.

Standard Features

- 8" to 12" discharge opening
- 48" by 48" footprint
- Increased capacity, 35 or 45 cubic feet
- 45 degree slope
- Stackable 2-high
- 4-way forklift/pallet jack entry
- Single-wall bottle, double wall base
- Eliminates metal corrosion
- Reduces tare weight
- Replaceable parts



Part #	Description	Capacity		Dimensions (inches)		
		Lbs	Kg	Length	Width	Height
8096-1	Bottom Discharge Hopper	2000	907	48	48	52
8096-2	Bottom Discharge Hopper	2000	907	48	48	64



Side Discharge

These one-piece hoppers, made of FDA-approved polyethylene, permit fast filling, storing and dispensing of granulars and tablets of all types. With access cover removed, the open-top hopper can be easily filled from side-discharge or bottom discharge processing equipment. 25 degree discharge angle and 6" opening enable fast, "free-flow" dispensing. This unique hopper design with its simplified valve system is budget-friendly, stackable 3-high full and the base design allows 2-way forklift/pallet jack entry for easy positioning.



Part #	Description	Capacity		Dimensions (inches)		
		Lbs	Kg	Length	Width	Height
8089	Closed Top Side Discharge Hopper	2000	544	40	48	40.5
606001	6" Cap	-	-	9	2.5	-
606105	16" Cover	-	-	19.5	3	-