




LBD400-S13-BLP

The LBD400 series of LED Bollards are the latest addition to our growing line of innovative and exquisite area light luminaires. This series is available in seven elegant shade designs with three progressive sizes to complement our new LML Pendants and LWM Wall Sconces. Our Thermally Integrated® and Field Serviceable LED modules provide superior heat dissipation, longer life, and higher performance. Ideal for illuminating grand pathways, estate-sized driveways, and expansive outdoor spaces.

See LBD250 and LBD350 for additional size and configuration options.

**Features include:**

- Up to 1500 lumens at 30 Watts
- Cree XLAMP® High Intensity (XP-L) LED
- 2700K (80 & 90 CRI) or 3000K (80 CRI)
- Thermally Integrated® w/ Copper Core Technology®
- 0-10V Dimming (Upon Request)
- 100-277 VAC
- Solid Copper and Brass Construction



**CORE STYLES**

[GL] Graduated Louvers

[SL] Stacked Louvers

[NL] No Louvers

**COPPER CORE TECHNOLOGY®**

Copper Core® is a registered trademark of Auroralight. It is synonymous with the mark of quality and integrity. It means that our products are built upon a superior foundation of Solid Copper, ensuring every critical part functions seamlessly together Thermally integrated® one component to the next. Auroralight manufactured without compromise, engineered with passion, in the USA.

100/277V

**THERMALLY INTEGRATED**

**SEE NEXT PAGE FOR ORDERING INFORMATION**






# LBD400-S13 DOMI

**ORDERING GUIDE:** <sup>Prefix</sup> **LBD400-S13** L (LED) BD (BOLLARD) 400 (SERIES) S (SPHERICAL) 13 (INCHES)

INDICATES REQUIRED FIELD     INDICATES OPTIONAL FIELD     INCLUDED    [ \_ ] QUICK SPEC (See Below)

**QUICK SPEC SKU** **LBD400-S13-GL-27-D-40-SM-NAT**




NOTE: For other CCT and CRI options, contact factory



**MOUNT**  
 [LP] Leveling Pedestal\*  
 [SM] Surface Mount ✓

\*Recommended for concrete installations.

**FINISH**  
 Standard:  
 [NAT] Natural ✓  
 Plus (\$):  
 [BLP] Bronze Living Patina  
 [BLP-XD] BLP Extra Dark  
 Premium (\$\$\$):  
 [NI] Nickel PVD  
 [PVD] PVD Color  
 (Contact Factory for Color Options)



## PHOTOMETRIC OVERVIEW

Information based on 3000K. To download more in-depth IES photometric data, visit [auroralight.com/product/lbd400-s13-domi/](http://auroralight.com/product/lbd400-s13-domi/)

Mounting Height - 4 Feet

