EZ EXTEND 2FT x 10.5FT

PRODUCT CODE: EZ-ETE24x126











Shown with standard packaging



Shown with optional Silver bag

PRODUCT DESCRIPTION

Expedite your banner stand setup time while adding lavish appeal with our newest EZ Tube fabric display - the EZ Extend! Customize a single-sided (choose white or black back fabric) or double-sided dye-sublimated stretch fabric print. To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down the frame to swiftly drape with the pillowcase graphic. Using the industrial-sized zipper, zip underneath the bottom support pole, maximizing fabric tension.

DISPLAY DIMENSIONS	25.5	5"W x 126"H
GRAPHIC SIZE	26"	W x 126"H
GRAPHIC MATERIAL		
Stretch fabric		
GRAPHIC FINISHING		
Sewn on left, right, and top with a zipper at the bottom		
DISPLAY CONSTRUCTION		
Steel base with aluminum tube frame (1.125" / 28.5mm dia.)		
SHIPPING WEIGHTS & DIMENSIONS		
Shipping Weight	14 lbs (stand only) 16 lbs (with graphic)	
Shipping Dimensions	31"L x 11"W x 4"H	
LARGE QUANTITY FREIGHT		
Freight Shipping	60 boxes per 48"L x 40"W x 40"H skid	
Freight Weight	876 lbs (frame only) 1006 lbs (frame and graphic)	
GRAPHIC TURN AROUND TIME		
2 business days after proof approval		
AVAILABLE ACCESSORIES		
24" Silver Bag		EZ Tube LED Light - Black or Silver
AVAILABILITY		CA and PA



EZ Tube LED Light - Black or Silver



SET UP INSTRUCTIONS

48″

48"x90"









Connect numbered tubes together.



Snap tubes together.



Screw base to tube with threaded bottom.



Cover frame with fabric graphic.

To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down **EZ**EXTEND to swiftly drape with the pillowcase graphic. Using the industrial-size zipper, zip underneath the bottom support pole, maximizing fabric tension.



