





SEG Fabric Frame Systems







Impeccable presentation the way you want it.









RESORT **EXTRUSIONS**

Impeccable presentation the way you want it.





















INDEX

ASPEN-SLIM	3
ASPEN-40D	4
VAIL-40S	5
VAIL-40D	6
VAIL-60S	7
VAIL-60D	8
VAIL-80S	9
VAIL-100D	10
VAIL-120DB	11
SUPPORT STRUT	12
BIG SKY-TRI	13
BIG SKY-32D	15
BIG SKY-60D	16
ALPINE BOOTHS	19
PARTS & ACCESSORIES	25
LIGHTING OPTIONS	27



ICONS



Lifetime Warranty



Free Standing Option Available

Wall Mount Option

Available



Backlit Option Available



Tool Free Option Available



Backlit Displays Only

SEG Fabric Frame Systems

The Resort Extrusions collection offers you the ability to customize your next display project. Within the collection, there are 18 different aluminum profile shapes. Choose your extrusion shape, display width and height, and we build it for you. Extrusion options include single-sided, double-sided, corner and supports for counters and towers. All extrusions are pre-manufactured with recessed grooves for the placement of soft and classy digitally-printed fabric Silicone Edge Graphics (SEG). Captivate crowds by adding lights for a backlit display. Affix finished frame to the wall, hang it overhead, or stand it independently. Retain your custom frame, and refresh with new graphics over time. Presentation is everything-make it impeccable with custom Resort Extrusions.





1 Year Warranty




Display Sizes May Affect Option Quantities




Width-Dependant

For Sales, please contact:



ASPEN SLIM

The ASPEN SLIM has a profile width of 19 mm. (.75 in.), making this single-sided SEG extrusion the thinnest of them all. Less than half the profile width of ASPEN-40D, the outside finish is solid and smooth aluminum. This extrusion is especially lightweight, making it great for wall mounting. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm. (.15 in.) wide into the trough of the frame. Not compatible with lights (cannot be backlit).







- 19 mm. (.75 in.) wide aluminum profile
- Single-Sided graphic display
- · Accepts 12 mm. keder

Functions

· Wall mount display

Graphic Material

• Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (1-2) Custom Single-Sided Graphic

3

- (4) Corner Connectors
- (1) 3 mm. Allen Wrench

Available Options

- Split Connector (市
- Wall Mounts (Oty: 4)

Measurements

Slim Frame Profile Side

•19 mm.

Linear Foot Weight


• 3.5 oz.

Maximum Extrusion Length • 96 in.

Minimum Extrusion Length

Length for Splits / Cuts In Extrusions

• 96 in. Maximum





ASPEN-40D

brackets (cannot be backlit). Also available in black.

A classic in the Resort Extrusion collection, the double-sided

ASPEN-40D has a profile width of 40 mm. (1.6 in.). Aspen's finish

has a system groove, like an indented stripe, for added style, but

is purposeful for easily installing accessories. This extrusion is especially

but can also be stood independently with feet. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm.

lightweight making it great for wall mounting and hanging overhead,

(.15 in.) wide into the silicone beading trough. Can be front lit using

Specifications

- 40 mm. (1.6 in.) wide aluminum profile
- Double-Sided graphic display
- · Accepts 12 mm. keder
- Available in black "Onyx"

Functions

- Free standing display
- Wall mount display
- Suspended display

Graphic Material

• Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (1-2) Custom Single-Sided Graphic (SEG hem)
- (8) Corner Connectors
- (1) 3 mm. Allen Wrench

Available Options

- Aspen Flat Foot (Qty: 2 minimum)
- Yeti Feet (Qty: 2)
- · Aspen Side Mount Feet (Qty: 2)
- Split Connector 🖺
- T-Leg (Qty: 2)
- T-Leg Caster (Oty: 4)
- Vail Feet (Qty: 2)
- Steel Base 🔯
- Ceiling Eye Hook 🖺 • Wall Mounts (Qty: 4)

Measurements

40D Frame Profile Side

40 mm.

Linear Foot Weight


• 11 oz. (Silver) / 10 oz. (Black) Maximum Extrusion Length

• 202 in.

Minimum Extrusion Length

Length for Splits / Cuts In Extrusions


• 96 in. Maximum.























CUSTOM SIZES AVAILABLE! Please call us for more information.

VAIL-40S

CUSTOM SIZES AVAILABLE!

Please call us for more information.

With a solid outside finish unlike the ASPEN-40D, the VAIL-40S is a single-sided extrusion with a profile width of 37 mm. (1.4 in.). The VAIL-40S is rigid because its backside has a longer metal edge for reinforcement, making it especially great for wall mounting and hanging overhead. Plus, it is lightweight; however, for widths longer than 8 ft., it is not recommended to be used as a free-standing display without a support because of its thin profile width. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm. (.15 in.) wide into the silicone beading trough. Not compatible with lights (cannot be backlit).





- 37 mm. (1.4 in.) wide aluminum profile
- Single-Sided graphic display
- · Accepts 12 mm. keder

Functions

- · Free standing display
- · Wall mount display
- · Suspended display

Graphic Material

• Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (1) Custom Single-Sided Graphic
- (4) Vail Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- Split Connector
- Wall Mount (Qty: 4)
- Ceiling Eye Hook
- · Variable Angle Connector (Qty: 4)

5

• Tool Free Connector Upgrade

Measurements

40S Frame Profile Side

• 37 mm

Linear Foot Weight


• 4.5 oz.

Maximum Extrusion Length • 202 in.

Minimum Extrusion Length


• 16 in. with Tool Free Upgrade

Length for Splits / Cuts In Extrusions





The VAIL-40D is a double-sided extrusion with a profile width of 40 mm. (1.6 in.). The alternative extrusion in style to the ASPEN-40D. the VAIL-40D has a solid outside finish. It is especially great for wall mounting and hanging overhead because it is lightweight, but can be used with feet to stand independently as it is more stable than the VAIL-40S. Not compatible with lights (cannot be backlit).



Specifications

- 40 mm. (1.6 in.) wide aluminum profile
- Double-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Free standing display
- · Wall mount display
- Suspended display

Graphic Material

Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (1) Custom Single-Sided Graphic (SEG hem)
- (4) Vail Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- · Vail Feet (Oty: 2)
- · Yeti Feet (Qty: 2)
- Split Connector
- Wall Mount (Qty: 4) [Ceiling Eye Hook
- · Variable Angle Connector
- Tool Free Connector Upgrade

Measurements

40D Frame Profile Side

40 mm.


Linear Foot Weight

• 9.25 oz.

Maximum Extrusion Length

• 202 in. Minimum Extrusion Length

•16 in. with Tool Free Upgrade Length for Splits / Cuts In Extrusions

















Please call us for more information.





VAIL-60S

The VAIL-60S is a single-sided extrusion with a profile width of 60 mm. (2.4 in.) This extrusion has a solid outside finish. VAIL-60S is best for standing independently since the profile width is just wide enough to provide ultimate stability. This extrusion works great overhead as well because of the thick profile width really stands out. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm. (.15 in.) wide into the silicone beading trough. Not compatible with lights (cannot be backlit).



CUSTOM SIZES AVAILABLE!

Please call us for more information.

Specifications

- 60 mm. (2.4 in.) wide aluminum profile
- · Single-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Free standing display
- · Wall mount display
- Suspended display

Graphic Material

· Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (1) Custom Single-Sided Graphic
- (4) Vail Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- Vail Feet (Qty: 2)
- · Yeti Feet (Oty: 2)
- Split Connector · Wall Mount (Qty: 4)
- Ceiling Eye Hook
- Variable Angle Connector (Qty: 4)
- Tool Free Connector Upgrade

Measurements

60S Frame Profile Side

• 60 mm.

Linear Foot Weight


• 8.6 oz.

Maximum Extrusion Length • 202 in.

Minimum Extrusion Length


• 16 in. with Tool Free Upgrade

Length for Splits / Cuts In Extrusions





The VAIL-60D is a double-sided extrusion with a profile width of 60 mm. (2.4 in.) This extrusion has a solid outside finish. VAIL-60D is best for standing independently since the profile width is just wide enough to provide ultimate stability. This extrusion works great overhead as well because the thick profile width really stands out. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm. (.15 in.) wide into the silicone beading trough. Not compatible with lights (cannot be backlit).



Specifications

- 60 mm. (2.4 in.) wide aluminum profile
- · Double-Sided graphic display
- · Accepts 12 mm keder

Functions

- Free standing display
- Wall mount display
- Suspended display

Graphic Material

Stretch Fabric

Package Includes

- (1) 4-Sided Frame
- (2) Custom Single-Sided Graphics (SEG hem)
- (4) Vail Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- · Vail Feet (Oty: 2)
- · Yeti Feet (Qty: 2)
- Split Connector 🖺
- Wall Mount (Oty: 4)
- Ceiling Eye Hook
- · Variable Angle Connector (Qty: 4) • Tool Free Connector Upgrade

- 10.39 oz. Maximum Extrusion Length
 - 202 in.


60D Frame Profile Side

Minimum Extrusion Length

Measurements

• 60 mm. Linear Foot Weight

- •16 in. with Tool Free Upgrade
- Length for Splits / Cuts In Extrusions

























CUSTOM SIZES AVAILABLE! Please call us for more information.



VAIL-80S

The VAIL-80S is a single-sided extrusion with a profile width of 80 mm. (3.2 in.) This extrusion has a solid outside finish. VAIL-80S is best for wall-mounted applications in retail environments because of its depth. However, it can be free-standing up to 8 ft. wide without a support extrusion, or over 8 ft. with an added support extrusion. When installing the fabric graphic, the silicone beading can fit 12 mm. (.47 in.) deep and 4 mm. (.15 in.) wide into the silicone beading trough. This display has enough space between the light-rail and graphic edge to be backlit, as an option.





- · 80 mm. (3.2 in.) wide aluminum profile
- Single-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Free standing display
- · Wall mount display
- Suspended display
- LED Lightbox

Graphic Material

- Stretch Fabric
- UV Backlit Fabric (Backlit)

Package Includes

- · (1) 4-Sided Frame
- (1) Custom Single-Sided Graphic (SEG hem)
- (4) Vail Triangle Corner Connectors
- (16) Socket Screws
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- Split Connector
- Resort Light Strip 一一一
- Power Switch-Q-
- Ladder Lights 🛅-🌣-
- Wall Mount (Qty: 4) [门
- Ceiling Eye Hook 🖺
- Variable Angle Connector (Qty: 4)
- Tool Free Connector Upgrade


Measurements

80S Frame Profile Side

• 80 mm.

Linear Foot Weight

Maximum Extrusion Length • 202 in.




• 11.6 oz.

Minimum Extrusion Length

• 16 in. with Tool Free Upgrade


Length for Splits / Cuts In Extrusions

• 96 in. Maximum



VAIL-100D

The VAIL-100D is a double-sided extrusion with a profile width of 100 mm. (3.9 in.). This extrusion has a solid outside finish. Because the profile width is so thick, VAIL-100D is especially good for freestanding large images (tall or wide). It is more stable than the skinnier profile widths; however, it can be wall mounted or hung overhead as well. Not compatible with lights (cannot be backlit).



Specifications

- 100 mm. (3.9 in.) wide aluminum profile
- · Double-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Free standing display
- Wall mount display
- Suspended display

Graphic Material

• Stretch Fabric (Non-Backlit)

Package Includes

- (1) 4-Sided Frame
- (1-2) Custom Single-Sided Graphic (SEG hem)
- (4) Vail Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- · Vail Feet (Qty: 2)
- Yeti Feet (Qty: 2)
- Split Connector
- Wall Mount (Qty: 4) 「
- Ceiling Eye Hook
- · Variable Angle Connector (Qty: 4) • Tool Free Connector Upgrade

Measurements

100D Frame Profile Side


• 100 mm.

Linear Foot Weight • 1 lb.

Maximum Extrusion Length • 202 in.

Minimum Extrusion Length

•16 in. with Tool Free Upgrade Length for Splits / Cuts In Extrusions





























CUSTOM SIZES AVAILABLE! Please call us for more information.

VAIL-120DB

The VAIL-120DB is a double-sided extrusion with a profile width of 120 mm. (4.7 in.). This extrusion has a solid outside finish. This display is easy to mount on the wall because it is lightweight, but can also hang overhead or stand independently. VAIL-120DB is especially good for edge lights since its spine is shorter, holding the lights very close to the graphic's edges. When installing the fabric graphic, the silicone beading can fit slightly more than 12 mm. (.47 in.) deep and 4 mm. (.15 i.n) wide into the silicone beading trough. This extrusion is compatible with edge lights or ladder lights (can be backlit).



Specifications

- 120 mm. (4.7 in.) wide aluminum profile
- · Double-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Free standing display
- Wall mount display
- Suspended display
- LED Lightbox

Graphic Material

- Stretch Fabric (Non-Backlit)
- UV Backlit Fabric (Backlit)

Package Includes

- (1) 4-Sided Frame
- (1-2) Custom Single-Sided Graphics (SFG hem)
- (4) VAIL Triangle Corner Connectors
- (1) 3 mm. Allen Wrench
- (1) 5 mm. Allen Wrench

Available Options

- · Vail Feet (Qty: 2)
- Yeti Feet (Oty: 2) • Split Connector
- Resort Light Strip 0-
- Power Switch-Q-
- · Ladder Lights 🛅-🌣-
- Wall Mount (Qty: 4)
- Ceiling Eye Hook
- · Variable Angle Connector (Qty: 4)
- Tool Free Connector Upgrade
- · Variable Angle Connector Tool Free

Measurements

120DB Frame Profile Side

•120 mm

Linear Foot Weight

- 13.35 oz.
- Maximum Extrusion Length
- 202 in.

Minimum Extrusion Length

- •16 in. with Tool Free Upgrade

Length for Splits / Cuts In Extrusions



SUPPORT STRUT

ASPEN-40C

ASPEN-40C is a Support Strut Extrusion with a smooth outside finish. It is used as an extra support for mid-frame splits required on any frame over 8 ft. or by request for frames under 8 ft. ASPEN-40C has system grooves of 4.3 mm. (0.17 in.), and is compatible with ASPEN-40D and BIG SKY frames.



Specifications

- 40 mm. (1.6 in.) wide aluminum
- Single-sided graphic display strut
- Double-sided graphic display strut · Multi graphic display strut

Functions

- Free standing display strut · Wall mount display strut
- Tower strut · Ceiling mount display strut

Available Options

· Split Connector 🖺





Measurements

40C Frame Profile Side

• 40 mm


Linear Foot Weight

Maximum Extrusion Length

Minimum Extrusion Length

Length for Splits / Cuts In Extrusions

• 96 in. Maximum





VAIL-MAM-40C

VAIL-MAM-40C is a Support Strut Extrusion with a smooth outside finish. It is used as an extra support for mid-frame splits required on any frame over 8 ft. or by request for frames under 8 ft. It may sometimes be used as a trough for Slatwalls as well, depending on display type. VAIL-MAM-40C has system grooves of 8 mm. (0.3125 in.), and is compatible with VAIL and ALPINE frames.



Specifications

- 43 mm. (1.6 in.) wide aluminum
- · Single-sided graphic display strut
- · Double-Sided graphic display strut
- · Multi graphic display strut

Functions

- Free standing display strut
- · Wall mount display strut
- Alpine strut
- Mammoth strut
- Vail strut

Available Options · Split Connector 🖺



12



Measurements

40C Frame Profile Side


• 43 mm.

Linear Foot Weight • 5.4 oz.

Maximum Extrusion Length

• 202 in Minimum Extrusion Length

Length for Splits / Cuts In Extrusions • 96 in. Maximum





CUSTOM SIZES AVAILABLE! Please call us for more information.











BIG SKY-TRI

BIG SKY TRIANGLE is a corner extrusion that creates 60° angles. With a profile width of 34 mm. (1.34 in.), SEG fabrics install into groove on either side. Very similar to the BIG SKY-32D and BIG SKY-60D, BIG SKY-TRI creates three-sided counters, podiums, and towers in varied sizes. BIG SKY-TRI accepts three individual custom fabric graphics, excluding top and bottom. An inside corner extrusion can be added to make more complex shapes. You can add-on an acrylic countertop to convert the structure into a podium or counter display. LED lighting options are available to backlight your counter or tower to help your message really stand out. Also available in black.



Specifications

- 34 mm. (1.34 in.) wide aluminum profile
- Multi-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Podium/Counter display
- Tower display
- Backlit option

Graphic Material

- Stretch Fabric (Non-Backlit)
- UV Backlit Fabric (Backlit)

Package Includes

- (3) Custom Single-Sided Graphics
- (3) Vertical Extrusion pieces with caps
- (6) Horizontal Extrusion pieces
- with connectors • (1) Torx Key

Available Options

- Resort Light Strip 一一一
- Ladder Lights 一一一
- Acrylic Top

Measurements

Frame Profile Side

• 34 mm.

Linear Foot Weight


• 9.1 oz.

Maximum Extrusion Length • 202 in.

Minimum Extrusion Length

Length for Splits / Cuts In Extrusions

• 96 in. Maximum



BIG SKY-32D

BIG SKY-32D is corner extrusion that creates 90° angles. With a profile width of 32 mm. (1.26 in.), SEG fabric installs into grooves on either side. Custom-made on the premises, the BIG SKY-32D extrusion creates four-sided counters, podiums, and towers in varied sizes. Standard BIG SKY Counters and Towers accept four individual custom fabric graphics, excluding top and bottom. An inside corner extrusion can be added to make more complex shapes. You can add-on an acrylic countertop to convert the structure into a podium or counter display. LED lighting options are available to backlight your counter or tower to help your message really stand out. Also available in black.

Specifications

- 32 mm. (1.26 in.) wide aluminum profile
- Multi-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Podium/Counter display
- Tower display
- Backlit option

Graphic Material

- Stretch Fabric (Non-Backlit)
- UV Backlit Fabric (Backlit)

Package Includes

- (4) Custom Single-Sided Graphics (SEG hem)
- (4) Vertical Extrusion pieces with connectors
- (8) Horizontal Extrusion pieces
- with connectors • (1) Torx Key
- (8) Caps

Available Options

- · Big Sky-IC
- Resort Light Strip ()-0-
- Ladder Lights 🖺 💆
- Acrylic Top

Measurements

Frame Profile Side

• 32 mm.

Linear Foot Weight

• 8.5 oz.


Maximum Extrusion Length • 202 in.

Minimum Extrusion Length

• 16 in. with Tool Free Upgrade

Length for Splits / Cuts In Extrusions

• 96 in. Maximum














CUSTOM SIZES AVAILABLE!

Please call us for more information.





















BIG SKY-60D

BIG SKY-60D is corner extrusion that creates 90° angles. With a profile width of 60 mm. (2.36 in.), SEG fabrics install into grooves on either side. Custom-made on the premises, the BIG SKY-60D extrusion creates four-sided counters, podiums, and towers in varied sizes. Over an inch thicker than the BIG SKY-32D, BIG SKY-60D is recommended for counters, tables, and large towers. Standard BIG SKY Counters and Towers accept four individual custom fabric graphics, excluding top and bottom. An inside corner extrusion can be added to make more complex shapes. You can add-on an acrylic countertop to convert the structure into a podium or counter display. LED lighting options are available to backlight your counter or tower to help your message really stand out.



Specifications

- 60 mm. (2.36 in.) wide aluminum profile
- Multi-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Podium/Counter display
- Tower display
- Backlit option

Graphic Material

- Stretch Fabric (Non-Backlit)
- UV Backlit Fabric (Backlit)

Package Includes

- (4) Custom Single-Sided Graphics (SEG hem)
- (4) Vertical Extrusion pieces
- (8) Horizontal Extrusion pieces with connectors
- (1) Torx Key
- (8) Caps

Available Options

- Resort Light Strip 一一一一
- Ladder Lights 🖺 💆

Measurements


- Frame Profile Side
- 60 mm.
- Linear Foot Weight
- 15.1 oz. Maximum Extrusion Length

• 202 in. Minimum Extrusion Length

- 12 in.
- 16 in. with Tool Free Upgrade


Length for Splits / Cuts In Extrusions


• 96 in. Maximum



Endless Configurations.

Examples of custom BIG SKY configurations.













16



























CUSTOM SIZES AVAILABLE! Please call us for more information.



























18

ALPINE BOOTHS

Be in charge of your environment and give your space all that it needs with Alpine custom exhibit booths. Many design configurations allow you the freedom to add backwalls, rooms, doors, shelves, slatwalls, and front lighting. Whatever your product or service, Alpine booths lie at the intersection of creativity and Feng Shui. Bring exhibitors your way with Alpine-It's hard to ignore something original.





Specifications

- 54 mm. (2.16 in.) wide aluminum profile
- Multi-Sided graphic display
- · Accepts 12 mm. keder

Functions

- Backwall
- Custom Booth Layouts

Graphic Material

Stretch Fabric

Available Options

- Vertical Splice Connector
- Door Handle & Lock
- Door Hinge
- RPL LED Light 🖺
- Cap 🞹
- · Slatwall 🖺
- · Caster Wheels (Door)
- Acrylic 🖺
- Horizontal Split Connector
- Monitor Bracket w/ Support Bar

Measurements

Frame Profile Side


- 54 mm. (Vertical)
- 42 mm. (Horizontal)
- Linear Foot Weight •19.3 oz. (Vertical)
- 7.3 oz. (Horizontal)


Maximum Extrusion Length

Minimum Extrusion Length

Length for Splits / Cuts In Extrusions

• 96 in. Maximum













Package Includes

ALPINE BOOTH A

- (9) Custom Single-Sided Graphics (SEG hem)
- (14) 47.25 in. Vertical Extrusion
- (2) 35.5 in. Vertical Extrusion
- (12) Lock A-0014
- (4) Lock A-0034
- (9) Vertical Center connector
- (2) 11.8 in. Vertical Extrusion
- (7) 35.5 in. Horizontal Extrusion • (3) Horizontal Center connector
- (1) 4 mm. Allen Tool
- (2) La Caja Hard Cases
- (1) 91.075 in. Vertical Support Strut compliance requirements.

Disclaimer: This booth design has a high arch that may not comply with certain trade show regulations. Before purchase, it is recommended to refer to the regulations of the specific trade show in order to meet



Package Includes

- (9) Custom Single-Sided Graphics (SEG hem)(11) 47.25 in. Vertical Extrusion
- (5) Vertical Extrusion Connector
- (16) 35.5 in. Horizontal Extrusion
- (12) Extrusion Caps
- (24) Lock A-0014
- (1) Door
- (4) Horizontal Center connector
- (1) 4 mm. Allen Tool
- (2) La Caja Hard Cases
- (1) 91.075 in. Vertical Support Strut
- (1) 43.826 in. Vertical Support Strut
- (1) 32.08 in. Horizontal Support Strut



Package Includes

- (16) Custom Single-Sided Graphics (SEG hem) (12) 47.25 in. Vertical Extrusion
- *(4) 11.8 in. Vertical Extrusions
- (20) 35.5 in. Horizontal Extrusions • (12) 11.8 in. Horizontal Extrusions
- (4) 11.8 in. Support Extrusions (shelf inner)
- (4) 13.2 in. Support Extrusions (shelf outer) • (4) 36.5625 in. Support Extrusions (shelf front H)
- (6) Vertical Extrusion Connector
- (20) Extrusion Caps
- (80) Locks
- (6) Acrylic Shelves
- (1) 4 mm. Allen Tool
- (2) La Caja Hard Cases



Package Includes

- (26) Custom Single-Sided Graphics (SEG hem)(8) 47.25 in. Vertical Extrusion
- (8) 11.8 in. Vertical Extrusion
- (4) Vertical Extrusion Connector • (48) 36.5 in. Horizontal Extrusion
- (24) 11.8 in. Horizontal Extrusion
- (4) 35.4 in. Support Extrusion
- (12) 8.5 in. Support Extrusion
- (4) Extrusion Caps • (140) Lock
- · (48) Slatwall
- (6) Shelves
- (27) Support Connector
- (1) 4 mm. Allen Tool
- (3) La Caja Hard Cases
- (4) 8.5 in. Vertical Support Strut
- (1) 70.5 in. Vertical Support Strut

CUSTOM SIZES AVAILABLE! Please call us for more information.



ALPINE-42H

*Flooring not included.

Endless Configurations.


Examples of fully customized ALPINE BOOTHS. *Flooring not included.















CUSTOM CONFIGURATIONS AVAILABLE! Please call us for more information.


CUSTOM CONFIGURATIONS AVAILABLE!
Please call us for more information.





























Frame Only

Frame and Graphic

PARTS & ACCESSORIES

ASPEN PARTS



ASPEN Corner Connector Compatible with the ASPEN 40-D



ASPEN Corner Connector Compatible with the ASPEN SLIM

VAIL PARTS



VAIL Corner Connector



VAIL L Corner Connector

VAIL Tool Free Corner Connector (Tool Free Upgrade) Compatible with all VAIL profiles

TOOL FREE PARTS



VAIL Tool Free Split Connector 📋 (Tool Free Upgrade)



VAIL Variable Angle Connector (Tool Free Upgrade) Compatible with all VAIL profiles

Compatible with all VAIL profiles

OPTIONAL ACCESSORIES




ASPEN Flat Foot

Compatible with ASPEN-40D and all VAIL profiles



VAIL Feet

Compatible with ASPEN-40D and





Onyx Base 🕝 Compatible with ASPEN-40D and all VAIL profiles





Resort Light Strip -Compatible with VAIL-120DB and



Monitor Mount

all BIGSKY profiles

Compatible with all VAIL, BIG SKY and ALPINE profiles

*Universal LCD and Plasma TV bracket fit for 22"-42" screens



T-Leg

all VAIL profiles

Wall Mounts 📋

Split Connector

Power Switch-O-

all BIG SKY profiles

all VAIL profiles

BIG SKY-60D

Compatible with ASPEN-40D and all VAIL profiles

Compatible with ASPEN-40D and

Compatible with ASPEN-40D and

Compatible with ASPEN-40D and

Compatible with VAIL-120DB and



ASPEN Side Foot

Compatible with ASPEN-40D and all VAIL profiles



T-Leg Caster

Compatible with ASPEN-40D and all VAIL profiles



Ceiling Eye Hook

Compatible with ASPEN-40D



BIG SKY Center Connector Compatible with BIG SKY-32D



all BIG SKY profiles



Ladder Lights 🛅 🔆 Compatible with VAIL-120DB and



OPTIONAL ACCESSORIES FOR BIG SKY



Compatible with all BIG SKY profiles



Compatible with BIG SKY-32D profile



Caps 🔤

Compatible with BIG SKY-60D



BIG SKY-IC



Compatible with BIG SKY-32D



Caps === Compatible with BIG SKY-IC profile



Caps === Compatible with BIG SKY-TRI profile



Compatible with all BIGSKY-32D and BIG SKY-TRI profiles

OPTIONAL ACCESSORIES FOR ALPINE



Vertical Split Connector

Door Handle & Lock

Door Hinge





RPL LED Light 🛅

Acrylic 📋



Caps 🔤





Feet



Monitor Mount w/ Support Strut



Caster Wheels (Door)



Slatwall 🗂



GRAPHIC INSTALLATION

Starting at the corners of the frame, push the corners of the graphic into the frame's recessed groove. Then, starting midway on the frame and going toward the corners, continue pushing in the straight edges of the graphic on all four sides.







LIGHTING OPTIONS

Resort Extrusions. Not Your Average Retreat.

Custom Extrusion Frames • Silicone Edge Graphics

BACKLIT DISPLAY OPTIONS

Resort Ladder Lights

Compatible with VAIL-120DB and BIG SKY profiles

*Recommended when the shorter side of the frame extends beyond 8 ft. (e.g. 10 ft. wide x 9 ft. tall)



Resort Light Strip (Edge Lights)

Compatible with VAIL-120DB and BIG SKY profiles

*Recommended when the shorter side of the frame is 8 ft. or under (e.g. 10 ft. wide x 8 ft. tall)



OPTIONAL LIGHTING

Aspen LED Large Light

Black/Silver Compatible with ASPEN-40D and ALPINE profiles

*Can be a custom accessory for VAIL frames. Please note this light requires drilling into frame in order to attach and secure during setup.



Aspen Small Light

Compatible with ASPEN-40D and ALPINE profiles

*Can be a custom accessory for VAIL frames. Please note this light requires drilling into frame in order to attach and secure during setup.



Aspen Halogen Light Black/Silver

Compatible with ASPEN-40D and ALPINE profiles

for VAIL frames. Please note this light requires drilling into frame in order to attach and secure during setup.



T135 LED Light

White

Compatible with ASPEN-40D and ALPINE profiles

*Can be a custom accessory for VAIL frames. Please note this light requires drilling into frame in order to attach and secure during setup.









SEG Fabric Frame Systems









