

PREMIER INDUSTRIAL CORP -- 93215, ALL PURPOSE ETP CUTTING FLUID
-- 9150-00N032548

=====
Product Identification
=====

Product ID:93215, ALL PURPOSE ETP CUTTING FLUID
MSDS Date:08/28/1989
FSC:9150
NIIN:00N032548
MSDS Number: BPTBL
=== Responsible Party ===
Company Name:PREMIER INDUSTRIAL CORP
Address:4500 EUCLID AVE
City:CLEVELAND
State:OH
ZIP:44103
Country:US
Info Phone Num:216-391-8300
Emergency Phone Num:216-391-8300
Preparer's Name:G.F.S
CAGE:18399

=== Contractor Identification ===
Company Name:PREMIER FARNELL CORPORATION
Address:4500 EUCLID AVENUE
Box:City:CLEVELAND
State:OH
ZIP:44103-3736
Country:US
Phone:216-391-8300
CAGE:18399

=====
Composition/Information on Ingredients
=====

Ingred Name:ING 1: HYDROTREATMENT); (PETROLEUM OIL).
LD50:(ORAL,RAT)13000 MG/KG
RTECS #:9999999ZZ

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
NAPHTHENIC (MILD OR NO SOLVENT-REFINING OR (ING 2)
CAS:64742-63-8
RTECS #:PY8038000
Fraction by Wt: 65%
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5MG/M3;10 STEL(MIST)

=====
Hazards Identification
=====

LD50 LC50 Mixture:SEE INGREDIENT 1
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS NOT A PRIMARY SKIN OR EYE
IRRITANT. CHRONIC IRRITATION MAY OCCUR AFTER PROLONGED AND REPEATED
CONTACT WITH SKIN.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid: EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES & CALL PHYSICIAN. SKIN: WASH THOROUGHLY WITH PLENTY OF SOAP AND WATER. INHAL: REMOVE TO FRESH AIR. INGEST: SEEK PHYS IMMEDIATE. SHOW MSDS OR LABEL, DO NOT INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point: 450F, 232C
Extinguishing Media: CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard: NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures: CLEAN UP WITH ABSORBENT MATERIAL. DISPOSE OF AS A NON-HAZARDOUS WASTE. CONTAIN AND PICK-UP WASTE MATERIALS.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions: AVOID PILING/RPTD CONTACT WITH SKIN. ALWAYS READ & FOLLOW DIRECTIONS ON PRODUCT LABEL.
Other Precautions: IN CASE OF ACCIDENT/ILLNESS, SEEK PHYS IMMEDIATE, SHOW LABEL/MSDS. KEEP OUT OF REACH OF CHILDREN. ADDITIONAL TECH DATA SHEETS &/OR MATERIAL SAFETY DATA SHEETS ARE AVAILABLE UPON REQUEST. FOR PROFESSIONAL & INDUSTRIAL USE ONLY.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: USE ONLY WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.
Ventilation: LOCAL: RECOMMENDED. MECH: REQUIRED.
Protective Gloves: SOLVENT RESISTANT GLOVES.
Eye Protection: CHEMICAL WORKERS GOGGLES.
Other Protective Equipment: AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC: V6
Boiling Pt: B.P. Text: 680F, 360C
Vapor Pres: NIL
Spec Gravity: 0.99
Evaporation Rate & Reference: <0.1 (H2O=1)
Solubility in Water: NIL
Appearance and Odor: TAN OPAQUE FLUID, W/PETROLEUM ODOR.
Percent Volatiles by Volume: NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS.

Stability Condition to Avoid: KEEP AWAY FROM HEAT AND FLAME.

Hazardous Decomposition Products: PYROLYSIS PRODUCTS. CO, CO2.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF WASTES IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.