

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product Name: 1,2-dipalmitoyl-sn-glycero-3-phosphocholine in Chloroform
 Product Number: 850355C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company Avanti Polar Lipids, Inc.
 700 Industrial Park Drive
 Alabaster, Alabama 35007
 USA
 Telephone (205) 663-2494 / (800) 227-0651
 Fax (205) 663-0756 / (800) 229-1004

1.4 Emergency telephone number

+1 800-424-9300 (CHEMTREC)


2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
 Acute toxicity, Oral (Category 4), H302
 Acute toxicity, Inhalation (Category 3), H331
 Skin irritation (Category 2), H315
 Eye irritation (Category 2A), H319
 Carcinogenicity (Category 2), H351
 Reproductive toxicity (Category 2), H361
 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336
 Specific target organ toxicity - repeated exposure (Category 1), Liver, Kidney, H372
 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram 

Signal Word Danger

Hazard statement(s)
 H302 Harmful if swallowed.
 H315 Causes skin Irritation.
 H319 Causes serious eye Irritation.
 H331 Toxic if inhaled.

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P305 + P351 + P338	IF IN EYES: Rinse with copious water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Component	Classification	Concentration
Chloroform		
CAS-No. 67-66-3 EC-No. 200-663-8 Index-No. 602-006-00-4	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; Aquatic Acute 3; H302, H315, H319, H331, H336, H351, H361, H372, H402	>= 95 - <= 100%
1,2-dipalmitoyl-sn-glycero-3-phosphocholine		
CAS Number: 63-89-8	No Known Hazards	<=5%

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

Ethanol			
CAS-No.	64-17-5	Flam. Liq. 2; H225	<=1%
EC-No.	200-578-6		
Index-No.	603-002-00-5		

4. FIRST AID MEASURES

4.1 Description of first aid measures

General Advice

Consult a physician. Show this safety data sheet to the doctor in attendance.
Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.
Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.
Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling
(see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURE

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Chloroform	67-66-3	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

	Remarks	Central Nervous System impairment		
		Liver damage Embryo/fetal damage Confirmed animal carcinogen with unknown relevance to humans		
		ST	2.000000 ppm 9.780000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen See Appendix A		
		C	50.000000 ppm 240.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing.
Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.
Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure



Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance	Clear Colorless Solution
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	-63 °C (-81 °F)
f) Initial boiling point and boiling range	60.5 - 61.5 °C (140.9 - 142.7 °F) at 1,013 hPa (760 mmHg)
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	213 hPa (160 mmHg) at 20 °C (68 °F)
l) Vapor density	4.1
m) Relative density	1.480 g/cm ³
n) Water solubility	No data available
o) Partition coefficient: n- octanol/water	log Pow: 1.97
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2 Other safety information

Surface tension 27.1 mN/m at 20 °C (68 °F)
Relative vapor density 4.1

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Magnesium, Sodium/sodium oxides, Lithium

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute toxicity**

No data available

Inhalation

No data available

Dermal

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cholesterol)

NTP: Reasonably anticipated to be a human carcinogen (Chloroform)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Vomiting, Gastrointestinal disturbance, Exposure to and/or consumption of alcohol may increase toxic effects. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish LC100 - Leuciscus idus (Golden orfe) - 220 mg/l - 48 h
LC50 - Danio rerio (zebra fish) - 121 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 79 mg/l - 24 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods****Product**

Contact a licensed professional waste disposal service to dispose of this material.
Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: 1888 Class: 6.1 Packing group: III

Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

Proper shipping name: Chloroform solution
 Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1888 Class: 6.1 Packing group: III EMS-No: F-A, S-A
 Proper shipping name: Chloroform solution

IATA

UN number: 1888 Class: 6.1 Packing group: III
 Proper shipping name: Chloroform solution

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

	CAS-No.	Revision Date
Chloroform	67-66-3.	2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Chloroform	67-66-3.	2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Chloroform	67-66-3.	2008-11-03

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Chloroform	67-66-3.	2008-11-03

New Jersey Right To Know Components

	CAS-No.	Revision Date
Chloroform	67-66-3.	2008-11-03

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

	CAS-No.	Revision Date
Chloroform	67-66-3	2008-11-03

Chloroform

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive

	CAS-No.	Revision Date
	67-66-3	2008-11-03



Version: 1.1

Revision Date: 06/01/2015

Print Date: 10/08/2015

1,2-dipalmitoyl-sn-glycero-3-phosphocholine

harm
Chloroform

16. OTHER INFORMATION

Further information

Copyright Avanti Polar Lipids, Inc. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Avanti Polar Lipids, Inc., and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.