GRIFFIOEN.

EQC CLAIM DOCUMENTATION

Statement of Passing Over: This documentation has been supplied to us by the Earthquake Commission under the Official Information Act. GRIFFIOEN. (Powered by Ownly Limited, Licensed REAA 2008) is merely passing over this information as supplied to us.

We cannot guarantee its accuracy as we have not checked, audited, or reviewed the information and all intending purchasers are advised to seek your own advice as to the information contained in this document.

To the maximum extent permitted by law we do not accept any responsibility to any party for the accuracy or use of the information herein.



CLM/2011/066612 - Construction Completion Inspection

Scope Meeting Reco	rd Property Details		
Claim Number	CLM/2011/086612	Hub Zone	North New Brighton Hub
Contractor Name	Bruce Radovonich Builder	Supervisor	Adel isaac
Property Address	10 SOPHORA PLACE, PARKLANDS		
Date Started	29/07/2013 04:17:08 p.m.	Date Completed	29/07/2013 05:00:00 p.m.

Description of Works

As per scope of work

Defects

Edge of carpet in living to be glued back

Deferred Works

replace vinyl of bathroom floor.

This is to advise that the earthquake repair work performed under this contract has been reviewed and it has been agreed that works has been completed as per EQC Assessment, Approved EQR Scope and approved Variations, excluding any minor defects or omissions.

Contractor Signature:

Bruce Radovonich

29/07/2013

Name

Signature

Date

Owner/Agent Signature:

Pat & Pine Gillis

29/07/2013

Name

Signature

appene

Deale

Fletcher Construction Company Ltd - EQR:



CLM/2011/066612 - Construction Completion Inspection

Adel Isaac

Name

Signature

29/07/2013

Date

EQC Claim Assessment

Address	10 SOPHORA PLACE, PARKLANDS, CHRISTCHURCH, 8083		EQC Claim Number CLM/2011/066612
Hazards	Nil		EQC Assessor (L,F) Flanagan, Carol
Inspection Date	11-Jul-2011	Placard No S	
Status	Current		240 Estimator (E,r) Lesile, Jason

Element	Property Detail - Services	
Water Supply	Description / Damage / Repair Strategy	Measure
• • •	Town Connection, Plastic	5 m
Sewerage	Town Connection, PVC Pipe	5 m
	Property Detail - Site	
lement	Description / Damage / Repair Strategy	Measure
and	Exposed, Soil	620 m2
lain Access	Drive, Concrete	50 m2
AN BUILDING	Age 1961 - 1980 Area 90.5m2 Footprint L Shape	a
str <u>ucture</u>	a supplied to the supplied to	
Element	Description / Damage / Repair Strategy	Measure
Elevation (North)		HIOLIGATO
Wall framing	Timber Frame, Timber (32.16 m2)	
Wall cladding	Brick veneer, Summer Hill Stone (14.25 m2)	
	Cracking	
	Grind out and repoint mortar	2 m
	Cracking to paint	~
	Paint wall	14.25 m2
Wall cladding	Monolithic, Cement sheet (23.04 m2)	1 1120 1112
omments: 5.8x4.2 p damage)	oine deck(no damage)□4x1.4 concrete patio(no damage)□5.2x1.8 timber pergo □3.2x1.2 cement sheet gable end (no damage)	ola , clearlite over (no
Element	Description / Damage / Repair Strategy	Measure
Elevation (East)		Modeuro
Wall framing	Timber Frame, Timber (17.76 m2)	Control of the Contro
Wall cladding	Brick veneer, Summer Hill Stone (18.50 m2)	
	Cracking	
	Grind out and repoint mortar	3 m
	Cracking to paint	O III
	Paint wall	18.5 m2

		EQC Claim Number	CLM/2011/066612
Comments: 4.2x1	.5m cement sheet gable end (no damage)		
Element	Description / Damage / Repair Strategy		Measure
Elevation (West			ivicusu) C
Wall framing	Timber Frame, Timber (18.00 m2)		
Wall cladding	Brick veneer, Summer Hill Stone (18.75 m2)		
	Cracking		
	Grind out and repoint mortar		1 m
	Cracking to paint		
	Paint wall	<u></u>	18.75 m2
comments: 4.1x1.	5 cement sheet gable end(no damage)		
Element	Description / Damage / Repair Strategy		Measure
Elevation (South			MCDSUC
Wall framing	Timber Frame, Timber (34.56 m2)		VC
Wall cladding	Brick veneer, Summer Hill Stone (20.00 m2)		THE RESERVE THE PROPERTY OF TH
	Cracking		
	Grind out and repoint mortar		0.5 m
	Cracking to paint		
	Paint wall		20 m2
omments: 8x2.5 p	painted summer hill stone(no damage)□6.6x2.5 painted cemen	t sheet (no damage)	
Element	Description / Damage / Repair Strategy		Measure
Foundations			Medadie
Piles	Ordinary, Concrete (1.00 Item)		Charles And American Superior (Control of Control of Control of Control of Control of Control of Control of Co
Ring foundation	Load bearing, Concrete (45.00 m)		
	Cracks to ring foundation		
	Grind out, epoxy fill		5.4 m2
Element	Description / Damage / Repair Strategy		
Roof	- coonfiguration / Dunings / Tropair Strategy		Measure
omments: Pitched	□Concrete tile		
round Floor			
Room / Element	Description / Damage / Repair Strategy		
Kitchen (L=2.8m	J		Measure
Floor	Chipboard, Vinyl (8.40 m2)		
	Impact damage		
	Remove, dispose and replace viny	ſ	£ 700
Range (Free	Electric, Standard Electric (1.00 Item)	The second secon	5.76 m2
standing oven)	(1.55 holl)		
Hob	Gas, Standard Spec (1.00 Item)		
Wall covering	Gib, Paint (27.84 m2)		
	Cosmetic damage		
	Rake out, plaster and paint		21.6 m2
Ceiling	Gib, Paint (8.40 m2)	- Charles the Communication bear to have been a second and the communication of the communica	
Work top	Kitchen work top, Laminate (6.30 m)		THE RESERVE THE PARTY OF THE PA
Range Hood	Over Head, Standard spec (1.00 Item)		

EQC	Claim	Number	CLM/2011/066612

Door (Internal)	Single Hollow Core, Timber (1.00 No of)	OLIVEZO I I/0000 IZ
	Cosmetic damage	
	Ease and repaint door	1 No of
Kitchen joinery	Standard Spec, Laminate (1.00 Item)	
Window	Timber medium, Pane single glazed (1.00 No of)	
	Cosmetic damage	
	Gap fill and paint jambs / sills	6 m

Room - Additional Notes:

Dining Room	(L=4.1m W=3.0m H=2.4m)	
Window	Aluminium Awning, Pane single glazed (1.00 No of)	
Window	Aluminium Fixed, Pane single glazed (1.00 No of)	
Floor	Chipboard, Vinyl (6.72 m2)	
	Impact damage	
	Remove, dispose and replace vinyl	7.5 m2
Wall covering	Gib, Paint (24.96 m2)	
Ceiling	Gib, Paint (6.72 m2)	A STATE OF THE PARTY OF THE PAR

Room - Additional Notes:

Lou	nge (L=4.0	m W=5.2m H=2.4m)	
Win	dow	Aluminium Awning, Pane single glazed	(1.00 No of)
Floo	r	Chipboard, Carpet (31.20 m2)	
Hea	ting	Electric, Heat pump (1.00 Item)	
Wal	covering	Gib, Paint (53.76 m2)	
		Cosmetic damage	
	moonent-sakkemproproproproproproproproproproproproprop	Paint wall	14.4 m2
Ceili	ng	Glb, Paint (31.20 m2)	
Door	(External)	SG Sliding, Aluminium (1.00 Item)	
Door	(Internal)	Single Hollow Core, Timber (1.00 No of)	
		Cosmetic damage	
		Ease door	1 No of

Room - Additional Notes:

Laundry (L=1.7r	m W=1.6m H=2.4m)	
Window	Aluminium Awning, Pane single glazed (1.00 No of)	
Floor	Chipboard, Vinyl (2.72 m2)	
Wall covering	Gib, Walipaper (15.84 m2)	
Ceiling	Other, Paint (2.72 m2)	
	Cosmetic Damage	
	Paint Ceiling	2.72 m2
Door (External)	SG Single, Timber (1.00 Item)	
	Cosmetic damage	

1 No of

Ease and repaint door

1 No of

Wash tub

Single, Stainless Steel (1.00 Item)

Room - Additional Notes:

Hallway (L=6.0r	n W=1.0m H=2.4m)	
Floor	Chipboard, Carpet (4.70 m2)	
Heating	Electric, Night store (1.00 Item)	
Wall covering	Gib, Lining paper (27.36 m2)	
	Cosmetic damage	
	Remove, supply, replace lining paper and paint	14.4 m2
Window	Lead Light, Pane single glazed (1.00 No of)	
Door (External)	Other, Timber (1.00 Item)	
Ceiling	Softboard, Paint (4.70 m2)	

Room - Additional Notes:

Bedroom Bed 1	- master (L=3.0m W=4.0m H=2.4m)	
Window	Aluminium Awning, Pane single glazed (2.00 No of)	
Floor	Chipboard, Carpet (12.00 m2)	
Wall covering	Gib, Paint (33.60 m2)	
	Cosmetic damage	
	Rake out, plaster and paint	30 m2
Door (Internal)	Single Hollow Core, Timber (1.00 No of)	And the second s
Ceiling	Softboard, Paint (12.00 m2)	The state of the s
	Cosmetic Damage	
	Paint Ceiling	12 m2

Room - Additional Notes:

Window	- spare double room (L=3.5m W=3.0m H=2.4m) Aluminium Awning, Pane single glazed (1.00 No of)	The same of the sa
Floor	Chipboard, Carpet (10.50 m2)	
Wall covering	Gib, Lining paper (31.20 m2)	COPPER COMPANY OF COMPANY AND ADMINISTRATION OF PROPERTY AND ADMINISTRATION OF THE PARTY OF THE
	Cosmetic damage	
	Remove, supply	15.6 m2
Wall covering	Gib, Lining paper (31.20 m2)	
	Cosmetic damage	
	Paint wall	27.6 m2
Door (Internal)	Single Hollow Core, Timber (1.00 No of)	established to the companion of the comp
Ceiling	Softboard, Paint (10.50 m2)	
	Cosmetic Damage	
	Paint Ceiling	10.5 m2

Room - Additional Notes:

Window	Aluminium Awning, Pane single glazed (1.00 No of)	
Floor	Chipboard, Carpet (10.34 m2)	
Wall covering	Gib, Lining paper (33.12 m2)	
	Cosmetic damage	
	Remove, supply	11.28 m2
Wall covering	Gib, Lining paper (33.12 m2)	
Door (Internal)	Single Hollow Core, Timber (1.00 No of)	
Ceiling	Softboard, Paint (10.34 m2)	THE RESIDENCE OF THE PARTY OF T
Celling	Cosmetic Damage	
	Paint Ceiling	10.34 m2

Room - Additional Notes:

	7m W=2.7m H=2.4m)		
Window	Aluminium Awning, Pane single glazed (2.00 No of)	The state of the s	
Floor	Chipboard, Vinyl (4.59 m2)	المراقب والمراقب	
	Impact damage		
	Remove, dispose and replace vinyl	3.6 m2	
Wall covering	Gib, Lining paper (21.12 m2)		
	Cosmetic damage		
Manager of the first from 5 to the said and formation of the said	Remove, supply, replace lining paper and paint	13.92 m2	
Ceiling	Other (4.59 m2)		
Door (Internal)	Single Hollow Core, Timber (1.00 No of)	d, for many little difference in spins of the state of th	
Toilet	Standard, Standard Spec (1.00 Item)		
Shower	Three sided shower Acrylic, Acrylic shower (1.00 m2)		
Bathroom sink	Vanity single, Standard specification (1.00 Item)		
	•		

Room - Additional Notes:

GARAGE	· A	ge 1961 - 1	980 Area	24.6m2	Footprint Rectangular	
Structure		_			. oodimi Modaligulai	
Element	Description	/ Damage	/ Repair Strateg	v		Measure
Elevation	(North)					Weasule
Comments:	3x2.1□Cement sheet c	lad				
Element	Description	/ Damage	/ Repair Strategy			Measure
Elevation	(East)					Measure
Comments:	8x2.1□Cement sheet cl	ad				<u> </u>

^		EQC Člaim Numbe	r CLM/2011/06661
Comments:	8x2.1□Cement sheet clad		021/1/2011/00001
Element	Description / Damage / Repa	ir Striken	
Elevation		an Qualegy	Measure
Comments:	3x2.1□Cement sheet clad □2.4x2.1 metal	tilta door	
Element	Description / Damage / Repa		Magazina
Foundati	ons		Measure
Comments:	Concrete slab		
Element Roof	Description / Damage / Repa	ir Strategy	Measure
Comments:	Rolled iron □Trussed		
Ground Floo			
Room / Ele	ment Description / Damage / Repai		
	ner) Garage (L=8.0m W=3.0m H=2.1m)	Suategy	Measure
•			
Room - Ad			



CLM/2011/066612 - Scope Change Summary

Scope Change Sumi	nary- Property Details			·
: Claim Number	CLM/2011/066612	Hub Zone	North New Brighton Hub	
Contractor Name	Bruce Radovonich Builder	Supervisor	Adel Isaac	
Property Address	10 SOPHORA PLACE, PARKLANDS		•	
			••••	-
	stille direct 5 th professor . Appelle 5 35 sleep death		-	~
Created By	Danielle Williams (EQR) /Acle \ Iscu	C Form Completed	22/03/2013 12:09:18 p.m.	-

This form is to record any scope changes or alternative repair methodologies to those described in the EQC assessment documentation. It is vital that for all amendments that 'photos' are taken to assist with the E.Q.C approval of the acope changes

Type of Scope Change	Room (Dimensions)	Element	Changes to Original EQC Scope	E O ₁ C Approval
Alternative Repair Strategy, Additional Damage	North Elevation	Walis	1. Walls: Gap fill & paint Hardie (Add) 8.64m2 2. Walls: Grind between SHS & hardie & resilicon (Add) 4.8Lm 3. Walls: Grind out & repoint mortar (Alt) 1.3Lm	
Alternative Repair Strategy	West Elevation	Walts	1. Walls: Grind out & repoint morter (Alt) 1.4Lm	
Alternative Repair : Strategy	South Elevation	Wals	1. Walls: No need to grind out & repoint mortar (Alt) 2. Walls: Renail & fill hardle & paint (Alt) 13.52m2	
Alternative Repair Strategy	Foundations	Floor	Ring foundation: Grind out, epoxy fill (Alt) 1.6Lm Ring foundation: Paint (Alt) 6m2	
Additional Damage	Roof		Quote from roofer to repair ridge capping (Add) 1No	
Alternative Repair Strategy	Kitchen	Wals	Walls: Rake out, plaster & paint (Ait) 12m2 Internal door: Gap fill & paint surround (Ait) 1No	<u>'</u>
Additional Damage	Dining Room	Ceiling	1. Ceiling: Cove: Gap fill & paint (Add) 3Lm	
Alternative Repair Strategy	Lounge	Walls	Walls: Gap fill & paint wall (Alt) 14.4m2 Internal door: Ease door & varnish edge (Alt) 1No	
Additional Damage	Laundry	Walls	1. Walls: Strip lining paper , replace & paint (Add) 15.84m2	·
Alternative Repair Strategy, Additional Darnage	Hailway	Walls, Ceiling	1. Walls: Rake out, plaster & paint (Ait) 14,4m2 2. External door: Ease door (Add) 1No 3. Ceiling: Popped nails: Rake out, plaster & paint (Add) 4.7m2	
Alternative Repair Strategy	Bedroom 2 Spare double room (SE)	Wells	1. Walls: Rake out, plaster & paint (Ait) 15.6m2	- '
Alternative Repair Strategy	Bedroom 3 office/sewing room	Weals	1. Walls: Rake out, plaster & paint (Ait) 11.28m2	
Alternative Repair Strategy	Bathroom	Walls	1. Walls: Rake out, plaster & paint (Alt) 13.92m2	
Alternative Repair Strategy	Car Shed attached to garage	Floor	EQC will cash settle the removal & replacement of concrete slab under the car shed- after consulting with EQC 18m2. (Alt)	



CLM/2011/066612 - Scope Change Summary

Fletcher EQR has recorded the above scope changes to the EQC claim assessment at this property.

The above scope changes should be added to the EQC assessment for EQC to review/approve prior to confirmation with customer and issue of any Works Order, AFFINOVEL

EQR Contracts Supervisor:

Adel Isaac

Name Adul Sausa EQC Representative:

Name

Nigel Tropman EQC Estimator 1226

22/03/2013

22/03/2013

2 2 MAR 2013