

5 Images
4 A4/A3
1 Plan

BUILDING PERMITS

61906

ID 006135

LLP 069163

BUILDING PERMIT

5901

1977

PROPERTY ID

006135

TARANAKI COUNTY COUNCIL

BUILDING PERMIT APPLICATION FORM

Permit No. 5901

To the County Engineer,
P.O. Box 56,
NEW PLYMOUTH.

Sir,

I hereby apply for permission to Alter Cow Shed
at (House No. & Street) Pitone Rd for (Owner) PW & GM Goodin
of (Address) Pitone Rd according to locality plan
and detailed plans, elevations, cross-sections and specifications of
building deposited herewith IN DUPLICATE.

SITE: Lot No. 7 D.P. No. 152 Section No. 26+34 TATARAIMAKA

Block No. II Survey District CAPE Area 44.1107 ha

PROPOSED BUILDING: Use - describe proposed purpose for which every part
is to be used or occupied:

12 Aside Herring Bone

Area of Ground Floor 65 sq.m.

Estimated value of completed building \$7000-00 (For Assessment
OF Building Research
Levy)

Less value of Milking Machines \$1500-00

Balance \$5500-00 (For Assessment
OF Building Permit
Fee)

Yours faithfully,

PW Goodin
Builder

Address

Pitone Rd
GRD NP

Date

NOTE: Fees according to the scale on back hereof must accompany applica-
tion for permit. Special plumbing and drainage application forms
are required and where applicable, separate permits must be obtained by
the Plumber or Drainlayer before a building permit will be issued.

FOR OFFICE USE.

Date received _____ Fee Paid (a) Building Permit \$27
(b) Building Research
Levy \$3-50
(c) Water Conn. \$
(d) Sewer " \$
(e) Kerb Crossing \$

Receipt No. 1489 D

Val. Roll

11630/192

Check

Remarks

Initials

Ordinances

P. & D. Regs.

Building Regs.

Fire Code

Structural Content

Water Connection

Kerb & Footpath Crossing

Out 33/5/77

COMPLETED

12/1/77

timber rafter to be 300x50 STEEL RAFTERS &
& SUPPORTS


5901

P.W. Goodin

milking shed alteration

Goodin P.W. G.M.

Atone Rd



YARD RAIL DETAILS:

CALF
FEEDING AREA

BACKING GATE
7000mm long
1925 MM
26 FT.

YARD 7300mm RADIUS 244'-
ABLE TO HOLD 125 COWS

HOLDING YARD
ABLE TO HOLD
25 COWS

15.00
MILK ROOM

$$\begin{array}{r} 2300 \\ 700 \\ \hline 6.8 \end{array}$$

2016 9,02
6250

BLOAT
APPLICATOR
H&E

LOADING RAM

4 HOLES DRILLED INTO PLATE
AFTER WELDED INTO PLAC

GROUND PLATE 150MM RADIUS 9MM THICK
WELDED TO UPRIGHT - ONE ON EACH
BREAST RAIL

DETAILS OF ADJUSTABLE BREAST RAIL

TARANAKI COUNCIL
COUNCIL
APPROVED
Autherpe
Authorized Officer
2000 23-5-77

23-5-7

		1990		2000		2006	
AMENDMENTS		BY	APPD.	DATE		NAME	DATE
A						Designed	8/10/03
B						Des. Checked	
C						Drawn	20/10/03
D						Drg. Checked	

For

MR. P. GOODIN, LWR. PITONE RD., OKATO

SCALE: 1/50

ALL MEASUREMENTS
ARE IN MM

ISSUE:

SHEET No:

of