

CAMISA HOMBRE

SLU2 (MEN'S MIDWEIGHT FR DRESS UNIFORM SHIRT)

Camisa mediano peso, tipo uniforme, para hombre



Esta camisa FR para uniforme, de mediano peso brinda un aspecto personalizado y ofrece características para mejorar la comodidad y el rendimiento con protección CAT 2 FR/AR . Puño con pespunte y en el frente abotonado. Dos bolsillos en el pecho.

Tela: ignífuga. 7 oz. (235 g / m2), 88% Algodón, 12% Nylon.

Cuidado: Lavandería industrial- suciedad pesada, lavandería industrial - suciedad ligera, lavado en casa.

Esta prenda resistente al fuego cumple con los requisitos de la NFPA 2112, Estándar sobre prendas resistentes al fuego para la protección del personal industrial contra incendios repentinos, edición 2018.

Protección: Clasificación de arco **ATPV 8,6 calorías / cm².**

Color: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SB)
(Gris, Caqui, Celeste, Azul marino, Azulino, Gris plata)





HIMA
Insumos Industriales



CERTIFICATE OF COMPLIANCE

Certificate Number MH29315
Report Reference MH29315-20180425
Issue Date 2020-June-11

Issued to: Bulwark Protection
545 Marriott Dr, Suite 200
Nashville TN 37214-5011

This certificate confirms that representative samples of FLAME-RESISTANT CLOTHING FOR PROTECTION OF INDUSTRIAL PERSONNEL AGAINST SHORT-DURATION THERMAL EXPOSURES FROM FIRE

See Addendum Page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: NFPA 2112, Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

B. Smith

Senior Laboratory Director North American Certification Program

06/11/2

Any information and documentation bearing UL Mark symbols are provided as input of 01/11/2 (E) for copyright and trademark purposes of UL. For operations, please contact a local UL Customer Service Representative at ULCustomerService@ul.com



HIMA
Insumos Industriales



CERTIFICATE OF COMPLIANCE

Certificate Number MH29315
Report Reference MH29315-20180425
Issue Date 2020-June-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Garment Type	Model/Style	Closure System
Long Sleeve Shirt	SLDP, SLB4, SMD5, SMLC, SMLK, SML2, SML3, SML4, SMW2, SMA4, SMW6, SMD2, SMD3, SMD5, SMD6, SLW2, SLU2, SLU3, SLU4, SLU8, SLU9, STU2, STW2, SMMRKH-B, SLD6, SEW2, SLD1, SLAT, SAC2, SAC3, SLUC, SLURRD, SMS3, SMS4, SNS7, SNS8, QS50, SMW5, SES2, SNS2, SNS3, SNSA, SNS8, OS44, SES3, 2987, SLEV, QS51, 149, 388, 390, OS24, OS26, SEG2, QS52, QS53, QS25, SLGC, SMU6, SMU7, SLP2	Multiple Buttons
	SMP2	Multiple Buttons, Polo Style
	SML2, SEL2, SEL3, SEL4, SML4, 950	Multiple Buttons, Henley Style
	SET2, SMT2, SMK9, 951	No closure, T-shirt style
	SEK2	No closure, Mock Turtle Neck Style
	SLS2, SMS2, SMS6, SWW2	Multiple Concealed Snap Fasteners
Short Sleeve Shirt	SMP8	Multiple Buttons, Polo Style
	SET8	No Closure, T-shirt style
Trousers	PNJ8, PNW6, PNW9, PNP8, PNP5, PEJ2, PEJ3, PEJ4, PEJ6, PEJ8, PEM2, PEW2, PEW3, PLJ6, PLJ8, PLJ9, PLK2, PLW2, PLW3, PLW6, PMW2, PMW3, PMW4, PMW6, PMU2, PMU3, PNW2, PNW3, PTW2, PMWC, PLC2, PEU2, PEU3, PNU2, PNU3, PNU7, 431C, 395, PMO6, PMO7, OP18, OP19	Zipper with Button at Waistline
	PEWM, PEWL	Zipper with Hook and Bar at Waistline

B. Mallis

Kevin Robinson, Division Manager, American Certification Program

01112

Any information and documentation including UL Mark listings are provided as a part of UL's UL ETL for any collection of items of UL. For questions, please contact your local Customer Service Representative at customer.service@ul.com



HIMA
Insumos Industriales



CERTIFICATE OF COMPLIANCE

Certificate Number MH29315
Report Reference MH29315-20180425
Issue Date 2020-June-11

Garment Type	Model/Style	Closure System
Coverall	CNE0, CNE2, CNE3, CNE5, CNE6, CNC2, CNC8, CEB2, CEC2, CED2, CED4, CEH2, CEW2, CLB2, CLB3, CLB6, CLB7, CMCK, CMB3, CMB3, CMB6, CMB6, CLD4, CMB4, CTB2, CTB6, CLBC, CLBU, CTBA, CTBC, CTBB, CNBT, CLBT, CTBT, CECT, CHDRNMB, CMB, CMBDHG, CMC, CNBS, CND5, CMB3, CLDM, CLZ4, CLDW, CLD6, CLDT, CMA#OR, CAC6, QC10, CMP6, QC12, CMS2, CMS3, CNS2, CNS3, CNP, QC20, QC26, CL1C, QC1C, QC21, CEB3, CLBK, CNBM, CNBC, CLBD, GMSM, 401, QC22, QC23, QC24, CL2C, CLBD, CMM6, CMM7, 131C, 1064	Zipper, With or without snaps
Insulated Coverall	CLC8, CNN2	Concealed Zipper and Snap or Hook & Loop front
Lab Coat	KNL2, KNL3, KEW2, KEL2, KEM2, KEM4, KEVP	Multiple Buttons
	KNC2, KNC3, KNL6, KLL6, KML6, KLC6, KLP6, KLP6	Concealed Multiple Snap Fasteners
Jacket	JEW2, JEW4, JLV2	Concealed Zipper
	SEZ2, SEZ3	Zipper Front

B. A. Mills

Senior Underwriter, Division 9, American Cotton Shirts Program

01112

Any information and documentation involving UL shall remain the property of UL. It is the property of UL. For more information, please contact your local UL Customer Service Representative at ULCustomerService@ul.com



HIMA
Insumos Industriales



CERTIFICATE OF COMPLIANCE

Certificate Number MH29315
Report Reference MH29315-20180425
Issue Date 2020-June-11

Note: Models may have additional alpha/numeric characters (at the end) to indicate garment color, fit, outer shell utilized, trim configuration or trim utilized and/or pocket configuration.

B. Mills

Kevin Winkler, Chief Test Engineer, Fire Protection Program

UL LLC

Any information and data contained herein is the property of UL LLC and is not to be used in any other context without the express written permission of UL LLC. For more information, please contact us at UL-Compliance@ul.com or visit our website at www.ul.com.



HIMA
Insumos Industriales

