

[www.maxdrillrocktools.com](http://www.maxdrillrocktools.com)  
[www.maxdrill.com.cn](http://www.maxdrill.com.cn)



**MAXDRILL**



*SHANK ADAPTER*

# SHANK ADAPTER

GLOBAL DRILLING INDUSTRY EXPERTS



*SHANK  
ADAPTER*

**MAXDRILL ROCK TOOLS CO.,LTD**





# CONTENTS

---

ATLAS COPCO	01
SANDVIK	11
FURUKAWA	22
MONTABERT	25
INGERSOLL-RAND	29



W340=Length

R32=Thread

D55= Diameter 55mm

60

W340

- 8 -

R32

F

D55

01

60=Shank adapter

8=Spline

F=Female

01=ATLAS COPCO

02=SANDVIK

03=FURUKAWA


04=MONTABERT

05=INGERSOLL-RAND


# ATLAS COPCO

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------


	BBC 43, BBC 44, BBC 45, BBC 100	R32	380	32	2.1	60W380-2-R32D3201
--	------------------------------------	-----	-----	----	-----	-------------------



	BBC 51, BBC 52, BBC 54, BBC 120	R32	380	38	2.6	60W380-2-R32D3801
--	------------------------------------	-----	-----	----	-----	-------------------




	BBC 51, BBC 52, BBC 54, BBC 120	T38	390	38	3.1	60W390-2-T38D3801
--	------------------------------------	-----	-----	----	-----	-------------------



	BBE 57	T38	447	45	5.3	60W447-6-T38D4501
--	--------	-----	-----	----	-----	-------------------



	BBE 57	T38	447	45	5.9	60W447-6-T38FD4501
--	--------	-----	-----	----	-----	--------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	COP 125, COP 130, COP 131	T38	380	38	3.0	60W380-3-T38D3801
--	---------------------------	-----	-----	----	-----	-------------------




	COP 1032, COP 1032 HD	R32	340	45	3.4	60W340-8-R32FD4501
--	-----------------------	-----	-----	----	-----	--------------------




	COP 1032, COP 1032 HD	R38	340	55	4.1	60W340-8-R38FD5501
--	-----------------------	-----	-----	----	-----	--------------------



	COP 1032	R32	550	45	5.0	60W550-8-R32D4501
--	----------	-----	-----	----	-----	-------------------



	COP 1032	T38	550	45	5.4	60W550-8-T38D4501
--	----------	-----	-----	----	-----	-------------------




# ATLAS COPCO


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	COP 1036, COP 1038 HB	R32	500	38	4.0	60W500-8-R32D3801



	COP 1036, COP 1038 HB	T38	500	38	4.4	60W500-8-T38D3801
--	-----------------------	-----	-----	----	-----	-------------------



	COP 1036, COP 1038 HB	T45	500	45	5.0	60W500-8-T45D4501
--	-----------------------	-----	-----	----	-----	-------------------



	COP 1036, COP 1038, COP 1238, COP 1038 HD, COP 1238 HD	R32	485	38	4.0	60W485-8-R32D3801
--	--	-----	-----	----	-----	-------------------




	COP 1036, COP 1038, COP 1238, COP 1038 HD, COP 1238 HD	R38	485	38	4.2	60W485-8-R38D3801
--	--	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	COP 1036, COP 1038, COP 1238, COP 1038 HD, COP 1238 HD	T38	485	38	4.2	60W485-8-T38D3801
--	--	-----	-----	----	-----	-------------------



	COP 1036, COP 1038, COP 1238	R32	575	38	4.6	60W575-8-R32D3801
--	------------------------------	-----	-----	----	-----	-------------------



	COP 1036, COP 1038, COP 1238	T38	575	38	4.9	60W575-8-T38D3801
--	------------------------------	-----	-----	----	-----	-------------------



	COP 1036, COP 1038, COP 1238	T45	575	45	5.8	60W575-8-T45D4501
--	------------------------------	-----	-----	----	-----	-------------------



	COP 1036, COP 1038, COP 1238	T38	575	45	5.4	60W575-8-T38D4501
--	------------------------------	-----	-----	----	-----	-------------------



# ATLAS COPCO

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	COP 1432, COP 1532, COP1440, COP1838 HD/ME	R32	435	38	3.6	60W435-8-R32D3801
--	--	-----	-----	----	-----	-------------------



	COP 1432, COP 1532, COP1440, COP1838 HD/ME	R38	435	38	3.9	60W435-8-R38D3801
--	--	-----	-----	----	-----	-------------------



	COP 1432, COP 1532, COP1440, COP1838 HD/ME	T38	435	38	3.8	60W435-8-T38D3801
--	--	-----	-----	----	-----	-------------------



	COP 1432, COP 1532, COP1440, COP1838 HD/ME	R32	525	38	4.2	60W525-8-R32D3801
--	--	-----	-----	----	-----	-------------------




	COP 1432, COP 1532, COP1440, COP1838 HD/ME	T38	525	38	4.3	60W525-8-T38D3801
--	--	-----	-----	----	-----	-------------------




	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------


	COP 1432 Female	R32	341	55	4.7	60W341-8-R32FD5501
--	-----------------	-----	-----	----	-----	--------------------



	COP 1432 Female	R38	341	55	4.4	60W341-8-R38FD5501
--	-----------------	-----	-----	----	-----	--------------------



	COP 1132	R32	410	35	2.6	60W410-8-R32D3501
--	----------	-----	-----	----	-----	-------------------



	COP 1132	TC35	410	35	2.6	60W410-8-TC35D3501
--	----------	------	-----	----	-----	--------------------



	COP 1838MUX/HUX	TC35	730	52	9.5	60W730-8-TC35D5201
--	-----------------	------	-----	----	-----	--------------------



# ATLAS COPCO


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	COP 1838MUX/HUX	T38	730	52	9.6	60W730-8-T38D5201




	COP 1838MUX/HUX	T45	730	52	9.9	60W730-8-T45D5201
--	-----------------	-----	-----	----	-----	-------------------




	Cop1440, COP1550, COP 1838 ME/ HE, COP1838	R32	525	52	5.7	60W525-8-R32D5201
--	--	-----	-----	----	-----	-------------------



	Cop1440, COP1550, COP 1838 ME/ HE, COP1838	T38	525	52	5.9	60W525-8-T38D5201
--	--	-----	-----	----	-----	-------------------




	Cop1440, COP1550, COP 1838 ME/ HE, COP1838	TC35	525	52	5.8	60W525-8-TC35D5201
--	--	------	-----	----	-----	--------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	Cop1440,COP1550, COP 1838 ME/ HE, COP1838	T45	525	52	6.1	60W525-8-T45D5201
--	---	-----	-----	----	-----	-------------------



	Cop1440,COP1550, COP 1838 ME/ HE, COP1838	T51	525	52	6.5	60W525-8-T51D5201
--	---	-----	-----	----	-----	-------------------



	COP 1550 EX, COP 1838 EX	T38	730	60	9.8	60W730-8-T38D6001
--	--------------------------	-----	-----	----	-----	-------------------



	COP 1550 EX, COP 1838 EX	T45	730	60	10.2	60W730-8-T45D6001
--	--------------------------	-----	-----	----	------	-------------------



	COP 1840 HE, COP 1850	T38	565	52	6.6	60W565-8-T38D5201
--	-----------------------	-----	-----	----	-----	-------------------




# ATLAS COPCO

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	COP 1840 HE, COP 1850	T45	565	52	6.8	60W565-8-T45D5201
--	-----------------------	-----	-----	----	-----	-------------------



	COP 1840 HE, COP 1850	T51	565	52	7.2	60W565-8-T51D5201
--	-----------------------	-----	-----	----	-----	-------------------



	COP 1840 HEX, COP 1850 EX	T45	770	60	10.8	60W770-8-T45D6001
--	---------------------------	-----	-----	----	------	-------------------



	COP 1840 HEX, COP 1850 EX	T51	770	60	10.9	60W770-8-T51D6001
--	---------------------------	-----	-----	----	------	-------------------



	COP 2150, COP 2550	T51	770	52	9.9	60W770-8-T51D5201
--	--------------------	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	COP 2160EX	T45	770	63	13.2	60W770-12-T45D6301
--	------------	-----	-----	----	------	--------------------



	COP 2160, COP 2560	T51	770	63	13.3	60W770-12-T51D6301
--	--------------------	-----	-----	----	------	--------------------




	COP 4050	T51	605	52	8.9	60W605-8-T51D5201
--	----------	-----	-----	----	-----	-------------------



# SANDVIK


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 300	R32	400	32	2.6	60W400-8-R32D3202




	HL 300S	R32	245	45	2.6	60W245-8-R32FD4502
--	---------	-----	-----	----	-----	--------------------




	L400, L410, L500, L510, L550	R32	380	32	2.1	60W380-4-R32D3202
--	------------------------------	-----	-----	----	-----	-------------------



	HLR 438L, HLR 438T	R32	380	38	2.7	60W380-4-R32D3802
--	--------------------	-----	-----	----	-----	-------------------




	HLR 438L, HLR 438T	T38	400	38	3.3	60W400-4-T38D3802
--	--------------------	-----	-----	----	-----	-------------------




	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------


	HLR 438LS, 438TS, HL 538, HL538L, L550S	R32	450	38	3.7	60W450-4-R32D3802
--	---	-----	-----	----	-----	-------------------




	HLR 438LS, 438TS, HL 538, HL538L, L550S	R38	450	38	4.1	60W450-4-R38D3802
--	---	-----	-----	----	-----	-------------------



	HLR 438LS, 438TS, HL 538, HL538L, L550S	T38	455	38	4.0	60W455-4-T38D3802
--	---	-----	-----	----	-----	-------------------



	HLR 438LS, 438TS, HL 538, HL538L, L550S	T38	495	38	4.7	60W495-4-T38D3802
--	---	-----	-----	----	-----	-------------------



	HL 500, HL 510	R32	550	45	5.4	60W550-8-R32D4502
--	----------------	-----	-----	----	-----	-------------------



# SANDVIK

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 500, HL 510	T38	550	45	5.6	60W550-8-T38D4502



	HL 500, HL 510	T45	550	45	5.9	60W550-8-T45D4502
--	----------------	-----	-----	----	-----	-------------------




	HL 500 S, HL 510 S, HL 510 B, HL 510 LH	R32	460	38	3.9	60W460-8-R32D3802
--	---	-----	-----	----	-----	-------------------



	HL 500 S, HL 510 S, HL 510 B, HL 510 LH	R38	460	38	4.2	60W460-8-R38D3802
--	---	-----	-----	----	-----	-------------------



	HL 500 S, HL 510 S, HL 510 B, HL 510 LH	T38	460	38	4.0	60W460-8-T38D3802
--	---	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 500 S, HL 510 S, HL 510 B, HL 510 LH	R38	500	38	4.4	60W500-8-R38D3802




	HL 500 S, HL 510 S, HL 510 B, HL 510 LH	T38	500	38	4.3	60W500-8-T38D3802
--	---	-----	-----	----	-----	-------------------




	HL 500 F, HL 510 F	R32	350	45	3.9	60W350-8-R32FD4502
--	--------------------	-----	-----	----	-----	--------------------



	HL 550 SUPER, HL 560 SUPER, HL 510 S	R38	500	45	5.2	60W500-8-R38D4502
--	--------------------------------------	-----	-----	----	-----	-------------------



	HL 550 SUPER, HL 560 SUPER, HL 510 S	T38	500	45	5.3	60W500-8-T38D4502
--	--------------------------------------	-----	-----	----	-----	-------------------



# SANDVIK

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	HLX 5, HLX 5T	R32	500	45	5.1	60W500-10-R32D4502
--	---------------	-----	-----	----	-----	--------------------



	HLX 5, HLX 5T	T38	500	45	5.3	60W500-10-T38D4502
--	---------------	-----	-----	----	-----	--------------------



	HLX 5, HLX 5T	R38	500	45	5.3	60W500-10-R38D4502
--	---------------	-----	-----	----	-----	--------------------



	HLX 5, HLX 5T	R32	575	45	5.4	60W575-10-R32D4502
--	---------------	-----	-----	----	-----	--------------------



	HLX 5, HLX 5T	T38	575	45	5.7	60W575-10-T38D4502
--	---------------	-----	-----	----	-----	--------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	HLX 5, HLX 5T	T45	575	45	6.2	60W575-10-T45D4502
--	---------------	-----	-----	----	-----	--------------------



	HL 600, HL 600 S	R32	600	45	6.3	60W600-8-R32D4502
--	------------------	-----	-----	----	-----	-------------------



	HL 600, HL 600 S	T38	600	45	5.9	60W600-8-T38D4502
--	------------------	-----	-----	----	-----	-------------------



	HL 600, HL 600 S	T45	600	45	6.5	60W600-8-T45D4502
--	------------------	-----	-----	----	-----	-------------------



	HL 600, HL 600 S	T38	525	45	5.5	60W525-8-T38D4502
--	------------------	-----	-----	----	-----	-------------------



# SANDVIK

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 600, HL 600 S	T45	525	45	5.8	60W525-8-T45D4502



	HL 600	T45	650	52	7.6	60W650-8-T45D5202
--	--------	-----	-----	----	-----	-------------------




	HL 600	T51	650	52	8.1	60W650-8-T51D5202
--	--------	-----	-----	----	-----	-------------------



	HL 645	T38	600	45	6.6	60W600-8-T38D4502
--	--------	-----	-----	----	-----	-------------------



	HL 645	T45	600	45	6.9	60W600-8-T45D4502
--	--------	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	HL 650, HL700, HL 700T, HL 710, HL 800T	T38	600	45	7.0	60W600-8-T38D4502-1
--	---	-----	-----	----	-----	---------------------



	HL 650, HL700, HL 700 T, HL 710, HL 800 T	T45	600	45	7.2	60W600-8-T45D4502-1
--	---	-----	-----	----	-----	---------------------




	HL 650, HL 700, HL 700 PE, HL 700 S, HL 710, HL 710 S, HL 710 PE, HL 710 SPE, HL 800 T, HL 800 PE	T38	600	52	8.0	60W600-8-T38D5202
--	---	-----	-----	----	-----	-------------------



	HL 650, HL 700, HL 700 PE, HL 700 S, HL 710, HL 710 S, HL 710 PE, HL 710 SPE, HL 800 T, HL 800 PE	T45	600	52	8.5	60W600-8-T45D5202
--	---	-----	-----	----	-----	-------------------




	HL 650, HL 700, HL 700 PE, HL 700 S, HL 710, HL 710 S, HL 710 PE, HL 710 SPE, HL 800 T, HL 800 PE	T51	600	52	8.5	60W600-8-T51D5202
--	---	-----	-----	----	-----	-------------------




# SANDVIK


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 850S	T45	670	52	9.5	60W670-8-T45D5202



	HL 1000 , HL 1000 S	T45	670	52	9.7	60W670-8-T45D5202-1
--	---------------------	-----	-----	----	-----	---------------------



	HL 1000 , HL 1000 S	T51	670	52	10.0	60W670-8-T51D5202
--	---------------------	-----	-----	----	------	-------------------



	HL 1000 , HL 1000 S	T45	590	52	8.9	60W590-8-T45D5202
--	---------------------	-----	-----	----	-----	-------------------



	HL 1000 , HL 1000 S	T51	590	52	9.3	60W590-8-T51D5202
--	---------------------	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	HL 1000	T51	670	60	12.0	60W670-8-T51D6002
--	---------	-----	-----	----	------	-------------------



	HL 1000	GT60	670	60	13.0	60W670-8-GT60D6002
--	---------	------	-----	----	------	--------------------




	HL 1000	ST58	635	80	17.0	60W635-8-ST58D8002
--	---------	------	-----	----	------	--------------------



	HL 1000 PE, HL 1500 PE, HL 1560 T	T51	760	65	16.0	60W760-8-T51D6502
--	-----------------------------------	-----	-----	----	------	-------------------




	HL 1000 PE, HL 1500 PE, HL 1560 T	GT60	760	65	17.0	60W760-8-GT60D6502
--	-----------------------------------	------	-----	----	------	--------------------




# SANDVIK


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HL 1500, HL 1500 T	T51	710	52	11.0	60W710-8-T51D5202




	HL 1500, HL 1500 T	T51	760	60	13.0	60W760-8-T51D6002
--	--------------------	-----	-----	----	------	-------------------



	HL 1500, HL 1500 T	GT60	760	60	15.0	60W760-8-GT60D6002
--	--------------------	------	-----	----	------	--------------------




	RD520, RD525	T38	525	45	5.6	60W525-8-T38D4502
--	--------------	-----	-----	----	-----	-------------------




# FURUKAWA


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	PD 200	R32	330	44.5	3.0	60W330-4-R32D4503




	PD 200	T38	380	44.5	3.6	60W380-4-T38D4503
--	--------	-----	-----	------	-----	-------------------



	PD 200	T38	446	44.5	4.0	60W446-4-T38D4503
--	--------	-----	-----	------	-----	-------------------



	PD 200R	T38	485	44	5.2	60W485-4-T38D4403
--	---------	-----	-----	----	-----	-------------------




	HD 300	T38	655	45	6.0	60W655-6-T38D4503
--	--------	-----	-----	----	-----	-------------------




# FURUKAWA


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HD 300	T45	655	45	6.7	60W655-6-T45D4503




	HD 609	T38	620	45	6.0	60W620-8-T38D4503
--	--------	-----	-----	----	-----	-------------------




	HD 609	T38	690	45	6.4	60W690-8-T38D4503
--	--------	-----	-----	----	-----	-------------------



	HD 609	T45	620	45	6.3	60W620-8-T45D4503
--	--------	-----	-----	----	-----	-------------------




	HD 612	T45	710	50.8	8.9	60W710-8-T45D5103
--	--------	-----	-----	------	-----	-------------------




	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------


	HD 709	T38	620	45	6.3	60W620-8-T38D4503
--	--------	-----	-----	----	-----	-------------------



	HD 712	T45	790	51	9.5	60W790-8-T45D5103
--	--------	-----	-----	----	-----	-------------------




	HD 712	T51	790	51	10.8	60W790-8-T51D5103
--	--------	-----	-----	----	------	-------------------



# MONTABERT


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	H 100	T38	537	44.5	5.3	60W537-6-T38D4504



	HC40	R32	447	38	3.5	60W447-8-R32D3804
--	------	-----	-----	----	-----	-------------------



	HC40	R38	447	38	4.0	60W447-8-R38D3804
--	------	-----	-----	----	-----	-------------------



	HC 80, HC 90, HC 105, HC 120	R32	440	38	3.6	60W440-8-R32D3804
--	------------------------------	-----	-----	----	-----	-------------------




	HC 80, HC 90, HC 105, HC 120	R38	440	38	3.9	60W440-8-R38D3804
--	------------------------------	-----	-----	----	-----	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	HC 80, HC 90, HC 105, HC 120	T38	440	38	3.9	60W440-8-T38D3804
--	------------------------------	-----	-----	----	-----	-------------------



	HC40	R32	270	52.5	2.8	60W270-8-R32FD5304
--	------	-----	-----	------	-----	--------------------




	HC 80, HC 90, HC 105	T38	500	38	4.2	60W500-8-T38D3804
--	----------------------	-----	-----	----	-----	-------------------



	HC 80R, HC 105R, HC 107R, HC 108R, HC 109R	T38	670	45	7.2	60W670-8-T38D4504
--	--	-----	-----	----	-----	-------------------



	HC 80, HC 120	T45	490	45	5.6	60W490-8-T45D4504
--	---------------	-----	-----	----	-----	-------------------



# MONTABERT


	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HC 120 RP, HC 150 RP, HC 155 RP, HC 158 RP	T51	670	51	8.9	60W670-8-T51D5104



	HC 120 RP, HC 150 RP, HC 155 RP, HC 158 RP	T45	670	51	8.8	60W670-8-T45D5104
--	---	-----	-----	----	-----	-------------------



	HC 200	T51	840	50.9	13.2	60W840-8-T51D5104
--	--------	-----	-----	------	------	-------------------



	HC 200A	GT60	850	60	16.8	60W850-8-GT60D6004
--	---------	------	-----	----	------	--------------------



	HC 160, HC 170	T45	805	60	14.8	60W805-8-T45D6004
--	----------------	-----	-----	----	------	-------------------



	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
	HC 160, HC 170	T51	805	60	14.9	60W805-8-T51D6004



# INGERSOLL-RAND

	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------

	URD 475, URD 550, VL 120, EVL 130, VL140, F16	R32	330	44.5	3.0	60W330-4-R32D4505
--	---	-----	-----	------	-----	-------------------



	URD 475, URD 550, VL 120, EVL 130, VL140, F16	R32	380	44.5	4.1	60W380-4-R32D4505
--	---	-----	-----	------	-----	-------------------




	URD 475, URD 550, VL 120, EVL 130, VL140, F16	T38	380	44.5	3.6	60W380-4-T38D4505
--	---	-----	-----	------	-----	-------------------



	URD 475, URD 550, VL 120, EVL 130, VL140, F16	T38	446	44.5	4.0	60W446-4-T38D4505
--	---	-----	-----	------	-----	-------------------




	YH 65, YH 80	T38	495	45	5.4	60W495-6-T38D4505
--	--------------	-----	-----	----	-----	-------------------




	Type	Thread	Length (mm)	Dia (mm)	Weight (mm)	Product No.
--	------	--------	-------------	----------	-------------	-------------


	YH 65, YH 80	T45	495	45	5.5	60W495-6-T45D4505
--	--------------	-----	-----	----	-----	-------------------




	YH 80 A	T45	495	51	6.1	60W495-6-T45D5105
--	---------	-----	-----	----	-----	-------------------



	YH 65 RP, YH 70 RP, YH 75 RP, YH 80 RP	T38	700	45	7.8	60W700-6-T38D4505
--	--	-----	-----	----	-----	-------------------



	YH 65 RP, YH 70 RP, YH 75 RP, YH 80 RP	T45	700	45	7.9	60W700-6-T45D4505
--	--	-----	-----	----	-----	-------------------



	Hydrastar 200	R32	351	45	3.7	60W351-8-R32FD4501
--	---------------	-----	-----	----	-----	--------------------





# SHANK ADAPTER



**MAXDRILL**  
Industry Technology



**KEMAICO**

## **MAXDRILL ROCK TOOLS CO.,LTD**

Add:9/F, FuZhong International Plaza, No.72 XinHua Road, Nan Ming District,GuiYang,China(550001)

Production Base : Er Guan Ba Industry Park, Jiuchang Town, Xiuwen County, Guizhou Province, China

Production Base : No.51 Yushan Road, Dayushanyuan Industry Park, Lianshan District, Huludao, Liaoning Province,China

Tel:86-851-88639106 Fax:86-851-88639108