

## Secoroc Rotary Pipes & Accessories

# Drill-Guard™ Single Pass Shock Sub SPT-28 (Torque Control Housing)

Adding value through performance



- **Improved Torque Control**
- **Heavy Duty Design Lift Ring**  
Heavy Duty Design for maximum performance.
- **Positive stops for make up and break out of threaded Connections.**
- **Longer Rubber Element Life.**
- **No regular maintenance required**



Top Connection	Bottom Connection	S/S Length	Drill Rig Model	Product Number	Unit Weight (Kgs / Lbs.)	Comments
7-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2"	PV-351	92001251	1085 / 2394	For 8-5/8" to 12-3/4" O/D Drill Strings
7-5/8" API-REG Pin	10" BECO (13-3/8" Ø)	31-1/2"	PV-351	92003391	1079 / 2379	For 13-3/8" Drill String
7-5/8" API-REG Pin	6" BECO (8-5/8" Ø)	31-1/2"	PV-351	92010208	1090 / 2403	Not Recommended
7-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2"	PV-351	92010475	1085 / 2394	*Uses Breakout Out Ring (92010476)
7-5/8" API-REG Pin	7-5/8" API-REG (10-3/4" Ø)	31-1/2"	PV-351	92011302	1099 / 2424	For 8-5/8" to 11-3/4" O/D Drill Strings
6-5/8" API-REG	8" BECO (10-3/4" Ø)	31-1/2"	PV-311 / 316	92010148	1043 / 2300	For 8-5/8" to 11-3/4" O/D Drill Strings




Top Connection	Bottom Connection	S/S Length	Drill Rig Model	Product Number	Unit Weight (Kgs / Lbs.)	Comments
5" Square Bolt Flange (Female)	8" BECO Bolt Flange (10-3/4" Ø)	36" S/S	CAT / BE	92001547	1086 / 2396	For 8-5/8" to 11-3/4" O/D Drill Strings
5-1/2" Square Bolt Flange (Female)	8" BECO (10-3/4" Ø)	34-3/4" S/S	CAT / BE	92003174	1086 / 2396	For 8-5/8" to 11-3/4" O/D Drill Strings
6" Square Bolt Flange (Female)	8" BECO (10-3/4" Ø)	34-3/4" S/S	CAT / BE	92003357	1086 / 2396	For 8-5/8" to 11-3/4" O/D Drill Strings
5-1/2" Square Bolt Flange (Female)	8" BECO Bolt Flange (10-3/4" Ø)	34-3/4" S/S	CAT / BE	92004080	1089 / 2401	For 8-5/8" to 11-3/4" O/D Drill Strings
5" Square Bolt Flange (Female)	10" BECO (13-3/8" Ø)	34-3/4" S/S	CAT / BE	92004585	1089 / 2401	For 13-3/8" O/D Drill Strings
5-1/2" Square Bolt Flange (Female)	5-1/2" Square Bolt Flange (Male)	34-3/4" S/S	CAT / BE	92004907	812 / 1791	For 8-5/8" to 11-3/4" O/D Drill Strings
5" Square Bolt Flange (Female)	8" BECO (10-3/4" Ø)	34-3/4" S/S	CAT / BE	92010143	1086 / 2396	For 8-5/8" to 11-3/4" O/D Drill Strings
5" Square Bolt Flange (Female)	8" BECO (13-3/8" Ø)	34-3/4" S/S	CAT / BE	92011407	1122 / 2474	Not Recommended
6" Square Bolt Flange (Female)	10" BECO (13-3/8" Ø)	34-3/4" S/S	CAT / BE	92011467	1089 / 2401	For 13-3/8" O/D Drill Strings




Top Connection	Bottom Connection	S/S Length	Drill Rig Model	Product Number	Unit Weight (Kgs / Lbs.)	Comments
5" Square Bolt Flange (Female)	8" BECO (10-3/4" Ø)	34-3/4" S/S	P&H	92004448	1090 / 2403	For 8-5/8" to 11-3/4" O/D Drill Strings
8" BECO Pin	8" BECO (10-3/4" Ø)	31-1/2" S/S	P&H	92001957	1085 / 2394	For 8-5/8" to 11-3/4" O/D Drill Strings
8-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2" S/S	P&H	92003172	1094 / 2413	For 8-5/8" to 11-3/4" O/D Drill Strings
8-5/8" API-REG Pin	10" BECO (13-3/8" Ø)	31-1/2" S/S	P&H	92003398	1089 / 2401	For 13-3/8" O/D Drill Strings
8-5/8" API-REG Pin	6" BECO (10-3/4" Ø)	31-1/2" S/S	P&H	92003711	1090 / 2403	For 8-5/8" to 9-1/4" O/D Drill Strings
8-5/8" API-REG Pin	8" BECO Bolt Flange (10-3/4" Ø)	31-1/2" S/S	P&H	92004673	1086 / 2396	For 8-5/8" to 11-3/4" O/D Drill Strings
6" Square Bolt Flange (Female)	6" BECO (10-3/4" Ø)	31-1/2" S/S	P&H	92004688	1090 / 2403	Not Recommended
5-1/2" Square Bolt Flange (Female)	6" BECO (10-3/4" Ø)	31-1/2" S/S	P&H	92004689	1090 / 2403	Not Recommended

# Drill-Guard™ SPT-28 Parts

Description	Product Number	Unit Weight (Kgs / Lbs.)	Comments
<b>SPT-28</b> Repair Kit, consisting of a new rubber element, 2" hex head bolt and washer set, lift ring bolt set and wire kits.	92001574	316 / 696	For all SPT-28 units



Description	Product Number	Unit Weight (Kgs / Lbs.)	Comments
<b>SPT-28</b> Heavy Duty Lifting Ring	92001974	69 / 152	For all SPT-28 units
<b>SPT-28</b> Breakout Ring	92010476	1 / 2	For PN 92010475



92001974



92010476