


IM3LE

Page 1 of 2



REPAIR PARTS LIST

REF. NO.	PART NO.	QTY.	DESCRIPTION
18397 1	10-01	21	Leg Curl Support, BLK
18398 2	10-02	1	Leg Curl Neck
18394 3	10-03	3	Roller Pad Tube .15" DIA x 19" L, RAW STEEL
18340 4	10-04	6	Roller Pad 1" ID, 4" OD, 8.25" L
18550 5	10-05	12	3/4" washer
18302 6	10-06	6	Push Nut (AXLE CAP)
18254 7	10-07	4	3/4" End Plug .75" DIA 3/8" BLK
18553 8	10-08	1	Shoulder Screw
12006 9	10-09	1	Lockwasher 3/8
012159 10	10-10	1	Hex Nut 3/8
18399 11	10-11	1	Rubber Bumper
18392 12	10-12	2	L - Pin

When ordering repair parts, always give the following information:

PRODUCT ----- Leg Curl
 MODEL NUMBER ----- I-3LE
 PART NUMBER
 PART DESCRIPTION


CONTACT: IMAGE

6053 Frantz Road, Suite 103 Dublin, OH 43017

PRODUCED DOMESTICALLY BY OHIO STEEL
 NO LONGER BEING PURCHASED/PRODUCED

#71	110885	Tough Up Paint - 1
#72	106981	
#73	019221	Plastic Spacer - 4
	118816	EXERCISE CHART - 1
#	118595	Hole it ID Chart - 1
#		

PARTS DRAWINGS



REPAIR PARTS LIST

REQ. NO.	PART NO.	QTY.	PART DESCRIPTION
1	123962	3059-01	1 ✓ Base, BLK, 30" X 45" X 9.5", .18" THICK ANGLE IRON
2	123963	3059-02	1 ✓ (1" X 1" X 1") TOP 2" THICK CHANNEL
3	123964	3059-03	1 ✓ Head Rest, BLK, 5.5" WIDE X 8.0" H X 3.5" TALL, .25" THICK
4	123965	3059-04	2 ✓ Rest, BLK, 1" DIA. X 2.5" X 1.5" TALL, .25" THICK
5	123967	3059-05	1 ✓ Back Pad 21" TALL, 6" WIDE
6	123966	3059-06	1 ✓ Head Pad
7	123961	3059-07	8 ✓ Hex Bolt 3/8" X 1" #11
8	116395	3059-08	8 ✓ Hex Bolt 3/8" X 1 1/4"
9	123965	3059-09	18 ✓ Hex Bolt 3/8" X 1 1/4"
10	123966	3059-10	10 ✓ Lock Nut 3/8"
11	123969	3059-11	2 ✓ Slides, BLK, 16" X 2 1/2" X 36.25" TALL, 2 1/4" X 1.5" THICK
#	123771	1	CH, 1" THICK PLATE

WHEN ORDERING REPAIR PARTS, ALWAYS GIVE THE FOLLOWING INFORMATION:

PRODUCT VERTICAL LEG PRESS
MODEL NUMBER 3059
PART DESCRIPTION

CONTACT:

IMAGE

6063 Frantz Road Suite 103 Dublin, OH 43017

HW KIT, ASSY. HARDWARE
118395-B 3/8" X 1.25" SCREW
104561-B 3/8" X 1" SCREW
012106-10 3/8" LOCKWUT
105495-16 3/8" FLAT WASHER

IMAGE ~~3059~~ DELUXE
VERTICAL LEG PRESS

