

**SB-3**

IN 6-20-86

SB-3 PARTS LIST

- | | |
|---------------------|---------|
| 1. BACKREST | SB-227 |
| 2. BACKREST SUPPORT | SB-228 |
| 3. SWING ARM | SB-229 |
| 4. ADJUSTABLE FOOT | SB-230 |
| 5. HANDLEBAR | SB-231 |
| 6. PAD TUBE | SB-232 |
| 7. FOAM PAD | SB-8019 |

HARDWARE BAG SB-6004

- | | |
|--|----------------------------|
| A PLASTIC PLUG 2" RD. | SB-8018 |
| B $\frac{5}{16}$ " - 20 UNC X 3" | SB-8018 SB-5031 |
| C LOCKING PIN | SB-7006 |
| D LOCKING PIN | SB-7002 |
| E PLASTIC PLUG 2" SQ. | SB-8002 |
| F PLASTIC PLUG $\frac{3}{4}$ " RD | SB-8004 |
| G PLASTIC PLUG $\frac{3}{4}$ " to 2" RD | SB-8012 |
| H FOAM HAND GRIP | SB-8017 |
| J $\frac{5}{16}$ " LOCK NUT | SB-5021 |
| K LARGE WASHER | SB-5030 |
| L $\frac{1}{4}$ " - 20 UNC X $\frac{3}{4}$ " | SB-5032 |
| INSTRUCTION MANUAL | IN 6-20-86 |

note

DIP HAND GRIPS INTO WATER BEFORE INSERTING OVER STEEL TUBING.
ALLOW GRIPS TO DRY 2 HOURS AFTER INSTALLATION. THIS WILL INSURE
EASY INSTALLATION AND TIGHT GRIP.
