

Webinar Series

Presented By: Aaron Yoder, PhD Associate Professor, UNMC/CS-CASH





Machine Guard Makeover

Tips on effective machine guarding







Employee Rights

Employees are entitled to:

- △ Safe & healthy working conditions
- Fair compensation for all hours worked
- Report unsafe conditions without retaliation

Employers are responsible for providing a safe workplace.

Info at www.osha.gov & www.whistleblowers.org





Course Overview

There are a variety of potential machine hazards present in grain handling. Sound machine guarding and safeguarding practices, together with an effective energy control program (lockout/tagout), can help employers to control these hazards. This overview covers the fundamental principles of machine guarding and safeguarding, and the related OSHA General Industry Standards.







Webinar Objectives

At the end of this session, participants will be able to:

- Summarize core principles of general machine guarding & safeguarding
- Identify machine guarding hazards in the workplace
- Apply corrective actions and prevention strategies to hazards







Topics/Sections Covered

- Machine Hazards Overview
- Guarding Principles
 - What makes a guard effective
- Identifying Hazards at Work
- Makeover SuccessfulCorrection &Prevention Strategies







Overview

Machine Hazards







Importance of Machine Guarding

- Machine related injuries often severe or fatal
 - Crushed hands/arms, feet
 - Severed fingers, limbs
 - Blindness
- Preventable & needless









Where Machine Hazards Occur



- Point of Operation
- Power transmission apparatus
- Moving Parts

If it moves and could cause injury it MUST be guarded.







Point of Operation





Where work is

- form stock (material)
 - Move material (auger)
- Danger
 - Cannot always be guarded
 - Does not differentiate
 - Material vs body part



Power Transmission Appartus

All mechanical components that transmit energy to part of machine performing

<u>w</u>@rbmponents

- Flywheels
- Pulleys, belts
- Chains, cranks, gears
- Connecting rods
- Couplings
- Cams, spindles








Moving Parts


Parts of a machine that move while machine is working.

Reciprocating, rotating, transverse movement



Types of Machine Hazards

- Pinch point
- Wrap point
- Pull-in point
- △ Shear point
- Crush point
- ▲ Burn point
- Free wheeling part
- Stored Energy







Pinch Point

Two machine parts move together and one of the parts moves in a circle.

- Power transmission systems
- Belt drives, chain drives, gear drives









Wrap Point

Any rotating machine part such as shafts or rods. Example: PTO

- Wrap in direction shaft turns
- Hazard increases with damaged/dirty shaft



PTOs - oldest, most common machinery hazards.

Wrap Point Hazard Protection

PTO Stub

- Transfers power from the tractor to the machine
- Rotates at 540 rpm (9 times/sec.) or at 1,000 rpm (16.6 times/sec.)
- Some tractors have a stub shaft guard that screws onto the PTO stub.

Master Shield

- Protects the operator from the PTO stub
- Is often damaged or removed and never replaced.



Figure 3.1.b. A PTO stub and a master shield on a tractor. A PTO is a wrap point hazard that causes countless injuries and deaths each year.







Pull-in Points


Operating point catches object & drags it

Mechanisms that take in crops or other

material for processing

Conveyors

- Feed rolls
- Feed chambers
- Grinders
- Harvest Equipment





Shear Point

Two parts move across or close enough together to cut or move soft material.

- △ Cuts from force & speed
 - Augers, blades
 - EX: Hedge trimmer
- Difficult to guard




High speeds make operation less visible.



Crush Point

Two objects move toward each other OR one moves toward a fixed object and the gap between both decreases.







Burn Points

Hot mufflers, engine blocks, pipes, and fluids (fuel, oils, chemicals)

Exposure - machine inspection, servicing, maintenance



Place hand near surface to test for heat.





Freewheeling Parts



Machine parts continue to move after power has been turned off.

Cannot bring rotational force to sudden stop.

EX: Conveyor







Thrown Objects

Formed by rotating fan or knife blades used to cut, grind, or chop materials

- Normal machine operation discharges materials into surrounding area
 - EX: rotary mower.



Keep work area clear of others. Wear eye protection.



Stored Energy

Confined energy is unexpectedly & uncontrollably released.

- Pressurized systems & components
 - Mechanical, hydraulic, pneumatic, gravitational
 - Capacitors, springs, flywheels







What do you need to look for GUARDING







Purpose of Guarding

Protect operator & others from hazards created by normal machine operation.

- ANY machine part, function or process which might cause injury must be safeguarded.
 - Operation of machine
 - Hazards MUST be controlled or eliminated.







How a Guard Should Work

Easy access for maintenance

Prevent contact

Secured to machine (not easily removed or tampered with)

Not have to be removed to lubricate machine

A Machine Guard should:

Protect from falling objects

Not interfere with job performance



Not create new hazards


AUTO Protection

Guards should follow AUTO.

Protect a worker from reaching:

Around
Under
Through
Over







Types of Guards

Fixed

Guarding Devices

6 Sided Guards

Self-Adjusting

Interlocked

Adjusting





Fixed Guarding Methods

Fixed Guard

- Permanent fixture
- ▲ Need tool to remove

Best/First choice



6 Sided Guard

- A Protects all 6 sides
 - Top, bottom
 - Front, back
 - Left, right







Interlocked guard

Shuts off or disengages power when the guard is opened or pushed out of

positions absence or presence of guard

Can be circumvented







Adjustable Guards

Adjustable

- Operator adjusts guard
- Guard is attached





Self-Adjusting

- Partially guarded when operating
- Guard moves/adjusts
 - Material pushed into point of



Guarding Device

Pressure Sensing

- Interrupt operating cycle
- Prevent entry into area

Location/distance

- Prevents access to hazard
 - Physical barrier point of operation





Grates/Guards - Opening Size

Must not reach hazard with body or tool.

- △ 1910 Subpart O
 - Mechanical power press standard
- Opening size = distance of worker from hazard
 - Farther from hazard, larger the opening

Distance Between Protective Covering and Moving Parts of Equipment	Maximum Vertical Opening (Horizontal Openings are Unlimited)
½ to 1½ inches	¼ inches
1 ½ to 2 ½ inches	% inches
2 ½ to 3 ½ inches	½ inches
3 ½ to 5 ½ inches	% inches
5 ½ to 6 ½ inches	¾ inches
6 ½ to 7 ½ inches	¼ inches
7 ½ to 12 ½ inches	1¼ inches
12 ½ to 15 ½ inches	1½ inches
15 ½ to 17 ½ inches	1% inches
17 ½ to 31 ½ inches	2 % inches
31 ½ inches to less than 7 feet	6 inches
More than 7 feet	Protective covering not required





Protecting Workers from Hazards Guard Makeover







Preventing machinerelated hazards

- Learn how various methods of machine guarding protect employees.
- Learn the regulatory requirements for machine safeguarding.
- Identify and categorize the mechanical hazards at your facility.
 Develop a list of those hazards and their locations.
- Match the hazards with the safeguards that your facility uses.
- If the safeguards do not meet the minimum general requirements, upgrade your machine guarding systems as soon as possible. If the hazard is severe enough, you may need to shut down the machine until appropriate safeguards can be put into place.
- When purchasing new equipment, ensure that the manufacturer provides appropriate machine guards.




Preventing Hazards

- Train employees to ID hazards
- Learn methods of machine guarding
- Learn the regulatory requirements
- △ Identify & categorize mechanical hazards
 - Note locations.
- Match hazards with safeguards facility uses.
- Upgrade machine guards not meeting requirements.
- Ensure new equipment has appropriate

Guard Makeovers

- What is the task
- What machine/equipment
- What is the machine/equipment doing
- How & where do you interact with the machine
- Where should the guard be
- What guard would work best
- What can be done to improve
- What should you consider (blocking a

Tractor Mounted Conveyor



Unguarded Conveyor







Unguarded Shafts













Unguarded Pulleys, Belts, Chains







Makeover - Power Transmission











Makeover - Power Transmission











Makeover -Portable Auger











Makeover – Portable Auger










#1 BAD



Makeover - Fan







Makeover - Fan













Makeover - Conveyor











Makeover - Conveyor









Makeover - Unloading Auger












Makeover – Unloading Auger











Makeover – Sump Guards











Makeover – Sump Guards











Makeover – Sump Guards









Makeover – Sweep Auger












Makeover – Sweep Auger












Makeover – Sweep Auger











Makeover - Pinch Points











Occupational Safety and Health Administration

English Spanish


ABOUT OSHA -WORKERS -EMPLOYERS -REGULATIONS -ENFORCEMENT - TOPICS - NEWS & PUBLICATIONS -DATA - TRAINING -

Safety and Health Topics / Machine Guarding

Machine Guarding



f 🔰 🖸 ୬ ⊠



Overview

Moving machine parts have the potential to cause severe workplace injuries, such as crushed fingers or hands, amputations, burns, or blindness. Safeguards are essential for protecting workers from these preventable injuries. Any machine part, function, or process that may cause injury must be safeguarded. When the operation of a machine or accidental contact injure the operator or others in the vicinity, the hazards must be eliminated or controlled. This page contains general information on the various hazards of mechanical motion and techniques for protecting workers.

Standards

Machine guarding hazards are addressed in specific OSHA standards for Agriculture, General Industry, Marine Terminals,

Hazard Recognition

Provides references that may aid in recognizing hazards from ineffective machine guarding.

Highlights

- Protect Yourself Amoutations. OSHA QuickCard™, (2015). Discusses amputations and the best way to prevent them.
- Safeguarding Equipment and Protecting Workers from Amputations (PDF). OSHA Publication 3170, (2007). Provides information to help identify and manage common amputation hazards associated



https://www.osha.gov/SLTC/machineguarding/







https://www.osha.gov/SLTC/etools/machineguarding/index.html







Occupational Safety and Health Administration

CONTACT US FAQ A TO Z INDEX ENGLISH ESPAÑOL

OSHA 🗸

STANDARDS >

TOPICS V

HELP AND RESOURCES ✓

λ

SEARCH OSHA

By Standard Number / 1928.57 - Guarding of farm field equipment, farmstead equipment, and cotton gins.

Part Number: 1928

Part Number Title: Occup. Safety and Health Standards for Agriculture

Subpart: 1928 Subpart D

Subpart Title: Safety for Agricultural Equipment

Standard Number: 1928.57

Title: Guarding of farm field equipment, farmstead equipment, and cotton gins.

GPO Source: e-CFR

1928.57(a)

General -

1928.57(a)(1)

Purpose. The purpose of this section is to provide for the protection of employees from the hazards associated with moving machinery parts of farm field equipment, farmstead equipment, and cotton gins used in any agricultural operation.

1928.57(a)(2)

Scope. Paragraph (a) of this section contains general requirements which apply to all covered equipment. In addition, paragraph (b) of this section applies to farm field equipment, paragraph (c) of this section applies to farmstead equipment, and paragraph (d) of this section applies to cotton gins.

1928.57(a)(3)

Application. This section applies to all farm field equipment, farmstead equipment, and cotton gins, except that paragraphs (b)(2), (b)(3), and (b)(4) (ii)(A), and (c)(2), (c)(3), and (c)(4) (ii) (A) do not apply to equipment manufactured before October 25, 1976.

1928.57(a)(4)

Effective date. This section takes effect on October 25, 1976, except that paragraph (d) of this section is effective on June 30, 1977.




https://www.osha.gov/lawsregs/regulations/standardnumber/1928/1928.57













Μ

Topic	Title	Organization/Grantee	Year	Grant Number	Language
Machine Guarding	Machine Guarding	Nebraska Appleseed Center for Law in the Public Interest	2017	SH-31233-SH7	English Spanish
Machine Guarding	Safety Awareness Training	Florida State College at Jacksonville	2011	SH-22297-11	English Spanish
Materials Handling	Powered Industrial Trucks (PIT) Truck Driver Safety Training	Graphic Communications Conference, IBT	2009	SH-18793-09	English
Materials Handling	Systems of Safety for Materials Handling	Graphic Communications Conference/IBT	2009	SH-19486-09	English
Meatpacking Industry	Meat and Poultry Worker Safety	Nebraska Appleseed Center for Law in the Public Interest	2010	SH-20833-10	English Spanish
Meatpacking Industry	Meat and Poultry Worker Safety	Nebraska Appleseed Center for Law in the Public Interest	2012	SH-23581-12	English Spanish
Mold	Safety Awareness Training	Florida State College at Jacksonville	2011	SH-22297-11	English Spanish
Motorized Construction Equipment	Motorized Construction Equipment & Carbon Monoxide/Inhalation Hazards	Western Iowa Technical Community College	2015	SH-27666-SH5	English



https://www.osha.gov/harwoodgrants/grantmaterials/bytopic/#m



CDC A-Z INDEX ~

The National Institute for Occupational Safety and Health (NIOSH)



Get Email Updates

Enter your email address to

receive new reports/products.

Promoting productive workplaces through safety and health research



Language: English (US)

NIOSH > Workplace Safety and Health Topics

FATALITY ASSESSMENT AND CONTROL EVALUATION (FACE) PROGRAM





Each day, between 12 to 13 U.S. workers die as a result of a traumatic injury on the job. Investigations conducted through the FACE program allow the identification of factors that contribute to these fatal injuries. This information is used to develop comprehensive recommendations for preventing similar deaths. This web page provides access to NIOSH investigation reports and other safety resources.

Fatality Investigation Reports Indexed by Program

NIOSH FACE Reports

State FACE Reports

Construction FACE Database

The Construction FACE Database (CFD) & is a database in Excel created by CPWR - The Center for Construction Research and Training - to facilitate use of the information provided by the Fatality Assessment and Control Evaluation (FACE) reports. The investigation results in FACE reports provide information on the circumstances surrounding work-related fatalities, and the recommendations are crucial for injury prevention. The CFD contains data from both NIOSH and State FACE reports on construction-related fatalities (total of 768 deaths) that were posted as of June



https://www.cdc.gov/niosh/face/default.html







Find it in OSHA

A TO Z INDEX

Occupational Safety and Health Administration

English | Spanish

ABOUT OSHA -WORKERS - EMPLOYERS -REGULATIONS -ENFORCEMENT - TOPICS - NEWS & PUBLICATIONS -



HAZARD

IDENTIFICATION

TRAINING TOOL

Introduction

How to Play

Manual & Resources

OSHA's Hazard Identification Training Tool is an interactive, online, game-based training tool for small business owners, workers and others interested in learning the core concepts of hazard identification. After using this tool, users will better understand the process to identify hazards in their own workplace.

This tool is intended to:

- (1) Teach small business owners and their workers the process for finding hazards in their
- (2) Raise awareness on the types of information and resources about workplace hazards available on OSHA's website.

Important: This is a learning tool. The items presented in this tool are for training purposes only and the visual representations are conceptual and do not always show specific control for hazards. OSHA inspections and possible citations and penalties for violation of OSHA regulations are NOT part of this tool. Employers and workers must consult the applicable OSHA standards for the specific requirements applicable to their workplaces when developing and implementing their own hazard identification program.





https://www.osha.gov/hazfinder/







SUMMARY

- Ensure Guards are in place
- △ LOTO –Before any service, maintenance
- Best Practices
 - No loose clothing, unfastened hair
 - Wait for machines to completely stop
 - Never step over a running PTO
 - Never reach over running machines

Guarding & LOTO will prevent the majority of all machine injuries.

Disclaimer

This material was produced under grant number (SEE NOTES) [and revised under SH05033-SH8] from the Occupational Safety and Health Administration, U. S Department of Labor. It does not necessarily reflect the views or policies of the U.S. Department of Labor, nor does mention of trade names, commercial products, or organizations imply endorsement by the U. S. Government.







