Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company
VA Contract Number: E194-1483
(hereinafter "Contractor")

And

State of Maine (hereinafter "Participating State/Entity")

Page 1 of 7

- 1. <u>Scope</u>: This addendum covers the Ground Maintenance Equipment Contracts lead by the Commonwealth of Virginia for use by state agencies and other entities located in the Participating **State/Entity** authorized by that state's statutes to utilize **state/entity** contracts with the prior approval of the state's chief procurement official.
- 2. <u>Participation:</u> Use of specific WSCA-NASPO cooperative contracts by agencies, political subdivisions and other entities (including cooperatives) authorized by an individual state's statutes to use **state/entity** contracts are subject to the prior approval of the respective State Chief Procurement Official. Issues of interpretation and eligibility for participation are solely within the authority of the State Chief Procurement Official.
- 3. <u>Participating State Modifications or Additions to Master Agreement:</u>
 (These modifications or additions apply only to actions and relationships within the Participating Entity.)
- i. **EQUAL EMPLOYMENT OPPORTUNITY.** During the performance of this contract, the Contractor agrees as follows.
 - A. The Contractor will not discriminate against any employee or applicant for employment because of race, color, religious creed, sex, national origin, ancestry, age, physical or mental disability, or sexual orientation, unless related to a bona fide occupational qualification. The Contractor shall take affirmative action to ensure that applicants are employed and employees are treated during their employment, without regard to their race, color, religion, sex, age, national origin, physical or mental disability, or sexual orientation.

Such action shall include, but not be limited to, the following: employment, upgrading, demotions, transfers, recruitment or recruitment advertising; layoffs or terminations; rates of pay or other forms of compensation; and selection for training, including apprenticeship.

- B. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religious creed, sex, national origin, ancestry, age, physical or mental disability, or sexual orientation.
- C. The Contractor will send to each labor union or representative of the workers with which he has a collective or bargaining agreement, or other contract or understanding, whereby he is furnished with labor for the performances of his contract, a notice, to be provided by the contracting department or agency, advising the said labor union or workers' representative of the Contractor's commitment under this section and shall post copies of the notice in conspicuous places available to employees and to applicants for employment.
- D. The Contractor will cause the foregoing provisions to be inserted in all contracts for any work covered by this agreement so that such provisions will be binding upon each subcontractor.
- E. Contractors and subcontractors with contracts in excess of \$50,000 will also pursue in good faith affirmative action programs.

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company
VA Contract Number: E194-1483
(hereinafter "Contractor")

And

State of Maine (hereinafter "Participating State/Entity")

Page 2 of 7

- ii. GOVERNING LAW This Agreement shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Agreement shall be brought in State of Maine administrative or judicial forums. The Contractor consents to personal jurisdiction in the State of Maine.
- iii. STATE HELD HARMLESS The contractor shall release, protect, indemnify and hold WSCA-NASPO and the respective states and their officers, agencies, employees, harmless from and against any damage, cost or liability, including reasonable attorney's fees for any or all injuries to persons, property or claims for money damages arising from acts or omissions of the contractor, his employees or subcontractors or volunteers.
- iv. NON-APPROPRIATION Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are deappropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.
 - 4. [Purposely left blank].
 - 5. <u>Primary Contacts</u>: The primary contact individuals for this participating addendum are as follows (or their named successors):

Lead State

ACCIO CICIO	그는 그는 그는 사람들이 되었다. 그는
Name	Katherine Bosdell, CPPB, VCO, Division of Purchases and
	Supply
Address	1111 E. Broad Street
	Richmond, VA 23219
Telephone	804-786-2397
Fax	804-786-5413
E-mail	katherine.bosdell@dgs.virginia.gov

Contractor

Name	Becki Shadmani, Contract Administration, Government Sales
Address	2000 John Deere Run, Cary, NC 27513
Telephone	800-358-5010 ext 2055
Fax	309-749-2313
E-mail	GNSBids@JohnDeere.com

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company

VA Contract Number: E194-1483 (hereinafter "Contractor")

And

State of Maine

(hereinafter "Participating State/Entity")

Page 3 of 7

Participating Entity

Name	Terry DeMerchant, Procurement Manager, Division of Purchases, State of Maine
Address	9 State House Station, Augusta Maine 04333-0009
Telephone	207-624-7334
Fax	207-287-6578
E-mail	Terry.L.DeMerchant@maine.gov

6. Subcontractors:

All [contactor] dealers authorized in the State of Maine, as shown on the dedicated [contractor] (cooperative contract) website, are approved to provide sales and service support to participants in the Master Agreement. The [contractors] dealer's participation will be in accordance with the terms and conditions set forth in the aforementioned Master Agreement.

7. Purchase Order Instructions:

All orders should contain the following (1) Mandatory Language "PO is subject to WSCA-NASPO Contract # E194-1483" (2) Your Name, Address, Contact, & Phone-Number (3) Purchase order amount. Please channel your PO through one of our authorized dealers so they can arrange for proper ordering and installation of your unit.

Orders must be made out to the [CONTRACTOR].

8. Price Agreement Number:

All purchase orders issued by purchasing entities within the jurisdiction of this participating addendum shall include the Participating State contract number: MA 18P 14041600000000000159 and the Lead State price agreement number: E194-1483.

9. Individual Customer:

Each State agency and political subdivision, as a Participating Entity, that purchases products/services will be treated as if they were Individual Customers. Except to the extent modified by a Participating Addendum, each agency and political subdivision will be responsible to follow the terms and conditions of the Master Agreement; and they will have the same rights and responsibilities for their purchases as the Lead State has in the Master Agreement. Each agency and political subdivision will be responsible for their own charges, fees, and liabilities. Each agency and political subdivision will have the same rights to any indemnity or to recover any costs allowed in the contract for their purchases. The Contractor will apply the charges to each Participating Entity individually.

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company VA Contract Number: E194-1483 (hereinafter "Contractor")

And

State of Maine (hereinafter "Participating State/Entity")

Page 4 of 7

This Participating Addendum and the Master Agreement number E194-1483 (administered by the Commonwealth of Virginia) together with its exhibits, set forth the entire agreement between the parties with respect to the subject matter of all previous communications, representations or agreements, whether oral or written, with respect to the subject matter hereof. Terms and conditions inconsistent with, contrary or in addition to the terms and conditions of this Addendum and the Master Agreement, together with its exhibits, shall not be added to or incorporated into this Addendum or the Master Agreement and its exhibits, by any subsequent purchase order or otherwise, and any such attempts to add or incorporate such terms and conditions are hereby rejected. The terms and conditions of this Addendum and the Master Agreement and its exhibits shall prevail and govern in the case of any such inconsistent or additional terms within the Participating State.

Purposely Left Blank

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company

VA Contract Number: E194-1483

(hereinafter "Contractor")

And

State of Maine

(hereinafter "Participating State/Entity")

Page 5 of 7

IN WITNESS WHEREOF, the parties have executed this Addendum as of the date of execution by both parties below.

Participating St	ate/Entity: State of Maine	Contractor: Deere & Company	
By: State of Mai	ne, Division of Purchases	By: Becki Shadmai	
Name: Mark Lu	utte	Name: Becki Shadmani	
Title: Acting Purchases	Director of the Division of	Title: Contract Administrator	
Date: 4/28/14		Date: 5/1/14	

[Additional signatures as required by Participating State]

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company
VA Contract Number: E194-1483
(hereinafter "Contractor")
And

State of Maine

(hereinafter "Participating State/Entity")

Page 6 of 7

Appendix A CATEGORY AND CATALOG DISCOUNT INSTRUCTIONS Contract: E194-1483 (IDC ONLY)

Attachment A, B and C that follows the Master Agreement includes the only approved equipment by Category and line item specifications. Each Category listed includes a completely configured unit to meet the specifications listed in Attachment A. Each Category in Attachment B includes a complete unit on line item one, to match the specification in Attachment A. The End Users may reconfigure this line item basic unit and/or all other basic units listed in each Category to meet their specification. Attachment B includes the manufacturer's model number, list price, less the firm percentage of discount for the basic unit. The basic unit(s) may be configured using the attachment/implements options per the published price listed with the firm percentage of discounts to meet the needs of the End Users. The Manufacturers' current published price, less the percentage of discount, unit price and the current published price list effective date by Category and by line item are on Attachment B.

TO USE THESE PRICE SHEETS PROCEED AS FOLLOWS:

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE ÉQUIPMENT:

- Identify the Commodity Category. Search the individual Category per line item listed in Attachment A for your required specification. Each Category listed in Attachment A includes specification for the basic unit, and may include additional order codes (attachments/implements or options) that meet or exceed the minimum specification in Attachment A.
- 2) Contact the "preferred dealer" or Contractor to determine if the item(s) needed is covered under this Contract. If model number is not listed on Attachment A and B, it is not covered under this Contract. Only the basic units listed by Category with the manufacturer's model number(s) are covered under this Contract. Contractor percentage(s) of discount will not apply to equipment not covered under this Contract.

ATTACHMENT B: Contract Pricing, Model Numbers, Delivery & Effective Published Price List by Category and Line Item for Ground Maintenance Equipment:

1) After you have identified equipment specifications in Attachment A, proceed to Attachment B for pricing information. The items that are listed in Attachment B, Pricing Information are based on the manufacturer's published price list per category and line item, less a firm percentage discount.

Administered by the Commonwealth of Virginia (hereinafter "Lead State")

MASTER AGREEMENT

Deere & Company VA Contract Number: E194-1483

(hereinafter "Contractor")

And

State of Maine

(hereinafter "Participating State/Entity")

Page 7 of 7

- 2) If the line items listed do not meet your required specification, the agency's End User must contact their "preferred local Deere & Company Dealer" to configure the listed basic unit with the additional attachment/implements to meet their desired specifications and to obtain a written quote. The written quotation must include the contract number, the manufacture's list price less the percentage of discount and the effective date of the price list.
- 3) Upon receipt of your written quotation from your "preferred dealer", and with the authorized approval at your agency, the agencies' End User should submit the purchase order.
- 4) Your "preferred local Deere & Company Dealer", which must be referenced on your order, will deliver and set-up your equipment F.O.B. Destination.

ATTACHMENT C: Commonwealth of Virginia Deere and Company's Authorized Dealers ~~

- Find Attachment C, which include all of Deere & Company's' authorized Dealers for the State of Maine. Any dealers that are not listed on Attachment C cannot offer a quotation on behalf of Deere & Company using the fixed firm percentage of discount under this Contract.
- 2) The Contractor's website and direct contact information is listed in Attachment B. Find a list of the Deere & Company's Dealers for the State of Maine in Attachment C.
- 3) End Users electing to use this "optional" use contract shall contract only with the Contractor or Dealer(s) listed herein, in order, to receive the firm percentage of discount offered through Deere and Company.

ATTACHMENT C - MAINE DEALER LISTING AS OF 01 MAY 2014

*** REFERENCE DEALER LOCATOR AT WWW.DEERE.COM TO VERIFY APPROVED JOHN DEERE DEALERS ***

Dealer Name	Dir Phys Address 1	Dir Phys City	Olr Phys Zip	Olr Phys Zip Olr Phone	DIRECT No.
HAMMOND TRACTOR COMPANY	1110 MINOT AVENUE	AUBURN	04210	2077828921	20777820096
GREENWAY EQUIPMENT SALES	1270 HAMMOND STREET	BANGOR	04401	2079904433	2074904434
CHAD LITTLE OUTDOOR POWER EQ	181 PLEASANT STREET	BRUNSWICK	04011	2077296718	2077706008
GREENWAY EQUIPMENT SALES	58 BANGOR ROAD	ELLSWORTH	04605	2076872357	2075677818
HAMMOND TRACTOR COMPANY	216 CENTER ROAD	FAIRFIELD	0.000	2074537134	2010514010
LIONEL THERIAULT, INC.	106-2 NORTH STREET	NOT E CI	04750	2021202120	E01 4001 0E0
			00/40	50/50756/07	
	120 CARIBOU ROAD	PRESQUE ISLE	04769	2077644405	2077647330
NORTH COUNTRY TRACTOR, INC.	8 SHAW'S RIDGE ROAD	SANFORD	04073	2073245646	2073242241
CHAD LITTLE OUTDOOR POWER EQ	7 GLASGOW ROAD	SCARBOROUGH	04070	2077753964	20177753077
HAMMOND TRACTOR COMPANY	1987 HEALD HWY	UNION	04862	2077854464	2077852530
HALL IMPLEMENT CO.	1 JOHN DEERE ROAD	WINDHAM	040624836	2078926894	2078922469

Form (Rev. August 2013)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

	Name (as shown on your income tax return)									
	Deere & Company							-		
	B. L.									
6										
Print or type Specific Instructions on page	Ag & Turf Coporate Business Division and Government Sales									
6	Check appropriate box for federal tax classification:				Ехеп	ptions	see in	structio	ns):	
9 2	☐ Individual/sole proprietor ☐ C Corporation ☐ S Corporation ☐ Partnership ☐ True	t/estat	ę							
퉑쳟	I Imited Hebrit				Exem	pt paye	e code	(if any)		
P S	Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership)			[1	Exen	ption fr	om FA	TCA re	porting	<u> </u>
Print or type				_	code	(if any)				•
م ت	Unter (see instructions) ► Address (number, street, and apt. or suite no.)									
ŝ	Red	uester's	ร กลเ	те ал	d ad	dress (o	ptiona	ŋ		
တိ	2000 John Deere Run									
See	City, state, and ZIP code									
()	Cary, 140 27513									
	List account number(s) here (optional)									
47-140										
	Taxpayer Identification Number (TIN)							* ******		
Enter	ryour TIN in the appropriate box. The TIN provided must match the name given on the "Name" line	Sc	ocial	secu	rity r	umber				\neg
resid	old backup withholding. For individuals, this is your social security number (SSN). However, for a ent allen, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other		T	Т]		7		T	m
CHILL	es, it is your employer identification number (EIN). If you do not have a number see How to got a				-		-		1	
	n page o.	1			1		ا د	<u> </u>	<u> </u>	<u> </u>
Note	i. If the account is in more than one name, see the chart on page 4 for guidelines on whose	En	olgn	yer (d	ienti	ication	numb	er		1
num	per to enter,		L	7					T	ĺ
		3	6	-	2	3 8	2	5 8	0	
-	Certification									
	r penalties of perjury, I certify that:									
1. 11	ne number shown on this form is my correct taxpayer identification number (or I am waiting for a nu	nber t	o be	e issu	ıed t	o mel,	and			
2. Ta	im not subject to backup withholding because; (a) I am exempt from backup withholding or (b) I be		٠		44H			mai Da	veni.	
		idend	5, OI	r (c) ti	he IF	S has	notifi	ed me	that I	am
,,,,,	younger to casket with indiging and									
	m a U.S. citizen or other U.S. person (defined below), and									
4. The	e FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is o	orrect	_							
Certi	fication instructions. You must cross out item 2 above if you have been political but the IRC that we			ently	subs	ant to	nankı	n with	holdi	20
,,,,,,,	est paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an intelligence of the state of the contributions and cally, payments other than interest and dividends, you are not required to sign the certification, but actions on page 3.	بامان بالماء		4:				1 /1 /2 4		l
nstru	ctions on page 3.	'งน mเ	ist p	provid	ae y	our con	ect T	IN. Se	the	

General Instructions

Signature of

U.S. person >

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. The IRS has created a page on IRS.gov for information about Form W-9, at www.irs.gov/w9. Information about any future developments affecting Form W-9 (such as legislation enacted after we release it) will be posted on that page.

ecki Shadman

Purpose of Form

Sign

Here

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, payments made to you in sattlement of payment card and third party network transactions, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- 2. Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the

withholding tax on foreign partners' share of effectively connected income, and

 Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct.

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN. you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- · An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

·		

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 1 of 18

NOTE: Where minimum engine horsepower and/or PTO horsepower is required for a specification item, the actual horsepower may vary below minimum specification by no greater than 10 percent,

------ CATEGORY 1: Heavy Duty Equipment -----

CATEGORY 1: Heavy Duty Equipment - Compact Tracked Loader

ITEM 1.

All compact track drive loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 80 horsepower:
- Rated operating capacity 2,500 pounds, minimum
- Rated operating capacity at 50% of tipping load 3,600 pounds, minimum
- Tipping load 7,300 pounds, minimum
- Automatic bucket leveling
- Reinforced rubber tracks
- Manufacturer standard bucket

CATEGORY 1: Heavy Duty Equipment - Compact Wheel Drive Skid Steer Loader

ITEM 2.

All compact wheel drive skid-steer loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 70 horsepower:
- Rated operating capacity 2,200 pounds, minimum
- Tipping load 4,300 pounds, minimum
- Automatic bucket leveling
- Manufacturer standard bucket

CATEGORY 1: Heavy Duty Equipment - Backhoe Loader

ITEM 3.

All backhoe loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 90 horsepower,
- 174" (14' 6") minimum backhoe standard dig depth
- 7,000 lbs. minimum loader bucket lift to full height
- ROPS operator cab
- Four wheel drive

CATEGORY 2: Extra Heavy Duty Tractor

ITEM 1.

All heavy duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 130 horsepower:
- 540 RPM rear PTO, 115 horsepower minimum,
- 3-point hitch, 6,000 lbs minimum lift capacity at 24"
- MFWD front axle for on/off 4WD
- Fully enclosed cab

CATEGORY 2: Heavy Duty Tractor

ITEM 2.

All heavy duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 90 horsepower,
- 540 RPM rear PTO, 75 horsepower minimum,
- 3-point hitch, 4,400 lbs minimum lift capacity at 24"
- Four wheel drive
- Enclosed cab

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 2 of 18

CATEGORY 2: Medium Duty Tractor

ITEM 3.

All medium duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 60 horsepower,
- 540 RPM rear PTO, 50 horsepower minimum,
- 3-point hitch, 3,100 lbs minimum lift capacity at 24"
- Four wheel drive

CATEGORY 2: Compact Tractor

ITEM 4.

All compact tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 30 horsepower,
- 540 RPM rear PTO, 20 horsepower minimum,
- 3-point hitch, 2,200 lbs minimum lift capacity at 24*
- Four wheel drive

CATEGORY 2: Sub-Compact Tractor

ITEM 5.

All sub-compact tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 20 horsepower,
- 540 RPM rear PTO, 12 horsepower minimum,
- 3-point hitch, 650 lbs minimum lift capacity at 24"
- Four wheel drive or selectable two wheel drive / four wheel drive
- _

------ CATEGORY 3: Tractor Towed PTO Driven Equipment ------

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type gang mower, terrain following, on a tilting frame for transport, for heavy duty large area mowing on flat and uneven terrain:

ITEM 1.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width 20 feet
- (3) free floating mowing decks
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 5" cutting height
- Rotary type cutting, (9) cutting blades
- 12" minimum diameter deck tires, pneumatic or semi-pneumatic
- Anti-scalping rollers or wheels

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type gang mower, terrain following, on a tilting frame for transport, for general mowing on large areas, flat and uneven terrain, such as parks, golf courses, school yards, large recreation areas:

ITEM 2.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 15 feet
- (3) free floating mowing decks
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 5" cutting height
- Rotary type cutting, (9) cutting blades
- 12" minimum diameter deck tires, pneumatic or semi-pneumatic
- Anti-scalping rollers or wheels

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 3 of 18

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type gang mower, terrain following, on a tilting frame for transport, for finish mowing on medium area flat or uneven terrain:

ITEM 3.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 9 feet, minimum
- (5) free floating moving decks
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 3" cutting height
- (5) cutting blades
- 10" minimum diameter deck tires, pneumatic or semi-pneumatic
- Anti-scalping rollers or wheels

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type gang mower, terrain following, on a tilting frame for transport, for finish mowing on medium to large area flat or uneven terrain:

ITEM 4.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 11 feet, minimum
- (3) free floating mowing decks
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 5" cutting height
- (9) cutting blades
- 12" minimum diameter deck tires, pneumatic or semi-pneumatic
- Anti-scalping rollers or wheels

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type multiple unit heavy duty flexible wing rotary cutter for wide area heavy duty brush cutting, land clearing, highway maintenance, heavy brush material up to 4" thick:

ITEM 5.

All tractor towed PTO driven rotary cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Requires tractor PTO, 540 RPM
- Cutting width of 15 feet
- Heavy duty 10 gauge minimum thick steel decks, with ¼" thick skirt
- (2) hydraulic lift wing sections
- Connects available for tractor 3-point hitch or pull type hitch
- 2" to 16" cutting height
- 1/2" thick extra heavy duty steel rotary cutting blades
- Cuts material up to 4" thick
- Slip clutch drive line protection
- Front and rear discharge shields
- Rear caster wheel(s)

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 4 of 18

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type single unit heavy duty single unit rotary cutter for heavy duty brush cutting, land clearing, highway maintenance, heavy brush material up to 4" thick:

ITEM 6.

All tractor towed PTO driven rotary cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Requires tractor PTO, 540 RPM
- Cutting width of 6 feet, minimum
- Heavy duty 7 gauge minimum thick steel deck
- Connects available for tractor 3-point hitch or pull type hitch
- 2" to 9" cutting height
- ½" minimum thick extra heavy duty steel rotary cutting blades
- Cuts material up to 3" thick
- Slip clutch drive line protection
- Front discharge shields
- Rear caster wheel(s)

CATEGORY 3: Tractor Towed PTO Driven Mowers - pull type single unit mower, for finish mowing on medium to small areas such as parks, school lawns, sports fields, golf course:

ITEM 7.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 48 inches
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 4" cutting height
- (3) rotary cutting blades
- 10" minimum diameter deck tires, pneumatic or solid
- Rear cuttings discharge

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type single unit mower, for finish mowing on medium to large areas such as parks, school lawns, sports fields, golf course, including areas with uneven terrain:

ITEM 8

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 84 inches
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1½" to 4" cutting height
- (3) rotary cutting blades
- 10" minimum diameter deck tires, pneumatic or solid
- Rear cuttings discharge

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 5 of 18

CATEGORY 3: Tractor Towed PTO Driven Mowers - Pull type single unit air tunnel grooming mower, for finish mowing on medium to large areas for moist, rugged, or tall grass:

ITEM 9.

All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Cutting width of 72 inches
- Drive line for tractor 3-point hitch and 540 RPM PTO
- 1" to 4" cutting height
- (3) rotary cutting blades, offset for overlap
- 10" diameter deck tires, pneumatic or solid
- Side or rear cuttings discharge, with air lifting of cuttings

------ CATEGORY 4: Off Road Utility Vehicles

CATEGORY 4: Off Road Utility Vehicles - Heavy Duty 4x4 Diesel Service Truck

ITEM 1:

All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 20 horsepower,
- (2) occupants plus cargo
- Power dumping cargo bed
- 50" x 45" x 10" deep cargo bed
- 1,400 lbs minimum payload capacity
- 1,200 lbs minimum towing capacity
- Four wheel drive

CATEGORY 4: Off Road Utility Vehicles - Medium Duty 4x4 Diesel Service Truck

ITEM 2.

All medium duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 18 horsepower,
- (2) occupants plus cargo
- 40" x 45" x 9" deep cargo bed
- Tilting dump bed with tailgate
- 1,200 lbs minimum payload capacity
- 1,000 lbs minimum towing capacity
- Four wheel drive

CATEGORY 4: Off Road Utility Vehicles - Medium Duty 4x4 Gasoline Service Truck

TEM 3.

All medium duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Gasoline engine, minimum 18 horsepower,
- (2) occupants plus cargo
- 40" x 45" x 9" deep cargo bed
- 1,200 lbs minimum payload capacity
- 1,000 lbs minimum towing capacity
- Four wheel drive

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 6 of 18

CATEGORY 4: Off Road Utility Vehicles - Medium Duty 4x2 Gasoline Service Truck

ITEM 4.

All medium duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Gasoline engine, minimum 14 horsepower,
- (2) occupants plus cargo
- 40" x 45" x 10" deep cargo bed
- Power tilting cargo bed
- 1,200 lbs minimum payload capacity
- 1,000 lbs minimum towing capacity
- Two wheel drive

CATEGORY 4: Off Road Utility Vehicles - Light Duty 4x2 Gasoline Service Truck

ITEM 5.

All light duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Gasoline engine, minimum 10 horsepower,
- (2) occupants plus cargo
- 36" x 44" x 10" deep cargo bed
- 1,000 lbs minimum payload capacity
- 600 lbs bed load capacity
- Two wheel drive

CATEGORY 4: Off Road Utility Vehicles -Heavy Duty 4x2 Diesel Flatbed Truck

ITEM 6.

All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Diesel engine, minimum 20 horsepower,
- (2) occupants plus cargo
- 63" x 46" x flatbed cargo bed
- Power tilting cargo bed
- 2,400 lbs minimum payload capacity
- 2,400 lbs minimum towing capacity
- Two wheel drive

CATEGORY 4: Off Road Utility Vehicles - Heavy Duty 4x2 Gasoline Flatbed Truck

ITEM 7.

All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Gasoline engine, minimum 20 horsepower,
- (2) occupants plus cargo
- 63" x 46" x flatbed cargo bed
- Power tilting cargo bed
- 2,400 lbs minimum payload capacity
- 2,400 lbs minimum towing capacity
- Two wheel drive

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 7 of 18

CATEGORY 4: Off Road Utility Vehicles - Light Duty 4x2 Gasoline Flatbed Truck

ITEM 8.

All light duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Gasoline engine, minimum 10 horsepower,
- (2) occupants plus cargo
- 44" x 48" x flatbed cargo bed
- 900 lbs minimum payload capacity
- 600 lbs bed load capacity
- Two wheel drive

----- CATEGORY 5: Self Propelled Riding Mowers -----

CATEGORY 5: Self Propelled Riding Mowers - Heavy duty wide coverage gang type rotary blades riding mower for large grass area mowing, and mowing of golf course rough turf:

ITEM 1.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 85 horsepower diesel engine, minimum,
- Cutting width of 16 feet
- (1) main deck and (2) wing decks
- 1" to 5" cutting height
- Hydraulic powered rotary cutting blades
- Hydrostatic all wheel drive
- Driver station with steering wheel and adjustable seat

CATEGORY 5: Self Propelled Riding Mowers - Medium duty wide coverage gang type rotary blade riding mower for large grass area mowing, mowing of golf course rough turf, and large grass sports fields:

ITEM 2.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 50 horsepower diesel engine, minimum,
- Cutting width of 10 feet
- (1) main deck and (2) wing decks
- 1" to 5" cutting height
- Hydraulic powered rotary cutting decks
- Full time all wheel drive
- Driver station with steering wheel and adjustable seat

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 8 of 18

CATEGORY 5: Self Propelled Riding Mowers - Medium duty wide coverage single deck type rotary blade riding mower for large grass area mowing, mowing of golf course rough turf, and large grass sports fields:

ITEM 3.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 50 horsepower diesel engine, minimum,
- Cutting width of 10 feet
- (1) main deck with swing-up side deck sections for (3) cut widths
- 1" to 5" cutting height
- Hydraulic powered rotary cutting blades
- Full time all wheel drive
- Driver station with steering wheel and adjustable seat

CATEGORY 5: Self Propelled Riding Mowers - Wide coverage gang reel type riding mower for large grass area medium finish mowing, and mowing of golf course fairway turf:

ITEM 4.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 30 horsepower diesel engine,
- Cutting width of 8 feet
- (5) reel mowing units
- 0.25" to 2" cutting height
- Hydraulic powered mowing reels
- Hydrostatic all wheel drive
- Driver station with steering wheel and adjustable seat

CATEGORY 5: Self Propelled Riding Mowers - Gang reel type riding mower for small to medium area finish mowing, and mowing of golf course rough, trim, and surrounds areas turf:

ITEM 5.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 18 horsepower diesel engine,
- Cutting width of 72 inches or 84 inches
- (3) reel mowing units
- 0.375" to 2" cutting height
- Hydraulic powered mowing reels
- Hydrostatic all wheel drive
- Driver station with steering wheel and adjustable seat

CATEGORY 5: Self Propelled Riding Mowers - Gang reel type riding mower for small to medium area very fine finish mowing, and mowing of golf course greens:

ITEM 6.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 16 horsepower diesel engine,
- Cutting width of 59 inches
- (3) ree! mowing units
- 0.062" to 0.297" or .0.258" to 1" cutting heights
- Drive shaft powered mowing reels
- Hydrostatic all wheel drive
- Driver station with steering wheel and adjustable seat

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 9 of 18

CATEGORY 5: Self Propelled Riding Mowers - Zero turn type rotary blade riding mower for medium and large size area general mowing and lawn area maintenance:

ITEM 7.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 30 horsepower diesel engine,
- Cutting width of 72 inches
- * (3) rotary mowing blades
- 1½" to 5" cutting height
- Drive shaft driven cutter deck
- Hydrostatic two wheel drive
- Driver station with adjustable seat or control arms

CATEGORY 5: Self Propelled Riding Mowers - Zero turn type rotary blade riding mower for medium size area general mowing:

ITEM 8.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 25 horsepower gasoline engine,
- Cutting width of 60 inches, minimum
- (3) rotary mowing blades
- 1½" to 5" cutting height
- Drive shaft driven cutter deck
- Two wheel drive
- Driver station with adjustable seat or control arms
- Anti-scalping wheels or rollers

CATEGORY 5: Self Propelled Riding Mowers:

Zero turn type rotary blade riding mower for small to medium size area general mowing and lawn area maintenance:

ITEM 9.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 20 horsepower gasoline engine,
- Cutting width of 50 inches, minimum
- (3) rotary mowing blades
- 1½" to 5" cutting height
- Belt driven cutter deck
- Two wheel drive
- Driver station with adjustable seat or control arms
- Anti-scalping wheels or rollers

CATEGORY 5: Self Propelled Riding Mowers -

Zero turn type rotary blade riding mower for small size area general mowing and lawn area maintenance:

ITEM 10.

All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 18 horsepower gasoline engine,
- Cutting width of 48 inches
- (2) rotary mowing blades
- 1½" to 4 ½"" cutting height
- Belt driven cutter deck
- Two wheel drive
- Driver station with adjustable seat or control arms
- Anti-scalping wheels or rollers

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 10 of 18

----- CATEGORY 6: Walk-Behind Mowing Equipment ------

CATEGORY 6: Walk-Behind Mowing Equipment - Walk-behind self propelled rotary blade mower for medium size area general mowing and lawn area maintenance:

ITEM 1.

All walk-behind moving equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 14 horsepower gasoline engine,
- Cutting width of 48 inches, minimum
- (3) rotary mowing blades
- 1½" to 4" cutting height
- Belt driven cutter deck
- 5-speed transmission or hydrostatic to drive wheel
- Manual engine starting
- Handle mounted controls
- Anti-scalping wheels or rollers

CATEGORY 6: Walk-Behind Mowing Equipment: - Walk-behind self propelled rotary blade mower for small size area general mowing and lawn area maintenance:

ITEM 2.

All walk-behind moving equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 5 horsepower gasoline engine,
- Cutting width of 21 inches
- (1) rotary mowing blade
- 1" to 3" cutting height
- Crankshaft driven cutter blade
- 3-speed transmission to drive wheel
- · Rear discharge, with bag and mulch plug
- Handle mounted controls

CATEGORY 6: Walk-Behind Mowing Equipment - Walk-behind self propelled reel type mower for finish mowing of golf greens:

ITEM 3.

All walk-behind mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 4 horsepower gasoline engine,
- Cutting width of 21 inches, minimum
- (1) 11-blade cutting reel
- 1/8" to 7/16" cutting height
- Belt or chain drive cutting reel
- Clutch engagement drive to drive wheel
- Handle mounted controls
- Grass basket

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 11 of 18

-----CATEGORY 7: Turf Maintenance & Material Handling Equipment ------

CATEGORY 7: Turf Maintenance Equipment - Tractor towed material handler and large area hydraulic driven top dresser for lawn area maintenance, material handling, and golf course sand trap maintenance:

ITEM 1.

All towed top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 4 cubic yards
- Adjustable spreading width of 9' to 35', minimum, with broadcast spinner attachment
- Towing tractor hydraulic system activates unit
- 30" wide conveyor belt
- Metering rear gate
- Swiveling cross conveyor attachment
- 11,500 pounds payload

CATEGORY 7: Turf Maintenance Equipment - Tractor towed large area hydraulic driven top dresser for lawn area maintenance:

ITEM 2.

All towed top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 2.5 cubic yards
- Spreading width of 72 inches
- Towing tractor hydraulic system activates unit
- 72" wide conveyor belt
- Metering rear gate
- Hydraulic driven finishing brush
- 11,000 pounds payload
- Option for tractor PTO drive

CATEGORY 7: Turf Maintenance Equipment:

Ground driven top dresser for medium to large lawn area maintenance:

ITEM 3.

All ground driven top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 2 cubic yards
- Spreading width of 60 inches, minimum
- Ground drive wheels activate unit when towed
- 9" diameter brush
- 60" wide conveyor belt
- Metering rear gate
- Clutch for conveyor and brush drive
- 6,000 pounds payload

CATEGORY 7: Turf Maintenance Equipment:

Ground driven top dresser for small to medium lawn area maintenance:

ITEM 4

All ground driven top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 25 cubic feet
- Spreading width of 60 inches
- Ground drive wheels activate unit when towed
- 9" diameter brush
- 60" wide conveyor belt
- Metering rear gate
- Clutch for conveyor and brush drive
- 2,000 pounds payload

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 12 of 18

CATEGORY 7: Turf Maintenance Equipment - Truck mounted broadcast spinner type top dresser for small to medium lawn area maintenance:

ITEM 5.

All truck mounted top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 18 cubic feet
- Spreading width of 15' to 30' with broadcast spinner
- Mounts on off road service vehicle with flatbed
- Uses carry vehicle hydraulic system for activation
- 18" wide conveyor belt
- Metering rear gate
- 1/32 inch to 1/4 inch spread depth

CATEGORY 7: Turf Maintenance Equipment - Truck mounted drop type top dresser for small lawn area maintenance:

ITEM 6.

All truck mounted top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum hopper capacity 18 cubic feet
- Spread width of 60"
- Mounts on off road service vehicle with flatbed
- Uses carry vehicle hydraulic system for activation
- 60" wide conveyor belt
- Metering rear gate
- Variable application rate

------ CATEGORY 8: Recreation Area Equipment ------

CATEGORY 8: Recreation area Equipment - Self propelled riding ball field and golf course bunker conditioner:

ITEM 1.

All self propelled riding ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 12 horsepower gasoline engine,
- 3-wheel Hydrostatic drive
- Adjustable driver seat with steering wheel
- Uses a variety of attachments for grounds conditioning, which may include, but not limited to:

Leveling blade

Field rake or finisher

Drag mat

Scarifier

Grooming broom or brush

CATEGORY 8: Recreation area Equipment - Self propelled Electric riding ball field conditioner:

ITEM 2.

All self propelled riding ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 5 peak horsepower, 48 volt DC electric motor
- (4) 12 voit deep cycle batteries
- Charging system for 110 VAC or 220 VAC input
- Direct drive motor to rear wheels transaxle
- Adjustable driver seat with steering wheel
- Uses a variety of attachments for grounds conditioning, which may include, but not limited to:

Leveling blade

Field rake or finisher

Drag mat

Scarifier

Grooming broom or brush

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 13 of 18

CATEGORY 8: Recreation area Equipment - Towed ball field scarifier, rake, and surface conditioner:

ITEM 3.

All towed ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Towed behind small tractor or off road service vehicle
- Basic unit with locked and float position selection
- Basic towed unit 70" minimum width
- Uses a variety of attachments for grounds conditioning, which may include, but not limited to:

Heavy duty scarifier

Light duty scarifier

Double brush broom

CATEGORY 8: Recreation area Equipment - Walk-behind self propelled field line painter:

ITEM 4.

All walk behind line painting equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 3 HP Gasoline engine, drives unit and paint pump system,
- 3-wheel tricycle chassis, with pneumatic tires
- Self propelled, with handle mounted drive engagement
- Variable line width, 2" to 6" wide
- Agitation system to keep paint mixed
- 10 gallons minimum capacity line paint tank

------ CATEGORY 9: Aerator Equipment -----

CATEGORY 9: Aerator Equipment - Tractor towed PTO driven large area aerator:

ITEM 1.

All tractor towed aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 98" minimum aeration width
- Up to 5" aeration depth capability
- 3-point tractor hitch towed, tractor PTO driven
- 540 RPM tractor PTO required, 2,300 pounds 3-point hitch lift capacity
- Choice of coring or solid tines

CATEGORY 9: Aerator Equipment - Tractor towed PTO driven deep tine aerator:

ITEM 2.

All tractor towed aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 72" minimum aeration width
- Minimum 8" aeration depth capability
- 3-point tractor hitch towed, tractor PTO driven
- 540 RPM tractor PTO required, 2,800 pounds 3-point hitch lift capacity
- Choice of coring or solid tines

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 14 of 18

CATEGORY 9: Aerator Equipment - Self propelled small to medium area walk-behind aerator:

ITEM 3.

All walk-behind aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 48" aeration width
- Up to 4" aeration depth capability
- 20 horsepower gasoline engine,
- 7.5 gallon fuel tank
- 3-wheel hydrostatic drive system

CATEGORY 9: Aerator Equipment - Self propelled small area walk-behind aerator:

ITEM 4.

All walk-behind aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 31" aeration width
- Up to 3" aeration depth capability
- 20 horsepower gasoline engine,
- 5 gallon fuel tank
- 2 wheel drive system

------ CATEGORY 10: Debris Blower Equipment ---------

CATEGORY 10: Blower Equipment - Towed engine driven debris blower, to be towed behind an off road service vehicle:

ITEM 1.

All truck towed engine driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 20 horsepower gasoline engine,
- Turbine fan
- Single nozzle blower air chute, 360 degrees rotation
- 5 gallon fuel tank
- Remote control of unit from vehicle driver station, to include blower air chute rotation

CATEGORY 10: Blower Equipment - Tractor Towed PTO driven debris blower, medium air volume:

ITEM 2

All tractor towed PTO driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 540 RPM PTO powered
- 3-point hitch mounted
- Single nozzle blower air chute, 180 degrees rotation
- 6,000 Cubic feet per minute (CFM) air flow
- Turf protection roller

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 15 of 18

CATEGORY 10: Blower Equipment - Tractor Towed PTO driven debris blower, high air volume:

ITEM 3.

All tractor towed PTO driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 540 RPM PTO powered
- 3-point hitch mounted
- Single nozzle blower air chute, 180 degrees rotation
- 7,000 Cubic feet per minute (CFM) air flow, minimum
- Turf protection roller

------ CATEGORY 11: Seeding Equipment ------

CATEGORY 11: Seeding Equipment - Tractor Towed PTO driven overseeder equipment for large area seeding:

ITEM 1.

All tractor towed PTO driven over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Tractor PTO powered, 540 RPM
- 3-point hitch mounted
- 72" seeding width
- 0" to 11/2" seed depth
- Slip clutch drive line protection
- 5 bushel waterproof seed box with seed agitator
- Soil slicing knives for seed deposit

CATEGORY 11: Seeding Equipment - Tractor Towed ground driven overseeder equipment for medium area seeding:

ITEM 2.

All tractor towed ground driven over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 3-point hitch mounted
- 48" seeding width
- 0" to 11/2" seed depth
- 3 bushel seed box
- Metering seed cups

CATEGORY 11: Seeding Equipment - Walk-Behind self propelled overseeder equipment for small area seeding:

ITEM 3.

All walk behind self propelled over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 11 horsepower gasoline engine
- V-belt drive
- 19° seeding width
- 0" to 1½" seed depth
- Belt tightening clutch drive
- .8 cubic ft. seed box
- Soil slicing system for seed deposit
- Seed metering system

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 16 of 18
CATEGORY 12: Spraying Equipment
CATEGORY 12: Spraying Equipment - Self propelled riding boom type sprayer:
ITEM 1.
All self propelled riding boom type sprayer equipment offered as an equivalent shall meet or exceed the following minimum requirements: 30 horsepower diesel engine, Hydrostatic drive 10 gallons fuel tank 18 ft. 3-section folding spray boom, with break-away protection 300 gallons spray solution tank
Enclosed driver cab CATEGORY 12: Spraying Equipment - Trailer mounted boom type sprayer:
ITEM 2.
All trailer mounted sprayer equipment offered as an equivalent shall meet or exceed the following minimum requirements:
Gasoline engine driven spray media pump,
Media agitation system in tank
 18 ft. 3-section folding spray boom, with break-away protection Hand held tree sprayer with 100 ft. of hose
■ 50 ft. minimum tree spray height
Spray control system
CATEGORY 12: Spraying Equipment - Off road service vehicle mounted boom type sprayer:
ITEM 3.
All service vehicle mounted sprayer equipment offered as an equivalent shall meet or exceed the following minimum
requirements: Mounts on heavy duty flatbed off road service vehicle
 Uses carry vehicle hydraulic system for spray pump drive 200 gallons fiberglass or polyethylene spray media tank
 Media agitation system in tank
 3-section folding spray boom, with break-away protection Hand held spray gun capability with 50 ft. minimum hose
 200 psi available spray pressure Spray control system

------- CATEGORY 13: Hand Held Equipment ------

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 17 of 18

CATEGORY 13: Hand Held Equipment - Gasoline powered string trimmer:

ITEM 1.

All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum 28cc gasoline engine,
- 17" width of cut
- Weight of 14 pounds or less
- Straight shaft, 58" minimum length
- Minimum fuel capacity 17 ounces
- Dual trimmer line head

CATEGORY 13: Hand Held Equipment - Gasoline powered backpack mounted blower unit:

ITEM 2.

All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum 60cc gasoline engine,
- Tube mounted throttle
- Weight of 25 pounds or less
- Minimum 45 ounce fuel tank capacity
- Back rest and shoulder straps
- Minimum air volume with tube 700 cubic feet per minute
- Exit air speed up to 200 MPH minimum
- 75 Db(A) maximum noise level

CATEGORY 13: Hand Held Equipment - Gasoline powered Chain Saw:

ITEM 3.

All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum 50cc gasoline engine
- Minimum 3 horsepower,
- 18" bar length
- Weight of 13 pounds or less
- Chain stop brake
- Minimum fuel capacity 12 ounces
- Vibration reduction system

CATEGORY 13: Hand Held Equipment - Gasoline powered Backpack Sprayer:

ITEM 4.

All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Minimum 21cc gasoline engine,
- Minimum 16 ounces fuel capacity
- Minimum 5 gallon media tank
- Metal spray wand
- 20 ft. spray distance
- Minimum 140 psi rating
- Shoulder strap system

ATTACHMENT A: APPROVED CONTRACT SPECIFICATIONS BY CATEGORY AND LINE ITEM FOR GROUND MAINTENANCE EQUIPMENT Page 18 of 18

------ CATEGORY 14: Miscellaneous Equipment

CATEGORY 14: Miscellaneous Equipment - Ground driven towed fertilizer and sand/salt broadcast spreader:

ITEM 1.

All ground driven towed fertilizer spreader equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Hopper capacity holds 800 pounds of material
- Equipment is ground wheel driven, no motor drives
- Broadcast spreading of fertilizer up to 50 feet total width
- Spreading of sand and road salts up to 18 feet total width
- Choice of traction profile tires or lawn flotation tires

CATEGORY 14: Miscellaneous Equipment - Tractor Towed PTO driven artificial turf sweeper:

ITEM 2.

All tractor towed PTO driven artificial turf sweeper equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- Tractor PTO driven, 540 RPM
- 3-point hitch mounted, 1,550 lbs lift
- 60" width of sweeping path
- Rotary brush
- Turbine fan
- Filter and sifter

CATEGORY 14: Miscellaneous Equipment - Tractor towed engine driven vacuum turf sweeper:

ITEM 3.

All towed engine driven turf vacuum sweeper equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 20 horsepower gasoline engine,
- ¾" pin type hitch
- 5 cubic yards capacity debris hopper
- 60 inch sweep width
- Spring loaded flex tip reel for small debris pick up

CATEGORY 14: Miscellaneous Equipment - Walk-Behind self propelled sod cutter:

ITEM 4.

All walk behind self propelled sod cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:

- 5 horsepower gasoline engine,
- V-belt drive
- 18" sod cutting width
- Sod cutting thickness adjustable to 2½"
- Minimum of (2) forward speeds
- Clutch operation at handle controls

32	32	¥ 88	238	26	\$3	222	28	19 18	16	15 14	15 12	; [4]	i 6	۵ ۵	7	6	(n	4	ω	ы
6	6	6	6	6	6		TEM 2					detections in that the process of the state	ACCULTANCE OF THE PARTY OF THE			ITEM 1	TRACTORS	CATECOBY 3:		ATTACHMENT B: PRICING INFORMATION Ground Maintan GROUND CONT
6105R Cab Tractor (Base Machine only)	6140M Cab Tractor (Base Machine only)	6125M Cab Tractor (Base Machine only)	6115M Cab Tractor (Base Machine only)	6105M Cab Tractor (Base Machine only)	6130D Cab Tractor (Base Machine only)	6115D Cab Tractor (Base Machine only)	Heavy Puty Tractor - John Deere, Manufacturer: Model 6105D Cab (replaces model 6100D) To Include Order Codes: 654GP 0202 0500 2050 1381 2100 3320 4120 5470 6119	51400 Cab Tractor (Base Machine only)	5210R Cab Tractor (Base Machine only)	53908 Cab Tractor (Base Machine only)	SIZOR Cab Tractor (Base Machine only)	With authority Costs (Authority Costs)	6150R Cab Tractor (Rasse Machine colly)	6170M Cab Tractor (Base Machine only)		Extra Heavy Duty Tractor: John Deere Manufacturer: Model 6150M Cab (replaces model 7330 Cab) To Include Order Codes: 00UZL 100Z 202 511 1435 2051 209 2510 2557 2531 3304 3822 4121 4213 4410 5073 5251 5999 6043 6250 6799 7702 8224 8220 8250 8240 8446 8454 8762		(Reference Attachment A for detailed specifications)	<u>DESCRIPTION</u> Detailed Specifications for Basic Units Per Category	CONTRACT CHANGE NOTICE #5 EFFECTIVE 9/17/13 ATTACHMENT B: (CHANGES MADE TO THIS CONTRACT ARE INDICATED IN PRICING RED) INFORMATION Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR, CONTACT, AND DELIVERY INFORMATION
1	1	1	1	1	1	1	1	1	1	1	1	ין	4	1		н			QTY	/17/13 ICATED IN S Published
\$ 97,857.00	\$107,591,00	\$ 98,225,00	\$92,037.00	\$87,859.00	\$ 70,631.00	\$ 65,293.00	\$61,730.00	\$ 74,843.00	\$ 164,469.00	\$ 155,742.00	\$147,093.00	\$135,634,00	<u> </u>	\$127,029.00	7 000 000 000 000 000 000 000 000 000 0	\$116.967.00			MFG. LIST PRICE	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebel Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862 Fax: (309) 749-2313
23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%	23.00%		23.00%	200000	23.00%			LESS % of DISCOUNT =	DR: Deere and Company ere Run 13 Ki Shadmani or Tamara Hebert iinistrator, Government Sales 804-2055 or (919)804-2862 9-2313
575,349.89	\$82,845.07	575,633.25	570.868.49	\$67,651.43	\$54,385.87	\$50,275.61	\$47,532.10	11.629/25	\$126,641.13	<u> </u>	\$113,261.61	\$104,438.18	1	597,812.33	Companyor		-		UNIT PRICE AFTER DISCOUNT	ompany Imara Hebert Iment Sales
60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO		60-180 Days ARO	OC-100 Days AND	60-480 Days ARO			DELIVERY	2							
17-Dec-12	17-Dec-12	17-Dec-12	17-Dec-12	17-Dec-12	17-Dec-12		17-Dec-12	71-390-71	47.700.49			PPL DATE	0							

CONTRACT CHANGE NOTICE #5 EFFECTIVE 9/17/13 PRICING NFORMATION Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR: Dee Contract Administration Contract Contract Administration Contract			
Office: (919) 804-20 Fax: (309) 749-2313	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862 Fax: (309) 749-2313		
MFG. LIST PRICE	LESS % of UNIT PRICE DISCOUNT = AFTER DISCOUNT	DELIVERY	PPL DATE
\$ 102,767.00	23.00% \$79,130,59	60-180 Days ARO	17-Dec-12
\$ 108,722.00	23.00% \$83,715,594	60-130 Days ARO	17-Dec-12
\$128,370.00	23.00% \$56,244.90	60-180 Days ARO	17-Dec-12
\$ 46,110.00	18,00% \$37,810,20	60-180 Days ARO	6-May-13
\$ 68,087.00	23.00% \$55,00%99	60-180 Days ARO	17-Dec-12
\$ 73,927.00	23.00% \$56,923.79	60-180 Days ARO	17-Dec-12
\$26,682.00	18.00% \$21,53,524	60-180 Days ARO	17-Dec-12
\$37,793.00	18.00% \$30,990.26	60-180 Days ARO	22-Aug-13
\$22,698.00	35.213.815	60-180 Days ARO	17-0ec-12
00.076,858	18.00% \$32,775.40	60-180 Days ARO	22-Aug-13
\$ 41,102,00	18.00%	60-180 Days ARC	6-May-13
	Management of the second of th		
\$ 45,599.00	18.00% \$37,391.18	60-180 Days ARO	17-Dec-12
	18.00%	60-180 Days ARO	17-Dec-12
	17.00%	60-180 Days ARO	18-Dec-12
\$ 35,633.00	17.00% \$225,575,339	60-180 Days ARC	18-Dec-12
\$ 21,674.00	17.00% \$17,989.42	60-180 Days ARC	18-Dec-12
	18.00% \$13,853.90	60-180 Days ARO	17-Dec-12
	18.00%	60-180 Days ARO	17-Dec-12
		102,757.00	\$128,772.00 \$128,772.00 \$23.00% \$23,715.54 \$45,110.00 \$23.00% \$23,715.54 \$45,110.00 \$23.00% \$23,715.54 \$23,715.54 \$23,715.54 \$23,715.54 \$23,715.54 \$23,715.54 \$23,715.54 \$23,527.00 \$23,00% \$23,715.54 \$23,

100 99	99 97	y	8	2 2	92	91	98 88	88 89	88	£ 88	2 22	883	22	33	73	22	70 3	N µ		Τ
							ITEM 5		ANGERTAN SERVICE DE L'ARTHUR SERVICE DE CONTRACTOR DE CONT	NASAKOSISI HALAYI AN SONOSISI (KOZZANIJI) ASAASO								Ground Maintan AWARDED C	ATTACHMENT B: PRICING INFORMATION	A
PERCENTAGE OF DISCOUNT (%) FOR THE MANUFACTURER'S ATTACHMENTS/IMPLEMENTS. FOR "ADDITIONAL LINE ITEMS" - CATEGORY 2;	2032R Tractor (Base Machine only) ADD/ NEW MODEL		2025R Tractor (Base Machine only) ADD / NEW MODEL	1025R TLB (Base Machine only) ADD / NEW MODEL		1025R Tractor (Base Machine only)	Sub-Compact Tractor - John Deere, Manufacturer: Model 1023E Tractor - To Include Order Codes: 0250LV 4400	3038E Tractor (Base Machine only)	3032£ Tractor (Base Machine only)	3720 Tractor (Base Machine only)	3320 Tractor (Base Machine only)	4320 Tractor (Base Machine only)	4120 Tractor (Base Machine only)	505SE Cab Utility Tractor (Base Machine only) ADD / NEW MODEL	SOSSE Utility Tractor (Base Machine only)	SOASE Utility Tractor (Base Machine only)	<u>DESCRIPTION</u> Detailed Specifications for Basic Units Per Category	Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR, CONTACT, AND DELIVERY INFORMATION	NGE NOTICE #5 EFFECTO THIS CONTRACT AR	B C D E F G
	1		-	1	,	1	1	1	1 	1	1	1	1	1		1	QTY	<u> Published</u> GORY,	/17/13 ICATED IN	Ξ
	\$18,595.00	MANUSTRI PARAMETER SON STREET,	\$12.345.00	\$22,348.00	ooroc'ere	\$13.361.00	\$11,2%.00	\$ 16,952.00	\$ 15,539.00	\$ 27,088.00	\$ 21,166.00	\$ 29,700.00	\$ 27,405.00	\$ 35,338,00	\$ 26,162.00	\$ 23,444.00	MFG. LIST PRICE	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862 Fax: (309) 749-2313		ı
1000-4000 Series Tractors - 17%, 5000 Series Tractors - 18%, 6000 Series Tractors - 23%, Frontier - 18%	17.00%	00.00 to 10.00 to 10.		17.00%	17,00%	000000000000000000000000000000000000000	17.00%	17.00%	17.00%	17.00%	17.00%	17.00%	17.00%	18.00%	18.00%	18.00%	LESS % of DISCOUNT =	Deere and Co Run hadmani or Ta trator, Govern -2055 or (919		
\$0 8	\$15,433.85	Cesanciere		\$18,548.84	STUBBLES.		59,375.68	\$14,070.16	S12,897.37	\$22,483.04	\$17,567.78	\$24,651.00	\$22,746.15	\$28,977.16	\$21,452.84	\$19,224.08	UNIT PRICE AFTER DISCOUNT	ompany amara Hebert nment Sales 9)804-2862		
	30 - 60 Days ARO	50 - 60 Days ARO		30 - 60 Days ARO	30 - 60 Days ARO	30 60 50 500	30 - 60 Days ARO	30 - 60 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	60-180 Days ARO	DELIVERY			N
17Dect2; 18Dect2; 05Nov12; 10Dect2	12-Aug-13	12-409-13		12-Aug-13	13-May-13	3, 11, 13	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	22-Aug-13	17-Dec-12	17-Dec-12	PPL DATE			0 P Q

CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 749-2313 Fax: (309) 749-2313 Fax: (309) 749-2313 Sazoso (319)804-2862 Sazoso (319)804-2862 Sazoso (319)804-2862 Sazoso (319)804-2862 Sazoso (319)804-2862 Sazoso (319)804-2862 Sazoso (319)804-3862 Sazoso (319)804-3862 Sazoso (319)804-3862 Sazoso (318)8048 Sazoso (3
bert # color
DELIVERY AFTER DISCOUNT S16,17231 S16
23.00% \$14,556.08 60 - 180 days ARO 1 23.00% \$214,556.08 60 - 180 days ARO 1 23.00% \$11,556.08 60 - 180 days ARO 1 23.00% \$13,974.34 60 - 180 days ARO 1 23.00% \$13,974.34 60 - 180 days ARO 1 23.00% \$13,567.21 60 - 180 days ARO 3 23.00% \$13,567.24 60 30 - 60 days ARO 30 - 60 days
23.00% \$14,556.06 60 - 180 days ARO 1 23.00% \$14,556.06 60 - 180 days ARO 1 23.00% \$18,974.34 60 - 180 days ARO 1 23.00% \$51,957.21 60 - 180 days ARO 1 23.00% \$51,642.40 60 - 180 days ARO 1 16.00% \$11,642.40 30 - 60 days ARO 30
23.00% \$18,974.34 \$60-180 days ARO 1 23.00% \$518,974.34 \$60-180 days ARO 1 23.00% \$518,974.34 \$60-180 days ARO 1 23.00% \$51,964.31 \$60-180 days ARO 1 16.00% \$511,642.40 \$30-60 days ARO 3 16.00% \$511,642.40 \$30-60 days ARO 3 16.00% \$511,642.40 \$30-60 days ARO 3 16.00%
23.00% \$18,974.34 60 - 180 days ARO 1 23.00% \$3,957.31 60 - 180 days ARO 1 23.00% \$5,084.31 60 - 180 days ARO 3 30 - 60 days ARO 315.00% \$315,622.40 30 - 60 days ARO 30 - 60 da
23.00%
23.00% \$55,084.31 60 - 180 days ARO 13.00% 60 - 180 days ARO 16.00% 511,642.40 30 - 60 days ARO 30.60 days ARO 30.60 days ARO 30.60 days ARO 511,642.46 30 - 60 days ARO
23.00% S5,084.31 60 - 180 days ARO 23.00% 60 - 130 days ARO 16.00% 511,642.40 30 - 60 days ARO 30 - 60 days ARO
23.00% 60 - 150 davs ARO 16.00% 511,642.40 30 - 60 davs ARO 30.60 davs ARO 30.60 davs ARO 30.60 davs ARO
16.00% \$11.642.40 30 - 60 days ARO 16.00% \$11.423.16 30 - 60 days ARO
16.00% \$115,642,40 30 - 60 days ARO 16.00% \$11,423,16 30 - 60 days ARO
16.00% \$11,423.16 30 - 60 days ARO
12,699.00 16.00% \$10,667,116 30 - 60 days ARO 5-Feb-13
\$11,507.16

154 C	153	150 151	148	146 147	144	142	140 141	138	tig 8	13 13 13 13 13 13 13 13 13 13 13 13 13 1	132	130	128	3 27	N H
CATEGORY 5: SELF PROPELLED RIDING MOWERS				ІТЕМ 5							тем з	ITEM 2			ATTACHMENT B: PRICING INFORMATION Ground Maintan AWARDED CONT
	PERCENTAGE OF DISCOUNT (%) FOR THE MANUFACTURER'S ATTACHMENTS/IMPLEMENTS. FOR "ADDITIONAL LINE TTEMS" - CATEGORY 4;	Gator TH 6X4 Gas (Base Machine only)	XUV 6251 Olive & Black (Base Machine only)	Light Duty 4x2 Gassoline, Service Truck. John Deere: Gator TX 4X2. To include Order Codes: 560GM 0202 1002 2000 3000 4000 5010 5110	XUV 825i S4 (Base Machine only)	HPX Gas Green & Yellow (Base Machine only)	XUV \$25! Power Steering, Olive & Black (Base Machine only)	XUV 825I Power Steering Green & Yellow (Base Machine only)	XUV 8251 Olive & Black (Base Machine only)	XUV 825i Green & Yellow (Base Machine only)	Medium Duty 4x4 Gasoline Service Truck - John Deere -Model XUV 625i Green & Yellow. 3946M 0202 1000 2000 3000 4000 5010 5110 6010 6310	Medium Duty 4x4 Diesel Service Truck - John Deere Commercial Gator HPX 4x4, Model: HPX Diesel -To Include Order Codes: 9906M 0202 1000 2000 4000 5002	XUV 855D S4 (Base Machine only)	<u>DESCRIPTION</u> Detailed Specifications for Basic Units Per Category	CONTRACT CHANGE NOTICE #5 EFFECTIVE 9/17/13 PRICING RED) INFORMATION Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR, CONTACT, AND DELIVERY INFORMATION
		ם	1	ļ.	1	1	1	1	1	1	1	ju	1	QTY	/17/13 ICATED IN ICATED IN
		\$ 9,699,00	\$ 10,599.00	\$ 8,719.00	\$ 14,199.00	\$ 9,299.00	\$ 12,899.00	\$ 12,799.00	\$ 11,899,00	\$ 11,799.00	\$ 10,499.00	\$ 10,799.00	\$ 14,999.00	MFG. LIST PRICE	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862 Fax: (309) 749-2313
TA APPLICATE TO A TOTAL A TAXABLE PARTY AND A	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	16.00%	LESS % of DISCOUNT =	Deere and Co Run admani or Ta trator, Goverr 2055 or (919
		33,147,16	38,903.16	57.223.96	\$11,927.16	\$7,811.16	\$10,835,16	\$10,751.16	39,995.16	\$9,911.16	S8,819.16	\$9,071.16	\$12,599.16	UNIT PRICE AFTER DISCOUNT	ompany mara Hebert iment Sales
	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	DELIVERY	
	18-Dec/12 & 05- Feb13	18-Dec-12	18-Dec-12	18-Dec-12	20-May-13	18-Dec-12	S-Feb-13	5-Feb-13	5-Feb-13	5-Feb-13	5-Feb-13	18-Dec-12	20-May-13	PPL DATE	

ď			PPL DATE	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12		18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12	18-Dec-12
N			DELIVERY	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 davs ARO		30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO
, w	mpany мата Нећегт	ment Sales 804-2862	UNIT PRICE AFTER DISCOUNT	0x/255/676	\$50,836.17	\$15,664.88	\$19,829,04	\$3841878	The second secon	\$25,067.33	56,464.15	\$7,997.13	\$1,907.3	8,315,23	59,054.03
×	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513	Contract. Deckn Stadings of James Frederick Contract Administrator, Government Sales Office: (919) 804-2852 or (919)804-2862 Fax: (309) 749-2313	LESS % of DISCOUNT =	64.360.00 23.00%	66.021.00		25,752.00 23.00%		20000	32,555.00 23.00%	8.395.00	10,269.00 23.00%	10,269.00 23.00%	10,799.00 23.00%	11,759.00 23.00%
	n en	Contract Administra Office: (919) 804-20 Fax: (309) 749-2313	MFG. LIST PRICE	\$ 64.36	\$ 66.02		\$ 5.75.75			\$ 32.5	\$	2,01	\$ \$ 20,2	\$ 10.7	8, 11,7
Η	CTIVE 9/17/13 RE INDICATED IN	EGORY,	QTV	1		T .	1			1	\$4.	1	Ţ	1	1
8 C D E F G	GE NOTICE #5 EFFE THIS CONTRACT A RED) ed Contract with Cor	AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY CONTRACTOR, CONTACT, AND DELIVERY INFORMATION	<u>DESCRIPTION</u> Detailed Specifications for Basic Units Per Category	John Deere 1600 WAM: Medium duty wide coverage gang type rotary blade riding mower for large grass area mowing, mowing of golf course rough turf, and large grass sports fields: 1800 WAM - To include Order Code 0703TC.	A Day DONG County (Book Machine only)	John Deere: Model 997 Ztrak/72In PRO Deck - Zero turn type rotary blade riding mower for medium and large size area general mowing and lawn area maintenance. To Include Order Code 0958TC	1476 Codor II Ecost Mount 775 Dark Race Marking only)		1545 Series Il Front Mower//Zin Deck (Base Machine only)	1565 Series II Front Mower/72in Deck [Base Machine only]	John <u>Deere Commercial 2920, Toro 74903, or equivalent.</u> Zero turn type rotary blade riding mower for small to medium size area general mowing and lawn area maintenance: 29158/54in Deck- To include Order Codes 2130TC 0202, 1502, 2000	Z925M EFI Commercial Ztrak (Base Machine Only)	Z930M Commercial Ztrak (Base Machine Only)	2930M EFI Commercial Ztrak (Base Machine Only)	2930R Commercial Zxrak (Base Machine Only)
A	ATTACHMENT B: PRICING INFORMATION Ground Maintal	AWARDED CON	8	ITEM 2		150 150 1160 ITEM 7	161	163	164	166	168 ITEM 9	159	172	17.5	6/7

204	202 203	200 201	198	196	194	192	190	188	186	184	182	180	178	ω	N P	
CATEGORY 6: WALK- 204 BEHIND MOWERS					TEM 10		***************************************								ATTACHMENT B: PRICING INFORMATION Ground Maintan AWARDED C CON1	A
	PERCENTAGE OF DISCOUNT (%) FOR THE MANUFACTURER'S ATTACHMENTS/IMPLEMENTS, FOR "ADDITIONAL LINE ITEMS" - CATEGORY 5:	649R Commercial QuikTrak(Base Machine Only)	2920R Commercial Ztrak (Base Machine Only)	Z920M Commercial Ztrak (Base Machine Only)	<u>John Deere Commercial;</u> Z310A/48in PRO Deck, Zero turn type rotary blade riding mower for small size area general mowing and lawn area maintenance. Z915B/48in Deck To Include Order Codes: Z130TC 0202 1500 2000	661R EFI Commercial QuikTrak (Base Machine Only)	661R Commercial QuikTrak (Base Machine Only)	652R EFI Commercial QuikTrak (Base Machine Only)	652R Commercial QuikTrak (Base Machine Only)	652B Commercial QuikTrak (Base Machine Only)	Z970R Commercial Ztrak (Base Machine Only)	Z960R Commercial Ztrak (Base Machine Only)	Z950R Commercial Ztrak (Base Machine Only)	<u>DESCRIPTION</u> Detailed Specifications for Basic Units Per Category	CONTRACT CHANGE NOTICE #5 EFFECTIVE 9/17/13 ATTACHMENT B: (CHANGES MADE TO THIS CONTRACT ARE INDICATED IN PRICING RED) NFORMATION Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR, CONTACT, AND DELIVERY INFORMATION	
		1	1	1	1	1	1	1	1	1	1	I	Asserting the state of the stat	QTY)/17/13 ICATED IN S Published	Η
		\$ 9,065.00	\$ 11,099,00	\$ 9,329,00	S25.00	\$ 10,565.00	\$ 10,065.00	\$ 9,965.00	9,465.00	\$ 8,465,00	\$ 14,169.00	\$ 13,099.00	\$ 12,429.00	MFG. LIST PRICE	CONTRACTOR: Dee 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadn Contract Administrat Office: (919) 804-205	. L
	23.00%	23.00% \$6,380.05	23.00% 38,546,23	23.00% \$77,183.33	23.00%	23.00% \$8,135.05	23.00%	23.00% <i>\$7,67</i> 3.05		23.00% \$6,518.05	23.00% %10,910.13	23.00% \$10,086.23	23.00% \$9.570.33	LESS % of UNIT PRICE DISCOUNT = AFTER DISCOUNT	CONTRACTOR: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862 Fax: (309) 749-2313	
	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	30 - 60 days ARO	NT DELIVERY		N
	18-Dec-12	22-Apr-13	18-Dec-12	18-Dec-12	18-Dec-12	22-Apr-13	22-Apr-13	22-Apr-13	22-Apr-13	22-Apr-13	18-Dec-12	18-Dec-12	18-Dec-12	PPL DATE		O P Q

A	u u	- -		_	4	N N	4
ATTACHMENT B: PRICING INFORMATION	ONTRACT CHANGE NOTICE #5 EFFECTIVE 9/17/ ANGES MADE TO THIS CONTRACT ARE INDICATI RED)	/13 FED IN					
ound Mainta AWARDED CON	Ground Maintanance Equipment Awarded Contract with Contractors Published Pricing and Firm Discounts AWARDED CATEGORIES AND ADDITIONAL LINE ITEMS PER CATEGORY, CONTRACTOR, CONTACT, AND DELIVERY INFORMATION	blished XY,	CON I KAC I OK: Deere and Company 2000 John Deere Run Cary, NC 27513 Contact: Becki Shadmani or Tamara Hebert Contract Administrator, Government Sales Office: (919) 804-2055 or (919)804-2862	Run admani or Ta trator, Govern 2055 or (919	impany mara Hebert ment Sales)804-2862		
	Detailed Specifications for Basic Units Per Category	QTY	Fax: (309) 749-2313 LESS % of MFG. LIST PRICE DISCOUNT =	t13 LESS % of DISCOUNT =	UNIT PRICE AFTER DISCOUNT	DELIVERY	PPL DATE
ITEM 1	John Deere Commercial WG48A. Walk-behind self propelled rotary blade mower for small size area general mowing and lawn area maintenance. To include Orde Code: 1352TC 0202	1	00.299. 00.299. 00.299.	13.00%	£1.679,82	30 - 60 days ARO	18-Dec-12
	WH49A (Basc Machine only)	1	\$ 7,299.00	13.00%	56,350.13	30 - 60 days ARO	18-Dec-12
	WHP48A (Base Machine only)	1	\$ 7,299.00	13.00%	\$6,350.13	30 - 60 days ARO	18-Dec-12
	WH52A. (Base Machine only)	1	\$ 7,699.00	13.00%	56,698.13	30 - 60 days ARO	18-Dec-12
	WHPS2A (Base Machine only)	1	00′669′2 \$	13,00%	56,698.13	30 - 60 days ARO	18-Dec-12
	PERCENTAGE OF DISCOUNT (%) FOR THE MANUFACTURER'S ATTACHMENTS/IMPLEMENTS.			13.00%		30 - 60 days ARO	18-Dec-12
216 CATEGORY 10: 217 BLOWERS							
ITEM 2	John Deere Tractor/Frontier Towed PTO driven debris blower, medlum air volume: Model 811130 - To Include order code: 1572XF	1	\$5,260.00	18.00%	OZ SIEK\$	60 - 90 days ARO	5-Nov-12
	PERCENTAGE OF DISCOUNT (%) FOR THE MANUFACTURER'S ATTACHMENTS/IMPLEMENTS.			18.00%		O84 200 F 09 - 09	5-Nov-12