

Office of State Procurement 112 Administration Building 50 Sherburne Avenue St. Paul, MN 55155 Voice: 651.296.2600

Fax: 651.297.3996

August 9, 2023

Ms. Kellie Boehm Stertil-Koni USA, Inc. 200 Log Canoe Circle Stevensville, MD 21666

Dear Ms. Boehm:

The following documents are enclosed for you to complete and return:

- Minnesota Exhibit A, showing the Minnesota General Terms, Conditions, and Specifications, which includes the following:
 - Workforce and Equal Pay Declaration Form
 - Service and Delivery Form

Please sign and return **all sets** of documents, **VIA EMAIL**, to **Karen McIntyre** at the karen.mcintyre@state.mn.us by **August 15, 2023**.

• A certificate of insurance from your insurer, in the amounts called for in the Contract, is required now.

Instructions for properly completing the Contract documents are enclosed. Documents that are not properly executed will be returned to you. Failure to submit executed forms in the time required may result in cancellation of the award. Upon receipt of the properly executed forms, and after signatures are obtained from the appropriate State authorities, a copy of the completed Contract documents will be sent to your company.

If you have any questions, please contact me.

Sincerely,

Karen McIntyre

Acquisition Management Specialist

Karen McAntyre

Enclosure

PARTICIPATING ADDENDUM NASPO ValuePoint

For Vehicle Lifts and Related Garage Equipment

Between the State of Minnesota and Stertil-Koni USA, Inc.

NASPO ValuePoint Contract No. CW7260 State of Minnesota Contract No. 230921

- 1. **Scope**: Minnesota and Cooperative Purchasing Venture Program members, as defined in the attached Minnesota Exhibit A, may purchase the products and/or services available in the Participating Addendum. The Participating Addendum is not a purchase order, nor does it guarantee any purchases will be made.
- 2. <u>Changes</u>: The additional terms and conditions contained in Minnesota Exhibit A, which is attached and made part of the Participating Addendum, are hereby incorporated by reference. In the event of a conflict between the terms contained within Minnesota Exhibit A and the NASPO ValuePoint Master Agreement, Minnesota Exhibit A shall prevail. The parties agree that this provision of the Participating Addendum supersedes the Standard Contract Terms and Conditions set forth in the NASPO ValuePoint Master Agreement. In the event that any provision of the Participating Addendum or NASPO ValuePoint Master Price Agreement is contrary to Minnesota law, such provision shall be null and void. The Participating Addendum shall be governed by Minnesota law.

No price adjustments are allowed unless approved by the Lead State for the NASPO ValuePoint Master Agreement and adopted by the State of Minnesota through a fully executed Participating Addendum amendment.

3. <u>State's Authorized Representative and Primary Contact</u>: The State's Authorized Representative and the primary contact individual for the Participating Addendum is identified below. All notifications to the State shall be in writing and addressed as follows:

Name: Karen McIntyre or successor
Title: Acquisition Management Specialist
Address: Minnesota Department of Administration

Office of State Procurement

50 Sherburne Ave., 112 Administration Bldg.

St. Paul, MN 55155

Telephone: 651.201-3124 Fax: 651.297.3996

E-mail: karen.mcintyre@state.mn.us

- 4. Responsible Contractor: Pursuant to Minn. Stat. § 16C.285, Contractors must certify compliance with the following items:
 - 1. I am an owner or officer of the responding company, and I certify under oath that my company is in compliance with each of the applicable provisions as set forth in Minn. Stat. § 16C.285, subd. 3, and will provide verification upon request by the contracting agency.
 - 1.1 By signing the Certification section below, I am certifying that my company has filed a certificate of authority to transact business in Minnesota with the secretary of state if a foreign corporation or cooperative.

Contact the Office of the Minnesota Secretary of State with questions about satisfying this requirement.

2. If my company retains subcontractors I will submit a supplemental verification confirming subcontractor compliance with Minn. Stat. § 16C.285, subd. 5 (see Exhibit A, Supplement 2).

3. If my company retains additional subcontractors with which it will have a direct contractual relationship following contract award, I will submit supplemental verification confirming subcontractor compliance with Minn. Stat. § 16C.285, subd. 5, within 14 days after retaining any such additional subcontractors (see Exhibit A, Supplement 3).

Signing the section below constitutes a signed statement affirming compliance with each of the applicable provisions as set forth in Minn. Stat. § 16C.285, subd. 3.

The following documents, in order of precedence, are incorporated herein by reference and constitutes the entire Contract between the Contractor and the State:

- a. The Minnesota Participating Addendum
- b. The NASPO ValuePoint Master Agreement
- c. The NASPO ValuePoint Solicitation
- d. Response to the NASPO ValuePoint Solicitation

In the event of a conflict in language among any of these documents, the terms and conditions set forth and/or referenced in this Participating Addendum shall prevail over conflicting terms and conditions.

IN WITNESS WHEREOF, the parties have executed the Participating Addendum as of the date of execution by all parties below.

| 1. Contractor: Stertil-Koni USA, Inc. The Contractor certifies that the appropriate person(s) have executed this Participating Addendum on behalf of the Contract Vendor as required by applicable articles, bylaws, resolutions, or ordinances. By: Signature Column Co | 2. Government Entity: State of Minnesota Office of State Procurement In accordance with Minn. Stat. § 16C.03, Subd. 3. By: Karen E McIntyre AEF46840CAC2428 |
|---|---|
| Jean DellAmore | Title: Acquisition Management Specialist |
| Title: President | Date: 8/23/2023 |
| Date: August 10, 2023 | |
| By: Hellie Helble Signature Kellie Hibble Printed Name | 3. State of Minnesota Commissioner of Administration Or delegated representative. Docusigned by: Dustin Burns |
| Title: Administrative Sales Manager | - 8% 12 39 7 12 6 12 3 4 5 4 Date: |
| Date: August 10, 2023 | |
| | |

Minnesota Exhibit A

Minnesota General Terms, Conditions, and Specifications

1. **DEFINITIONS.**

a. CPV Members.

The Contract will be available to all CPV members. Minn. Stat. § 16C.03, subd. 10 authorizes the State, acting through its Office of State Procurement, to enter into purchasing agreements with one or more governmental units and other entities allowable by law, as described in Minn. Stat. § 471.59, subd. 1, to exercise jointly the purchasing powers and functions each has individually. This authority is referred to as the Cooperative Purchasing Venture program. For more information, see State website www.mmd.admin.state.mn.us.

The Contractor agrees to extend the Contract to CPV members at the same prices, terms, conditions, and specifications. With the approval of the Contractor, a CPV member may add additional terms to its ordering document applicable to the CPV member's purchasing activities. Such additional terms shall not modify, diminish, or derogate the terms applicable to the State.

- b. **State Agencies.** This term applies only to State agencies and departments, as defined in Minn. Stat. §§ 15.01 and 15.021.
- c. **Ordering Entity.** This term applies to any State Agency or CPV Member when allowed in the Participating Addendum.
- d. <u>State and State of Minnesota.</u> These two terms apply to the Minnesota Department of Administration, Office of State Procurement (OSP), representing the State of Minnesota as the contracting agency for the Participating Addendum.
- e. <u>Contractor</u>. These two terms apply to the awarded vendor from the NASPO ValuePoint Master Agreement that OSP selects to receive a Participating Addendum.
- 2. **EFFECTIVE DATE and CONTRACT PERIOD**. The Contract shall be effective upon the date of final execution by the State of Minnesota. The Contract term will begin on August 15, 2023, or on the date of Participating Addendum execution, whichever is later, to March 31, 2028.
- 3. **STATE AUDITS.** Under Minn. Stat. § 16C.05, subd. 5, the Contractor's books, records, documents, and accounting procedures and practices relevant to this Contract are subject to examination by the State, the State Auditor, or Legislative Auditor, as appropriate, for a minimum of six years from the expiration or termination of this Contract.
- 4. **ASSIGNMENT OF ANTITRUST.** Upon the request of the State of Minnesota, Contractor will irrevocably assign to State any state or federal antitrust claim or cause of action that the Contractor now has, or which may accrue to the Contractor in the future, in connection with any goods, services, or combination provided by Contractor under the terms of this Contract.
- 5. **INSURANCE.** If applicable, prior to execution of the Participating Addendum, the Contractor will be required to provide a copy of a Certificate of Insurance, including workers' compensation insurance coverage requirements of Minn. Stat. § 176.181 subd. 2, and other coverages per the insurance requirements if included in the Participating Addendum.

6. INDEMNIFICATION,

- 6.1. In the performance of this Contract, the Indemnifying Party must indemnify, save, and hold harmless the State, its agents, and employees, from any claims or causes of action, including attorney's fees incurred by the State, to the extent caused by Indemnifying Party's:
 - Intentional, willful, or negligent acts or omissions; or
 - Actions that give rise to strict liability; or
 - Breach of contract or warranty.

The Indemnifying Party is defined to include the Contractor, Contractor's reseller, any third party that has a business relationship with the Contractor, or Contractor's agents or employees, and to the fullest extent

- permitted by law. The indemnification obligations of this section do not apply in the event the claim or cause of action is the result of the State's sole negligence. This clause will not be construed to bar any legal remedies the Indemnifying Party may have for the State's failure to fulfill its obligation under this Contract.
- 6.2. Nothing within this Contract, whether express or implied, shall be deemed to create an obligation on the part of the State to indemnify, defend, hold harmless or release the Indemnifying Party. This shall extend to all agreements related to the subject matter of this Contract, and to all terms subsequently added, without regard to order of precedence.
- 7. **GOVERNING LAW, JURISDICTION, AND VENUE.** Minnesota law, without regard to its choice-of-law provisions, governs this Contract. Venue for all legal proceedings out of this Contract, or its breach, must be in the appropriate state or federal court with competent jurisdiction in Ramsey County, Minnesota.
- 8. **GOVERNMENT DATA PRACTICES.** The Contractor and State must comply with the Minnesota Government Data Practices Act, Minn. Stat. Ch. 13, (or, if the State contracting party is part of the Judicial Branch, with the Rules of Public Access to Records of the Judicial Branch promulgated by the Minnesota Supreme Court as the same may be amended from time to time) as it applies to all data provided by the State under this Contract, and as it applies to all data created, collected, received, stored, used, maintained, or disseminated by the Contractor under this Contract. The civil remedies of Minn. Stat. § 13.08 apply to the release of the data governed by the Minnesota Government Practices Act, Minn. Stat. Ch. 13, by either the Contractor or the State.
 - If the Contractor receives a request to release the data referred to in this clause, the Contractor must immediately notify and consult with the State's Authorized Representative as to how the Contractor should respond to the request. The Contractor's response to the request shall comply with applicable law.
- 9. **RISK OF LOSS OR DAMAGE.** The State is relieved of all risks of loss or damage to the goods and equipment during periods of transportation, and installation by the Contractor and in the possession of the Contractor or their authorized agent.
- 10. **GOVERNING LAW, JURISDICTION, AND VENUE.** Minnesota law, without regard to its choice-of-law provisions, governs this Contract. Venue for all legal proceedings out of this Contract, or its breach, must be in the appropriate state or federal court with competent jurisdiction in Ramsey County, Minnesota.
- 11. **CONTRACT USE BY STATE AGENCIES.** To the extent applicable, the Contract does not prohibit state agencies from using their delegated purchasing authority to procure similar goods and services from other sources.

12. AFFIRMATIVE ACTION.

The State intends to carry out its responsibility for requiring affirmative action by its contractors.

- 12.1. Covered Contracts and Contractors. If the Contract exceeds \$100,000 and the Contractor employed more than 40 full-time employees on a single working day during the previous 12 months in Minnesota or in the state where it has its principal place of business, then the Contractor must comply with the requirements of Minn. Stat. § 363A.36 and Minn. R. 5000.3400-5000.3600.
- 12.2. General. Minn. R. 5000.3400-5000.3600 implements Minn. Stat. § 363A.36. These rules include, but are not limited to, criteria for contents, approval, and implementation of affirmative action plans; procedures for issuing certificates of compliance and criteria for determining a contractor's compliance status; procedures for addressing deficiencies, sanctions, and notice and hearing; annual compliance reports; procedures for compliance review; and contract consequences for non-compliance. The specific criteria for approval or rejection of an affirmative action plan are contained in various provisions of Minn. R. 5000.3400-5000.3600 including, but not limited to, Minn. R. 5000.3420-5000.3500 and 5000.3552-5000.3559.
- 12.3. Disabled Workers. The Contractor must comply with the following affirmative action requirements for disabled workers.

AFFIRMATIVE ACTION FOR DISABLED WORKERS

12.3.1. The Contractor must not discriminate against any employee or applicant for employment because of physical or mental disability in regard to any position for which the employee or applicant for employment is qualified. The Contractor agrees to take affirmative action to employ, advance in

- employment, and otherwise treat qualified disabled persons without discrimination based upon their physical or mental disability in all employment practices such as the following: employment, upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training, including apprenticeship.
- 12.3.2. The Contractor agrees to comply with the rules and relevant orders of the Minnesota Department of Human Rights issued pursuant to the Minnesota Human Rights Act.
- 12.3.3. In the event of the Contractor's noncompliance with the requirements of this clause, actions for noncompliance may be taken in accordance with Minn. Stat. § 363A.36, and the rules and relevant orders of the Minnesota Department of Human Rights issued pursuant to the Minnesota Human Rights Act.
- 12.3.4. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices in a form to be prescribed by the Commissioner. Such notices must state the Contractor's obligation under the law to take affirmative action to employ and advance in employment qualified disabled employees and applicants for employment, and the rights of applicants and employees.
- 12.3.5. The Contractor must notify each labor union or representative of workers with which it has a collective bargaining agreement or other contract understanding, that the Contractor is bound by the terms of Minn. Stat. § 363A.36, of the Minnesota Human Rights Act and is committed to take affirmative action to employ and advance in employment physically and mentally disabled persons.
- 12.4. Consequences. The consequences for the Contractor's failure to implement its affirmative action plan or make a good faith effort to do so include, but are not limited to, suspension or revocation of a certificate of compliance by the Commissioner, refusal by the Commissioner to approve subsequent plans, and termination of all or part of this Contract by the Commissioner or the State.
- 12.5. Certification. The Contractor hereby certifies that it is in compliance with the requirements of Minn. Stat. § 363A.36 and Minn. R. 5000.3400-5000.3600 and is aware of the consequences for noncompliance.
- 13. **EQUAL PAY CERTIFICATION.** If required by Minn. Stat. §363A.44, the Contractor must have a current Equal Pay Certificate prior to Contract execution. If Contractor's Equal Pay Certificate expires during the term of this Contract, Contractor must promptly re-apply for an Equal Pay Certificate with the Minnesota Department of Human Rights and notify the State's Authorized Representative once the Contractor has received the renewed Equal Pay Certificate. If Contractor claims to be exempt, the State may require Contractor to verify its exempt status.

14. PROMPT PAYMENT AND INVOICING.

- 14.1. Prompt Payment. The State will pay the Contractor pursuant to Minn. Stat. § 16A.124, which requires payment within 30 days following receipt of an undisputed invoice, or merchandise or service, whichever is later. Terms requesting payment in less than 30 days will be changed to read "Net 30 days." Notwithstanding the foregoing, the State may pay the Contractor in advance for purchases as allowed pursuant to Minn. Stat. §16A.065.
- 14.2. The payment for each order will only be made for goods received or services actually performed that have been accepted by the ordering entity, and meet all terms, conditions, and specifications of the Contract and the ordering document.

15. COMPENSATION AND CONDITIONS OF PAYMENT

- 15.1. Compensation. The State will pay for performance by the Contractor under this Contract in accordance with the breakdown of costs as set forth in Exhibit D which is attached and incorporated into this Contract.
- 15.2. Conditions of Payment. All duties performed by the Contractor under this Contract must be performed to the State's satisfaction and in accordance with all applicable federal, state, and local laws, ordinances, rules, and regulations including business registration requirements of the Office of the Secretary of State. The Contractor will not receive payment for work found by the State to be unsatisfactory or performed in violation of federal, state, or local law.

16. **PURCHASE ORDERS (PO).** The parties agree that there is no minimum order requirements or charges to process an individual purchase order unless otherwise stated in the Contract. The Purchase Order number must appear on all documents (e.g., invoices, packing slips, etc.).

17. PURCHASING CARDS. Not Applicable

18. **TAXES.**

- 18.1. <u>For Purchases which include installation</u>: The State's Direct Pay permit will not apply for orders through this contract. The Contractor must include in their pricing any applicable State or Federal sales, excise, or use tax on all materials, supplies, and equipment that are to be utilized on a project.
- 18.2. <u>For Purchases for Equipment only:</u> Do not add sales tax to the prices being offered. State Agencies hold a Direct Payment Authorization Letter which is used to pay applicable taxes directly to the Department of Revenue. Contractors may go to http://www.revenue.state.mn.us to learn about the applicable sales tax (search "Fact Sheet 142").
- 18.3. <u>If orders are issued by Cooperative Purchasing Venture (CPV) Members:</u> The Contractor should confirm all of the tax requirements with the ordering entity.
- 19. **SHIPPING REQUIREMENTS.** All shipments shall be FOB Destination. Freight charges shall be prepaid and allowed unless otherwise stated in the NASPO ValuePoint Master Agreement.

20. ADDITIONAL CONTRACT TERMS.

- 20.1. All commodities and services furnished will be subject to inspection and acceptance by the Ordering Entity after delivery.
- 20.2. No substitutions or cancellations are permitted without approval of the Ordering Entity.
- 20.3. Back orders, failure to meet delivery requirements, or failures to meet specifications in the purchase order and/or the Contract authorizes the Ordering Entity to cancel the purchase order, or any portion of it, purchase elsewhere, and charge the full increase in cost and administrative handling to the defaulting Contractor.
- 20.4. In the event of default, the State reserves the right to pursue any other remedy available by law.
- 20.5. A Contractor may be removed from the vendor's list, suspended, or debarred from receiving a Contract for failure to comply with the terms and conditions of the Contract, or for failure to pay the State for the cost incurred on the defaulted Contract.

21. AMENDMENTS, WAIVER, AND CONTRACT COMPLETE.

- 21.1. Assignment. The Contractor may neither assign nor transfer any rights or obligations under this Contract without the prior consent of the State and a fully executed assignment agreement, executed and approved by the authorized parties or their successors.
- 21.2. Amendments. Any amendment to this Contract must be in writing and will not be effective until it has been executed and approved by the authorized parties or their successors.
- 21.3. Waiver. If the State fails to enforce any provision of this Contract, that failure does not waive the provision or its right to enforce it.
- 21.4. Contract Complete. This Contract contains all negotiations and agreements between the State and the Contractor. No other understanding regarding this Contract, whether written or oral, may be used to bind either party.

22. INTELLECTUAL PROPERTY RIGHTS.

- 22.1. Definitions. For the purpose of this Section, the following words and phrases have the assigned definitions:
 - 22.1.1. "Documents" are the originals of any databases, computer programs, reports, notes, studies, photographs, negatives, designs, drawings, specifications, materials, tapes, disks, or other materials, whether in tangible or electronic forms, prepared by the Contractor, its employees, agents, or subcontractors, in the performance of this Contract.

- 22.1.2. "Pre-Existing Intellectual Property" means intellectual property developed prior to or outside the scope of this Contract, and any derivatives of that intellectual property.
- 22.1.3. "Works" means all inventions, improvements, discoveries (whether or not patentable), databases, computer programs, reports, notes, studies, photographs, negatives, designs, drawings, specifications, materials, tapes, and disks conceived, reduced to practice, created, or originated by the Contractor, its employees, agents, and subcontractors, either individually or jointly with others in the performance of this Contract. "Works" includes Documents.
- 22.2. Ownership. The State owns all rights, title, and interest in all of the intellectual property rights, including copyrights, patents, trade secrets, trademarks, and service marks in the Works and Documents created and paid for under this Contract. The Documents shall be the exclusive property of the State and all such Documents must be immediately returned to the State by the Contractor upon completion or cancellation of this Contract. To the extent possible, those Works eligible for copyright protection under the United States Copyright Act will be deemed to be "works made for hire." The Contractor assigns all right, title, and interest it may have in the Works and the Documents to the State. The Contractor must, at the request of the State, execute all papers and perform all other acts necessary to transfer or record the State's ownership interest in the Works and Documents.
- 22.3. Pre-existing Intellectual Property. Each Party shall retain ownership of its respective Pre-Existing Intellectual Property. The Contractor grants the State a perpetual, irrevocable, non-exclusive, royalty free license for Contractor's Pre-Existing Intellectual Property that are incorporated in the products, materials, equipment, deliverables, or services that are purchased through the Contract.

22.4. Obligations.

- 22.4.1. Notification. Whenever any invention, improvement, or discovery (whether or not patentable) is made or conceived for the first time or actually or constructively reduced to practice by the Contractor, including its employees and subcontractors, in the performance of this Contract, the Contractor will immediately give the State's Authorized Representative written notice thereof, and must promptly furnish the State's Authorized Representative with complete information and/or disclosure thereon.
- 22.4.2. Representation. The Contractor must perform all acts and take all steps necessary to ensure that all intellectual property rights in the Works and Documents are the sole property of the State, and that neither Contractor nor its employees, agents, or subcontractors retain any interest in and to the Works and Documents. The Contractor represents and warrants that the Works and Documents do not and will not infringe upon any intellectual property rights of other persons or entities.
- 22.4.3. Indemnification. Notwithstanding any other indemnification obligations addressed within this Contract, the Contractor will indemnify; defend, to the extent permitted by the Attorney General; and hold harmless the State, at the Contractor's expense, from any action or claim brought against the State to the extent that it is based on a claim that all or part of the Works or Documents infringe upon the intellectual property rights of others. The Contractor will be responsible for payment of any and all such claims, demands, obligations, liabilities, costs, and damages, including but not limited to, attorney fees. If such a claim or action arises, or in the Contractor's or the State's opinion is likely to arise, the Contractor must, at the State's discretion, either procure for the State the right or license to use the intellectual property rights at issue or replace or modify the allegedly infringing works or documents as necessary and appropriate to obviate the infringement claim. This remedy of the State will be in addition to and not exclusive of other remedies provided by law.

23. TERMINATION OF THE PARTICIPATING ADDENDUM.

23.1. Termination for Convenience. The State or Commissioner of Administration may cancel this Contract at any time, with or without cause, upon 30 days' written notice to the Contractor. Upon termination for convenience, the Contractor will be entitled to payment, determined on a pro rata basis, for services or goods satisfactorily performed or delivered.

- 23.2. Termination for Breach. If the Contractor fails to perform according to the contract terms and conditions, the State is authorized to immediately cancel the Contract or purchase order, or any portion of it, and may obtain replacement goods or services and charge the difference of costs to the defaulting Contractor. In the event of default, the State reserves the right to pursue any other remedy available by law. A Contractor may be removed from the vendors list, suspended, or debarred from receiving a Contract for failure to comply with terms and conditions of the Contract, or for failure to pay the State for the cost incurred on the defaulted Contract.
- 23.3. Termination for Insufficient Funding. The State may immediately terminate this Contract if it does not obtain funding from the Minnesota Legislature, or other funding source; or if funding cannot be continued at a level sufficient to allow for the payment of the services addressed within this Contract. Termination must be by written notice to the Contractor. The State is not obligated to pay for any services that are provided after notice and effective date of termination. However, the Contractor will be entitled to payment, determined on a pro rata basis, for services satisfactorily performed to the extent that dedicated funds are available. The State will not be assessed any penalty if the Contract is terminated because of the decision of the Minnesota Legislature, or other funding source, not to appropriate funds. The State must provide the Contractor notice of the lack of funding. This notice will be provided within a reasonable time of the State's receiving notice.
- 24. **ADMINISTRATIVE PERSONNEL CHANGES.** After execution of this Participating Addendum the State must be notified of intended changes in the Contractor's administrative personnel as soon as practicable.

25. PUBLICITY AND ENDORSEMENT.

- 25.1. Publicity. Any publicity regarding the subject matter of this Contract must identify the State as the sponsoring agency and must not be released without prior written approval from the State's Authorized Representative. For purposes of this provision, publicity includes notices, informational pamphlets, press releases, information posted on corporate or other websites, research, reports, signs, and similar public notices prepared by or for the Contractor individually or jointly with others, or any subcontractors, with respect to the program, publications, or services provided resulting from this Contract.
- 25.2. Endorsement. The Contractor must not claim that the State endorses its products or services.
- 26. **AMERICANS WITH DISABILITIES ACT (ADA).** Products provided under the Contract must comply with the requirements of the Americans with Disabilities Act (ADA). The Contractor's catalog and other marketing materials utilized to offer products under the Contract must state when a product is not in compliance. If any descriptive marketing materials are silent as to these requirements, the Contractor agrees that the customer can assume the product meets or exceeds the ADA requirements.

27. NONVISUAL ACCESS STANDARDS.

Minn. Stat. § 16C.145, the Contractor must comply with the following nonvisual technology access standards to the extent required by law:

- That the effective interactive control and use of the technology, including the operating system applications programs, prompts, and format of the data presented, are readily achievable by nonvisual means;
- That the nonvisual access technology must be compatible with information technology used by other individuals with whom the blind or visually impaired individual must interact;
- That nonvisual access technology must be integrated into networks used to share communications among employees, program participants, and the public; and
- That the nonvisual access technology must have the capability of providing equivalent access by nonvisual means
 to telecommunications or other interconnected network services used by persons who are not blind or visually
 impaired; and
- Executive branch state agencies subject to Section 16E.03, subdivision 9, are not required to include nonvisual technology access standards developed under this Section in contracts for the procurement of information technology.

These standards do not require the installation of software or peripheral devices used for nonvisual access when the information technology is being used by individuals who are not blind or visually impaired.

28. USAGE REPORT.

Contractor must track and report to the State usage data on this Contract (Usage Reports). Usage Reports should be sent via email to osp.usagereports@state.mn.us. A Usage Report must identify the State Contract Number and provide the following information:

- The total amount of spend under the Contract by the State and other entities,
- The total amount of spend by State agencies, and
- The total amount of spend by other entities (CPV members).

Contractor must send a quarterly Usage Report, or as otherwise requested. Quarters are as follows:

- First Quarter, from July 1 to September 30,
- Second Quarter, from October 1 to December 31,
- Third Quarter, from January 1 to March 31, and
- Fourth Quarter, from April 1 to June 30.

A quarterly Usage Report is due within thirty days of the end of a quarter. A requested Usage Report is due within thirty days from when the request was made. Contractor must provide the State with a final Usage Report within 30 calendar days of the expiration or termination of the Contract. Failure to provide a Usage Report may result in the State cancelling the Contract. This term survives the expiration or termination of the Contract.

29. ADMINISTRATIVE FEE.

Contractor must remit to the Department of Administration, Office of State Procurement on a quarterly basis an administration fee of 1% (.01 multiplication factor) of the total amount of spend under the Contract as reported in the Usage Report (Administrative Fee). The Administrative Fee is due within thirty days of the end of a quarter. The Administrative Fee may be submitted through Automated Clearing House (ACH) or by check. Contact CPV.Program@state.mn.us for detailed information on the ACH payment option. If paying by check, the check should be made payable to the State of Minnesota, and submitted to:

Office of State Procurement 112 Administration Building 50 Sherburne Avenue St. Paul, MN 55155

- 30. **SEVERABILITY.** If any provision of the Contract, including items incorporated by reference, is declared, or found to be illegal, unenforceable, or void, then both the State and the Contractor shall be relieved of all obligations arising under such provisions; if the remainder of the Contract is capable of performance it will not be affected by the declaration or finding and will be fully performed.
- 31. **ELECTRONIC FUNDS TRANSFER (EFT) PAYMENT METHOD AND STRUCTURE.** In accordance with Minn. Stat. § 16A.40 the Contractor is required to provide their bank routing information to the Minnesota Department of Finance to enable payments to be made through EFT.
- 32. **COPYRIGHT.** The Contractor shall save and hold harmless the State of Minnesota, its officers, agents, servants and employees, from liability of any kind or nature, arising from the use of any copyrighted or noncopyrighted compositions, secret process, patented or nonpatented invention, article or appliance furnished or used in the performance of the Contract.
- 33. **SURVIVABILITY.** In the event the term of any order or Professional/Technical Services work order ("Order") placed under this Contract extends past the termination or expiration of this Contract, the terms and conditions of this Contract shall remain in full force and effect as it applies to such order and will continue in effect for such order until the term of that order expires or the order is cancelled or terminated in accordance with the terms of this Contract.

34. IT ACCESSIBILITY STANDARDS.

Contractor acknowledges and is fully aware that the State of Minnesota (Executive branch state agencies) has developed IT Accessibility Standard effective September 1, 2010. The standard entails, in part, the Web Content

Accessibility Guidelines (WCAG) and Section 508 which can be viewed at: https://mn.gov/mnit/government/policies/accessibility/.

The Standards apply to web sites, software applications, electronic reports and output documentation, training delivered in electronic formats (including, but not limited to, documents, videos, and webinars), among others. As upgrades are made to the software, products, or subscriptions available through this Contract, the Contractor agrees to develop functionality which supports accessibility. If any issues arise due to nonconformance with the abovementioned accessibility Standards, the Contractor agrees to provide alternative solutions upon request at no additional charge to the State.

When updates or upgrades are made to the products or services available through this Contract, the Contractor agrees to document how the changes will impact or improve the product's or service's accessibility and usability. This documentation, upon request, must be provided to the State in advance of the change, occurring within an agreed upon timeframe sufficient for the state to review the changes and either approve them or request a remediation plan from the Contractor. Contractor warrants that its Products comply with the above-mentioned accessibility Standards and agrees to indemnify, defend, and hold harmless the State against any claims related to non-compliance of Contractor's Product with the above-mentioned accessibility Standards. If agreed-upon updates fail to improve the product or service's accessibility or usability as planned, the failure to comply with this requirement may be cause for contract cancellation or for the State to consider the Contractor in default.

35. E-VERIFY CERTIFICATION (in accordance with Minn. Stat. § 16C.075).

For services valued in excess of \$50,000, Contractor certifies that as of the date of services performed on behalf of the State, Contractor and all its subcontractors will have implemented or be in the process of implementing the federal E-Verify Program for all newly hired employees in the United States who will perform work on behalf of the State. Contractor is responsible for collecting all subcontractor certifications and may do so utilizing the E-Verify Subcontractor Certification Form available at http://www.mmd.admin.state.mn.us/doc/EverifySubCertForm.doc. All subcontractor certifications must be kept on file with Contractor and made available to the State upon request.

36. HAZARDOUS SUBSTANCES.

To the extent that the goods to be supplied to the State by the Contractor contain or may create hazardous substances, harmful physical agents, or infectious agents, as set forth in applicable State and federal laws and regulations, the Contractor must provide the State with Material Safety Data Sheets regarding those substances. A copy must be provided upon request. Goods and containers supplied to the State must be labeled in compliance with state and federal laws, rules, and regulations.

These terms apply to goods supplied under this contract:

- 36.1. Products Containing Triclosan Banned. The Contractor must comply with Minn. Stat. § 145.945.
- 36.2. Products Containing Certain Types of Polybrominated Diphenyl Ether Banned. The Contractor must comply with Minn. Stat. § 325E.385-325E.388).
- 36.3. Coal Tar Sealant Use and Sale Prohibited. The Contractor must comply with Minn. Stat. § 116.202.
- 36.4. Products Containing Mercury. The Contractor must comply with Minn. Stat. 116.92.
- 37. **SOFTWARE AND LICENSING AGREEMENTS.** Prior to the State signing the Participating Addendum, Contractor must submit to the State of Minnesota for approval any license agreements, maintenance agreements, or any other documents pertinent to the products and/or services in this Participating Addendum.
- 38. **TAXPAYER IDENTIFICATION:** The Contractor shall be registered as a vendor to the State in the SWIFT Procurement System. Registration must be done online at http://www.mmb.state.mn.us/vendorresources.

39. **CERTIFICATION OF NONDISCRIMINATION (In accordance with Minn. Stat. § 16C.053).** The following term applies to any contract for which the value, including all extensions, is \$50,000 or more: Contractor certifies it does not engage in and has no present plans to engage in discrimination against Israel, or against persons or entities doing business in Israel, when making decisions related to the operation of the vendor's business. For purposes of this section, "discrimination" includes but is not limited to engaging in refusals to deal, terminating business activities, or other actions that are intended to limit commercial relations with Israel, or persons or entities doing business in Israel, when such actions are taken in a manner that in any way discriminates on the basis of nationality or national origin and is not based on a valid business reason.

Exhibit B: Insurance Requirements

1. Notice to Contractor.

- 1.1 The Contractor is required to submit Certificates of Insurance acceptable to the State as evidence of insurance coverage requirements prior to commencing work under this Contract.
- 1.2 The Contractor shall not commence work under the contract until they have obtained all the insurance described below and the State has approved such insurance. Contractor shall maintain such insurance in force and effect throughout the term of this Contract, unless otherwise specified in this Contract
- 1.3 The failure of the Contractor to provide a Certificate of Insurance, for the policies required under this Contract or renewals thereof, or failure of the insurance company to notify the State of the cancellation of policies required under this Contract shall not constitute a waiver by the State to the Contractor to provide such insurance.
- 1.4 The State reserves the right to immediately terminate this Contract if the Contractor is not in compliance with the insurance requirements and retains all rights to pursue any legal remedies against the Contractor. All insurance policies must be open to inspection by the State, and copies of policies must be submitted to the State's Authorized Representative upon written request.
- 1.5 If the Contractor uses another entity, including but not limited to a dealer, reseller, or distributor (collectively referred to as "Contractor's reseller") to provide goods or services under this contract, the following terms apply:
 - 1.5.1 Because the Contractor's reseller(s) are independently owned and operated, and maintain their own insurance, the Contractor's reseller's insurance coverage must be evidenced by its own Certificate of Insurance. The Contractor's reseller's Certificate of Insurance must meet all the insurance requirements and limits set forth in the Contract.
 - 1.5.2 The Contractor shall collect, review, approve, and maintain the applicable Certificates of Insurance, including but not limited to General Liability, Auto Liability, Umbrella, Workers' Compensation, and Garagekeepers or Property of Others, for all Contractor's resellers that will be providing goods or services under this contract. The Contractor acknowledges compliance with this provision. The Contractor must provide copies of the dealers' insurance documentation to the State upon request.
 - 1.5.3 If a claim is made against a Contractor's reseller, and the Contractor's reseller's insurance coverage did or does not cover the claim, the Contractor is responsible for the claim because the contract is with the Contractor. The Contractor must pay any uninsured claims out-of-pocket. The State may enforce the indemnity clause in the contract.

2. Notice to Insurer.

- 2.1 The Contractor's insurance company(ies) waives its right to assert the immunity of the State as a defense to any claims made under said insurance.
- 2.2 Insurance certificate holder should be addressed as follows: [For PT and Agency RFB contracts Add agency contract holder's address. Do not use Department of Administration address detailed below.

State of Minnesota 50 Sherburne Avenue, Room 112 St. Paul, MN 55155

3. Additional Insurance Conditions. The following apply to the Contractor, or the Contractor's subcontractor:

3.1 Contractor's policy(ies) shall be primary insurance to any other valid and collectible insurance available to the State with respect to any claim arising out of Contractor's performance under this Contract.

- 3.2 If Contractor receives a cancellation notice from an insurance carrier affording coverage herein, Contractor agrees to notify the State within five (5) business days with a copy of the cancellation notice, unless Contractor's policy(ies) contain a provision that coverage afforded under the policy(ies) will not be cancelled without at least thirty (30) days advance written notice to the State;
- 3.3 Contractor is responsible for payment of Contract related insurance premiums and deductibles;
- 3.4 If Contractor is self-insured, a Certificate of Self-Insurance must be attached;
- 3.5 Contractor's policy(ies) shall include legal defense fees in addition to its policy limits with the exception of professional liability.
- 3.6 Contractor's insurance companies must either (1) have an AM Best rating of A- (minus) and a Financial Size Category of VII or better and be authorized to do business in the State of Minnesota or (2) be domiciled in the State of Minnesota and have a Certificate of Authority/Compliance from the Minnesota Department of Commerce if they are not rated by AM Best.
- 3.7 An Umbrella or Excess Liability insurance policy may be used to supplement the Contractor's policy limits to satisfy the full policy limits required by the Contract.
- 4. Coverages. Contractor is required to maintain and furnish satisfactory evidence of the following insurance policies:
- 4.1 **General Liability or Garage Liability Insurance.** The Contractor, or their Subcontractor, shall maintain insurance protecting it from claims for damages for bodily injury, including sickness or disease, death, and for care and loss of services as well as from claims for property damage, including loss of use which may arise from operations under the Contract.

General Liability insurance is required for Contractors, or their Subcontractor, performing warranty or service work on mobile equipment.

Garage Liability insurance is required for Contractors, or their Subcontractor, performing warranty or service work on autos or equipment attached to autos, including vehicles subject to a compulsory or financial responsibility law or other motor vehicle insurance law in the State. Insurance **minimum** limits are as follows:

\$2,000,000 - Per Occurrence

\$2,000,000 - Annual Aggregate

\$2,000,000 - Annual Aggregate applying to Products/Completed Operations

The following coverages shall be included:

- Premises and Operations Bodily Injury and Property Damage
- Personal & Advertising Injury
- Blanket Contractual
- Products and Completed Operations
- A waiver of subrogation in favor of the State of Minnesota, as Owner.
- State of Minnesota Named as an Additional Insured

4.2 Automobile Liability or Garage Liability Insurance.

The Contractor, or their Subcontractor, shall maintain insurance to cover liability arising out of the ownership, operation, use, or maintenance of all owned, non-owned and hired automobiles.

Auto Liability insurance is required for Contractors, or their Subcontractor, performing warranty or service work on mobile equipment.

Garage Liability insurance is required for Contractors, or their Subcontractor, performing warranty or service work on autos or equipment attached to autos, including vehicles subject to a compulsory or financial responsibility law or other motor vehicle insurance law in the State.

Insurance minimum limits are as follows: \$2,000,000 - Per Occurrence - Bodily Injury and Property Damage Combined Single Limit

In addition, the following coverages should be included: Owned, Hired, and Non-owned Automobile.

Evidence of Subcontractor insurance shall be filed with the Contractor, or as directed by the State.

- A waiver of subrogation in favor of the State of Minnesota, as Owner.
- 4.3 **Workers' Compensation Insurance.** Statutory Compensation Coverage. Except as provided below, Contractor must provide Workers' Compensation insurance for all its employees and, in case any work is subcontracted, Contractor will require the subcontractor to provide Workers' Compensation insurance in accordance with the statutory requirements of the State, including Coverage B, Employer's Liability. Insurance **minimum** limits are as follows:

```
$100,000 – Bodily Injury by Disease per employee
$500,000 – Bodily Injury by Disease aggregate
$100,000 – Bodily Injury by Accident
```

• A waiver of subrogation in favor of the State of Minnesota, as Owner.

If Minn. Stat. § 176.041 exempts Contractor from Workers' Compensation insurance or if the Contractor has no employees in the State, Contractor must provide a written statement, signed by an authorized representative, indicating the qualifying exemption that excludes Contractor from the Minnesota Workers' Compensation requirements.

If during the course of the contract the Contractor becomes eligible for Workers' Compensation, the Contractor must comply with the Workers' Compensation Insurance requirements herein and provide the State with a certificate of insurance.

4.4 **Professional Liability, Errors, and Omissions.** This policy will provide coverage for all claims the contractor may become legally obligated to pay resulting from any actual or alleged negligent act, error, or omission related to Contractor's professional services required under the contract. Insurance **minimum** limits are as follows:

```
$2,000,000 - per claim or event
$2,000,000 - annual aggregate
```

A waiver of subrogation in favor of the State of Minnesota, as Owner.

Any deductible will be the sole responsibility of the Contractor and may not exceed \$50,000 without the written approval of the State. If the Contractor desires authority from the State to have a deductible in a higher amount, the Contractor shall so request in writing, specifying the amount of the desired deductible and providing financial documentation by submitting the most current audited financial statements so that the State can ascertain the ability of the Contractor to cover the deductible from its own resources.

The retroactive or prior acts date of such coverage shall not be after the effective date of this Contract and Contractor shall maintain such insurance for a period of at least three (3) years, following completion of the work. If such insurance is discontinued, extended reporting period coverage must be obtained by Contractor to fulfill this requirement.

Exhibit C – Construction Terms and Conditions for Equipment Installation

1. Subcontracting.

Only subcontractors that have been approved by the State's Authorized Representative can be used for this Contract. See attachments to Exhibit A, Supplements 2, and 3, Responsible Contractor forms.

After the effective date of the Contract, the Contractor shall not, without submitting Supplement 3 to Exhibit A and receiving prior written approval of the State's Authorized Representative, subcontract for the performance of any of the Contractor's obligations that were not already approved for subcontracting when the Contract was awarded. During this Contract, if an approved subcontractor is determined to be performing unsatisfactorily by the State's Authorized Representative, the Contractor will receive written notification that the subcontractor can no longer be used for this Contract.

The provisions of the Contract shall apply with equal force and effect to all approved subcontractors engaged by the Contractor. Notwithstanding approval by the State, no subcontract shall serve to terminate or in any way affect the primary legal responsibility of the Contractor for timely and satisfactory performances of the obligations contemplated by the Contract.

2. Subcontractor Payment.

In accordance with Minn. Stat. § 16A.1245, the Contractor shall, within ten (10) days of receipt of payment from the State, pay all subcontractors and suppliers having an interest in the Contract their share of the payment for undisputed services provided by the subcontractors or suppliers. The Contractor is required to pay interest of 1-1/2 percent per month or any part of a month to the subcontractor on any undisputed amount not paid on time to the subcontractor. The minimum monthly interest penalty payment for an unpaid, undisputed balance of \$100 or more will be \$10. For an unpaid balance of less than \$100, the amount will be the actual penalty due. A subcontractor that takes civil action against the Contractor to collect interest penalties and prevails will be entitled to its costs and disbursements, including attorney's fees that were incurred in bringing the action. The Contractor agrees to take all steps necessary to comply with said statute. A consultant is a subcontractor under the Contract. In the event the Contractor fails to make timely payments to a subcontractor or supplier, the State may, at its sole option and discretion, pay a subcontractor or supplier any amounts due from the Contractor and deduct said payment from any remaining amounts due the Contractor. Before any such payment is made to a subcontractor or supplier, the State shall provide the Contractor written notice that payment will be made directly to a subcontractor or supplier. If there are no remaining outstanding payments to the Contractor, the State shall have no obligation to pay or to see to the payment of money to a subcontractor except as may otherwise be required by law.

3. Responsible Contractor Requirement (Minn. Stat. § 16C.285, subd. 3).

List and submit all first-tier Subcontractors on Supplement 2, titled "Supplement 2 – First-Tier Subcontractors List." This may be submitted with the response, but it must be submitted prior to contract execution. If additional Subcontractors are added to a project after execution of a contract, complete and submit the attachment tilted "Supplement 3 Additional Subcontractors List" within 14 days of retaining the additional Subcontractors. Supplement 3 verifies the additional Subcontractors have been certified as in compliance with the requirements of Minn. Stat. § 16C.285. Upon request from the ordering entity, the Contractor shall submit copies of the signed certifications of compliance from all Subcontractors of any tier.

4. Prevailing Wage.

All State funded or partially State funded work against this contract is subject to the prevailing wage requirements pursuant to Minnesota Statutes 177.41 to 177.44 and corresponding Minnesota Rules 5200.1000 to 5200.1120 as established by the Minnesota Department of Labor and Industry. Specifically, all contractors and all tiers of subcontractors must pay all laborers and mechanics the established prevailing wages for work performed under the contract. Failure to comply with the aforementioned may result in civil or criminal penalties.

The Contractor and Subcontractor shall furnish to the ordering entity all payrolls, of all workers on the project, via email as attachments, to the email address provided on the purchase order. If an email address is not included on the purchase order, contact the ordering entity to obtain the appropriate email address.

The Contractor and Subcontractor must submit the State of Minnesota Prevailing Wage Payroll Report and Statement of Compliance Form within fourteen (14) days after the end of each pay period. The forms are available on the Office of State Procurement (OSP) website at http://www.mmd.admin.state.mn.us/mn02000.htm. No other payroll forms will be accepted to meet this requirement.

The Contractor and Subcontractor must compete the Prevailing Wage Payroll Report in Microsoft Excel, and the Statement of Compliance in an Adobe PDF format. The subject line of the email must provide the company name, contract/purchase order number, and pay period ending dates.

The Department of Labor and Industry has a web page with Frequently Asked Questions about prevailing wages at http://www.dli.mn.gov/business/employment-practices/prevailing-wage-information

For questions regarding the Prevailing Wage Laws, contact the Department of Labor and Industry at 651.284.5091.

5. Federal Davis-Bacon Prevailing Wage.

Federally funded or partial federally funded projects are subject to the Davis-Bacon Act which requires that all contractors and all tier of subcontractors performing on federally funded projects (and contractors or subcontractors performing on federally assisted contracts under the related Acts) in excess of \$2,000 pay their laborers and mechanics not less than the prevailing wage rates and fringe benefits listed in the contract's Davis-Bacon wage determination for corresponding classes of laborers and mechanics employed on similar projects in the area.

If a project is federally funded and Davis-Bacon prevailing wages are required, the ordering entity shall notify the contractor of this requirement upon a request for quotation. The ordering entity must download the Davis-Bacon wage determination for the county in which the project will take place. See Federal Wage Determinations Onlin.gov at http://www.wdol.gov/dba.aspx. If State and federal funds are being used to fund a project both State and federal prevailing wage requirements and wage rates must be included on the order. If the Davis-Bacon hourly rate classification is higher than the State's prevailing wage classification contractors may adjust their labor rate per classification.

Form WH-347 has been made available for the convenience of contractors and subcontractors required by their Federal or Federally-aided construction-type contracts and subcontracts to submit weekly payrolls https://www.dol.gov/agencies/whd/forms/wh347. Properly filled out, this form will satisfy the requirements of Regulations, Parts 3 and 5 (29 C.F.R., Subtitle A), as to payrolls submitted in connection with contracts subject to the Davis-Bacon and related Acts.

The Contractor and Subcontractor shall furnish to the ordering entity all payrolls, of all workers on the project, via email as attachments, to the email address provided on the purchase order. If an email address is not included on the purchase order, contact the ordering entity to obtain the appropriate email address.

If State and federal funds are being used to fund a project both State and federal prevailing wage requirements and wage rates must be included on the order.

6. CPV Requirements.

CPV members are responsible to confirm if they are subject to rules, regulations, or ordinances which establish the prevailing wage rate as defined in Minn. Stat. § 177.42.

7. How to Provide Information for the Minnesota Department of Transportation (MnDOT).

After receiving orders from MnDOT, Contractors are required to provide payroll information in the time frame specified by Statute and in the method specified by MnDOT below.

To meet Minn. Stat. § 177.43 requirements, the Contractor and Subcontractor(s) shall submit payroll forms according to MnDOT (Office of Construction, Transportation Building, Mail Stop 650, 395 John Ireland Blvd., St. Paul, MN 55155-1899) requirements.

7.1. All Contractors shall submit a payroll statement to the Department of Transportation, Minn. Stat. § 177.44, Subd. 7. The statement shall be submitted based on the Contractor's payment schedule. If a Contractor pays its employees biweekly, a payroll statement shall be submitted biweekly (MnDOT Contract Administration Manual,

- Section .320). All Contractors shall pay its employees at least once every 15 days on a date designated in advance by the employer (Minn. Stat. § 181.10).
- 7.2. Each Statement submitted shall include all employees that performed work under the contract and provide at a minimum the following information (Minn. Rules 5200.1106, Subpart 10 and Minn. Stat. § 177.30):
 - 7.2.1. Contractor's name, address, and telephone number.
 - 7.2.2. State project number.
 - 7.2.3. Payroll report number.
 - 7.2.4. Project location.
 - 7.2.5. Workweek ending date.
 - 7.2.6. Name, social security number, and home address for each employee.
 - 7.2.7. Labor classification(s) and/or three-digit code for each employee.
 - 7.2.8. Hourly straight time and overtime wage rates paid to each employee.
 - 7.2.9. Daily and weekly hours worked in each labor classification, including overtime hours for each employee.
 - 7.2.10. Authorized legal deductions for each employee.
 - 7.2.11. Project gross amount, weekly gross amount, and net wages.
- 7.3. Payroll records may be submitted in any form provided it includes all the information contained in Subpart A (1-11) of this section. However, Contractors needing a payroll form may utilize the "front side" of the U.S. Department of Labor's, WH-347 Payroll Form. This form is available by visiting the Labor Compliance website (www.dot.state.mn.us/const/labor).
- 7.4. All payroll records must be accompanied with a completed and signed MnDOT 21658 Statement of Compliance Form (Minn. Rules 5200.1106, Subpart 10).
- 7.5. The prime contractor is responsible for assuring that its payroll records and those of all subcontractors include all employees that performed work under this contract and accurately reflect the hours worked, regular and overtime rates of pay and classification of work performed (Minn. Stat. § 177.30(1)(2)(3)(4)).
- 7.6. The prime contractor is responsible to maintain all certified payroll records, including those of all subcontractors, throughout the course of a construction project and retain all records for a period of three years after the final contract voucher has been issued (Minn. Stat. § 177.30(4)).
- 7.7. At the end of each pay period, each contractor shall provide every employee, in writing an accurate, detailed earnings statement (Minn. Stat. § 181.032).
- 7.8. Upon request from the Minnesota Department of Labor and Industry (MN/DLI) or the Department of Transportation, the prime contractor shall promptly furnish copies of payroll records for its workers and those of all subcontractors, along with records, deemed appropriate by the requesting agency to determine compliance with these contract provisions (Minn. Stat. § 177.44, subd. 7 and Minn. Rules 5200.1106, Subpart 10).
- 7.9. At the Department of Transportation's discretion, the project engineer may administer the submission of payroll records according to MnDOT's Payroll Maintenance Program. The guidelines for the implementation and administration of this program are outlined in the MnDOT Contract Administration Manual, Section A(4)(d).
- 7.10.If, after written notice, the prime contractor fails to submit its payroll reports and certification forms and those of any subcontractor, the Department of Transportation may implement the actions prescribed in State Funded Construction Contracts Special Provisions Division A Labor, Section XVI. NON-COMPLIANCE AND ENFORCEMENT available on-line at: http://www.dot.state.mn.us/const/labor/documents/contractdocs/specprovdivastate.pdf.

8. Payment and Performance Bonds.

The Contractor must have the capability to provide a payment and performance bond per project (furnish equipment and installation) if a project is estimated to be **\$175,000.00** or greater per Minn. Statute 574.26.

The Contractor shall furnish the Performance Bond and a Labor and Material Bond (individually a "Bond" and collectively Bonds) to the public entity that has accepted a quote. The Performance Bond shall be in an amount equal to 100% of the full amount of the Order sum as security for the faithful performance of the Contract, and the Labor and Material Payment Bond shall be in an amount equal to 100% of the full amount of the Order sum as security for the payment of all persons performing labor and furnishing materials in connection with the Contract Documents. Such Bonds shall be on forms approved by or provided by the Owner and shall name the Owner as primary Obligee.

The surety issuing the Bonds shall be satisfactory to the Owner, be licensed to issue Bonds in the State of Minnesota, shall be rated by A.M. Best an A-(minus) or better, and shall be within the limit set by the Treasury Department as the net limit on any single risk for the surety, or if co-sureties are utilized, the amount of each Bond shall be within the total of such limits set for a surety and any such co-sureties. There shall be no affiliation between the Contractor and any bonding agencies or agent used.

In the event of change orders that result in an increase in the Contract or Order Sum, the penal sum of each Bond shall increase in the amount of such change in the Contract or Order sum without obtaining the surety's consent up to a maximum of 10% of the penal sum. Any aggregate increase in the excess of 10% of the original penal sum shall require the surety's written consent. The Contractor shall be responsible for getting the consent and shall submit a copy of such consent to the Owner.

If the Owner determines that the surety providing the bonds no longer meets the requirements the Contractor shall obtain an adequate replacement surety that will provide acceptable bonds in the same form and amount as the bonds issued by the original surety. The Contractor shall pay the premium(s) on such new Bond(s). The Contractor acknowledges that further payments to the Contractor may not be made until the new surety has been qualified and approved.

9. Compliance with Tax Law Requirements.

- 9.1. The State cannot make final payment to the Contractor until the Contractor demonstrates that it and all its subcontractors have complied with the Income Tax withholding requirements of Minnesota Statutes, section 290.92 for wages paid for work performed under the contract. To establish compliance, the Contractor must submit a "Contractor Affidavit" either online or in paper form (IC134) to the Minnesota Department of Revenue. The Contractor will receive written certification of compliance when the Department of Revenue determines that all withholding tax returns have been filed and all withholding taxes attributable to the work performed on the contract have been paid. The Contractor must then provide this written certification to the Architect/Engineer to receive final payment.
- 9.2. Every subcontractor working on the Project must submit an approved "Contractor Affidavit" from the Minnesota Department of Revenue to the Contractor before the Contractor can file its own Contractor Affidavit. The Contractor is strongly encouraged to obtain the certification from each Contractor immediately following the Subcontractor's completion of work on the project. Delays in completing the forms until after the project is complete may result in significant additional work for the Contractor in collecting the required forms.
- 9.3. The Department of Revenue, in association with the Department of Employment and Economic Development, offers a free seminar to help contractors understand tax law requirements. The Department strongly urges the Contractor and all subcontractors to attend the "Employment Taxes & Employer Responsibilities Seminar" or similarly offered classes. You can find a schedule and more information on the Department's website at: http://www.revenue.state.mn.us/businesses/withholding/Pages/EducationandOutreach.aspx

Complying with this requirement is considered part of the work under this Contract. Contractor delay in complying with this requirement may cause the State to delay final payment and Contract Acceptance. The State may also report non-compliance to the Department of Revenue, which may result in enforcement action by the Department of Revenue.

10. Workmanship and Licenses.

Employ personnel skilled and experienced for the specific task required. Licensed journeymen shall be employed where required by law. Workmanship shall be of the highest quality and performed in a neat and expeditious manner. Qualified supervision shall be at the site when work is progressing.

All Contractors shall conform to the labor laws of the State of Minnesota and all other laws, ordinances, and legal requirements affecting their work in Minnesota.

11. Response Time.

Upon receipt of a purchase order, the Contractor shall contact the ordering entity where work is to be performed or materials to be delivered within five (5) calendar days acknowledging the receipt of order and to schedule work start dates. In the event the ordering entity determines that expedited action is required, the Contractor shall respond within seventy-two (72) hours. Orders requiring expedited action will indicate "expedited action response required" on the purchase order. If after an installation date has been established and the ordering entity requires a delay in the work, the ordering entity may, without penalty, delay installation for a period mutually agreed upon by both parties. Once the project is started, work is to proceed on a continuous basis. Interruptions in finishing a project must be approved by the ordering entity.

All products must be installed with a minimum of interruption to the normal business operation. All work will comply with the applicable national, state, and local codes and regulations. If normal service must be disrupted, the Contractor must consult with and obtain the approval of the ordering entity on how the service disruption will be handled prior to scheduling the work. Service Center assistance must be available 7 days a week, 24 hours a day. The Contractor must be able to provide first response to all service calls within one (1) hour. First response is defined as a returned phone call, or diagnostic and troubleshooting, and/or providing anticipated resolution.

12. Discovery of Hazardous Materials.

If hazardous materials are suspected or discovered during work operations, stop work and notify the ordering entity. Hazardous materials include, but are not limited to, asbestos containing materials, lead, PCB's, pollutants, contaminated soil, and mercury. Do not proceed with work until a written notice to continue work on the project is received by the ordering entity.

13. Delivery, Storage and Handling.

The Contractor shall be responsible to inspect all components on delivery to ensure that no damage occurred during shipping or handling for furnish and installation projects. For equipment only purchases, the ordering entity shall be responsible to inspect all components on delivery. Materials must be stored in original undamaged packaging in such a manner to ensure proper ventilation and drainage, and to protect against damage, weather, vandalism, and theft until ready for installation.

14. Utilities.

Contractor shall protect above and below grade utilities in conformance with Minnesota Department of Transportation (MnDOT) Specification 1507 and shall contact Gopher One Call at 651-454-0002 / 800-252-1166 (website: www.gopherstateonecall.org) to locate on-site utilities. Contractor shall provide the ordering entity with the Gopher State One Call locates confirmation number.

15. Fire Safety Instruction for Contractors.

Contractors are required to adhere to all current codes, standards and safety rules that are in effect at the time of the work being performed. These include, but are not limited to, building codes, electrical codes, safety codes, and ordering entity's personnel/property protection codes. Contractors are responsible for obtaining the ordering entity's personnel/property protection requirements from the facility in which they are performing the work. Contractor will also implement a "hot-work" and/or "impairment" safety program during the performance of their work if applicable.

16. Right to Inspect and Require Work.

Any work performed that is not in conformance with the specifications of the Contract, or the legal requirements governing the work, shall be subject to rejection. All rejected work shall be immediately replaced or modified at the Contractor's expense so as to conform to the Contract. If the State determines that the work being performed by the Contract is not in strict conformance with the Contract, the State shall have the right to order the work of the Contractor wholly or partially stopped or suspended until any nonconforming work has been corrected. Such stoppage or suspension shall not invalidate or modify any terms of the Contract and no extra compensation or reimbursement will be allowed to the Contractor by reason of such stoppage or suspension.

17. Conduct.

All employees of the Contractor(s) shall conduct themselves in a professional and courteous manner at all times. Personnel deemed unacceptable by the State shall be replaced immediately. The State reserves the right to reject any employee.

18. Safety.

The ordering entity agrees to furnish safe and free access to all areas of work covered by this Contract for the purpose of executing the terms of this Contract. At its option, the ordering entity may request, and the Contractor will comply, that a member of the Contractor's staff be removed from working on projects for unsafe practices, violations of the Contract procedures, or other problems.

The Contractor shall take all reasonably necessary steps to provide for the safety of, and prevent damage, injury, or loss to:

- All persons
- The building and all other real or personal property at the work site.
- All equipment at the building, under the care, custody, or control of the Contractor or any of its employees.

The Contractor shall promptly notify the ordering entity if, during the term of the Contract, the Contractor observes or otherwise learns of any conditions which:

- In the Contractor's judgment, poses a threat to the safety of person or property.
- Adversely affects the equipment; or
- Is in violation of any applicable codes or regulations.

19. Administrative Personnel Changes.

The Contractor must notify the State's Authorized Representative of changes in the Contractor's key administrative personnel, in advance and in writing. Any employee of the Contractor who, in the opinion of the State of Minnesota, is unacceptable, shall be removed from the project upon written notice to the Contractor. In the event that an employee is removed pursuant to a written request from the State's Authorized Representative, the Contractor shall have 10 working days in which to fill the vacancy with an acceptable employee.

20. Damage.

At its expense, the Contractor shall promptly remedy and repair all damage or loss to any property caused by the Contractor. The Contractor shall not be liable for any loss, delay, injury, or damage, whether direct or consequential, that may be caused by conditions beyond its control relating to acts of government, strikes, lockouts, fire explosion, theft, riot, civil commotion, war, malicious mischief, floods, or other acts unforeseen, or other situations beyond the Contractor's control. The Contractor shall not be responsible for damage or loss attributable to the fault or negligence of the ordering entity. The Contractor shall not be held liable for back charges if the delay of response time is caused by strikes, any preference or priority allocation order issued by the government, or any unforeseeable cause beyond the Contractor's control, or any cause the State determines justifies the delay.

21. Delays.

The Contractor shall notify the ordering entity immediately of any prospective delays in the completion of the projects. Such notice shall be given in writing as soon as the contractor recognizes the prospect of delay. The ordering entity must approve all such requests.

22. Work Not Permitted or Work Requiring Ordering Entity Approval.

Repair work, new installations or extension of an existing system covered by this Contract does not extend to modification of building structural, mechanical, or electrical components, even though this work may be incidental to – and or necessary for – repair/modification unless approved in advance by ordering entity or already specified by the Contract.

23. Change Orders.

The Contractor can only proceed with work beyond the work authorized by a purchase order if the ordering entity has approved the change and a Change Orders is being issued. The ordering entity may authorize change orders in writing or verbally.

The ordering entity may require, or the Contractor may make a written request (describing the nature of the proposed change) for certain changes in the scope of work described in a purchase order. If the ordering entity agrees to the changes and the costs for the changes, a Change Order will be issued. Change Orders will only be considered if they are based on materially different work conditions that could not have been expected from available information at the time the original purchase order was issued. Verbal authorizations for a Change Order must be followed up with a written Change Order as soon as possible.

24. Security.

Agencies will include their security requirements, if any, on each purchase order that they issue. Some Agencies require that the Contractor and its employees entering their facilities possess a current photo identification card or no entry will be allowed. Some secure facilities require that all vehicles entering and leaving the facility be searched. The Contractor and its employees shall note that introducing contraband upon the grounds of such secure facilities is a violation of State Law and could result in prosecution.

25. Removed Items and Clean-Up.

The Contractor shall keep the premises and surrounding area free from accumulation of waste materials or rubbish caused by operations under the Contract. Upon completion of the work, the Contractor shall remove and legally dispose of waste materials, rubbish, the Contractor's tools, equipment, machinery, and surplus materials from and about the project premises and surrounding area daily. The cost of cleanup performed by the ordering entity as a result of the Contractor's failure to provide the cleanup required by this solicitation shall be deducted at the actual cost to the State from the Contract sum.

When removal and disposal of non-hazardous debris is performed on a job site, receipt for disposal and manifest documentation must be included with the final invoice.

26. Submittals.

Contractor must submit all documents as required by the contract. Documents required to be submitted include, but are not limited to:

Minnesota Department of Revenue online "Contractor Affidavit" form or paper IC134 form as required by the
Compliance with Tax Laws Requirement clause in Exhibit A of the Contract. Email the State of Minnesota Prevailing
Wage Payroll Report and Statement of Compliance form as required by the Contract to the address listed on the
purchase order.

Exhibit A, Supplement 1

MINNESOTA DEPARTMENT OF LABOR AND INDUSTRY PREVAILING WAGES FOR STATE FUNDED CONSTRUCTION PROJECTS

The commercial prevailing wage rates for 87 Minnesota counties are detailed in Exhibit A - Supplement 1, which is attached and incorporated herein. These rates will apply for the term of the awarded contracts.

FIRST TIER SUBCONTRACTOR NAMES

(Legal name of company as registered with

Title

Exhibit A, Supplement 2

FIRST-TIER SUBCONTRACTORS LIST

THIS FORM MUST BE COMPLETED PRIOR TO CONTRACT EXECUTION

Vehicle Lifts and Garage Associated Equipment through NASPO ValuePoint Contract No. CW7258 for Vehicle Lifts and Garage Associated Equipment

Name of city where company

home office is located

| Į | the Secretary of State) | HOH | le office is located | Contract | TG/ED/VO? |
|-------------|--|--------------|-----------------------------|--------------------------|-------------------------------|
| | | | | | |
| • | | | | | |
| • | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Attach additional she | ets as need | ed for submission of all fi | rst-tier subcontract | tors. |
| | *TG/ED/ VO = Certified Targeted Group E | Business, Ed | onomically Disadvantage | ed Business, and V | eteran-Owned Business |
| L | certify by signing this form under oath th | at I am an | owner or officer of the | ne company, an | d that: |
| e m ntra | st-tier subcontractors listed above have verifinimum criteria to be a responsible contract acting authority upon request copies of the srs, pursuant to subdivision 3, clause (7). | or as define | ed in Minn. Stat. § 160 | C.285. A prime co | ontractor shall submit to the |
| itho | rized Signature of Owner or Officer | | Company Name | | |
| int l | Name | | Date | | |
| | | | | | |

*Is the First Tier

Subcontractor a

% of value of

Contract

Exhibit A, Supplement 3

ADDITIONAL SUBCONTRACTORS LIST

SUBMIT WITHIN 14 DAYS OF RETAINING ADDITIONAL SUBCONTRACTORS DURING PROJECT

This form must be submitted to the Project Manager or individual as identified in the solicitation document. See Minn. Stat. § 16C.285, subd. 5.

Vehicle Lifts and Garage Associated Equipment through NASPO ValuePoint Contract No. CW7258 for Vehicle Lifts and Garage Associated Equipment

| FIRST TIER SUBCONTRACTOR NAMES (Legal name of company as registered with the Secretary of State) | Name of city where company home office is located | % of value of Contract | *Is the First Tier Subcontractor a TG/ED/VO? |
|--|--|---------------------------|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Attach additional sheets as needed for submission of all first-tier subcontractors.

*TG/ED/ VO = Certified Targeted Group Business, Economically Disadvantaged Business, and Veteran-Owned Business

I certify by signing this form under oath that I am an owner or officer of the company, and that:

All additional subcontractors listed above verified through a signed statement under oath by an owner or officer that they meet the minimum criteria to be a responsible contractor as defined in **Minn. Stat. § 16C.285.** A prime contractor shall submit to the contracting authority upon request copies of the signed verifications of compliance from all subcontractors of any tier and motor carriers, pursuant to subdivision 3, clause (7).

Authorized Signature of Owner or Officer

Company Name

Date

_____ Title

Print Name

Exhibit D – Price Schedule



Contract No. 230921 Effective August 15, 2023

200 Log Canoe Circle • Stevensville • Maryland • Orders@stertil-koni.com • 410-643-9001 • 800-336-6637 • 410-643-8901 (fax)

Vehicle Lifts and Garage Associated Equipment Solicitation Number: Doc554414018

There are a limited number of open market items, these typically would be for infrastructure repairs and installation associated with fixed machinery (i.e., in-ground lifting systems, two-post, four-post, and platform lifts), which are not found on the published price list but are negotiated with, and agreed upon in partnership with the end-user before consummation of the sale.

The NASPO member will work with the Stertil-Koni distributor in the member's territory to establish a fair and reasonable price for the Stertil-Koni's distributor will alert Stertil-Koni to the request and communicate the details to the NASPO end user (customer). The NASPO customer will add the agreed-upon Open Market item on the Purchase Order, which is submitted directly to Stertil-Koni.

All shipping and delivery is FOB Stevensville, at cost.

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter of three following model number, i.e. ST1085-2FWA, first letter always represents the wheels.

F=Fixed wheels and R=Retractable wheels

Second letter of three following model number, i.e. ST1085-2FWA, second letter always represents the controls.

S=Cabled controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter of three following model number, ie. ST1085-2FWA, third letter always represents the forks.

F=Fixed forks and A=Adjustable forks

| Buy America | Model Number | 2022 Ed. 3 | | State Contracts | | | | |
|-------------|------------------------|--|-----------------|------------------|-----|------------|---------|--------------|
| | | | List Price | 29% for 1 Set | 32% | 2- Sets | 7 33.5% | 8-up Sets |
| | ST1064 MODELS, CABLED | EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| | ST-1064-1FSA | Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks | Temporarily Una | available | | | | |
| | ST-1064-2FSA | Set of 4 - 56,000bs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks | Temporarily Una | available | | | | |
| | ST-1064-3FSA | Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks | Temporarily Un | available | | | | |
| | ST1064 MODELS, BATTER | Y EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| | ST-1064-1FBA | Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | Temporarily Un | available | | | | |
| | ST-1064-2FBA | Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | Temporarily Un | available | | | | |
| | ST-1064-3FBA | Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | Temporarily Un | available | | | | |
| | ST1064 MODELS, WIRELES | S EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| | ST-1064-1FWA | Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | Temporarily Un | available | | | | |
| | ST-1064-2FWA | Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | Temporarily Un | available | | | | |
| | ST-1064-3FWA | Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | Temporarily Un | | | | | |
| | ST1065 MODELS, CABLED | AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| | ST-1065-2FSV | Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift contruction vehicles, one primary column per set of 4 | \$ 90,788 | \$ 64,459.60 |) | \$61,735.9 | 3 | \$60,374.1 |
| | ST-1065-2FXV | Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift contruction vehicles | \$ 122,002 | \$ 86,621.61 | | \$82,961.5 | 4 | \$81,131.5 |
| | ST1075 MODELS, CABLED | EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| Buy America | ST-1075-1FSA | Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks | \$ 32,008 | \$ 22,725.75 | 5 | \$21,765.5 |) | \$21,285.3 |
| Buy America | ST-1075-2FSA | Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks | \$ 62,305 | \$ 44,236.72 | 2 | \$42,367.5 | 6 | \$41,432.9 |
| Buy America | ST-1075-3FSA | Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks | \$ 93,459 | \$ 66,356.12 | 2 | \$63,552.3 | 4 | \$62,150.4 |
| | ST1075 MODELS, BATTER | Y EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| Buy America | ST-1075-1FBA | Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | \$ 29,512 | \$ 20,953.54 | | \$20,068.1 | 3 | \$19,625.5 |
| Buy America | ST-1075-2FBA | Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | \$ 59,025 | \$ 41,908.07 | , | \$40,137.3 | 1 | \$39,251.9 |
| Buy America | ST-1075-3FBA | Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | \$ 88,539 | \$ 62,862.61 | | \$60,206.4 | 4 | \$58,878.3 |
| | ST1075 MODELS, WIRELES | S EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | | |
| Buy America | ST-1075-1FWA | Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | \$ 41,377 | \$ 29,377.90 |) | \$28,136.5 | 3 | \$27,515.9 |
| Buy America | ST-1075-2FWA | Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | \$ 82,320 | \$ 58,447.19 |) | \$55,977.5 | 9 | \$54,742.7 |
| | ST-1075-3FWA | Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks | \$ 124.131 | \$ 88,132,70 | _ | \$84,408,7 | | \$82,546.8 |

| | | MOBILE LIFTS | | | | | |
|----------------------------|--|--|----------|------------------|------------------------------|----------------------------|----------------------------|
| | Mardal Normbar | | | - 4 Dui- | 29% | 32% 2-7 | ' 33.5% 8-up |
| | Model Number | Description | Li | st Price | for 1 Set | Sets | Sets |
| | | BRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | 04.405 | | 000 440 4 | 400,000,00 |
| Buy America | ST-1085-1FSA | Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks. | \$ | | \$ 24,484.03 \$ 47,584.68 | \$23,449.49 | |
| Buy America Buy America | ST-1085-2FSA ST-1085-3FSA | Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks. Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks. | \$ \$ | 67,021 99,551 | Ψ 17,001.00 | \$45,574.06 \$67,694.62 | \$44,568.75 \$66,201.35 |
| Buy America | 31-1000-3F3A | Set of 6 - 111,000lbs capacity, 206 to 400 voits, 5 priase, control box off every countin, two primary columns per set of 6. Adj torks. | Ψ | 99,551 | \$ 70,001.13 | \$07,094.02 | φ00,201.33 |
| | ST1085 MODELS, CABLED E | BRIGHT CONTROLS WITH RETRACTABLE WHEELS: | | | | | |
| Buy America | ST-1085-1RSA | Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks | \$ | 37,973 | \$ 26,960.71 | \$25,821.52 | \$25,251.93 |
| Buy America | ST-1085-2RSA | Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks | \$ | | \$ 52,545.37 | \$50,325.14 | \$49,215.03 |
| Buy America | ST-1085-3RSA | Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks | \$ | 110,025 | \$ 78,117.46 | \$74,816.72 | \$73,166.36 |
| | ST1085 MODELS, BATTERY F | EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | |
| Buy America | ST-1085-1FBA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks | \$ | 36,638 | \$ 26,013.15 | \$24,914.00 | \$24,364.43 |
| Buy America | ST-1085-2FBA | Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables, Adi forks | \$ | | \$ 52,025.30 | \$49,827.05 | \$48,727.92 |
| Buy America | ST-1085-3FBA | Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks | \$ | 109,913 | \$ 78,038.45 | \$74,741.05 | \$73,092.35 |
| | | | | | | | |
| Dun America | ST1085 MODELS, BATTERY E ST-1085-1RBA | EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS: | \$ | 39,909 | \$ 28,335.22 | \$27,137.95 | \$26,539.32 |
| Buy America Buy America | ST-1085-1RBA ST-1085-2RBA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks | \$ \$ | | \$ 28,335.22 \$ 56,670.43 | \$27,137.95 \$54,275.9 | \$53,078.64 |
| Buy America | ST-1085-3RBA | Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks | \$ | | \$ 85.003.65 | \$81,411.95 | |
| Bay / arronoa | 0. 1000 C.A.D.A | Oct of 0 111,000 ab dapatity, 24 void 50, control 50x on every column with daties. 7 kg forms | <u> </u> | 110,720 | v 00,000.00 | ψο1,111.00 | ψ10,010.00 |
| | | EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS | | | | | |
| Buy America | ST-1085-1FWA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | , | \$ 29,392.98 | \$28,151.02 | \$27,530.04 |
| Buy America | ST-1085-2FWA | Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | - , | \$ 58,784.98 | \$56,301.11 | \$55,059.18 |
| Buy America | ST-1085-3FWA | Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 124,194 | \$ 88,177.96 | \$84,452.13 | \$82,589.22 |
| | ST1085 MODELS WIRELESS | EBRIGHT CONTROLS WITH RETRACTABLE WHEELS | | | | | |
| Buy America | ST-1085-1RWA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 46,036 | \$ 32,685.72 | \$31,304.63 | \$30,614.09 |
| Buy America | ST-1085-2RWA | Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | | \$ 65,371.44 | \$62,609.27 | \$61,228.18 |
| Buy America | ST-1085-3RWA | Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | | \$ 98,057.16 | \$93,913.90 | \$91,842.27 |
| | | · · · · · · · · · · · · · · · · · · · | | • | | | |
| | | ™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS | | | | T | |
| Buy America | ST-1085-1FRA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | -, | \$ 32,992.33 | \$31,598.29 | \$30,901.27 |
| Buy America Buy America | ST-1085-2FRA ST-1085-3FRA | Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks | <u> </u> | , | \$ 65,986.67 \$ 98,979.00 | \$63,198.50 \$94,796.79 | \$61,804.41 \$92,705.68 |
| buy America | 31-1000-3FRA | Set of 6 - 111,000lbs capacity, 24 voits DC, control box on every column. Adj lonks | Ψ | 139,407 | \$ 90,979.00 | φ94,790.73 | φ92,703.00 |
| | ST1085 MODELS. EARTHLIFT | ™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS | | | | | |
| Buy America | ST-1085-1RRA | Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 49,997 | \$ 35,498.17 | \$33,998.25 | \$33,248.29 |
| Buy America | ST-1085-2RRA | Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 99,995 | \$ 70,996.34 | \$67,996.49 | \$66,496.57 |
| Buy America | ST-1085-3RRA | Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 149,992 | \$ 106,494.51 | \$101,994.74 | \$99,744.86 |
| | CT4400 MODELS CARLED EL | BRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | |
| Buy America | ST-1100 MODELS, CABLED ET | Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks. | \$ | 36.824 | \$ 26,144.92 | \$25,040.2 | \$24,487.85 |
| Buy America | ST-1100-2FSA | Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks. | \$ | | \$ 50,863.53 | \$48,714.37 | \$47,639.79 |
| Buy America | ST-1100-3FSA | Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks. | \$ | | \$ 75,582.14 | \$72,388.53 | |
| | | | | | | | |
| | | BRIGHT CONTROLS WITH RETRACTABLE WHEELS: | | 44.400 | | 407.000.00 | |
| Buy America | ST-1100-1RSA | Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks | \$ \$ | 41,162 | | \$27,989.95 | |
| Buy America Buy America | ST-1100-2RSA ST-1100-3RSA | Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks | <u> </u> | 00,220 | \$ 56,959.41 \$ 84,689.82 | \$54,552.67 \$81,111.38 | \$53,349.30 \$79,322.16 |
| Duy America | 01-1100-010A | Set of 0 - 132,000 ibs capacity, 200 to 400 voits, 3 priase, control box off every column, two primary columns per set of 0. Auj. Ions | Ψ | 113,201 | ψ 04,003.0 <u>2</u> | ψ01,111.30 | φτθ,322.10 |
| | ST1100 MODELS, BATTERY | EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS: | | | | | |
| Buy America | ST-1100-1FBA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks. | \$ | | \$ 28,272.30 | \$27,077.69 | \$26,480.39 |
| Buy America | ST-1100-2FBA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks. | \$ | | \$ 56,544.59 | \$54,155.38 | |
| Buy America | ST-1100-3FBA | Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks. | \$ | 119,460 | \$ 84,816.89 | \$81,233.07 | \$79,441.17 |
| | ST1100 MODELS RATTERY | EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS: | | | | | |
| Buy America | ST-1100-1RBA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | \$ | 44.690 | \$ 31,729.93 | \$30,389.23 | \$29,718.88 |
| | | | • | , | | | \$59,437.75 |
| Buy America | ST-1100-2RBA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks | \$ | 89,380 | \$ 63,459.86 | \$60,778.45 | \$59,437.75 |

| | | MOBILE LIFTS | | | | | | | |
|----------------------------|---------------------------|--|----------|-----------|----------|-----------------|-----|--------------------------|----------------------------------|
| | Model Number | Description | L | ist Price | | 29% or 1 Set | 32% | 2-7 Sets | 33.5% 8-up Sets |
| | ST1100 MODELS, WIRELESS I | EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS | | | | | | | |
| Buy America | ST-1100-1FWA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 47,012 | 2 \$ 3 | 33,378.85 | | \$31,968.47 | \$31,263.29 |
| Buy America | ST-1100-2FWA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 94,022 | 2 \$ 6 | 66,755.69 | | \$63,935.03 | \$62,524.70 |
| Buy America | ST-1100-3FWA | Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 141,035 | \$ 10 | 00,134.54 | | \$95,903.50 | \$93,787.99 |
| | ST1100 MODELS, WIRELESS I | EBRIGHT CONTROLS WITH RETRACTABLE WHEELS | | | | | | | |
| Buy America | ST-1100-1RWA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 51,536 | \$ \$ 3 | 36,590.79 | | \$35,044.70 | \$34,271.66 |
| Buy America | ST-1100-2RWA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 103,074 | \$ 7 | 73,182.58 | | \$70,090.36 | \$68,544.25 |
| Buy America | ST-1100-3RWA | Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks. | \$ | 154,610 | \$ 10 | 09,773.37 | | \$105,135.06 | \$102,815.90 |
| | | ™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS | | | | | | | |
| Buy America | ST-1100-1FRA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | | _ | 34,971.83 | | \$33,494.15 | \$32,755.31 |
| Buy America | ST-1100-2FRA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | | | 69,944.67 | | \$66,989.26 | \$65,511.55 |
| Buy America | ST-1100-3FRA | Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 147,770 | \$ 10 | 04,916.50 | | \$100,483.41 | \$98,266.86 |
| | ST1100 MODELS, EARTHLIFT | ™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS | | | | | | | |
| Buy America | ST-1100-1RRA | Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 53,783 | 3 \$ 3 | 38,185.78 | | \$36,572.29 | \$35,765.55 |
| Buy America | ST-1100-2RRA | Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 107,563 | _ | 76,369.55 | | \$73,142.67 | \$71,529.23 |
| Buy America | ST-1100-3RRA | Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks | \$ | 161,347 | 7 \$ 1 | 14,556.33 | | \$109,715.92 | \$107,295.72 |
| | | ACCESSORIES AND OPTIONS FOR MOBILE LIFTS | | | | | | | |
| | Model Number | Description | L | ist Price | | 29% r 1 Set | 32% | 2-7 Sets | 33.5% 8-up Sets |
| | SKTJ-401 | Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation | \$ | 13,946 | _ | 9,901.68 | | \$9,483.29 | \$9,274.10 |
| - | SKTJ-401S | Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation | \$ | 14,700 | _ | 10,436.78 | | \$9,995.79 | \$9,775.29 |
| - | SKTJ-402 | Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation | \$ | 13,521 | _ | 9,600.17 | | \$9,194.53 | \$8,991.71 |
| | SKWD-500 | High Lift Wheel Dolly (HLWD) with chain quard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation | \$ | 12,680 |) \$ | 9,002.59 | | \$8,622.20 | \$8,432.01 |
| | SKWD-500-74 | High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation | \$ | 14,918 | 3 \$ 1 | 10,591.61 | | \$10,144.07 | \$9,920.31 |
| | SKWD-501 | Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation | \$ | 17,115 | \$ * | 12,151.64 | | \$11,638.19 | \$11,381.47 |
| | SKTJ-401 Batt. | Handa handini ini haki 2014/2012 (2014) | \$ | 15,205 | | 10,795.32 | 1 | \$10,339.18 | \$10,111.11 |
| | SKTJ-401S-E Batt. | Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation | \$ | 15,200 | | 11,312.32 | | \$10,834.33 | \$10,595.34 |
| | SKTJ-4018-E Batt. | Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation | <u> </u> | 14,771 | _ | 10,487.48 | | \$10,034.35 | \$9,822.78 |
| | SKWD-500 Batt. | High Lift When Dolly (HLWD) with chain guard, 1,000bs. Capacity, (5×x+0 base), 7+ Illury ineght, battery operation | \$ | 14,77 | _ | 10,525.51 | | \$10,044.33 | \$9,858.40 |
| | SKWD-500 Batt | Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery operation | \$ | 19,562 | _ | 13,889.15 | | \$10,080.77 | \$13,008.85 |
| | | | | | | | | | |
| | G-BDA | HLWD Adapter for standard wheel drums | \$ | 1,154 | | 819.41 | | \$784.78 | \$767.47 |
| | G-AD | Transmission Jack Adapter for differential assemblies | \$ | 2,065 | _ | 1,465.88 | | \$1,403.94 | \$1,372.97 |
| | G-AD2-02-2000 | Transmission Jack Adapter for clutch assemblies | \$ | 845 | | 600.29 | | \$574.93 | \$562.25 |
| | G-TJ-01-03 | Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required) | \$ | 397 | 7 \$ | 281.59 | | \$269.69 | \$263.74 |
| | ST575V | 575 voltage power option, extra per column when requested at time of original order placement | \$ | 919 | _ | 652.48 | | \$624.91 | \$611.12 |
| Buy America | Upgrade control box | Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement | \$ | 2,458 | 3 \$ | 1,745.49 | | \$1,671.74 | \$1,634.86 |
| Buy America | OPVL33200 | Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement | \$ | 735 | 5 \$ | 521.54 | | \$499.50 | \$488.48 |
| Buy America | DROVER 21.5M | Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement | \$ | 927 | \$ | 658.03 | | \$630.22 | \$616.32 |
| Buy America | OPVL33300 | NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement | \$ | 638 | \$ | 452.74 | | \$433.61 | \$424.05 |
| Buy America | XWF1085 | Extra wide fork option for ST1085 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement | \$ | 3,670 | \$ | 2,605.77 | | \$2,495.67 | \$2,440.61 |
| Buy America | XWF1100 | Extra wide fork option for ST1100 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement | \$ | 3,670 | \$ | 2,605.77 | | \$2,495.67 | \$2,440.61 |
| Buy America | 380.00.771 | Weight Gauge for ST1085 ebright. Price per column. Price includes part only. | \$ | 844 | \$ | 599.21 | | \$573.90 | \$561.24 |
| Buy America | WGI Labor | Weight Gauge installation. Price per column. Price includes labor only. | \$ | 200 | \$ | 142.04 | | \$136.03 | \$133.03 |
| Duny America | 32737250 | Pattery Controls Cobia Dala Drice per column Drice includes nort or district. | ě | 4 400 | : [c | 827.80 | 1 | \$792.83 | \$775.34 |
| Buy America Buy America | 38000904 | Battery Controls Cable Reel. Price per column. Price includes part and labor to install. Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column. | \$ \$ | 1,166 | _ | 186.42 | | \$178.55 | \$175.3 ² \$174.61 |
| | | | | | 1. | | 1 | , 2.00 | Ţ 1101 |
| | | ACCESSORIES AND OPTIONS FOR MOBILE LIFTS | | | | 29% | 32% | 2.7 | 33.5% 8-up |
| | Model Number | Description | L | ist Price | | 29% r 1 Set | | Sets 2-7 | 33.5% 8-up Sets |
| | | | | | | | | | |
| Buy America | 34400910 | Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS | \$ | 2,397 | \$ | 1,702.16 | | \$1,630.23 | \$1,594.27 |
| Buy America Buy America | 34400910 32710915 | | \$ | 2,397 | <u> </u> | 1,702.16 | | \$1,630.23 \$1,630.23 | \$1,594.27 \$1,594.27 |

| | 1 | | | | | | | |
|---|--|---|----------------------------|---|----------------------------------|--|--|--|
| Buy America | 34200930 | Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks | \$ | 924 | \$ | 656.01 | \$628.29 | \$614.43 |
| Buy America | 34200935 | Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks | \$ | 924 | \$ | 656.01 | \$628.29 | \$614.43 |
| | 0070000 | | | 1.000 | | 700.00 | A700.05 | 2004.00 |
| Buy America | 32700930 | Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions! | ! | 1,029 | \$ | 730.93 | \$700.05 | \$684.60 |
| | | | | | | | | |
| | 32790210 | Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each | \$ | 3,027 | _ | 2,149.41 | \$2,058.59 | \$2,013.18 |
| | 38002950 | Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each | \$ | 3,027 | \$ | 2,149.41 | \$2,058.59 | \$2,013.18 |
| Buy America | 32800910 | Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each | \$ | 10,284 | \$ | 7,301.54 | \$6,993.03 | \$6,838.77 |
| Buy America | 32700920 | Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14") | \$ | 625 | \$ | 443.86 | \$425.11 | \$415.73 |
| Buy America | 32700925 | Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14*) | \$ | 625 | \$ | 443.86 | \$425.11 | \$415.73 |
| | 34400920 | Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12") | \$ | 625 | | 443.86 | \$425.11 | \$415.73 |
| _ | 34400925 | Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12") | \$ | 625 | _ | 443.86 | \$425.11 | \$415.73 |
| | 32790205 | Reducer plate for ST1065 price each, not ALI certified | \$ | 796 | | 564.82 | \$540.95 | \$529.02 |
| | 32803100 | Reducer plate standard for ST 1175 price each 380mm / 14.95" | \$ | 858 | \$ | 609.20 | \$583.46 | \$570.59 |
| | 32803200 | Reducer plate wider for ST 1175 price each 460mm / 18.11" | \$ | 1,227 | \$ | 871.08 | \$834.27 | \$815.87 |
| | 32850460 32850470 | Reducer plate standard for ST 1130 price each 380mm / 14.95" Reducer plate wider for ST 1130 price each 460mm / 18.11" | \$ \$ | 1,235 1,368 | _ | 876.63 970.95 | \$839.59 \$929.92 | \$821.07 \$909.41 |
| buy America | 0200041U | reduces place muet for 31 1100 place each 400/min / 10.11 | Ф | 1,308 | Ф | 910.95 | \$929.92 | φ909.41 |
| Buy America | 38008900 | LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column | \$ | 1,175 | \$ | 834.46 | \$799.20 | \$781.57 |
| Buy America | 38004900 | LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column | \$ | 1,868 | \$ | 1,326.04 | \$1,270.01 | \$1,242.00 |
| Buy America | MLK Labor | Labor for installation of any of the lighting kits listed above, price per column | \$ | 586 | \$ | 416.12 | \$398.54 | \$389.75 |
| | 04007000 505 | | | 0.005 | | 0.440.45 | *** | 04.005.44 |
| | 34007930 FCF | Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable | \$ | 2,985 | \$ | 2,119.45 | \$2,029.89 | \$1,985.11 |
| Buy America Buy America | 34007940 FCF 32557930 | Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL Approved, 32' 10" cable | \$ \$ | 5,425 2,985 | \$ | 3,851.97 2,119.45 | \$3,689.21 \$2,029.89 | \$3,607.83 \$1,985.11 |
| | 32557940 | Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not U.Appiroved, 32 10 date Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, U.A Approved, 32 10 date | \$ | 5,425 | | 3,851.62 | \$3,688.88 | \$3,607.50 |
| | 38007755 | Remote Control for ebright control mobile column lifts. Not UL Approved. 32 10 "Cable" | \$ | 2,985 | _ | 2,119.45 | \$2,029.89 | \$1,985.11 |
| _ | 38007754 | Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable | \$ | 5,425 | \$ | 3,851.62 | \$3,688.88 | \$3,607.50 |
| | 38007747 | Installation kit to create a plug for a remote control on ebright columns on site (without remote) | \$ | 477 | \$ | 338.45 | \$324.14 | \$316.99 |
| | | | | | | | | • |
| Buy America | 32592000 | Traverse beam with king-pin adaptor, capacity 16,000 lbs, | \$ | 6,956 | \$ | 4,939.08 | \$4,730.39 | \$4,626.04 |
| _ | 32591500 | Traverse beam with lifting supports, capacity 32,000 lbs., | \$ | 6,956 | _ | 4,939.08 | \$4,730.39 | \$4,626.04 |
| | 32591050 | Low profile cross beam with supports - capacity 33,000 lbs, | \$ | 7,157 | \$ | 5,081.12 | \$4,866.42 | \$4,759.08 |
| | 32591150 | Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs | \$ | 10,042 | <u> </u> | 7,129.55 | \$6,828.30 | \$6,677.67 |
| | 32591100 32593000 | Low profile cross beam with supports - capacity 18,800 lbs, | \$ \$ | 7,157 10,243 | \$ | 5,081.12 7,272.69 | \$4,866.42 \$6,965.40 | \$4,759.08 \$6,811.75 |
| _ | 32593100 | 4-wheel forklift adapter kit (10 pieces) 3-wheel forklift adapter kit (12 pieces) | \$ \$ | 12,764 | _ | 9,062.57 | \$8,679.64 | \$8,488.18 |
| _ | 32593030 | Lifting piece for forklift kit (2 required per kit), price each | \$ | 1,266 | \$ | 898.82 | \$860.84 | \$841.85 |
| Buy America | 18-9081A-03 | Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST) | \$ | 8,955 | Ÿ | 6,358.34 | \$6,089.67 | \$5,955.34 |
| | | | - | | | | | |
| Buy America | 38000920 | Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051 | \$ | 10,049 | \$ | 7,135.10 | \$6,833.61 | \$6,682.87 |
| Buy America | 38010920 | Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051 | \$ | 11,876 | \$ | 8,432.28 | \$8,075.99 | \$7,897.84 |
| | 38000950 | Multi-Purpose vivide Reach Adapter ST 1075/1085/1100, cap. to match column 44,000 lbs, (z pieces), incl. two U-snape sliding adapters | \$ | 11,081 | \$ | 7,867.47 | \$7,535.04 | \$7,368.83 |
| Buy America | 38000970 | Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads | \$ | 6,980 | \$ | 4,955.73 | \$4,746.33 | \$4,641.63 |
| Buy America | 38000990 | Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included) | \$ | 11,081 | \$ | 7,867.47 | \$7,535.04 | \$7,368.83 |
| | | (| | | 1 | | ı | |
| | | ACCESSORIES AND OPTIONS FOR MOBILE LIFTS | | | | | | |
| | | Proprietting | | | | 29% | | 33.5% 8-up |
| 1 1 | Model Number | Description | Lis | st Price | | | Sets | Sets |
| | | Description Lower Ream Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column | | | | 1 /31 /6 | , | ¢1 2/0 72 |
| Buy America | 38000930 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column | \$ \$ | 2,016 | \$ | 1,431.46 | \$1,370.97 | \$1,340.73 \$1,735.68 |
| Buy America Buy America | 38000930 38000955 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. | \$ \$ | 2,016 2,610 | \$ | 1,431.46 1,853.13 | \$1,370.97 \$1,774.83 | \$1,735.68 |
| Buy America Buy America Buy America | 38000930 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column | | 2,016 | \$ \$ \$ | 1,431.46 | \$1,370.97 | |
| Buy America Buy America Buy America Buy America | 38000930 38000955 38010930 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, | \$ \$ \$ | 2,016 2,610 2,610 | \$ \$ \$ | 1,431.46 1,853.13 1,853.13 | \$1,370.97 \$1,774.83 \$1,774.83 | \$1,735.68 \$1,735.68 |
| Buy America Buy America Buy America Buy America Buy America Buy America | 38000930 38000955 38010930 38000940 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, Upper Beam Part of MPA standard version 875mm / 34.44", cap. to match column, | \$ \$ \$ | 2,016 2,610 2,610 2,016 | \$ \$ \$ \$ | 1,431.46 1,853.13 1,853.13 1,431.46 | \$1,370.97 \$1,774.83 \$1,774.83 \$1,370.97 | \$1,735.68 \$1,735.68 \$1,340.73 |
| Buy America | 38000930 38000955 38010930 38000940 38010940 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, Upper Beam Part of MPA standard version 875mm / 34.44",cap. to match column, Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column, | \$ \$ \$ \$ | 2,016 2,610 2,610 2,016 2,610 | \$ \$ \$ \$ \$ | 1,431.46 1,853.13 1,853.13 1,431.46 1,853.13 | \$1,370.97 \$1,774.83 \$1,774.83 \$1,370.97 \$1,774.83 | \$1,735.68 \$1,735.68 \$1,340.73 \$1,735.68 |
| Buy America | 38000930 38000955 38010930 38000940 38010940 38000975 38000921 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, Upper Beam Part of MPA standard version 875mm / 34,44", cap. to match column, Upper Beam Part of MPA wider version 1250mm / 49,20", cap. to match column, Upper Beam Part of MPA ultra low version, cap of 5500 lbs. Adapter pin G40 mm / 1.57" (1 standard supplied with 38000920/38010920), per piece Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per | \$ \$ \$ \$ \$ | 2,016 2,610 2,610 2,016 2,610 2,610 377 | \$ \$ \$ \$ \$ \$ | 1,431.46 1,853.13 1,853.13 1,431.46 1,853.13 1,853.13 267.43 | \$1,370.97 \$1,774.83 \$1,774.83 \$1,370.97 \$1,774.83 \$1,774.83 \$256.13 | \$1,735.68 \$1,735.68 \$1,340.73 \$1,735.68 \$1,735.68 \$250.48 |
| Buy America Buy America Buy America Buy America Buy America Buy America Buy America | 38000930 38000955 38010930 38000940 38010940 38000975 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, Upper Beam Part of MPA standard version 875mm / 34.44",cap. to match column, Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column, Upper Beam Part of MPA ultra low version, cap of 5500 lbs. Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920), per piece | \$ \$ \$ \$ \$ | 2,016 2,610 2,610 2,016 2,610 2,610 | \$ \$ \$ \$ \$ \$ | 1,431.46 1,853.13 1,853.13 1,431.46 1,853.13 1,853.13 | \$1,370.97 \$1,774.83 \$1,774.83 \$1,370.97 \$1,774.83 \$1,774.83 | \$1,735.68 \$1,735.68 \$1,340.73 \$1,735.68 \$1,735.68 |
| Buy America | 38000930 38000955 38010930 38000940 38010940 38000975 38000921 | Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. to match column Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs. Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column, Upper Beam Part of MPA standard version 875mm / 34,44", cap. to match column, Upper Beam Part of MPA wider version 1250mm / 49,20", cap. to match column, Upper Beam Part of MPA ultra low version, cap of 5500 lbs. Adapter pin G40 mm / 1.57" (1 standard supplied with 38000920/38010920), per piece Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per | \$ \$ \$ \$ \$ | 2,016 2,610 2,610 2,016 2,610 2,610 377 | \$ \$ \$ \$ \$ \$ | 1,431.46 1,853.13 1,853.13 1,431.46 1,853.13 1,853.13 267.43 | \$1,370.97 \$1,774.83 \$1,774.83 \$1,370.97 \$1,774.83 \$1,774.83 \$256.13 | \$1,735.68 \$1,735.68 \$1,340.73 \$1,735.68 \$1,735.68 \$250.48 |

| 38000960 | U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950), per piece | \$ | 526 | \$ 373.69 | \$357.90 | \$350.00 |
|--|--|--|---|---|--|--|
| 32591020 | Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53", per piece | \$ | 927 | \$ 657.84 | \$630.04 | \$616.14 |
| 38010950 | Multi-Purpose Adapter Transport Cart for storage and transportation of maximum2 Multi-Purpose Adapters and various pick up adapters | \$ | 6,034 | \$ 4,284.17 | \$4,103.15 | \$4,012.64 |
| | Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts! | | | | | |
| | SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT | | | | | |
| Model Number | Description | Li | st Price | 29% for 1 Set | Sets | 33.5% 8-up Sets |
| JS-L12 | Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs. | \$ | 542 | \$ 385.05 | \$368.78 | \$360.65 |
| JS-M8F | Capacity18,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 95 lbs | \$ | 1,618 | \$ 1,148.50 | \$1,099.97 | \$1,075.70 |
| JS-M12F | Capacity 26,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 121 lbs | \$ | 1,752 | \$ 1,243.93 | \$1,191.37 | \$1,165.09 |
| JS-H8F | Capacity 18,500 lbs, High, 10 locking positions, Range 53"-83" with fine adjustment, weight 130 lbs | \$ | 1,921 | \$ 1,363.77 | \$1,306.14 | \$1,277.33 |
| JS-H12F 39225980 | Capacity 26,500 lbs, High, 10 positions, Range 53"-83" with fine adjustment, weight 176 lbs Foldable stand storage bracket (one per stand) | <u>\$</u> \$ | | \$ 1,782.11 \$ 162.01 | \$1,706.81 \$155.16 | \$1,669.16 \$151.74 |
| 39223900 | JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard. | Ψ | 220 | 102.01 | ψ133.10 | φ101.74 |
| JS-H8-DZ | Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs | \$ | 1,536 | \$ 1,090.79 | \$1,044.70 | \$1,021.66 |
| | JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard. | | , | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| | | | | | | |
| | Options for the JS-H8-DZ: | | | | | |
| 39225960 | Vertical fine adjuster, adds 3" to minimum and maximum height range | \$ | 220 | \$ 156.46 | \$149.85 | \$146.55 |
| 39225940 | U-shaped adapter | \$ | 139 | \$ 98.76 | \$94.59 | \$92.50 |
| 39225950 | V-shaped adapter | \$ | 139 | \$ 98.76 | \$94.59 | \$92.50 |
| | | | | | | |
| SKCP 1220-10 | 10 tons, no handle or wheels; 12"-20", with pin stop | \$ | 799 | \$ 567.29 | \$543.32 | \$531.34 |
| SKCV 1828-10 | 10 tons, no handle or wheels, 18"-28", fine adjustment | \$ | 1,470 | \$ 1,043.70 | \$999.60 | \$977.55 |
| SKCP 1830-10 | 10 tons, no handle or wheels, 18"-30"; with pin stop | \$ | 903 | \$ 641.13 | \$614.04 | \$600.50 |
| SKCP 2644-10 | 10 tons, no handle or wheels, 26"-44"; with pin stop | \$ | 1,013 | \$ 719.23 | \$688.84 | \$673.65 |
| SKCP 5278-09 | 9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78" | \$ | 1,430 | \$ 1,015.30 | \$972.40 | \$950.95 |
| SKCVP 3658-18 | 18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head | \$ | 2,031 | \$ 1,442.01 | \$1,381.08 | \$1,350.62 |
| | 40 | | | | | |
| SKCVP 5480-18 SKCVP 5484-30 | 18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head | \$ | 2,075 7,747 | \$ 1,473.25 \$ 5,500.37 | \$1,411.00 \$5,267.96 | \$1,379.88 \$5,151.76 |
| SKCVP 5484-30 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT | \$ | 7,747 | | \$5,267.96 | |
| SKCVP 5484-30 Model Number | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description | \$ | | \$ 5,500.37 | \$5,267.96 | \$5,151.76 |
| SKCVP 5484-30 Model Number | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH | \$ | 7,747 | \$ 5,500.37 | \$5,267.96 32% 2-7 | \$5,151.76 33.5% 8-up |
| Model Number HYDRAULIC TWO POST LIFT | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description | \$ | 7,747 st Price 42,168 | \$ 5,500.37 29% for 1 Set | \$5,267.96 32% 2-7 Sets | \$5,151.76 33.5% 8-up Sets |
| Model Number HYDRAULIC TWO POST LIFT 35072000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54*-84* fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms | \$ Li | 7,747 st Price 42,168 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 | \$5,267.96 32% 2-7 Sets \$28,674.57 | \$5,151.76 33.5% 8-up Sets \$28,042.05 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54*-84* fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms | \$ Li | 7,747 st Price 42,168 43,645 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 | \$5,267.96 32% 2-7 Sets \$28,674.57 | \$5,151.76 33.5% 8-up Sets \$28,042.05 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35041000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic | \$ Li | 7,747 st Price 42,168 43,645 59,576 63,954 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms | \$ Li | 7,747 st Price 42,168 43,645 59,576 63,954 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35041000 35042000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35042000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-32 Two-post 20,000 lbs capacity with 4 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35050000 35050000 35051000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 | \$5,151.76 \$33.5% |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35041000 35042000 35050000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-32 Two-post 20,000 lbs capacity with 4 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35050000 35050000 35051000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description 7, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 | \$5,267.96 32% 2-7 Sets \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35042000 35042000 35050000 35051000 35052000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35050000 35050000 35052000 35060000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,524.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 |
| Model Number HYDRAULIC TWO POST LIF1 35072000 35073000 35041000 35042000 35050000 35051000 35052000 35060000 35060000 35061000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54*-84* fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIF1 35072000 35073000 35041000 35042000 35052000 35052000 35060000 35060000 35060000 35061000 | 30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54*-84* fine adjustment, 1 fixed wooden head FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35041000 35042000 35052000 35052000 35060000 35061000 35062000 35062000 | FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 obuble telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-39 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-39 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-39 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-39 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-39 Two-post 30,000 lbs capacity with 4 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 \$33.5% |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35041000 35041000 35042000 35050000 35051000 35052000 35060000 35061000 35062000 3500000 | FREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-22 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 5 double telescopic arms | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35040000 35041000 35042000 35051000 35052000 35060000 35061000 35062000 35062000 35062000 35000304 35000304 35000301 39225983 | TREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 ouble telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-32 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm): Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16 Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIF1 35072000 35073000 35041000 35042000 35050000 35051000 35062000 35061000 35062000 3500000 3500000 3500000 3500000 3500000 3500000 | TREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 ouble telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-32 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm): Flat low rubber cap silp-in pick-up pad Ø128x26 mm, only for SK 2.16 Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 Toothed steel slip-in pick-up pad Ø128x26 mm, only for SK 2.16 Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) Support extension 1.5" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| SKCVP 5484-30 SKCVP 5484-30 Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35052000 35052000 35060000 35061000 35062000 35062000 35060000 35060000 35060000 35060000 35060000 35000000 35000000 35000000 35000000 35000000 35000000 35000000 35000000 35000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 350000000 3500000000 3500000000 3500000000 350000000000 | TREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-30 Two-post 30,000 lbs | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 \$445,704.76 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35040000 35041000 35042000 35051000 35052000 35060000 35061000 35062000 35062000 3500000 37003004 35000301 39225983 35000306 37003909 37003916 | FREEDOM LIFT Description 7, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm): Fiat low rubber cap slip-in pick-up pad 91/28/26 mm, only for SK 2.16 Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) Support extension 3.5" Support extension 5.3" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 \$44,704.76 \$53,627.10 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35073000 35041000 35042000 35051000 35052000 35061000 35061000 35062000 35060000 35063000 35063000 35063000 35063000 35063000 35063000 35003004 3500306 37003909 | TREEDOM LIFT Description T, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-35 Two-post 30,000 lbs capacity with 4 double telescopic arms and 2 double telescopic arms SK 2.30-30 Two-post 30,000 lbs | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 \$445,704.76 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35041000 35041000 35052000 35051000 35052000 35061000 35062000 35060000 35060000 35060000 35060000 3700304 35000304 35000301 39225983 35000306 37003909 37003916 | FREEDOM LIFT Description 7, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 double telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 single telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-23 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm): Fiat low rubber cap slip-in pick-up pad 91/28/26 mm, only for SK 2.16 Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) Support extension 3.5" Support extension 5.3" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 \$445,704.76 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35041000 35041000 35052000 35051000 35052000 35061000 35062000 35060000 35060000 35060000 35060000 3700304 35000304 35000301 39225983 35000306 37003909 37003916 | TREEDOM LIFT Description 7, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.20-33 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-22 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 20,000 lbs capacity with 4 single telescopic arms SK 2.26-23 Two-post 26,000 lbs capacity with 4 single telescopic arms and 2 double telescopic arms SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms SK 2.30-32 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-32 Two-post 30,000 lbs capacity with 4 single telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm): Flat low rubber cap sip-in pick-up pad Ø128x26 mm, only for SK 2.16 Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) Support extension 1.5" Support extension 1.5" Support extension 3.5" Support extension 6.3" Set of chemical anchors and shims | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35041000 35041000 35042000 35050000 35051000 35061000 35061000 35062000 35062000 3500304 3500304 3500306 37003909 37003909 37003916 35099012 | ### Transport of the process of the | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |
| Model Number HYDRAULIC TWO POST LIFT 35072000 35072000 35041000 35041000 35042000 35050000 35051000 35052000 35060000 35061000 35062000 3500304 3500304 3500301 39225983 3500306 37003909 37003916 35099012 | SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 7,747 st Price 42,168 43,645 59,576 63,954 68,332 70,233 80,642 85,145 75,636 86,786 | \$ 5,500.37 29% for 1 Set \$ 29,939.63 \$ 30,988.06 \$ 42,298.89 \$ 45,407.37 \$ 48,515.85 \$ 49,865.24 \$ 57,256.00 \$ 60,453.30 \$ 53,701.77 \$ 61,618.21 | \$5,267.96 \$28,674.57 \$29,678.70 \$40,511.61 \$43,488.74 \$46,465.88 \$47,758.26 \$54,836.74 \$57,898.93 \$51,432.68 \$59,014.63 | \$5,151.76 33.5% 8-up Sets \$28,042.05 \$29,024.02 \$39,617.97 \$42,529.43 \$45,440.90 \$46,704.76 \$53,627.10 \$56,621.75 \$50,298.14 \$57,712.83 |

| | Support extension 6.3" | | | | | |
|--|--|--|--|---|---|---|
| 35099014 | Set of chemical anchors and shims | | | | | |
| | ACCESSORIES AND OPTIONS FOR FREEDOM LIFT | | | | | |
| Model Number | Description | Lis | st Price | 29% for 1 Set | 32% 2-7 Sets | 7 33.5% Sets |
| - | Options for ONLY SK 2.16: | | | ior i Set | Sets | Seis |
| 33003915 | Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16 | \$ | 1,428 | 1,013.73 | \$970.89 | 9 |
| 35000304 | Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16 | \$ | 452 | 320.73 | \$307.18 | 8 |
| 35000301 | Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16 | \$ | 452 9 | 320.73 | \$307.18 | 8 |
| 30003100 | Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16 | \$ | 452 | 320.73 | \$307.18 | 8 |
| 35099012 | Set chemical anchors and shims, only for SK 2.16 | \$ | 549 | 390.14 | \$373.65 | 5 |
| | Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30 | | | | | |
| 35000950 | LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V | \$ | 2,546 | 1,807.40 | \$1,731.03 | 3 |
| OPVL08060 | Second control box | \$ | 3,713 | 2,635.93 | \$2,524.55 | 5 |
| OPVLRAL01 | Extra price for 1 different colour | \$ | 1,247 | | \$848.04 | |
| OPVLRAL01-2 | Extra price for 2 different colors | \$ | | 1,230.09 | | _ |
| OPVL41041 | Analogue weight gauge for Freedom Lift | \$ | 1,165 | | | |
| 35000918 | Set of 2 adapter trays to store 2*4 adapters. To be mounted to the column structure. | \$ | 335 | 237.96 | \$227.90 | |
| 35000919 | Set of 2 adapter trays to store 2*6 adapters. To be mounted to the column structure. | \$ | 388 | | \$264.16 | |
| 35000313 | Magnetic tool tray, 9.6 x 5.6" | \$ \$ | 93 3 | 65.98 | \$63.19 | 9 |
| | | | | | | - 1 |
| 39225983 | Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.) | \$ | 465 | 329.90 | \$315.96 | _ |
| 39225988 | Flat rubber cap pick-up pad Ø128x36 mm (1pc.) | \$ | 548 | 389.39 | \$372.93 | |
| 4310.09.04.00 | Flat steel pick-up pad (1 pc) | \$ | 125 | 88.69 | \$84.95 | |
| 4310.09.06.00 | U-shaped steel pick-up pad (1 pc) | \$ | 154 | 109.24 | \$104.63 | 3 |
| | ACCESSORIES AND OPTIONS FOR FREEDOM LIFT | | | | | |
| Model Number | Description | Lis | st Price | 29% | | 7 33.5% |
| 4310.09.05.00 | V-shaped steel pick-up pad (1 pc) | \$ | 161 | for 1 Set 114.65 | Sets \$109.81 | Sets |
| 4310.09.03.00 | v-sirapeu steel piok-up pau (1 pu) | Ψ | 101 3 | 114.05 | \$103.01 | ' |
| 35000306 | Support extension 1.5" | \$ | 119 | 84.37 | \$80.80 | |
| 37003909 | Support extension 3.5" | \$ | 236 | 101.00 | \$160.57 | |
| 37003916 | Support extension 6.3" | \$ | 305 | 210.00 | \$207.19 | |
| 37003925 | Support extension 10" | \$ | 379 | 269.33 | \$257.95 | |
| 37003945 | Prism adapter for Sprinter/Crafter, rear side | \$ | 312 | | | |
| 37003955 | Cone adapter for Sprinter/Crafter, front side | \$ | 312 | 221.63 | \$212.26 | 6 |
| 35099014 | Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above) | \$ | 1,072 | 761.47 | \$729.29 | 9 |
| | | | | | | |
| | LIGHT DUTY 4-POST LIFTS | | | | | |
| Model Number | LIGHT DUTY 4-POST LIFTS | Lit | et Price | 29% | 32% 2-7 | 7 33.5% |
| Model Number | Description | | st Price | for 1 Set | Sets | Sets |
| ST 4055 | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns | \$ | 34,994 | for 1 Set 24,845.92 | Sets \$23,796.09 | Sets |
| ST 4055 ST 4055-V | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns | \$ \$ | 34,994 S 36,204 S | for 1 Set 24,845.92 25,704.54 | \$23,796.09 \$24,618.43 | Sets 9 5 3 5 |
| ST 4055 ST 4055-V ST 4055-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns | \$ \$ \$ | 34,994 S 36,204 S 37,817 S | for 1 Set 24,845.92 25,704.54 26,850.38 | \$23,796.09 \$24,618.43 \$25,715.86 | Sets 9 |
| ST 4055 ST 4055-V | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns | \$ \$ | 34,994 S 36,204 S 37,817 S | for 1 Set 24,845.92 25,704.54 | \$23,796.09 \$24,618.43 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns | \$ \$ \$ | 34,994 \$ 36,204 \$ 37,817 \$ 39,028 \$ | for 1 Set 5 24,845.92 5 25,704.54 6 26,850.38 6 27,710.01 | \$23,796.09 \$24,618.43 \$25,715.86 \$26,539.17 | Sets 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-L ST 4070 | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns | \$ \$ \$ \$ | 34,994 \$ 36,204 \$ 37,817 \$ 39,028 \$ 38,393 \$ \$ | for 1 Set 6 24,845.92 6 25,704.54 6 26,850.38 6 27,710.01 | \$23,796.06 \$24,618.42 \$25,715.86 \$26,539.17 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070 ST 4070-S | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns | \$ \$ \$ \$ | 34,994 \$ 36,204 \$ 37,817 \$ 39,028 \$ 38,393 \$ 38, | for 1 Set 6 24,845.92 6 25,704.54 6 26,850.38 6 27,710.01 6 27,258.81 6 27,258.81 | \$23,796.05 \$24,618.42 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 | Sets |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070 ST 4070-S ST 4070-SV | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ | 34,994 \$ 36,204 \$ 37,817 \$ 39,028 \$ 38,393 \$ 38,393 \$ 39,969 \$ 3 | for 1 Set 5 24,845.92 5 25,704.54 5 26,850.38 5 27,710.01 6 27,258.81 6 27,258.81 6 28,378.17 | \$ets \$23,796.05 \$24,618.45 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 | Sets |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-S ST 4070-SV ST 4070-V | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ \$ | 34,994 | for 1 Set 24,845.92 25,704.54 26,850.38 27,710.01 27,258.81 27,258.81 28,378.17 28,378.17 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070 ST 4070-S ST 4070-SV | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ | 34,994 \$ 36,204 \$ 37,817 \$ 39,028 \$ 38,393 \$ 38,393 \$ 39,969 \$ 39,969 \$ 42,064 \$ \$ 42,064 \$ \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ \$ 42,064 \$ \$ \$ \$ 42,064 \$ \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 \$ \$ \$ 42,064 | for 1 Set 5 24,845.92 5 25,704.54 5 26,850.38 5 27,710.01 6 27,258.81 6 27,258.81 6 28,378.17 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.30 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-S ST 4070-SV ST 4070-V ST 4070-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 | for 1 Set \$ 24,845.92 \$ 25,704.54 \$ 26,850.38 \$ 27,710.01 \$ 27,258.81 \$ 27,258.81 \$ 28,378.17 \$ 28,378.17 \$ 29,865.22 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.30 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-S ST 4070-SV ST 4070-V ST 4070-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 | for 1 Set 6 24,845.92 6 25,704.54 6 26,850.38 6 27,710.01 6 27,258.81 6 27,258.81 6 28,378.17 6 28,378.17 6 29,865.22 6 30,982.54 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.30 \$29,673.42 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-S ST 4070-SV ST 4070-V ST 4070-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 | for 1 Set \$ 24,845.92 \$ 25,704.54 \$ 26,850.38 \$ 27,710.01 \$ 27,258.81 \$ 27,258.81 \$ 28,378.17 \$ 28,378.17 \$ 29,865.22 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.30 \$29,673.42 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-SV ST 4070-V ST 4070-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 36,204 37,817 39,028 38,393 38,393 39,969 42,064 443,637 5t Price | for 1 Set 5 24,845.92 5 25,704.54 5 26,850.38 5 27,750.01 5 27,258.81 5 27,258.81 5 28,378.17 5 28,378.17 5 29,865.22 5 30,982.54 29% for 1 Set 5 1,701.96 | \$ets \$23,796.05 \$24,618.45 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.07 \$29,673.42 32% \$2-7 \$ets \$1,630.04 | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-SV ST 4070-V ST 4070-L ST 4070-L Model Number | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 255" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 36,204 37,817 39,028 38,393 39,669 39,969 42,064 443,637 \$ t Price 2,397 5 t | for 1 Set 24,845.92 25,704.54 26,850.38 27,258.81 27,258.81 27,258.81 28,378.17 29,865.22 30,982.54 29% for 1 Set | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$25,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.30 \$29,673.42 32% \$2-7 \$Sets | Sets 9 |
| ST 4055 ST 4055-V ST 4055-L ST 4055-LV ST 4070-S ST 4070-SV ST 4070-V ST 4070-L | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS Description LED lighting set -UL-approved- ST4055-LV & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 36,204 37,817 39,028 38,393 38,393 39,969 42,064 443,637 5t Price | for 1 Set 5 24,845.92 5 25,704.54 5 26,850.38 5 27,750.01 5 27,258.81 5 27,258.81 5 28,378.17 5 28,378.17 5 29,865.22 5 30,982.54 29% for 1 Set 5 1,701.96 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.33 \$29,673.42 \$28 \$1,630.04 \$2,068.04 | Sets 9 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |
| ST 4055 ST 4055-V ST 4055-U ST 4055-LV ST 4070-S ST 4070-S ST 4070-SV ST 4070-V ST 4070-L ST 4070-LV Model Number 43509600 44509600 | Description 12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns 16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 34,994 36,204 37,817 39,028 38,393 38,393 39,969 42,064 43,637 38 Price 2,397 3,041 3 | for 1 Set 24,845.92 25,704.54 26,850.38 27,710.01 27,258.81 27,258.81 28,378.17 29,865.22 30,982.54 29% for 1 Set 1,701.96 2,159.27 | \$ets \$23,796.05 \$24,618.43 \$25,715.86 \$26,539.17 \$26,107.03 \$26,107.03 \$27,179.05 \$27,179.05 \$28,603.33 \$29,673.42 \$28 \$1,630.04 \$2,068.04 | Sets 9 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |

| Model Nun | nber Old Model # | Description | Lis | Price | 29% for 1 Set | 32% 2-7 Sets | 33.5% 8-up Sets |
|---|--|--|--|--|--|---|--|
| ST4.300-4 | ST 4120-4 | Four post 30,000lbs capacity, 15 ft runway | \$ | | \$ 36,396.00 | \$34,858.14 | \$34,089.21 |
| ST4.300-6 | ST 4120-6 | Four post 30,000lbs capacity, 20 ft runway | \$ | | \$ 39,027.87 | \$37,378.81 | \$36,554.28 |
| ST4.300-8 | ST 4120-8 | Four post 30,000lbs capacity, 26 ft runway | \$ | | \$ 41,511.04 | \$39,757.05 | |
| ST4.300-10 | ST 4120-10 | Four post 30,000lbs capacity, 33 ft runway | \$ | 62,720 | \$ 44,530.97 | \$42,649.38 | \$41,708.58 |
| ST4.500-6 | ST 4175-6 | Four post 50,000lbs capacity, 20 ft runway | \$ | 104,561 | \$ 74,238.16 | \$71,101.34 | \$69,532.92 |
| ST4.500-8 | ST 4175-8 | Four post 50,000lbs capacity, 26 ft runway | | | \$ 78,307.42 | \$74,998.66 | \$73,344.28 |
| ST4.500-9 | ST 4175-9 | Four post 50,000lbs capacity, 30 ft runway | | | \$ 79,032.51 | \$75,693.11 | \$74,023.41 |
| ST4.500-10 | ST 4175-10 | Four post 50,000lbs capacity, 33 ft runway | \$ | 116,019 | \$ 82,373.48 | \$78,892.91 | \$77,152.63 |
| ST4.500-11 | .5 ST 4175-11.5 | Four post 50,000lbs capacity, 38 ft runway | \$ | 122,976 | \$ 87,313.28 | \$83,623.99 | \$81,779.34 |
| 41509040 | | Contractivity and add and the Fish Data with a CT4 F000T 44T show bring and 0.4 | | 18,398 | e 40.000.00 | \$12,510.36 | \$12,234.40 |
| 41509040 | | Synchronization set needed to make any Eight Post version of ST4.500/ST 4175 above, brigde part 3' 4" Synchronization set needed to make any Eight Post version of ST4.500/ST 4175 above, bridge part 4' 11" | \$ \$ | | \$ 13,062.29 \$ 15,950.88 | \$15,276.90 | |
| 41000000 | | Gynorionization set needed to make any Light Fost Version of O14.300/01 41/3 above, bridge part 4-11 | Ψ | 22,400 | ψ 10,000.00 | ψ10,270.30 | ψ14,300.51 |
| ST4.660-6 | ST 4250-6 | Four post 66,000lbs capacity, 20 ft runway | \$ | 158,663 | \$ 112,650.74 | \$107,890.85 | \$105,510.91 |
| ST4.660-7 | ST 4250-7 | Four post 66,000lbs capacity, 23 ft runway | \$ | 163,706 | \$ 116,231.27 | \$111,320.09 | \$108,864.50 |
| ST4.660-8 | ST 4250-8 | Four post 66,000lbs capacity, 26 ft runway | | | \$ 119,812.86 | \$114,750.35 | |
| ST4.660-9 | ST 4250-9 | Four post 66,000lbs capacity, 30 ft runway | | | \$ 123,400.87 | \$118,186.75 | |
| ST4.660-10 | ST 4250-10 | Four post 66,000lbs capacity, 33 ft runway | \$ | 179,495 | \$ 127,441.26 | \$122,056.42 | \$119,364.00 |
| | | HEAVY DUTY 4-POST LIFTS | | | 29% | 32% 2-7 | 33.5% 8-up |
| Model Nun | nber Old Model # | Description | Lis | Price | for 1 Set | Sets | Sets |
| ST4.660-11 | .5 ST 4250-11.5 | Four post 66,000lbs capacity, 38 ft runway | \$ | 188,047 | \$ 133,513.61 | \$127,872.19 | \$125,051.48 |
| | • | | | | | | |
| 42519030 | | Synchronization set needed to make any Eight Post version of ST4.660/ST 4250 above, brigde part 3' 4" | \$ | | \$ 13,062.29 | \$12,510.36 | |
| 42519040 | | Synchronization set needed to make any Eight Post version of ST4./660/ST 4250 above, brigde part 4' 11" | \$ | 22,466 | \$ 15,950.88 | \$15,276.90 | \$14,939.91 |
| ST4.1330-1 | 2 ST 4600-12 | Faur post 423 000lbs aspecits 20 ft susuau | On re | quest | On request | On request | On request |
| ST4.1320 \ | | Four post 132,000lbs capacity, 39 ft runway Four post 132,000lbs capacity, various lengths and accessories available upon request | On re | | On request | On request On request | On request |
| 014.1020 (| D1 4000 VL | Tour post 102,000/03 capacity, Yandus lerigins and accessories available upon request | Oli le | quest | On request | On request | Off request |
| | | ACCESSORIES AND OPTIONS FOR 4-POST LIFTS | | | | | |
| Model Nun | nber Old Model # | Description | Lis | Price | 29% for 1 Set | 32% 2-7 Sets | 33.5% 8-up Sets |
| l | | | | | | | |
| 4400000 | | ST4.300 Series | | 0.407 | a 1700.05 | A4 050 50 | |
| 41209020 | - | Hinged transition plates, length 16.1" (2 pcs) | \$ | -, | \$ 1,723.35 | \$1,650.53 | \$1,614.12 |
| 41209020 OPVL1516 | 5 | | \$ \$ | | \$ 1,723.35 \$ (1,772.23) | \$1,650.53 -\$1,697.35 | |
| OPVL1516 | 5 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps | | (2,496) | | | -\$1,659.91 |
| | 5 | Hinged transition plates, length 16.1" (2 pcs) | \$ | (2,496) 4,210 | \$ (1,772.23) | -\$1,697.35 | -\$1,659.91 \$2,799.91 |
| OPVL1516 41209030 | 5 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 | \$ | (2,496) 4,210 8,310 | \$ (1,772.23) \$ 2,989.37 | -\$1,697.35 \$2,863.06 | \$2,799.91 \$5,526.36 |
| OPVL1516 41209030 41209100 | 5 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) | \$ | (2,496) 4,210 8,310 9,237 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 | -\$1,697.35 \$2,863.06 \$5,651.01 | -\$1,659.91 \$2,799.91 \$5,526.36 \$6,142.62 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616: | 5 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps | \$ \$ \$ \$ \$ | 4,210 8,310 9,237 7,329 1,816 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 | -\$1,697.35 \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 | 5 34007930 4120 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable | \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 | -\$1,659.91 \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 | 5 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable | \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 | 5 34007930 4120 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable | \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 43599013 | 34007930 4120 34007940 4120 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 | \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 | 5 34007930 4120 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable | \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 43599013 | 5 34007930 4120 34007940 4120 41229350 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V | \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407150 43599013 41009350 41019350 | 34007930 4120 34007940 4120 41229350 41219350 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32" 10" cable Remote Control, UL Approved, 32" 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 | \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,230.94 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 43599013 41009350 41019350 41029350 | 5 34007930 4120 34007940 4120 41229350 41219350 41209350 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,230.94 \$2,230.94 \$3,460.06 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407151 43599013 41009350 41019350 41029350 41039350 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41239350 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, Not UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,333.74 \$3,969.47 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 43599013 41009350 41019350 41019350 4109355 4109355 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41239350 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, Not UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 44" (2 pcs) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 \$309.23 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,363.74 \$3,969.47 \$302.41 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407151 43599013 41009350 41019350 41029350 41039350 4109355 4109355 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41239350 41309150 | Hinged transition plates, length 16.1" (2 pcs) instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.63 \$2,230.94 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 \$309.23 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407150 43599013 41009350 41019350 41019350 4109355 4109355 4109355 41509010 41509050 OPVL1617 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41239350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 | \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$265.33 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 \$309.23 \$4,518.03 \$4,518.03 \$543.88 | -\$1,659.91 \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,363.74 \$3,363.74 \$3,44.18.37 \$4,418.37 \$531.89 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407150 43599013 41009350 41019350 4109350 4109350 4109350 4109350 41509050 OPVL1617 41509060 | 5 34007930 4120 34007940 4120 41229350 41219350 4129350 41239350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 32.87 \$ 3,346.32 \$ 3,346.32 \$ 5,67.88 \$ 8,135.32 | \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,201.87 \$3,657.16 \$265.33 \$2,230.94 \$2,2826.97 \$3,460.06 \$4,059.01 \$309.23 \$4,518.03 \$543.88 \$7,791.58 | \$1,659.91 \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 43599013 41009350 41019350 4109355 4109355 4109355 41509010 41509050 OPVL1617 41509060 OPVL1617 | 5 34007930 4120 34007940 4120 41229350 41219350 4129350 41239350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 67.88 \$ 8,135.32 \$ 4,636.08 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,2826.97 \$3,460.06 \$4,059.01 \$309.23 \$3,204.92 \$4,518.03 \$543.88 \$7,791.58 \$4,440.18 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$2,764.61 \$3,383.74 \$3,383.74 \$3,369.47 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 43599013 41009350 41019350 41029350 4109350 4109350 4109350 OPVL1617 41509060 OPVL1617 41509070 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41209350 41309150 | Hinged transition plates, length 16.1" (2 pcs) Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 69" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.08 \$ 9,828.27 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 \$309.23 \$3,204.92 \$4,518.03 \$54.38 \$7,791.58 \$4,440.18 \$9,412.99 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 \$4,342.24 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 43599013 41009350 41019350 4109350 4109350 4109350 OPVL1617 41509060 OPVL1617 | 34007930 4120 34007940 4120 41229350 41219350 41209350 41209350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120 LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 7,064 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.08 \$ 9,828.27 \$ 5,015.73 | \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,201.87 \$3,657.16 \$265.33 \$2,230.94 \$2,2826.97 \$3,460.06 \$4,059.01 \$309.23 \$4,518.03 \$543.88 \$7,791.58 \$4,440.18 \$9,412.99 \$4,803.80 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 43599013 41009350 41019350 4109350 4109355 4109355 OPVL1617 41509060 OPVL1617 41509070 OPVL1617 42509020 | 34007930 4120 34007940 4120 41229350 41219350 4129350 41209350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs) Extended length ramps ST4.500/ST4175, length 104.75" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 7,064 3,038 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 6135.32 \$ 4,636.08 \$ 9,828.27 \$ 5,015.73 | \$2,863.06 \$5,651.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,011.87 \$3,657.16 \$265.33 \$2,230.94 \$2,230.94 \$4,059.01 \$309.23 \$3,204.92 \$4,518.03 \$5,743.86 \$4,440.18 \$9,412.99 \$4,803.80 | \$2,799.91 \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$2,576.49 \$2,784.61 \$3,383.74 \$3,383.74 \$3,383.74 \$3,383.74 \$3,383.74 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 43599013 41009350 41019350 41019350 4109350 4109350 OPVL1617 41509010 41509060 OPVL1617 41509070 OPVL1617 42509020 OPVL1517 | 34007930 4120 34007940 4120 41229350 41219350 4129350 41209350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V UED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs) Extended length ramps ST4.500/ST4175, length 94" (2 pcs) Extended length ramps ST4.500/ST4175, length 94 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 7,064 3,038 (1,133) | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.32 \$ 4,636.32 \$ 4,636.32 \$ 5,015.73 \$ 2,157.08 \$ (804.23) | \$1,697.35 \$2,863.06 \$5,661.01 \$6,281.18 \$4,993.78 \$1,234.97 \$2,201.18 \$3,657.16 \$265.33 \$2,230.94 \$2,826.97 \$3,460.06 \$4,059.01 \$309.23 \$3,204.92 \$4,518.03 \$543.88 \$7,791.58 \$4,440.18 \$9,412.99 \$4,803.80 \$2,065.94 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$259.48 \$2,181.73 \$2,764.61 \$3,363.74 \$3,363.74 \$3,363.74 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407150 43599013 41009350 41019350 41029350 41039350 4109355 41509010 41509050 OPVL1617 41509070 OPVL1617 41509070 OPVL1617 42509020 OPVL1517 42519010 | 34007930 4120 34007940 4120 41229350 41219350 4129350 41209350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Septiong drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 95" (2 pcs), instead of standard ramp | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 113,843 7,064 3,038 (1,133) 4,889 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.08 \$ 9,828.27 \$ 5,015.73 \$ 2,157.08 \$ (804.23) \$ 3,471.44 | \$1,697.35 \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,201.87 \$3,657.16 \$265.33 \$2,230.94 \$2,826.97 \$3,406.06 \$4,059.01 \$309.23 \$4,518.03 \$543.88 \$7,791.58 \$4,440.18 \$9,412.99 \$4,803.80 \$4,803.80 \$2,206.594 \$3,204.592 \$3,324.76 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$2,59.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,369.47 \$3,369.47 \$531.89 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407151 41407150 43599013 41009350 41019350 4109350 4109350 OPVL1617 41509050 OPVL1617 41509070 OPVL1617 42519010 42519010 42519050 | 5 34007930 4120 34007940 4120 41229350 41219350 4129350 41239350 41309150 | Hinged transition plates, length 16.1" (2 pcs). Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps) Set long drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32" 10" cable Remote Control, UL Approved, 32" 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120 LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 36' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 37' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), length 95" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 94" (2 pcs) Extended length ramps ST4.500/ST4175, length 95" (2 pcs) instead of standard ramps Extended length ramps ST4.500/ST4175, lengt | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 7,064 3,038 (1,133) 4,889 5,993 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.08 \$ 9,828.27 \$ 5,015.73 \$ 2,157.08 \$ 3,471.44 \$ 4,255.35 | \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,201.87 \$3,657.16 \$265.33 \$2,230.94 \$2,2826.97 \$3,460.06 \$4,059.01 \$309.23 \$4,518.03 \$54.38 \$7,791.58 \$4,440.18 \$9,412.99 \$4,803.80 \$2,065.94 \$3,324.76 \$3,3324.76 \$3,3324.76 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$3,576.49 \$259.48 \$2,181.73 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 \$3,134.23 \$4,418.37 \$531.89 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 |
| OPVL1516 41209030 41209100 41209200 41209010 OPVL1616 41407150 43599013 41009350 41019350 41029350 41039350 4109355 41509010 41509050 OPVL1617 41509070 OPVL1617 41509070 OPVL1617 42509020 OPVL1517 42519010 | 34007930 4120 34007940 4120 41229350 41219350 4129350 4129350 41309150 | Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120 Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps) Septiong drive on/off ramps, length 63" Extended length access ramps, instead of standard ramps Remote Control, Not UL Approved, 32' 10" cable Remote Control, UL Approved, 32' 10" cable Anchor kit for ST 4055, ST 4070 and ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V Optional additional power transformer for supply voltage ranges 400, 460 & 575 ST4.500 and ST4.660 Series Set standard drive on/off ramps ST4.500/ST4175, length 66" (2 pcs) Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps Extended length ramps ST4.500/ST4175, length 95" (2 pcs), instead of standard ramp | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | (2,496) 4,210 8,310 9,237 7,329 1,816 2,959 5,378 390 3,281 4,157 5,088 5,969 455 4,713 6,644 800 11,458 6,530 13,843 7,064 3,038 (1,133) 4,889 5,993 6,990 | \$ (1,772.23) \$ 2,989.37 \$ 5,900.32 \$ 6,558.29 \$ 5,203.65 \$ 1,289.45 \$ 2,100.63 \$ 3,818.51 \$ 277.04 \$ 2,329.37 \$ 2,951.69 \$ 3,612.71 \$ 4,238.09 \$ 322.87 \$ 3,346.32 \$ 4,717.35 \$ 567.88 \$ 8,135.32 \$ 4,636.08 \$ 9,828.27 \$ 5,015.73 \$ 2,157.08 \$ (804.23) \$ 3,471.44 | \$1,697.35 \$2,863.06 \$5,661.01 \$6,281.18 \$4,983.78 \$1,234.97 \$2,201.87 \$3,657.16 \$265.33 \$2,230.94 \$2,826.97 \$3,406.06 \$4,059.01 \$309.23 \$4,518.03 \$543.88 \$7,791.58 \$4,440.18 \$9,412.99 \$4,803.80 \$4,803.80 \$2,206.594 \$3,204.592 \$3,324.76 | \$2,799.91 \$5,526.36 \$6,142.62 \$4,873.84 \$1,207.73 \$1,967.49 \$2,576.49 \$2,764.61 \$3,383.74 \$3,969.47 \$302.41 \$3,134.23 \$4,418.37 \$5,518,9 \$7,619.70 \$4,342.24 \$9,205.35 \$4,697.83 \$2,020.37 \$7,53.26 \$3,251.42 \$3,395.64 |

| Surface mounted version: Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. | 1,175 828 1,005 4,365 5,343 6,272 7,250 886 t Price 169,098 173,071 1777,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 3,818.4' \$ 834.1' \$ 588.2' \$ 713.3' \$ 3,099.2' \$ 3,793.3' \$ 4,453.2' \$ 5,147.2' \$ 629.0' 29% for 1 Set \$ 122,880.6' \$ 122,880.6' \$ 122,880.6' \$ 129,058.8' \$ 129,058.8' \$ 137,490.7' \$ 147,357.0' \$ 130,375.5' \$ 130,375.5' \$ 130,375.5' \$ 134,430.9' \$ 136,434.9' \$ 138,439.9' \$ 147,804.4' | 7 \$798.9; 0 \$563.3; 2 \$663.1; 7 \$2,968.3; 5 \$3,633.0; 0 \$4,265.0; 7 \$4,929.7; 9 \$602.5; 32% 2-; Sets 2 \$114,986.6; 2 \$117,688.4; 3 \$120,734.7; 5 \$123,605.6; 6 \$131,681.3; 5 \$141,130.7; 4 \$124,866.7; 6 \$126,830.6; 7 \$130,670.1; | 3 \$781.30 5 \$550.92 8 \$668.11 2 \$2,902.84 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
|---|---|---|--|--|
| 41599013 Set chemical anchors and shims for ST4 5000ST4175 | 828 1,005 4,365 5,343 6,272 7,250 886 t Price 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 588.20 \$ 713.33 \$ 3,099.2' \$ 3,793.3: \$ 4,453.21 \$ 5,147.2' \$ 629.0! \$ 120,059.6: \$ 122,880.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7! \$ 147,357.0: \$ 130,375.5- \$ 130,434.9: \$ 138,439.9! | 2 \$114,986.6i 2 \$114,986.6i 2 \$114,886.6i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$144,866.7i | 5 \$550.92 8 \$2,902.84 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up 8 \$112,450.21 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| A | 828 1,005 4,365 5,343 6,272 7,250 886 t Price 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 588.20 \$ 713.33 \$ 3,099.2' \$ 3,793.3: \$ 4,453.21 \$ 5,147.2' \$ 629.0! \$ 120,059.6: \$ 122,880.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7! \$ 147,357.0: \$ 130,375.5- \$ 130,434.9: \$ 138,439.9! | 2 \$114,986.6i 2 \$114,986.6i 2 \$114,886.6i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$144,866.7i | 5 \$550.92 8 \$668.11 2 \$2,902.84 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up 8 \$112,450.21 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| 4259913 Set chemical anchors and shims for \$T4.660/ST 4250 | 1,005 4,365 5,343 6,272 7,250 886 t Price 169,098 173,071 1777,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 713.3: \$ 3,099.2' \$ 3,793.3: \$ 4,453.2' \$ 5,147.2' \$ 629.0! 29% for 1 Set \$ 120,059.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7' \$ 147,357.0: \$ 130,375.5- \$ 132,426.00 \$ 136,434.9' \$ 138,439.9! | 2 \$683.14 7 \$2,968.3; 5 \$3,633.0; 0 \$4,265.0; 7 \$4,929.7; 9 \$602.5 32% 2-; Sets 2 \$114,986.6; 2 \$117,688.4; 3 \$120,734.7; 5 \$123,605.6; 6 \$131,681.3; 5 \$141,130.7; 4 \$124,866.7; 6 \$126,830.6; 7 \$130,670.1; | 8 \$668.11 2 \$2,902.84 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110- 220V 220V 42519170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42529170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42529170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110- 220V 42549170 St4.660/ST4250, 30' & ST4. | 4,365 5,343 6,272 7,250 886 t Price 169,098 173,071 1777,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 3,099.2' \$ 3,793.3' \$ 4,453.2' \$ 5,147.2' \$ 629.0' 29% for 1 Set \$ 120,059.6' \$ 122,880.6' \$ 126,061.3' \$ 129,058.8' \$ 137,490.7' \$ 147,357.0' \$ 133,432.426.00 \$ 136,434.9' \$ 138,439.9' | 7 \$2,968.3: 5 \$3,633.0: 0 \$4,265.0: 7 \$4,929.7: 9 \$602.5 32% \$2.5 \$2 \$114,986.6: 2 \$117,688.4: 3 \$120,734.7: 5 \$123,605.6: 6 \$131,681.3: 5 \$141,130.7: 4 \$124,866.7 6 \$126,830.6: 7 \$130,670.1: | 2 \$2,902.84 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| 4269170 | 5,343 6,272 7,250 886 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 3,793.33 \$ 4,453.24 \$ 5,147.2 \$ 629.09 29% for 1 Set \$ 120,059.63 \$ 122,880.63 \$ 126,061.33 \$ 129,058.83 \$ 137,490.74 \$ 147,357.55 \$ 132,426.00 \$ 136,434.93 \$ 138,439.94 | \$ \$3,633.00 \$ \$4,265.00 \$ \$4,265.00 \$ \$4,929.70 \$ \$602.50 \$ \$25 \$ \$25 \$ \$25 \$ \$32% \$ \$25 \$ \$114,986.60 \$ \$117,688.40 \$ \$123,605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$131, | 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| Ac699170 Ac99170 Ac99170 Ac99170 Ac99170 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 26 platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 33° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 30° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 30° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30° & 30° platform, 8 LED lighting set. UL approved for ST4.500/ST4175 & ST4.660/ST4175 & ST4.660/ST | 5,343 6,272 7,250 886 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 3,793.33 \$ 4,453.24 \$ 5,147.2 \$ 629.09 29% for 1 Set \$ 120,059.63 \$ 122,880.63 \$ 126,061.33 \$ 129,058.83 \$ 137,490.74 \$ 147,357.55 \$ 132,426.00 \$ 136,434.93 \$ 138,439.94 | \$ \$3,633.00 \$ \$4,265.00 \$ \$4,265.00 \$ \$4,929.70 \$ \$602.50 \$ \$25 \$ \$25 \$ \$25 \$ \$32% \$ \$25 \$ \$114,986.60 \$ \$117,688.40 \$ \$123,605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$121,3605.60 \$ \$131,681.30 \$ \$131, | 6 \$3,552.92 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| According Acco | 6,272 7,250 886 t Price 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 4,453.20 \$ 5,147.2° \$ 629.00 29% for 1 Set \$ 120,059.60 \$ 122,880.60 \$ 126,061.30 \$ 129,058.80 \$ 137,490.70 \$ 137,490.70 \$ 132,426.00 \$ 136,434.90 \$ 138,434.90 \$ 138,434.90 | 32% 2-1 32% 2-1 32% 2-1 32% 2-1 32% 2-1 32% 3-1 3 \$114,986.61 2 \$117,688.41 3 \$120,734.71 5 \$123,605.61 6 \$131,681.31 5 \$141,130.71 4 \$124,866.7 6 \$126,830.61 7 \$130,670.1 | 4 \$4,170.95 8 \$4,821.04 1 \$589.22 7 33.5% 8-up 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| | 7,250 886 t Price 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 5,147.2' \$ 629.0! 29% for 1 Set \$ 120,059.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7! \$ 147,357.0: \$ 132,426.00 \$ 136,434.9! \$ 138,439.9! | 7 \$4,929.7\\ 9 \$602.5\\ 32\% 2-\text{Sets} 2 \$114,986.6\text{2} 2 \$117,688.4\\ 3 \$120,734.7\text{5} 5 \$123,605.6\text{6} 6 \$131,881.3\text{6} 5 \$141,130.7\text{4} 4 \$124,866.7\text{6} 6 \$126,830.6\text{7} 8 \$130,670.1\text{1} | 8 \$4,821.04 1 \$589.22 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| #2628170 #2628170 #2628170 EU Ingrining Bist, UL approved for \$14.5000/\$147.05 & \$14.0000 | 7,250 886 t Price 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | \$ 5,147.2' \$ 629.0! 29% for 1 Set \$ 120,059.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7! \$ 147,357.0: \$ 132,426.00 \$ 136,434.9! \$ 138,439.9! | 7 \$4,929.7\\ 9 \$602.5\\ 32\% 2-\text{Sets} 2 \$114,986.6\text{2} 2 \$117,688.4\\ 3 \$120,734.7\text{5} 5 \$123,605.6\text{6} 6 \$131,881.3\text{6} 5 \$141,130.7\text{4} 4 \$124,866.7\text{6} 6 \$126,830.6\text{7} 8 \$130,670.1\text{1} | 8 \$4,821.04 1 \$589.22 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| ### ### ############################## | 886 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | 29% for 1 Set \$ 120,059.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7: \$ 147,357.0: \$ 130,375.5: \$ 132,426.00 \$ 136,434.9: \$ 138,439.9: | 32% 2-1 32% 2-1 Sets 2-1 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1i | 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Model Number | 886 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 194,986 208,175 | 29% for 1 Set \$ 120,059.6: \$ 122,880.6: \$ 126,061.3: \$ 129,058.8: \$ 137,490.7: \$ 147,357.0: \$ 130,375.5: \$ 132,426.00 \$ 136,434.9: \$ 138,439.9: | 32% 2-1 32% 2-1 Sets 2-1 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1i | 7 33.5% 8-up Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Surface mounted version: Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. Support | 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 120,059.6; \$ 122,880.6; \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | Sets 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Surface mounted version: Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. Support | 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 120,059.6; \$ 122,880.6; \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | Sets 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Surface mounted version: Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. | 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 120,059.6; \$ 122,880.6; \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | Sets 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | Sets 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Surface mounted version: Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. Support | 169,098 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 120,059.6; \$ 122,880.6; \$ 122,806.13; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | 2 \$114,986.6i 2 \$117,688.4i 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | 8 \$112,450.21 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops. | 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | 2 \$117,688.44 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| Buy America 41422000 SKY, 624 / 200 - 62,400 lbs, platform length 23' S | 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | 2 \$117,688.44 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| Buy America 41423000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41424000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41425000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41426000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41427000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ Buy America 41402000 SKY .624 / 200 - 62,400 lbs, platform length 23' \$ Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41403000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41406000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41432000 SKY .624 / 20 | 173,071 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 122,880.6; \$ 126,061.3; \$ 129,058.8; \$ 137,490.7; \$ 147,357.0; \$ 130,375.5; \$ 132,426.0; \$ 136,434.9; \$ 138,439.9; | 2 \$117,688.44 3 \$120,734.7i 5 \$123,605.6i 6 \$131,681.3i 5 \$141,130.7i 4 \$124,866.7 6 \$126,830.6i 7 \$130,670.1 | 8 \$115,092.41 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 |
| Buy America 41424000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41425000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41426000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41427000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 23' \$ Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41404000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ Flush mounted version: Flush mounted version: Flush mounted version is e | 177,551 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 126,061.3: \$ 129,058.8: \$ 137,490.70 \$ 147,357.0: \$ 130,375.5: \$ 132,426.00 \$ 136,434.9: \$ 138,439.9: | 3 \$120,734.79 5 \$123,605.66 6 \$131,681.30 5 \$141,130.70 4 \$124,866.7 6 \$126,830.66 7 \$130,670.1 | 9 \$118,071.52 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Buy America | 181,773 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 129,058.8! \$ 137,490.70 \$ 147,357.0! \$ 130,375.56 \$ 132,426.00 \$ 136,434.9 \$ 138,439.9! | 5 \$123,605.66 6 \$131,681.30 5 \$141,130.70 4 \$124,866.7 6 \$126,830.66 7 \$130,670.1 | 6 \$120,879.06 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Buy America 41426000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41427000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 23' \$ Buy America 41403000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ Buy America 41404000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41406000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ Flush mounted version: Flush mounted version is equipped with 2 sets of hinged movable boards. Buy America 41432000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ | 193,649 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 137,490.70 \$ 147,357.00 \$ 130,375.50 \$ 132,426.00 \$ 136,434.9 \$ 138,439.90 | \$ \$131,681.36 \$ \$141,130.70 4 \$124,866.7 6 \$126,830.60 7 \$130,670.1 | 0 \$128,776.56 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Buy America 41427000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 207,545 183,628 186,516 192,162 194,986 208,175 | \$ 147,357.09 \$ 130,375.59 \$ 132,426.00 \$ 136,434.99 \$ 138,439.99 | 5 \$141,130.70 4 \$124,866.7 6 \$126,830.60 7 \$130,670.1 | 0 \$138,017.52 1 \$122,112.30 0 \$124,032.86 |
| Buy America 41402000 SKY .780 / 250 - 78,000 lbs, platform length 23' \$ | 183,628 186,516 192,162 194,986 208,175 | \$ 130,375.54 \$ 132,426.00 \$ 136,434.9 \$ 138,439.96 | 4 \$124,866.7 6 \$126,830.6 7 \$130,670.1 | 1 \$122,112.30 0 \$124,032.86 |
| Buy America 41403000 SKY .780 / 250 - 78,000 lbs, platform length 26' \$ \$ \$ \$ \$ \$ \$ \$ \$ | 186,516 192,162 194,986 208,175 | \$ 132,426.00 \$ 136,434.9 \$ 138,439.9 | \$126,830.60 7 \$130,670.1 | 0 \$124,032.86 |
| Buy America 41404000 SKY .780 / 250 - 78,000 lbs, platform length 30' \$ Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 33' \$ Buy America 41406000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ Flush mounted version: Flush mounted version is equipped with 2 sets of hinged movable boards. Buy America 41432000 SKY .624 / 200 - 62,400 lbs, platform length 23' \$ Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 192,162 194,986 208,175 | \$ 136,434.9° \$ 138,439.9 | 7 \$130,670.1 | |
| Buy America 41405000 SKY .780 / 250 - 78,000 lbs, platform length 33' \$ Buy America 41406000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ Flush mounted version: Flush mounted version is equipped with 2 sets of hinged movable boards. Buy America 41432000 SKY .624 / 200 - 62,400 lbs, platform length 23' \$ Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 194,986 208,175 | \$ 138,439.9 | | 1 \$127,787.68 |
| Buy America 41406000 SKY .780 / 250 - 78,000 lbs, platform length 40' \$ Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ Flush mounted version: Flush mounted version is equipped with 2 sets of hinged movable boards. Buy America 41432000 SKY .624 / 200 - 62,400 lbs, platform length 23' \$ Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 208,175 | | \$132,590.40 | |
| Buy America 41407000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 250 - 78,000 lbs, platform length 20' SKY .780 / 200 - 62,400 lbs, platform length 20' SKY .780 / 200 - 62,400 lbs, platform length 30' SKY .780 / 200 - 62,400 lbs, platform length 30' SKY .780 / 200 - 62,400 lbs, platform length 30' SKY .780 / 200 - 62,400 lbs, platform length 40' SKY .780 / 200 - 62,400 lbs, platform length 40' SKY .780 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) SKY .780 / 200 - 200 / 200 - 200 / 200 - 200 / 200 - 200 / 200 - 200 / 200 - 200 / 200 - 200 / 200 - 200 / 200 / 200 - 200 / 200 / 200 - 200 / 200 / 200 - 200 / 2 | | \$ 147,804.4 | | |
| Flush mounted version: Flush mounted version is equipped with 2 sets of hinged movable boards. | 223,499 | | | |
| Flush mounted version is equipped with 2 sets of hinged movable boards. | | \$ 158,684.3 | 5 \$151,979.38 | \$148,626.89 |
| Flush mounted version is equipped with 2 sets of hinged movable boards. | | | | |
| Buy America 41432000 SKY .624 / 200 - 62,400 lbs, platform length 23' \$ Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | | | | |
| Buy America 41433000 SKY .624 / 200 - 62,400 lbs, platform length 26' \$ Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 162 267 | \$ 115,990.70 | 6 \$111,089.74 | 4 \$108,639.24 |
| Buy America 41434000 SKY .624 / 200 - 62,400 lbs, platform length 30' \$ Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | | \$ 119,050.4 | | 5 \$111,505.00 |
| Buy America 41435000 SKY .624 / 200 - 62,400 lbs, platform length 33' \$ Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | | \$ 121,959.10 | | |
| Buy America 41436000 SKY .624 / 200 - 62,400 lbs, platform length 40' \$ Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | | \$ 125,019.9 | | |
| Buy America 41437000 SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways) \$ | | \$ 134,018.0 | | |
| | | \$ 144,049.79 | | |
| Buy America 41412000 SKY 780 / 250 - 78 000 lbs. platform length 23' | | | • | • |
| Ort .100 / 200 - 10,000 ibs, platform rength 20 | 177,176 | \$ 125,794.8 | \$120,479.60 | 0 \$117,821.96 |
| | 180,825 | \$ 128,386.0 | | |
| | | \$ 132,363.89 | | |
| | | \$ 134,353.3 | | |
| | | \$ 143,687.8 | | |
| Buy America 41417000 SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways) \$ | 217,893 | \$ 154,704.3 | 1 \$148,167.5 | 1 \$144,899.11 |
| SKY.624BA SKY.624 Buy America, additional price \$ | 17 120 | \$ 12,155.3 | 8 \$11,641.77 | 7 \$11,384.97 |
| SKY.624BA SKY .624 Buy America, additional price \$ SKY.780BA SKY .780 Buy America, additional price \$ | | \$ 16,245.9 | | |
| ONT. TOU BUY America, additional price | 22,002 | ₩ 10,2 4 3.3 | ψ10,000.0 | - Ψ13,210.30 |
| ACCESSORIES AND OPTIONS FOR SKYLIFT | | | | |
| | | 29% | 32% 2-7 | 7 33.5% 8-up |
| Model Number Description List | t Price | for 1 Set | Sets | Sets |
| Buy America 41409110 LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V \$ | 5,597 | \$ 3,973.80 | 6 \$3,805.9 | 5 \$3,721.99 |
| Buy America 41409120 LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V \$ | 6,568 | \$ 4,663.5 | | |
| Buy America 41409130 LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V \$ | | \$ 5,390.9 | | |
| Buy America 41409145 LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V \$ | -, | \$ 6,539.7 | | |
| Buy America 41409135 LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V \$ | 1,621 | \$ 1,151.0 | | |
| Buy America 41409150 Optional additional power transformer for supply voltage ranges 400, 460 & 575, for Maximum 12 LED lights \$ | 927 | \$ 658.2 | | |
| Buy America 41409160 Second optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights \$ | 927 1,885 | \$ 658.2 | | |
| Buy America OPVL39100 Factory installation of light set on any length SKYLIFT \$ | | \$ 1,338.3 | 2 \$1,281.7 | 7 \$1,253.50 |
| For reversed roll off protection on a Flush Mounted SKYLIFT: | 1,000 | | | |
| Buy America 41310905 Set of 2 reversed roll off protection 11 at TRIGHT version (not suitable for mounting on an extension) \$\\$ \$\text{Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)} \$\\$ \$\text{\$}\$ | 1,000 | | 7 \$3,837.60 | 6 \$3,753.01 |
| Buy America 41310905-WB Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay \$ | • | \$ 4.006.9 | | Ψ0,. 00.01 |
| Buy America OPVL16190 Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) \$ | 5,644 | \$ 4,611.0 | | |
| Buy America OPVL16190-WB Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay \$ | 5,644 6,494 2,041 | | 9 \$1,387.80 | 1 \$4,318.80 6 \$1,357.24 |

| Bay Annation CPO1-1611 | | | | |
|--|---|---------------|---|---|
| The content of the | | \$ 2,786.27 | | \$2,609.67 |
| Pack Post 1975 1993 Fig. 1995 Fi | tection instead of the end stops on a s | \$ 3,222,48 | sed foil of protection instead of the end stops of a surface mounted SKYLIFT(not suitable for mounting of an extension) - \$ 4.539 \$ 3.222.48 \$3.086. | \$3,018.24 |
| Payments 1975, 1987, 1987 1987, 1987 1987, 1987 1987, 1987 1987, 1987 1987, 1987 1987, | taction instead of the standard Set she | | | |
| Section 1,10,000 Series of 2 came to some south or ten mental trials Section | | | | |
| Model Number Deposition D | | \$ 1,009.40 | | \$1,505.00 |
| Model Number | chemical anchors to raise approach ra | \$ 1.441.09 | spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface \$ 2,030 \$ 1,441.09 \$1,380. | 1,349.76 |
| Section Processing | | ., | V 500 V 4 | Ţ.,, |
| Section Processing | | | | |
| Section Processing | ACCESSORIES | | ACCESSORIES AND OPTIONS FOR SKYLIFT | |
| Medical Number Control Section | | 200/ | | 7 33.5% 8-up |
| Specified | | | | • |
| Set America | | | | Sets |
| Dept. Procession Computer Service Computer | , L = 510 mm / 20" (2 pcs) | \$ 2,157.04 | -on/off ramps , L = 510 mm / 20" (2 pcs) \$ 3,038 \$ 2,157.04 \$2,065. | 90 \$2,020.33 |
| Dept. Procession Computer Service Computer | instead of the standard multi flexible | \$ (1.612.38) | -co/off ramps instead of the standard multi flexible approach ramps \$ (2.271) \$ (1.612.38) -\$1.544 | -\$1,510.19 |
| Pay America | | | | |
| Roy America 1350(42) See finest, eath prints; American (1974) 1.000 | | | | |
| Day America CPV_LETES Set, each long, fixed deve-outed marge interested fire subtoal developed personal marge Sc. Type Sc. | , instead of the standard stop plates | | | 2 \$1,380.77 |
| Both American PoPuLPT-185 Sent of 2 userp planes for that measured SKYLEF instead of the standard and short of the canadra and short of the | on/off ramps (2 pcs), L = 2660 mm / 1 | \$ 7,622.27 | a long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs) \$7,300. | 20 \$7,139.17 |
| Both American PoPuLPT-185 Sent of 2 userp planes for that measured SKYLEF instead of the standard and short of the canadra and short of the | n/off ramps instead of the standard fle | \$ 516.14 | fixed drive on/off ramps instead of the standard flevible approach ramps \$ 727 \$ 516.14 \$494 | \$483.43 |
| By America 1407761 Remote control with \$27 00" cable \$ 2,000 5 \$ 2,010.55 \$ 3,001.65 | | | | |
| Sept America 14007153 Remote contest with SC cable \$ 2,007.105 \$2,021.105 \$2,007.105 | i mounted SKYLIFT Instead of the star | No charge | nates for flush mounted SKYLIF1 instead of the standard set short drive-on/off ramps | No charge |
| Sept America 14007153 Remote contest with SC cable \$ 2,007.105 \$2,021.105 \$2,007.105 | | | | |
| September 1407/153 Remote control with PSC sable \$ 4,277 \$ 3,050.55 \$2,021.65 Bay America 1407/152 Remote control W. approxed with 72 or labe \$ 3,077 \$ 3,050.55 \$2,001.65 Bay America 1407/152 Remote overlat U. approxed with 72 or labe \$ 3,077 \$ 7,010.00 \$2,001.65 \$4,0 | cable | \$ 2,100.63 | ol with 32' 10" cable \$ 2,959 \$ 2,100.63 \$2,011. | \$1,967.49 |
| Evaluation 1407130 Remote control Lugaround van 27 17 cabe \$ 5,378 \$ 3,818.32 \$3,566.98 | | | | |
| Boy America 1407132 Remote wall control with 301 cable \$ 3,072 \$ 2,190.20 \$ 3,008.00 | | | , | |
| Bay America Port Service Port | d with 32' 10" cable | | | |
| Day America Diff. 1271-158 Stainless steel control box instead of standard pathed \$1,0382 \$7,371-05 \$7,059.00 \$10,000 \$1 | cable | \$ 2,180.80 | ontrol with 30' cable \$ 3,072 \$ 2,180.80 \$2,088. | \$2,042.58 |
| Day America Diff. 1271-158 Stainless steel control box instead of standard pathed \$1,0382 \$7,371-05 \$7,059.00 \$10,000 \$1 | | | | |
| Day America Diff. 1271-158 Stainless steel control box instead of standard pathed \$1,0382 \$7,371-05 \$7,059.00 \$10,000 \$1 | to allow surface mounted lift to be inst | ¢ 10E0 0E | r For SVV lift to allow surface mounted lift to be installed in flush infloor pit | \$4,543.40 |
| Early America CPVL 5019 Set of four stainless steel floor plates instead of standard both of go gavanized \$ 0,111 \$ 0,468.94 \$ 3,470.5 \$ 332.39 \$ 5,489 \$ 3,470.5 \$ 332.39 \$ 3,449 \$ 3,470.5 \$ 332.39 \$ 3,449 \$ 3,470.5 \$ 332.39 \$ 3,449 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 \$ 332.39 \$ 3,470.5 | | | | |
| Eury America | nstead of standard painted | | | |
| Egy Annotics 41409161 SKYUEF Circuit breake & thermal overload kt, SKY2000250 - 208V236V \$ 449 8 \$ 47.05 \$332.39 | oor plates instead of standard hot dip of | \$ 6,468.94 | inless steel floor plates instead of standard hot dip galvanized \$ 9,111 \$ 6,468.94 \$6,195. | 60 \$6,058.93 |
| Buy America | • | | | |
| Buy America 1400183 SKYLFF additional E-top on console Sept. | | | | |
| Buy America 1400195 SKYLFT dationnal E-stop on console S 3, 347,05 \$332.39 | | | | |
| Bay America SKY/SFEV 575 voltage power option when ordered from factory. \$ 3.365 \$ 2.389.35 \$ 2.288.39 | nermal overload kit, SKY200 - 575V | \$ 347.05 | it breaker & thermal overload kit, SKY200 - 575V \$ 489 \$ 347.05 \$332. | \$325.06 |
| Buy America SKY STSV S75 voltage power option when ordered from factory. \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 \$ 3.365 \$ 2.389.35 \$ 32.88.39 | on console | \$ 347.05 | tional E-stop on console \$ 489 \$ 347.05 \$332. | \$325.06 |
| Buy America SYV WB-23 Wash bay model 25' (Galvanized runways and stainless steel control box) \$ 38.434 \$ 27.288.29 \$26,734.75 \$20 | | | | |
| Buy America SYV WB-23 Wash bay model 25' (Galvanized runways and stainless steel control box) \$ 38.434 \$ 27.288.29 \$26,734.75 \$20 | | | 2 200 12 200 25 1 | 00 007 04 |
| Buy America SKY WP-26 Wash bay model 28 (Galvanized runways and stainless steel control box) \$ 33.404 \$ 2.7976.87 \$ 26,744.75 \$ 80 y America \$ 16 y America \$ | hen ordered from factory. | \$ 2,389.35 | ower option when ordered from factory. \$ 3,365 \$ 2,389.35 \$2,288. | \$2,237.91 |
| Buy America SKY WP-26 Wash bay model 28 (Galvanized runways and stainless steel control box) \$ 33.404 \$ 2.7976.87 \$ 26,744.75 \$ 80 y America \$ 16 y America \$ | | | | |
| Buy America SKY WP-26 Wash bay model 28 (Galvanized runways and stainless steel control box) \$ 33.404 \$ 2.7976.87 \$ 26,744.75 \$ 80 y America \$ 16 y America \$ | nized runways and stainless steel cont | \$ 27 288 29 | tel 23' (Galvanized runways and stainless steel control box) \$ 38 434 \$ 27 288 29 \$26 135 | 27 \$25,558.75 |
| Buy America SKY WB-30 Wash bay model 30" (Galvanized unroways and stainless steel control box) \$ 40,372 \$ 28,684.30 \$27,453.13 | | | | |
| Buy America SKY WB-33 Wash bay model 37 (Galvanized runways and stainless steel control box) \$ 41,340 \$ 29,351.73 \$28,111.52 | • | | | |
| Buy America SKY WB-0 Wash bay model 40' (Galvanized runways and stainless steel control box) \$ 45,668 \$ 31,004.06 \$22,9694.05 | nized runways and stainless steel cont | | | 3 \$26,847.55 |
| Buy America SKY WB-0 Wash bay model 40' (Galvanized runways and stainless steel control box) \$ 4,3688 \$ 3,004.08 \$ 22,964.05 Buy America SKY WB-0 Wash bay model 40' (Galvanized runways and stainless steel control box) \$ 46,186 \$ 32,792.2 \$ 31,005.72 \$ 31,005.72 \$ 32,0 | nized runways and stainless steel cont | \$ 29,351.73 | del 33' (Galvanized runways and stainless steel control box) \$ 41,340 \$ 29,351.73 \$28,111. | 52 \$27,491.41 |
| Buy America SKY WB-48 Wash bay model 48' (Galvanized runways and stainless steel control box) \$ 46,186 \$ 32,792.32 \$31,406.72 | nized runways and stainless steel cont | \$ 31,004,08 | tel 40' (Galvanized runways and stainless steel control box) \$ 43.668 \$ 31.004.08 \$29.694 | \$29,039.03 |
| Buy America SKY GRW-23 | • | | | |
| Buy America SKY GRW-26 | nized runways and stainless steel cont | \$ 32,792.32 | tel 48" (Galvanized runways and stainless steel control box) \$ 46,186 \$ 32,792.32 \$31,406. | 2 \$30,713.93 |
| Buy America SKY GRW-26 | | | | |
| Buy America SKY GRW-26 | instead of painted 23' | \$ 10,859.37 | ized runways instead of painted 23' \$ 15,295 \$ 10,859.37 \$ \$10,400. | \$10,171.10 |
| Buy America SKY GRW-30 Hot dip galvanized runways instead of painted 30' \$ 16,872 \$ 11,978.99 \$11,472.74 | instead of painted 26' | \$ 11 419 13 | ized runways instead of nainted 26' \$ 16.083 \$ 11.419.13 \$10.936 | \$10,695.38 |
| Buy America SKY GRW-3 | | | , , , | |
| Buy America SKY GRW-40 Hot dip galvanized runways instead of painted 40" \$ 19,710 \$ 13,994.03 \$13,402.73 | | | | |
| Buy America SKY GRW-48 Hot dip galvanized runways instead of painted 48' \$ 21,917 \$ 15,661.36 \$ \$14,903.84 Buy America 41400960 2 speed lowering, not in combination with synchronisation set \$ 3,710 \$ 2,634.39 \$ 2,523.08 Buy America 41409960 Park positioning system for Jacking Beam (Set), only one possible per lift \$ 1,935 \$ 1,373.72 \$ 1,315.68 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$ 12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4*11" \$ 18,758 \$ 13,318.13 \$ 12,755.39 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4*11" \$ 3,451 \$ 2,450.55 \$ 2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3*4" \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America <td< td=""><td>instead of painted 33'</td><td>\$ 12,986.46</td><td>ized runways instead of painted 33' \$ 18,291 \$ 12,986.46 \$12,437.</td><td>4 \$12,163.38</td></td<> | instead of painted 33' | \$ 12,986.46 | ized runways instead of painted 33' \$ 18,291 \$ 12,986.46 \$12,437. | 4 \$12,163.38 |
| Buy America SKY GRW-48 Hot dip galvanized runways instead of painted 48' \$ 21,917 \$ 15,661.36 \$ \$14,903.84 Buy America 41400960 2 speed lowering, not in combination with synchronization set \$ 3,710 \$ 2,634.39 \$ 2,523.08 Buy America 41409960 Park positioning system for Jacking Beam (Set), only one possible per lift \$ 1,935 \$ 1,373.72 \$ 1,315.68 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$ 12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 18,758 \$ 13,318.13 \$ 12,755.39 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4"-Washbay \$ 21,561 \$ 15,308.49 \$ 14,661.65 Buy America 41410953 Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4"-Washbay \$ 15,403 \$ 10,986.10 \$ 10,474.01 | instead of painted 40' | \$ 13,994.03 | ized runways instead of painted 40' \$ 19,710 \$ 13,994.03 \$13,402. | 3 \$13,107.09 |
| Buy America 41400960 2 speed lowering, not in combination with synchronisation set \$ 3,710 \$ 2,634.39 \$ 2,523.08 | instead of painted 48' | \$ 15 561 36 | ized runways instead of nainted 48' \$ 21 917 \$ 15 561 36 \$14 903 | \$14,575.08 |
| Buy America 41409960 Park positioning system for Jacking Beam (Set), only one possible per lift \$ 1,935 \$ 1,373.72 \$ 1,315.68 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$ 12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 18,758 \$ 13,318.13 \$ 12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4" - Washbay \$ 21,561 \$ 15,008.49 \$ 14,661.65 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$ 22,450.05 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561. | | 0,001.00 | —————————————————————————————————————— | ψ1-1,07 3.00 |
| Buy America 41409960 Park positioning system for Jacking Beam (Set), only one possible per lift \$ 1,935 \$ 1,373.72 \$ 1,315.68 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$ 12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 18,758 \$ 13,318.13 \$ 12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4" - Washbay \$ 21,561 \$ 15,008.49 \$ 14,661.65 Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$ 22,450.05 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$ 10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561. | | | | |
| Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4" \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,936.10 \$ 10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 16,403 \$ 10,336.10 \$10,474.01 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 16,604 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41310951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 20' (2 pos) \$ 32,387 \$ 22,994.70 \$22,020.99 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 30' (2 pos) \$ 31,435.72 \$30,107.45 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 30' (2 pos) \$ 31,435.72 \$30,107.45 | nbination with synchronisation set | \$ 2,634.39 | ing, not in combination with synchronisation set \$ 3,710 \$ 2,634.39 \$2,523. | 98 \$2,467.42 |
| Buy America 41400950 Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay \$ 17,656 \$ 12,535.92 \$12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part 1 m./3'4" \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$ 10,936.10 \$ 10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 16,403 \$ 10,336.10 \$10,474.01 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 16,604 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41310951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 20' (2 pos) \$ 32,387 \$ 22,994.70 \$22,020.99 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 30' (2 pos) \$ 31,435.72 \$30,107.45 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 30' (2 pos) \$ 31,435.72 \$30,107.45 | Jacking Beam (Set), only one possible | \$ 1,373.72 | ng system for Jacking Beam (Set), only one possible per lift \$ 1,935 \$ 1,373.72 \$1.315. | \$1,286.65 |
| Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./a'11" \$ 17,656 \$ 12,535.92 \$12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./a'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., without bridge part 1.5 m./a'11" - Washbay \$ 21,561 \$ 15,008.49 \$14,666.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./a'11" - Washbay \$ 17,692 \$ 12,561.04 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./a'11" - Washbay \$ 21,561 \$ | | | | • |
| Buy America 41400950-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./a'11" \$ 17,656 \$ 12,535.92 \$12,006.23 Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./a'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., without bridge part 1.5 m./a'11" - Washbay \$ 21,561 \$ 15,008.49 \$14,666.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./a'11" - Washbay \$ 17,692 \$ 12,561.04 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./a'11" - Washbay \$ 21,561 \$ | sected versions CIC/LIET C.M. J | e 10.000.40 | no est for connected variance CVVI IET C.M. bridge nost 4 m /048 | 40.040.07 |
| Buy America 41400951 Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,556.10 \$ 10,474.01 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 | | | | |
| Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 22,294.70 \$22,023.09 | nected versions SKYLIFT S.M., bridge | | | |
| Buy America 41400951-WB Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 22,294.70 \$22,023.09 | nected versions SKYLIFT S.M., bridge | \$ 13,318.13 | on set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755. | \$12,474.02 |
| Buy America 41400953 Synchronization set for connected versions SKYLIFT S.M., without bridge part \$ 3,451 \$ 2,450.55 \$2,347.00 Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955< | | | | |
| Buy America 41410950 Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 15,403 \$ 10,936.10 \$10,474.01 Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,903.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,066.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 34,4276 \$ 31,435.72 \$ 30,107.45 | | | | |
| Buy America 41410950-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030.29 Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 34,4276 \$ 31,435.72 \$30,107.45 | | | | |
| Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | 11 \$10,242.97 |
| Buy America 41410951 Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" \$ 18,758 \$ 13,318.13 \$12,755.39 Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | nected versions SKYLIFT F.M., bridge | \$ 12,561.04 | on set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay \$ 17,692 \$ 12,561.04 \$12,030. | 9 \$11,764.92 |
| Buy America 41410951-WB Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay \$ 21,561 \$ 15,308.49 \$14,661.65 Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | |
| Buy America 41312955 Set automatic recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980.92 Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | |
| Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | iecieu versions on YLIFT F.IVI., Dridge | ψ 10,306.49 | ni sector connected versions on telefit.ii., pridge part 1.5 III./4 1 - vvasibay \$ 21,501 \$ 15,305.49 \$ 14,001. | \$14,336.23 |
| Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | |
| Buy America 41313955 Set automatic recess coverplates for SKY-FM, 26' (2 pcs) \$ 32,387 \$ 22,994.70 \$22,023.09 Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | plates for SKY-FM, 23' (2 pcs) | \$ 18,774.19 | recess coverplates for SKY-FM, 23' (2 pcs) \$ 26,443 \$ 18,774.19 \$17,980. | 2 \$17,584.28 |
| Buy America 41314955 Set automatic recess coverplates for SKY-FM, 30' (2 pcs) \$ 38,331 \$ 27,215.21 \$26,065.27 Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | |
| Buy America 41315955 Set automatic recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107.45 | | | | |
| | | | | |
| Buy America 41316955 Set automatic recess coverplates for SKY-FM, 40' (2 pcs) \$ 56,166 \$ 39.877.89 \$38.192.90 | plates for SKY-FM, 33' (2 pcs) | \$ 31,435.72 | recess coverplates for SKY-FM, 33' (2 pcs) \$ 44,276 \$ 31,435.72 \$30,107. | \$29,443.32 |
| | plates for SKY-FM, 40' (2 pcs) | \$ 39,877.89 | recess coverplates for SKY-FM, 40' (2 pcs) \$ 56.166 \$ 39.877.89 \$38.192. | 90 \$37,350.41 |
| | | ,. | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| | | 0 0 101 | | 05 |
| Buy America 41300448 Set multifunctional flexible approach ramps 77" \$ 8,711 \$ 6,184.60 \$5,923.28 | | | | |
| Buy America 41300448-WB Set multifunctional flexible approach ramps 77" - WashBay \$ 10,017 \$ 7,111.83 \$6,811.33 | pproach ramps 77" - WashBay | \$ 7,111.83 | onal flexible approach ramps 77" - WashBay \$ 10,017 \$ 7,111.83 \$6,811. | \$6,661.08 |
| | | | | |

| March Member | | | | ACCESSORIES AND OPTIONS FOR SKYLIFT | | | | | |
|---|-----------------|----------------------|-------------|--|----|-----------|-------------------|--------------|--------------------------|
| Miles | | Model Number | | | Li | ist Price | | | • |
| 1975/1976 1975/1976 | | | | • | | | | | |
| Temper | | | | | | | | | \$708.03 |
| December 1999 199 | | | | • | | | | | |
| Management Historic Content Institute Content Content of the Western (2 point Assemble) 1 | Buy America | 41300480-WB | | One piece middle section "C" length 10" - WashBay | \$ | 844 | \$ 599.50 | \$5/4.1/ | \$561.51 |
| Companies Comp | Buy America | 41300940 | | Platform Extension 4' (not for 48' version), (2 pcs) | \$ | 9,412 | \$ 6,682.47 | \$6,400.12 | \$6,258.94 |
| Published Recorded Control Con | | | | | \$ | | | | \$7,197.99 |
| Comparison CPATIDATION Colon price for 1 different color \$ 3, 560 \$ 2,24000 \$ 5,000 \$ 0.000 | Buy America | 41310940 | | Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection | \$ | 13,061 | \$ 9,273.48 | \$8,881.64 | \$8,685.72 |
| Big Allering CHYPAR(CHY) | Buy America | 41310940-WB | | Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay | \$ | 15,048 | \$ 10,683.74 | \$10,232.31 | \$10,006.60 |
| Separation OVERTREDITE \$.0500 \$.050500 \$.05050 \$.05050 \$.05050 \$.05050 \$.05050 \$.0 | D A | ODV// DAL 07 | | Catanatic ford different who | • | 2.000 | 6 0.040.00 | \$0.500.00 | 00.450.05 |
| Advantable Application A | | | | · | | | | | \$2,453.65 \$3,848.24 |
| Sept American 1998/2005 Sept Comments and control and subtine of SPOTLETT, Equation frequency regions not control control control and control and subtines of SPOTLETT, Sept SPOTLET | Duy America | OI VEIGALOT-2 | | Extra price for 2 unierent colors | Ψ | 3,707 | Ψ,100.03 | ψ0,900.04 | ψ3,040.24 |
| April Processing 1909/150 All installation 10 for \$7 4 120. \$77 4 175, \$77 4 250 and \$0 YVLFT, roll to 15 coursel flower of the Chapter of the Name 10 for \$7 4 120. \$7 4 175, \$7 4 175, \$77 4 120. \$7 4 175, \$ | Buy America | 41300990 | | Set chemical anchors and shims for SKYLIFT | \$ | 1,369 | \$ 971.77 | \$930.71 | \$910.18 |
| Application September Se | Buy America | 41300992 | | Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors | \$ | 2,059 | \$ 1,461.65 | \$1,399.89 | \$1,369.01 |
| Application September Se | | | | | | | | | |
| Section Processing Section Processing Section Processing Section Processing Section Processing Section | Buy America | 39509105 | | | \$ | 497 | \$ 352.85 | \$337.94 | \$330.49 |
| Comparison | Buy America | 39509100 | | | \$ | 674 | \$ 478.46 | \$458.24 | \$448.14 |
| Boy America | Buy America | OPVL39200 | | Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter | \$ | 1,640 | \$ 1,164.30 | \$1,115.11 | \$1,090.51 |
| Pay America 1970 1105 Anti-skil, ALU demond plate 23 95" 44 197.50 | D 4 : | 04004000 | | | | 100 1 | 007:- | | J |
| Birth American 1302000 | • | | | , | | | | | \$287.71 |
| Bigs American | , | | | | | | | | \$363.64 \$3,894.19 |
| Buy America 41304000 | | | | | | | | | \$4,613.99 |
| Boy America 4195900 Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mir. / 327 \$ 1,013 \$ 6,470.08 \$ 5,108.70 \$ 5,007.00 \$ | | | | | | | | | |
| Buy America 4107900 An-in-skd, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mitr. / 487. 4 plates for the extensions and a cleaner set are specified expanatory. Buy America Specified expanatory Specified Specified expanatory Specified Specifi | | | | | \$ | | | | \$6,060.00 |
| Supplement | Buy America | 41306900 | | Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40' | \$ | 10,203 | \$ 7,244.30 | \$6,938.20 | \$6,785.15 |
| Buy America DPVL3195 Starti-Guard Arth-skd., applied at the factory for medium platforms lengths from 8 mtr. / 28' to 9 mtr. / 30' \$ 5,590 \$ 4,446.53 \$ 44,066.24 \$ 3,595 | Buy America | 41307900 | | | \$ | 12,368 | \$ 8,781.31 | \$8,410.27 | \$8,224.75 |
| Bay America DPVL49185 Starti-Guard Anti-skid., applied at the factory for modum platforms lengths from 1 mtr. / 28 to 0 mtr. / 32 mtr. 32 | D A | ODV/I 44405 | | | • | 4 474 | e 0.474.50 | #2.040.00 | £0.070.00 |
| Buy America DPV.4.0185 Stertii-Quard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer S 9,209 \$ 6,538.59 \$ 6,262.32 \$ 8,155 | | | | | | | | | |
| Buy America PVL31050 | | | | | | | | | \$6,124.18 |
| Buy America DPV.31909 S. S. Pytraulic hose extension to connect lift to control box S. 2.048 S. 1.454.34 S. 1.392.89 S. 1.393.31 S. 1.717.54 S. 1.518.54 S. 1.393.31 S. 1.717.54 S. 1.718.54 S. 1.393.31 S. 1.717.54 S. 1.718.54 | Day / tillellea | 01 1240100 | | otertir-outling Anti-state, applied at the rectory for foreign plantoms rengine from 10 mil. 7 35 and longer | Ψ | 0,200 | ψ 0,000.00 | ψ0,202.02 | ψ0,124.10 |
| Buy America DPVL31051 6.5 Pydraulic hose extension to connect lift to control box (or WashBay) 5 2,262 8 1,793.31 51,717.54 51,61 Buy America DPVL31060 33 Pydraulic hose extension to connect lift to control box (or WashBay) 5 4,641 5 3,223.81 53,007.56 52,787.79 52,77 Buy America DPVL31070 20 Pydraulic hose extension to connect lift to control box (or WashBay) 5 6,659 5 4,301.87 54,120.10 54,00 Buy America DPVL31070 20 Pydraulic hose extension to connect lift to control box (or WashBay) 5 6,659 5 4,301.87 54,120.10 54,00 Buy America Tapeswitch Outer Only Tapeswitch Outer Only, price per foot both runways 5 376 5 266.40 5 255.15 522 Buy America Tapeswitch Outer Only Tapeswitch Inner and Outer, price per foot for both runways 5 376 5 266.40 5 255.15 522 Buy America Tapeswitch Inner/Outer Tapeswitch Inner and Outer, price per foot for both runways 5 376 5 266.40 5 233.65 533 Buy America Tapeswitch Inner/Outer Tapeswitch Inner and Outer, price per foot for both runways 5 376 5 266.40 5 235.65 533 Buy America ECO60-00 60,000 ibs capacity with two fixed iitting units ECO LIFTS List Price Total Model # Description Descripti | Buy America | WP SKY | | Wider Platforms 32.68" instead of 29.5" | On | request | On request | On request | On request |
| Buy America DPV_131051 6.5 Pydraulic hose extension to connect lift to control box for WashBay \$ 2,526 \$ 1,793.31 \$1,177.54 \$1,65 Buy America DPV_131061 13 Pydraulic hose extension to connect lift to control box \$ 4,066 \$ 2,207.65 \$2,278.47 \$2,77.5 Buy America DPV_131070 20 Pydraulic hose extension to connect lift to control box for WashBay \$ 4,541 \$ 3,223.81 \$ 33,087.59 \$3.00 Buy America DPV_131070 20 Pydraulic hose extension to connect lift to control box for WashBay \$ 6,669 \$ 4,301.87 \$ 4,401.87 \$ 4,402.61 \$ 44,00 Buy America Tapeswitch Outer Only Tapeswitch loner and Outer, price per foot both runways \$ 3,75 \$ 2,664.0 \$ 2,255.15 \$ 4,201.87 \$ 4,201.07 Buy America Tapeswitch Outer Only Tapeswitch loner and Outer, price per foot both runways \$ 3,75 \$ 2,264.0 \$ 2,255.15 \$ 2,201.00 Buy America Tapeswitch Inner/Outer Tapeswitch Inner and Outer, price per foot for both runways \$ 3,75 \$ 2,264.0 \$ 2,255.15 \$ 2,201.00 Buy America ECO60-00 60,000 lbs capacity with two fixed lifting units ECO LIFTS Buy America ECO60-10 60,000 lbs capacity with 17 (1,207) travel range \$ 2,27,914 \$ 1,316,181.61 \$ 1,316,481.20 \$ 1,515,75 Buy America ECO60-17 60,000 lbs capacity with 17 (1,207) travel range \$ 2,27,914 \$ 1,316,181.61 \$ 1,316,481.20 \$ 1,515,75 Buy America ECO60-17 60,000 lbs capacity with 17 (1,204 travel range \$ 2,246,333 \$ 1,752,51.58 \$ 1,526,58 \$ 1,536,42.90 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ 1,517,757 \$ 1,516,465.9 \$ | Buy America | OPVL31050 | | 6.5' hydraulic hose extension to connect lift to control box | \$ | 2,048 | \$ 1,454.34 | \$1,392.89 | \$1,362.17 |
| Buy America OPVL31061 13 hydraulic hose extension to connect lift to control box for WashBay \$ 4,541 \$ \$ 3,223.81 \$ \$3,07.59 \$ \$3.01 \$ Buy America OPVL31071 20 hydraulic hose extension to connect lift to control box \$ 6,050 \$ \$ 4,301.87 \$ \$4,102.10 \$ \$4,02 \$ \$ \$4,02 \$ \$ \$4,02 \$ \$ \$ \$6,050 \$ \$ \$ 4,801.87 \$ \$ \$4,102.10 \$ \$4,02 \$ \$ \$ \$6,050 \$ \$ \$ 4,801.87 \$ \$ \$4,102.10 \$ \$4,02 \$ \$ \$ \$6,050 \$ \$ \$ 4,801.87 \$ \$ \$4,102.10 \$ \$4,02 \$ \$ \$ \$ \$6,050 \$ \$ \$ 4,801.87 \$ \$ \$4,102.10 \$ \$4,02 \$ \$ \$ \$ \$6,050 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | Buy America | OPVL31051 | | | \$ | 2,526 | \$ 1,793.31 | \$1,717.54 | \$1,679.65 |
| Buy America OPVL31070 20" hydraulic hose extension to connect lift to control box \$ 6,059 \$ 4,0187 \$4,120.10 \$4,02 | Buy America | OPVL31060 | | 13' hydraulic hose extension to connect lift to control box | \$ | 4,095 | \$ 2,907.65 | \$2,784.79 | \$2,723.36 |
| Suy America CPVL31071 20' hydraulic hose extension to connect lift to control box for WashBay \$ 4,659,49 \$ 4,650,40 \$ 4,662 61 \$ 4,362 61 \$ 4,362 61 \$ 4,362 61 \$ 4,662 | Buy America | | | 13' hydraulic hose extension to connect lift to control box for WashBay | | | | | \$3,019.48 |
| Buy America Tapeswitch Outer Only Tapeswitch Outer Only, price per foot both runways \$ 375 \$ 266.40 \$255.15 \$226.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$2266.40 \$22 | | | | | | | | | \$4,029.22 |
| ECO LIFTS | Buy America | OPVL31071 | | 20' hydraulic hose extension to connect lift to control box for WashBay | \$ | 6,563 | \$ 4,659.49 | \$4,462.61 | \$4,364.17 |
| ECO LIFTS | Pun Amorico | Tanacuitah Outar Onl | lv | Tanapuilah Outer Only price pay feet both runnung | • | 275 | \$ 266.40 | ¢255.15 | \$249.52 |
| ECO LIFTS Model Number Old Model # Description List Price 29% 32% 2-7 33.5% 8 8 8 8 8 8 8 8 8 | • | | • | | | | | | |
| Buy America ECO 60-00 60,000 lbs capacity with two fixed lifting units 5174,033 5123,563.23 5118,342.24 5115,75 516,068.46 5174,075 51 | - | | | | | | | | |
| Buy America ECO60-10 60,000 lbs capacity with two fixed lifting units 50,000 lbs capacity with 10 ft. (120") travel range 50,000 lbs capacity with 10 ft. (120") travel range 50,000 lbs capacity with 13 ft. (156") travel range 50,000 lbs capacity with 13 ft. (156") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") in travel range 50,000 lbs capacity with 17 ft. (204") i | | | | ECO LIFTS | | | | | |
| EUy America ECO60-10 ECO60- | | Model Number | Old Model # | Description | Li | ist Price | | | • |
| Buy America ECO60-13 60,000 lbs capacity with 13 ft. (156") travel range \$ 236,304 \$ 167,775.57 \$ 160,686.46 \$ 157,145 \$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | Buy America | ECO60-00 | | 60,000 lbs capacity with two fixed lifting units | \$ | 174,033 | | | |
| Buy America ECO 90M-10 90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel rong pit and 10 ft travel rear pit) \$ 357,250 \$ 253,647.27 \$ 242,929.78 \$ 237,57 \$ 242,929.78 \$ 237,57 \$ 242,929.78 \$ 237,57 \$ 242,929.78 \$ 237,57 \$ 242,929.78 \$ 253,647.27 \$ 242,929.78 \$ 253,647. | Buy America | | | | | | | | |
| Buy America ECO 90M-10 90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit) \$ 253,647.27 \$ 242,929.78 \$ 237,57 \$ 237,57 \$ | _ | | | | | | | | |
| Price based on 10 ft travel front pit and 10 ft travel rear pit) | Buy America | ECO60-17 | | 60,000 lbs capacity with 17 ft. (204") travel range | \$ | 246,833 | \$ 175,251.58 | \$167,846.59 | \$164,144.09 |
| Price based on 10 ft travel front pit and 10 ft travel rear pit) | Ruy America | ECO 90M-10 | | 90 000 lbs capacity 1 fixed and 2 movable mechanism | \$ | 357 250 | \$ 253 647 27 | \$242 020 78 | \$237,571.03 |
| Buy America EL17 Increase box length from 10 ft. to 17 ft (204") in travel range, price per box \$ 16,203 \$ 11,504.05 \$ 11,017.97 \$ 10,77 Buy America Q2200-00 Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axles) \$ 4,077 \$ 2,894.54 \$2,772.23 \$2,71 Buy America 89930001 RBV050-00 Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 \$ 7,158 \$ 5,082.40 \$ 4,867.65 \$ 4,76 Note: Incl. remote control, 35 ft cable, military style quick disconnect *** <td< td=""><td>Day / infelioa</td><td></td><td></td><td></td><td>Ψ</td><td>001,200</td><td>\$ 200,041.21</td><td>ψ242,029.70</td><td>Ψ201,011.00</td></td<> | Day / infelioa | | | | Ψ | 001,200 | \$ 200,041.21 | ψ242,029.70 | Ψ201,011.00 |
| Buy America EL17 Increase box length from 10 ft. to 17 ft (204") in travel range, price per box \$ 16,203 \$ 11,504.05 \$ 11,017.97 \$ 10,77 Buy America Q2200-00 Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axles) \$ 4,077 \$ 2,894.54 \$2,772.23 \$2,71 Buy America 89930001 RBV050-00 Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 \$ 7,158 \$ 5,082.40 \$ 4,867.65 \$ 4,76 Note: Incl. remote control, 35 ft cable, military style quick disconnect *** <td< td=""><td>Buy America</td><td>EL13</td><td></td><td>Increase hox length from 10 ft to 13 ft /156") in travel range price per hox</td><td>\$</td><td>5 401</td><td>\$ 3,834,68</td><td>\$3 672 66</td><td>\$3,591.64</td></td<> | Buy America | EL13 | | Increase hox length from 10 ft to 13 ft /156") in travel range price per hox | \$ | 5 401 | \$ 3,834,68 | \$3 672 66 | \$3,591.64 |
| Buy America Q2200-00 Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axles) \$ 4,077 \$ 2,894.54 \$ 2,772.23 \$ 2,77 \$ 2,894.54 \$ 2,772.23 \$ 2,77 \$ 2,894.54 \$ 2,772.23 \$ 2,77 \$ 2,894.54 \$ 2,772.23 \$ 3,77 \$ 2,894.54 \$ 3,772.23 \$ 3,77 \$ 3,758 \$ 3,082.40 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,476 \$ 3,4867.65 \$ 3,4 | | | | | | | | | |
| Buy America 89930001 RBV050-00 Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 \$ 7,158 \$ 5,082.40 \$4,867.65 \$4,760 \$4,867.65 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,760 \$4,867.65 \$4,867 | , | | | | | | | | |
| | | | RBV050-00 | Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 | | | | | |
| Ruy America 89910001 | | | | | | | <u> </u> | | |
| Day Frinched Control of Control o | Buy America | 89910001 | - | Automatic Wheel Base Positioning (AWBP) ECO 60 | \$ | 5,188 | \$ 3,683.27 | \$3,527.63 | \$3,449.82 |

| Buy America | 89910002 | Automatic Wheel Base Positioning (AWBP) ECO 90 | \$ | 9,339 | \$ 6,630.89 | \$6,350.72 | \$6,210.63 |
|----------------------------|--------------------------------------|---|--------------------------------|--------------------|--------------------------------|-----------------|------------------------------|
| Dun America | 89010100 ST110- | 00 | • | 2.050 | \$ 2.101.24 | \$2,012.45 | £1.069.06 |
| Buy America Buy America | 89010100 S1110- 89010101 AS100- | | \$ \$ | 2,959 2,675 | | | |
| Bay / unionica | Standard with lift: Extrude | d aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel d two end section covers for moveable box. All ECOLIFTs include comprehensive adapter package. At time of order specify Transit, Sc | pit cover plate, one bridge bi | racket, one | 1 | ¥ 1,0 10.00 | \$1,110.00 |
| D A | 0000000 | Optional Cover Plates for continuous pit: | | 4 400 | 1 000 40 | 1 005.00 | |
| Buy America Buy America | 89020020 89020040 | 8.75" cover plate, price each 12" cover plate, price each | \$ \$ | 1,420 1,856 | | | \$944.54 \$1,234.08 |
| Buy America | 89020060 | 18" cover plate, price each | \$ | 2,193 | | | |
| Buy America | 89020080 | 23.5" cover plate, price each | \$ | 2,588 | | | \$1,720.99 |
| Buy America | 89020028 CW322 | 2 Additional wall mount bracket, price each | \$ | 2,948 | \$ 2,093.11 | \$2,004.67 | \$1,960.45 |
| Buy America | 89020029 CB322 | Additional bridge bracket, price each | \$ | 1,911 | \$ 1,356.96 | \$1,299.62 | \$1,270.96 |
| | 575 Voltage | Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor | \$ | 3,237 | \$ 2,298.36 | \$2,201.24 | \$2,152.69 |
| Buy America | 89920001 | Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70 | \$ | 1,975 | | | \$1,313.31 |
| Buy America | 89920002 | Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105 | \$ | 2,948 | \$ 2,093.11 | \$2,004.67 | \$1,960.45 |
| Buy America | 89930002 ECO-E | HP External Hand Pump Kit | \$ | 4,966 | \$ 3,525.95 | \$3,376.96 | \$3,302.47 |
| | | Shims (Must be ordered with the lift to ship with lift): | | | | | 1 |
| Buy America | 89000105 03112- | | \$ | | \$ 19.31 | | \$18.08 |
| Buy America | 89000106 03112- | | \$ | 27 | | | |
| Buy America | 89000107 03112- | | \$ | 39 | | | |
| Buy America | 89000108 03112- | 04 FS8 0.500" thickness, price each | \$ | 56 | \$ 39.63 | \$37.95 | \$37.12 |
| Buy America | Hose | Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose | On | request | On request | On request | On request |
| Buy America | OPVL89001 | Add'l pendant cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft. | On | request | On request | On request | On request |
| | | DIAMOND LIFTS | | | | | |
| | Model Number | Description | I | List Price | 29% for 1 Set | 32% 2-7 Sets | 33.5% 8-up Sets |
| | DIAMOND 64 MODELS, CA | SSETTE | | | | | |
| Buy America | DIAMOND 64-00 | 64,000 lbs capacity with two fixed lifting units, incl. cassettes | \$ | 150,573 | | \$102,389.9 | |
| Buy America | DIAMOND 64-10 | 64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes | \$ | 199,332 | \$ 141,526.04 | | \$132,556.08 |
| Buy America Buy America | DIAMOND 64-13 DIAMOND 64-17 | 64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes 64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes | \$ \$ | 206,671 215,881 | | | \$137,436.23 \$143,561.01 |
| | DIAMOND 64 MODELS CA | SSETTE, CONTINUOUS RECESS | | | | | |
| Buy America | DIAMOND 64CR-10 | 64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes | \$ | 243,700 | \$ 173,026.82 | \$165,715.83 | \$162,060.33 |
| Buy America | DIAMOND 64CR-13 | 64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes | \$ | 249,823 | | | |
| Buy America | DIAMOND 64CR-17 | 64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes DIAMOND LIFTS | \$ | 261,994 | \$ 186,015.62 | \$178,155.80 | \$174,225.89 |
| | Model Number | Description ELS FOR CONCRETE PIT INSTALLATION | ı | List Price | 29% for 1 Set | 32% 2-7 Sets | 33.5% 8-up Sets |
| Buy America | DIAMOND 64F-00 | 64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation | \$ | 117,638 | \$ 83,522.68 | \$79,993.56 | \$78,228.99 |
| Buy America | DIAMOND 64F-10 | 64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation | \$ | 145,308 | | | \$96,629.97 |
| Buy America | DIAMOND 64F-13 | 64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation | \$ | 151,556 | | | |
| Buy America | DIAMOND 64F-17 | 64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation | \$ | 160,481 | \$ 113,941.80 | \$109,127.35 | \$106,720.13 |
| Buy America | DFIFL-64F | Increased frame length, price per ft. | \$ | 2,204 | | | \$1,465.89 |
| Buy America | DFSF-64F | Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ | 1,306 | \$ 927.46 | \$888.27 | \$868.68 |
| Dung American | | ELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS | * | 400.070 | T & 400 400 0 | #404.000.00 | \$404.074.04 |
| Buy America Buy America | DIAMOND 64FCR-10 DIAMOND 64FCR-13 | 64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation 64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation | \$ \$ | 183,270 | \$ 130,122.01 \$ 138,004.32 | | |
| Buy America Buy America | DIAMOND 64FCR-13 | 64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation | \$ | - ' ' | \$ 138,004.32 | | |
| Buy America | DFCRIFL-64FCR | Increased frame length, price per ft. | <u>γ</u> \$ | 4,096 | | | \$2,723.83 |
| Buy America | DFCRSF-64FCR | Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ | 1,876 | | | |
| | DIAMOND 70 MODELS, CA | SSETTE | | | | | |
| Buy America | DIAMOND 70-10 | 70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes | \$ | 229,671 | \$ 163,066.55 | \$156,176.4 | \$152,731.35 |
| Buy America | DIAMOND 70-13 | 70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes | \$ | | \$ 169,068.49 | | |
| Buy America | DIAMOND 70-17 | 70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes | \$ | | \$ 176,603.69 | | |
| | DIAMOND 70 MODELS, CA | SSETTE, CONTINUOUS RECESS | | | | | |
| Buy America | DIAMOND 70CR-10 | 70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes | \$ | 288,457 | | | |
| Buy America | DIAMOND 70CR-13 | 70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes | \$ | 296,019 | | | \$196,852.45 |
| Buy America | DIAMOND 70CR-17 | 70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes | \$ | 310,397 | \$ 220,381.90 | \$211,069.99 | \$206,414.03 |

| 1 | 7 | | | | | | |
|---|---|--|---|---|---|---|---|
| | DIAMOND 70 FRAME MODELS FOR CO | NCRETE PIT INSTALLATION | | | | | |
| Buy America | DIAMOND 70F-00 | 70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation | \$ 1 | 131,504 | \$ 93,368.18 | \$89,423.05 | \$87,450.48 |
| Buy America | DIAMOND 70F-10 | 70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation | \$ 1 | 167,424 | \$ 118,871.11 | \$113,848.39 | \$111,337.02 |
| Buy America | DIAMOND 70F-13 | 70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation | \$ 1 | 174,622 | \$ 123,981.97 | \$118,743.30 | \$116,123.96 |
| Buy America | DIAMOND 70F-17 | 70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation | \$ 1 | 184,908 | \$ 131,284.62 | \$125,737.38 | \$122,963.76 |
| Buy America | DFIFL-70F | Increased frame length, price per ft. | \$ | 2,204 | \$ 1,565.09 | \$1,498.96 | \$1,465.89 |
| Buy America | DFSF-70F | Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ | 1,306 | \$ 927.46 | \$888.27 | \$868.68 |
| | DIAMOND 70 FRAME MODELS FOR CO | NCRETE PIT INSTALLATION, CONTINUOUS RECESS | | | | | |
| Buy America | DIAMOND 70FCR-10 | 70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation | \$ 2 | 217,505 | \$ 154,428.43 | \$147,903.29 | \$144,640.71 |
| Buy America | DIAMOND 70FCR-13 | 70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation | | | \$ 163,319.13 | \$156,418.32 | \$152,967.92 |
| Buy America | DIAMOND 70FCR-17 | 70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation | \$ 2 | 248,221 | \$ 176,236.83 | \$168,790.21 | \$165,066.89 |
| Buy America | DFCRIFL-70FCR | Increased frame length, price per ft. | \$ | 4,096 | | \$2,785.27 | \$2,723.83 |
| Buy America | DFCRSF-70FCR | Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ | 1,876 | \$ 1,332.13 | \$1,275.84 | \$1,247.70 |
| | DIAMOND 96 MODELS, CASSETTE | | | | | | |
| Buy America | DIAMOND 96-10-10 | 96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) | \$ 3 | 312,450 | \$ 221,839.80 | \$212,466.29 | \$207,779.53 |
| Buy America | DEL13-96 | Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette | \$ | | \$ 3,106.75 | \$2,975.47 | \$2,909.84 |
| Buy America | DEL17-96 | Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette | \$ | 13,097 | | \$8,906.18 | \$8,709.72 |
| Buy America | DEL3.25QT | Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) | No cha | arge | No charge | No charge | No charge |
| | DIAMOND 96 MODELS, CASSETTE, CO | ONTINUOUS RECESS | | | | | |
| Buy America | DIAMOND 96CR-10-10 | 96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) | \$ 4 | 409,511 | \$ 290,752.81 | \$278,467.48 | \$272,324.82 |
| Buy America | DIAMOND 96CR-10-00 | 96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes | On red | | | On request | On request |
| Buy America | DIAMOND 96CR-00-00 | 96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes | On rec | | | On request | On request |
| Buy America | DEL13-96CR | Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette | \$ | 6,638 | \$ 4,712.98 | \$4,513.84 | \$4,414.27 |
| Buy America | DEL17-96CR DEL3.25QT | Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette | \$ No cha | | \$ 14,160.24 | \$13,561.92 | \$13,262.76 |
| Buy America | DEL3.25Q1 | Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) | INO CHA | arge | No charge | No charge | No charge |
| | DIAMOND 96 FRAME MODELS FOR CO | | | | | | |
| Buy America | DIAMOND 96F-10-10 | 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front/rear) | | | \$ 152,642.19 | \$146,192.52 | \$142,967.69 |
| Buy America | DIAMOND 96F-10-00 | 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) | On rec | | On request | On request | On request |
| Buy America Buy America | DIAMOND 96F-00-00 DFIFL-96F | 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. | On rec | 2,204 | On request \$ 1,564.84 | On request \$1,498.72 | On request \$1,465.66 |
| Buy America | DFSF-96F | Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ | 1,307 | | \$888.76 | \$869.16 |
| Bayranonoa | 51 61 661 | Opposit number for continuous pic mountainar, avainable in various longina, pinos per ri. | Ψ | 1,001 | ψ 027.07 | ψοσο σ | φοσο. το |
| | | | | | | | |
| — | | DIAMOND LIFTS | | | | | |
| | Model Number | DIAMOND LIFTS Description | List | Price | 29% for 1 Set | 32% 2-7 Sets | 33.5% 8-up Sets |
| | DIAMOND 96 FRAME MODELS FOR CO | Description UNCRETE PIT INSTALLATION, CONTINUOUS RECESS | | | for 1 Set | Sets | Sets |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO | Description INCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) | \$ 2 | 287,023 | for 1 Set \$ 203,786.33 | Sets \$195,175.64 | Sets \$190,870.30 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 | Description NCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) | \$ 2 On red | 287,023 quest | for 1 Set \$ 203,786.33 On request | Sets \$195,175.64 On request | \$ets \$190,870.30 On request |
| Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 | Description NORRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation | \$ 2 On rec | 287,023 quest quest | for 1 Set \$ 203,786.33 On request On request | Sets \$195,175.64 On request On request | \$190,870.30 On request On request |
| Buy America Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. | \$ 2 On rec On rec | 287,023 quest quest 4,095 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 | \$195,175.64 On request On request \$2,784.60 | \$190,870.30 On request On request \$2,723.18 |
| Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 | Description NORRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation | \$ 2 On rec | 287,023 quest quest | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 | Sets \$195,175.64 On request On request | \$190,870.30 On request On request |
| Buy America Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. | \$ 2 On rec On rec | 287,023 quest quest 4,095 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 | \$195,175.64 On request On request \$2,784.60 | \$190,870.30 On request On request \$2,723.18 |
| Buy America Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DIAMOND 96FCR-00-00 DFCRSF-96FCR | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. | \$ 2 On rec On rec \$ \$ | 287,023 quest quest 4,095 1,877 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 | \$195,175.64 On request On request \$2,784.60 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 |
| Buy America Buy America Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. | \$ 2 On rec On rec \$ \$ | 287,023 quest quest 4,095 1,877 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 | \$195,175.64 On request On request \$2,784.60 \$1,276.36 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 |
| Buy America Buy America Buy America Buy America Buy America Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) | \$ 2 On rec On rec \$ \$ | 287,023 quest quest 4,095 1,877 360,005 quest | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 | Sets \$195,175.64 On request On request \$2,784.60 \$1,276.36 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 | Description PINCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes | \$ 2 On rec On rec \$ \$ \$ On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request | Sets \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette | \$ 2 On rec On rec \$ \$ On rec On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request | \$ets \$190,870.30 On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette | \$ 2 On rec On rec \$ \$ \$ On rec On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request On request \$ 3,381.73 \$ 9,827.82 | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3.25QT | Description NCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) | \$ 2 On rec On rec \$ \$ \$ On rec \$ | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request On request \$ 3,381.73 \$ 9,827.82 | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3-25QT DIAMOND 105 MODELS, CASSETTE, C | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS | \$ 2 On rec On rec S \$ On rec On rec No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3_2SQT DIAMOND 105 MODELS, CASSETTE, C DIAMOND 105 MODELS, CASSETTE, C DIAMOND 105 MODELS, CASSETTE, C | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) | \$ 2 On rec On rec \$ \$ \$ On rec On rec \$ No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,236.84 \$9,412.56 No charge | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRIFL-96FCR DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105 MODELS, CASSETTE, C DIAMOND 105 CR-10-10 DIAMOND 105 CR-10-10 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes | \$ 2 On rec On rec \$ \$ On rec On rec \$ No chi | 287,023 quest quest 4,095 1,877 360,005 quest 4,763 13,842 arge 456,530 quest quest | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,331.73 \$ 9,827.82 No charge \$ 324,136.30 On request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECRIFL-96FCR DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL17-105 DEL3-2SQT DIAMOND 105 MODELS, CASSETTE, C DIAMOND 105 CR-10-00 DIAMOND 105 CR-10-00 DIAMOND 105 CR-10-00 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes | \$ 2 On rec On rec \$ \$ On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest quest 456,530 quest quest quest quest 456,530 quest quest quest quest quest quest | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request On request | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRIFL-96FCR DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105 MODELS, CASSETTE, C DIAMOND 105 CR-10-10 DIAMOND 105 CR-10-10 | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 1 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel for movable cyl.), incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel for movable cyl.), incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel for movable cyl., incl. cassettes | \$ 2 On rec On rec S S On rec On rec On rec S On rec S On rec S On rec S On rec On rec S S On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest quest quest 7,218 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,331.73 \$ 9,827.82 No charge \$ 324,136.30 On request | Sets \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request \$4,908.24 | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request \$4,799.97 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3-25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DEL13-105CR | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes | \$ 2 On rec On rec S S On rec On rec On rec S On rec S On rec S On rec S On rec On rec S S On rec | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request On request On request S 1,324,786.30 On request On request On request In request On request In request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request On request | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-00-00 DEL13-105CR DEL17-105CR | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel for movable cyl., incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette | \$ 2 On rec On rec \$ \$ On rec On rec On rec On rec On rec On rec \$ On rec On rec \$ \$ On rec \$ \$ No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request On request On request S 1,324,786.30 On request On request On request In request On request In request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request On request \$3,238.84 \$9,412.56 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request \$4,799.97 \$13,955.03 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3-25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DIAMOND 105CR-00-00 DEL13-105CR DEL17-105CR | Description PACRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (204") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) All DIAMOND LIFTs include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters | \$ 2 On rec On rec \$ \$ On rec On rec On rec On rec \$ No cha | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 1,34,436.30 On request \$ 1,4,899.35 No charge | Sets \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request \$4,908.24 \$14,269.80 No charge | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request \$4,799.97 \$13,955.03 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-10-00 DIAMOND 105CR-00-00 DEL13-105CR DEL17-105CR | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) All DIAMOND LIFTs include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters | \$ 2 On rec On rec \$ \$ On rec On rec On rec On rec On rec On rec \$ On rec On rec \$ \$ On rec \$ \$ No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request On request On request S 1,324,786.30 On request On request On request In request On request In request | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request On request \$3,238.84 \$9,412.56 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request \$4,799.97 \$13,955.03 |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECRIFL-96FCR DFCRIFL-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-00 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DEL13-105CR DEL17-105CR DEL17-105CR DEL17-105CR DEL3.25QT | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) All DIAMOND LIFTs include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters Optional detachable wired remote control, 35 ft cable, military style quick disconnect | \$ 2 On rec On rec S \$ On rec On rec S No che No che \$ No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge 7,158 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 14,893.55 No charge | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request \$4,908.24 \$14,269.80 No charge | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request On request \$3,167.40 \$9,204.93 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECNIFL-96FCR DFCRIFL-96FCR DFCRIFL-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL13-105 DEL17-105 DEL3-25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DEL13-105CR DEL13-105CR DEL17-105CR DEL13-105CR DEL13-105CR DEL13-105CR DEL13-105CR DEL3-25QT 89930001 RBV050-00 89990050 BEACON-00 | Description INCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity, 10 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 10 ft. and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,00 | \$ 2 On rec On rec \$ \$ \$ On rec On rec On rec On rec On rec \$ No chain \$ A On rec On rec \$ \$ No chain \$ \$ \$ No chain \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge 7,158 3,649 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 1,489.35 No charge \$ 5,124.78 \$ 14,899.35 No charge | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$1,276.36 \$244,803.40 On request On request On request On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request S4,908.24 \$14,269.80 No charge | \$ets \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request \$4,799.97 \$13,955.03 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECRIFL-96FCR DFCRIFL-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-00 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DEL13-105CR DEL17-105CR DEL17-105CR DEL17-105CR DEL3.25QT | Description NOCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) All DIAMOND LIFTs include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters Optional detachable wired remote control, 35 ft cable, military style quick disconnect | \$ 2 On rec On rec S \$ On rec On rec S No che No che \$ No che | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge 7,158 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 14,893.55 No charge | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request \$4,908.24 \$14,269.80 No charge | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request \$4,799.97 \$13,955.03 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DECNIFL-96FCR DFCRIFL-96FCR DFCRIFL-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-10 DIAMOND 105-10-00 DIAMOND 105-10-00 DEL13-105 DEL13-105 DEL17-105 DEL3-25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DEL13-105CR DEL13-105CR DEL17-105CR DEL13-105CR DEL13-105CR DEL13-105CR DEL13-105CR DEL3-25QT 89930001 RBV050-00 89990050 BEACON-00 | Description INCRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity, 10 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 10 ft. and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,000 lbs capacity and 10 ft. to 13 ft (156") in travel range, price per cassette 105,00 | \$ 2 On rec On rec \$ \$ \$ On rec On rec On rec On rec On rec \$ No chain \$ A On rec On rec \$ \$ No chain \$ \$ \$ No chain \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 287,023 quest quest 4,095 1,877 360,005 quest quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge 7,158 3,649 | for 1 Set \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 1,489.35 No charge \$ 5,124.78 \$ 14,899.35 No charge | \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$1,276.36 \$244,803.40 On request On request On request On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request S4,908.24 \$14,269.80 No charge | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request \$4,799.97 \$13,955.03 No charge |
| Buy America | DIAMOND 96 FRAME MODELS FOR CO DIAMOND 96FCR-10-10 DIAMOND 96FCR-10-00 DIAMOND 96FCR-00-00 DFCRIFL-96FCR DFCRSF-96FCR DIAMOND 105 MODELS, CASSETTE DIAMOND 105-10-00 DIAMOND 105-00-00 DIAMOND 105-00-00 DEL13-105 DEL17-105 DEL3.25QT DIAMOND 105CR-10-10 DIAMOND 105CR-10-00 DEL13-105CR DEL17-105CR DEL17-105CR DEL3.25QT | Poscription NICRETE PIT INSTALLATION, CONTINUOUS RECESS 96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear) 96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder) 96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation Increased frame length, price per ft. Spacer frames for continuous pit installation, available in various lengths, price per ft. 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear) 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity and include an increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles) ONTINUOUS RECESS 105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes 105,000 lbs capacity, 2 fixed & 1 movable cylinder, incl. cassettes 105,000 lbs | \$ 2 On rec On rec S S On rec On rec On rec S No che S No che S S No che | 287,023 quest quest 4,095 1,877 360,005 quest 4,763 13,842 arge 456,530 quest quest 7,218 20,985 arge 7,158 3,649 3,745 | \$ 203,786.33 On request On request \$ 2,907.45 \$ 1,332.67 \$ 255,603.55 On request On request \$ 3,381.73 \$ 9,827.82 No charge \$ 324,136.30 On request On request \$ 14,899.35 No charge \$ 5,082.40 \$ 2,590.99 \$ 2,659.06 \$ 6,365.70 | Sets \$195,175.64 On request On request \$2,784.60 \$1,276.36 \$244,803.40 On request On request \$3,238.84 \$9,412.56 No charge \$310,440.40 On request On request \$4,906.24 \$14,269.80 No charge \$4,867.65 | \$190,870.30 On request On request \$2,723.18 \$1,248.21 \$239,403.33 On request On request \$3,167.40 \$9,204.93 No charge \$303,592.45 On request On request \$4,799.97 \$13,955.03 No charge |

| Buy America | 89900030 | T12312-00 | Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 | \$ | 1,229 | \$ 872.81 | \$835.93 | \$817.49 |
|---|--|---|---|--|---|---|--|--|
| Buy America | 79900001 | | Automatic Wheel Base Positioning (AWBP) for Cassette with 1 moveable piston | \$ | 5,188 | \$ 3,683.27 | \$3,527.63 | \$3,449.82 |
| Buy America | 79900002 | | Automatic Wheel Base Positioning (AWBP) for Cassette with 1 moveable pistons | \$ | | \$ 6,630.89 | \$6,350.72 | \$6,210.63 |
| Buy America | 79900005 | | Automatic Wheel Base Positioning (AWBP) for Frame with 1 moveable piston | \$ | | \$ 3,683.27 | \$3,527.63 | \$3,449.82 |
| Buy America | 79900006 | | Automatic Wheel Base Positioning (AWBP) for Frame with 2 moveable pistons | \$ | | \$ 6,630.89 | | \$6,210.63 |
| Buy America | 79900009 | | Automatic Wheel Base Positioning (AWBP) for CR Cassette with 1 moveable piston | \$ | | \$ 3,683.27 | \$3,527.63 | \$3,449.82 |
| Buy America | 79900010 | | Automatic Wheel Base Positioning (AWBP) for CR Cassette with 2 moveable pistons | \$ | | \$ 6,630.89 | \$6,350.72 | \$6,210.63 |
| | | | | | | | | |
| | 575 Voltage | | Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor | \$ | 3,237 | \$ 2,298.36 | \$2,201.24 | \$2,152.69 |
| Buy America | 89920001 | | Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70 | \$ | 1,975 | \$ 1,402.18 | \$1,342.93 | \$1,313.31 |
| Buy America | 89920002 | | Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105 | \$ | 2,948 | \$ 2,093.11 | \$2,004.67 | \$1,960.45 |
| Buy America | 79990000 | | 5 Gallons of Panolin Oil Biodegradable Oil | \$ | 1,159 | \$ 823.02 | \$788.24 | \$770.86 |
| Buy America | 79990001 | D662P-00 | Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump. | \$ | 4,260 | \$ 3,024.85 | \$2,897.04 | \$2,833.13 |
| D A | 70040400 | 07400.00 | | | 0.050 | e 0.404.04 | \$2,012.45 | £4,000,00 |
| Buy America Buy America | 79010100 89010101 | ST130-00 AS100-00 | Adapter Cart Diamond Adapter Stand | <u> </u> | | \$ 2,101.24 \$ 1,899.04 | \$2,012.45 | \$1,968.06 \$1,778.68 |
| buy America | 09010101 | AS 100-00 | Adapter Stand | . | 2,075 | \$ 1,099.U4 | \$1,010.00 | \$1,770.00 |
| | | | Adapter Kits (One kit included with purchase of lift): | | | | | |
| Buy America | 89001001 | | Transit Bus Adapter Package (2x89010002, 2x89010035 & 2x89010034) | \$ | 4,408 | \$ 3,129.51 | \$2,997.27 | \$2,931.16 |
| Buy America | 89001002 | | School Bus & Truck Adapter Package (2x89010002, 2x89010015 & 2x89010022) | \$ | | \$ 2,631.63 | | \$2,464.84 |
| Buy America | 89001003 | | Universal Vehicle Adapter Package (2x89010001, 2x89010009 & 2x89010017) | \$ | | \$ 2,113.43 | \$2,024.13 | \$1,979.48 |
| | | | | | | , | +=,== | Ţ., |
| | | | DIAMOND AND ECO LIFT ADAPTERS | | | | | |
| | Model Number | Old Model # | Description | | ist Price | 29% | | 33.5% 8-up |
| | model Hamber | Old Model # | Description | - | 13111100 | for 1 Set | Sets | Sets |
| | | | Pick-Up Adapters: | | | | , | _ |
| Buy America | 89010001 | A06122-00 | Adapter 4" extension, price each | \$ | 587 | \$ 416.91 | \$399.29 | \$390.49 |
| Buy America | 89010002 | A08122-00 | Adapter 6" extension, price each | \$ | 600 | \$ 425.83 | \$407.84 | \$398.84 |
| Buy America | 89010003 | A09222-00 | Adapter Tall Vertical 9 x 3.7", price each | \$ | 851 | \$ 604.19 | \$578.66 | \$565.89 |
| Buy America | 89010004 | A09222-00R1 | Adapter Tall Vertical 9 x 4.23", price each | \$ | ., | \$ 1,282.75 | \$1,228.55 | \$1,201.45 |
| Buy America | 89010005 | A09222-00R2 | Adapter Tall Vertical, centered, 9 x 4.23", price each | \$ | 1,807 | \$ 1,283.06 | \$1,228.85 | \$1,201.74 |
| Buy America | 89010006 | A10122-00 | Adapter 7" Extension, price each | \$ | 681 | \$ 483.79 | \$463.35 | \$453.13 |
| Buy America | 89010007 | A11122-00 | Adapter 9" extension, price each | \$ | 700 | \$ 497.17 | \$476.16 | \$465.66 |
| Buy America | 89010008 | A15252-00 | Adapter wide 14 x 11.77", price each | \$ | 1,265 | \$ 898.48 \$ 243.01 | \$860.51 | \$841.53 \$227.61 |
| Buy America Buy America | 89010009 TBD | A16122-00 A17122-00 | Adapter Cradle 3.7 x 6", price each | \$ \$ | 342 1,610 | \$ 1,142.79 | \$232.74 \$1,094.51 | \$1,070.36 |
| Buy America | TBD | A17132-00 | Adapter Wide Cradle 6" x 10", price each | \$ | 1,428 | \$ 1,142.79 | \$970.93 | \$949.52 |
| Buy America | 89010010 | A17132-00 A18122-00 | Adapter Flat Accessory 6" x 10"(use with A17122), price each Adapter Swivel Cradle 3.7 x 6", price each | \$ | 372 | \$ 264.19 | \$253.03 | \$247.45 |
| Buy America | 89010010 | A20122-00 | Adapter swivel cradle, 6"x6", price each | \$ | 914 | \$ 648.78 | \$621.36 | \$607.66 |
| Buy America | 89010011 | A21122-00 | Adapter swiver craule, 6 x 6 , price each Adapter vertical axle 9 x 3.7", price each | \$ | 653 | \$ 463.73 | \$444.14 | \$434.34 |
| Buy America | 89010013 | A22122-00 | Adapter Vertical Centered Low 3.7 x 4", price each | \$ | 719 | \$ 510.55 | \$488.98 | \$478.19 |
| Buy America | 89010014 | A23122-00 | Adapter vertical solitered bow 3.7 x 4 , price each | Ψ | 7 10 | Ψ 010.00 | Ψ-100.00 | |
| Buy America | 89010015 | A24122-00 | | 2 | 088 | ¢ 701.17 | \$671.5 <i>1</i> | |
| Buy America | | | | \$ \$ | 988 871 | \$ 701.17 \$ 618.68 | \$671.54 \$592.54 | \$656.73 |
| | 189010016 | | Adapter vertical wider axle 9 x 6.2", price each Adapter low vertical 4 x 3.7" price each | \$ | 871 | \$ 618.68 | \$592.54 | \$656.73 \$579.47 |
| Buv America | 89010016 89010017 | A25122-00 | Adapter low vertical 4 x 3.7", price each | \$ | 871 617 | \$ 618.68 \$ 438.09 | \$592.54 \$419.58 | \$656.73 \$579.47 \$410.32 |
| Buy America Buy America | 89010017 | A25122-00 A26122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each | \$ | 871 617 746 | \$ 618.68 \$ 438.09 \$ 529.50 | \$592.54 \$419.58 \$507.13 | \$656.73 \$579.47 \$410.32 \$495.94 |
| Buy America Buy America Buy America | | A25122-00 | Adapter low vertical 4 x 3.7", price each | \$ \$ \$ | 871 617 | \$ 618.68 \$ 438.09 | \$592.54 \$419.58 | \$656.73 \$579.47 \$410.32 |
| Buy America | 89010017 89010018 | A25122-00 A26122-00 A27122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each | \$ \$ \$ | 871 617 746 617 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 | \$592.54 \$419.58 \$507.13 \$419.58 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 |
| Buy America Buy America | 89010017 89010018 89010019 | A25122-00 A26122-00 A27122-00 A28122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each | \$ \$ \$ \$ | 871 617 746 617 791 791 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$526.22 \$1,059.74 |
| Buy America Buy America Buy America | 89010017 89010018 89010019 89010020 | A25122-00 A26122-00 A27122-00 A28122-00 A29122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each | \$ \$ \$ \$ \$ | 871 617 746 617 791 791 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 |
| Buy America Buy America Buy America Buy America | 89010017 89010018 89010019 89010020 89010021 | A25122-00 A26122-00 A27122-00 A28122-00 A29122-00 A30122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each | \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 1,131.45 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$526.22 \$1,059.74 |
| Buy America Buy America Buy America Buy America Buy America Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 | A25122-00 A26122-00 A27122-00 A28122-00 A29122-00 A30122-00 A31122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Fipt-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each | \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 415.80 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 | A25122-00 A26122-00 A27122-00 A28122-00 A29122-00 A30122-00 A31122-00 A32122-00 | Adapter low vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flia Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 415.80 \$ 768.05 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$7719.37 \$931.32 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 | A25122-00 A26122-00 A27122-00 A28122-00 A29122-00 A30122-00 A31122-00 A32122-00 A32122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 415.80 \$ 768.05 \$ 994.34 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 |
| Buy America Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010026 89010027 | A25122-00 A26122-00 A26122-00 A27122-00 A28122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 1 low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Fliat Top Block 3 x 6 x 2.75", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Flat Base, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter Centering Block, price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 415.80 \$ 768.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$957.48 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$941.05 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010025 89010026 89010027 89010028 | A25122-00 A26122-00 A26122-00 A27122-00 A29122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 768.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 712.32 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$952.33 \$952.33 \$370.48 \$682.22 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$339.44 \$719.37 \$931.32 \$940.07 \$667.17 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010026 89010027 89010028 89010028 | A25122-00 A26122-00 A26122-00 A27122-00 A29122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32132-00 A32152-00 A32152-00 A33122-00 A33122-00 A33122-00 A33122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter vertical wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 768.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$1,083.65 \$398.23 \$7735.60 \$952.33 \$952.33 \$970.48 \$682.22 \$3,325.68 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$931.32 \$949.07 \$667.17 \$3,252.31 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010022 89010023 89010024 89010025 89010026 89010027 89010028 89010028 89010029 89010030 | A25122-00 A26122-00 A26122-00 A27122-00 A29122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 566 1,082 1,400 1,400 1,427 1,003 4,891 713 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 415.80 \$ 768.05 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 566.09 \$ 692.25 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$970.48 \$682.22 \$3,325.68 \$484.71 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$949.07 \$667.17 \$3,252.31 \$474.01 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010025 89010027 89010028 89010029 89010029 89010030 89010031 | A25122-00 A26122-00 A26122-00 A27122-00 A28122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A34122-00 A34122-00 A36122-00 A36122-00 A36122-00 A461122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 1 ow wide 6.2 x 4", price each Adapter vertical 1 ow wide 6.2 x 4", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each Adapter Vertical 6 x 7.9", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 7975 700 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$970.48 \$682.22 \$3,325.68 \$484.71 \$663.00 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$1.059.74 \$389.44 \$719.37 \$931.32 \$931.32 \$949.07 \$667.17 \$3,252.31 \$446.66 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010025 89010027 89010028 89010029 89010030 89010031 89010031 | A25122-00 A26122-00 A26122-00 A27122-00 A27122-00 A29122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A34122-00 A34122-00 A34122-00 A34122-00 A34122-00 A34122-00 A44122-00 A43122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter Vertical Wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each Adapter Vertical 6 x 7.9", price each Adapter Vertical Narrow 7.1 x 3.7", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 975 700 593 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 \$ 421.37 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$952.33 \$952.33 \$952.33 \$403.57 \$484.71 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$3389.44 \$719.37 \$931.32 \$931.32 \$947.07 \$667.17 \$3,252.31 \$474.01 \$648.37 \$465.66 |
| Buy America | 89010017 89010018 89010019 89010019 89010020 89010021 89010023 89010024 89010024 89010025 89010026 89010027 89010026 89010029 89010030 89010031 89010031 | A25122-00 A26122-00 A26122-00 A27122-00 A27122-00 A29122-00 A30122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32132-00 A32122-00 A32152-00 A33122-00 A34122-00 A34122-00 A34122-00 A35122-00 A35122-00 A35122-00 A45112-00 A45112-00 A45112-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wride 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Vertical Wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Convon top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 1,403 1,003 1, | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 768.05 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 712.32 \$ 3,472.40 \$ 692.25 \$ 497.17 \$ 421.37 \$ 561.83 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$952.33 \$952.33 \$948.471 \$663.00 \$4476.16 \$403.57 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$931.32 \$949.07 \$667.17 \$3,252.31 \$474.01 \$648.37 \$465.66 \$394.66 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010022 89010023 89010024 89010025 89010026 89010026 89010027 89010028 89010028 89010030 89010031 89010031 89010032 | A25122-00 A26122-00 A26122-00 A27122-00 A27122-00 A29122-00 A30122-00 A31122-00 A3122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A33122-00 A33122-00 A34122-00 A35122-00 A451122-00 A451122-00 A451122-00 A50122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter vertical wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3/8 Bar), price each Adapter NOVA Rear 7.5 x 8.25", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,407 1,403 4,891 700 593 700 593 791 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 794.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 712.32 \$ 506.09 \$ 692.25 \$ 497.17 \$ 561.83 \$ 679.99 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$7735.60 \$952.33 \$970.48 \$682.22 \$3,325.68 \$444.71 \$663.00 \$476.16 \$403.57 \$538.09 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$949.07 \$667.17 \$3,252.31 \$474.01 \$648.37 \$465.66 \$394.66 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010026 89010026 89010027 89010029 89010030 89010031 89010032 89010033 89010034 89010034 | A25122-00 A26122-00 A26122-00 A27122-00 A27122-00 A30122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A35122-00 A35122-00 A35122-00 A451122-00 A451122-00 A551122-00 A551122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical low wide 6.2 x 4", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Fliat Top Block 3 x 6 x 2.75", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Vertical wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Crown top block 3 x 8 x 3.12 (3/8 x 3/4 Bar), price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each Adapter Rear Transit 7.5 x 8.25", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 7975 700 593 791 988 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 \$ 421.37 \$ 561.83 \$ 768.05 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$538.09 \$1,083.65 \$9398.23 \$970.48 \$682.22 \$3,325.68 \$446.16 \$463.07 \$476.16 \$433.57 | \$656.73 \$579.47 \$410.32 \$526.22 \$526.22 \$1.059.74 \$389.44 \$719.37 \$931.32 \$931.32 \$949.07 \$667.17 \$3,252.31 \$474.01 \$648.37 \$486.66 \$394.66 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010026 89010027 89010028 89010029 89010030 89010031 89010032 89010034 89010034 89010035 89010036 | A25122-00 A26122-00 A26122-00 A27122-00 A29122-00 A30122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A34122-00 A34122-00 A35122-00 A35122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Fliat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter Vertical Wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each Adapter Vertical 10 x 7.9", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each Adapter Rear Transit 6.5 x 8.25", price each Adapter Rear Transit 7.5 x 8.25", price each Adapter New Flyer Rear 5 x 7.75", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 975 700 593 791 958 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 \$ 421.37 \$ 561.83 \$ 679.99 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$9970.48 \$682.22 \$3,325.68 \$4484.71 \$663.00 \$476.16 \$403.57 \$538.09 \$651.26 | \$656.73 \$579.47 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$941.32 \$667.17 \$3,252.31 \$440.07 \$667.17 \$3,252.31 \$440.07 \$668.37 \$668.39 \$666.95 |
| Buy America | 89010017 89010018 89010019 89010019 89010020 89010021 89010023 89010024 89010024 89010025 89010026 89010027 89010026 89010027 89010030 89010031 89010031 89010031 89010034 89010034 89010035 89010035 89010036 | A25122-00 A26122-00 A26122-00 A27122-00 A27122-00 A29122-00 A30122-00 A31122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A35122-00 A35122-00 A45112-00 A45112-00 A55122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flat Top Block 3 x 6 x 2.75", price each Adapter Flat Base, 6 x 10", use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Vertical Wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter vertical wider axle 9 x 7.7" SP pin, price each Adapter Vertical 6 x 7.9", price each Adapter Vertical 6 x 7.9", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each Adapter NOVA Rear 7.5 x 8.25", price each Adapter Rear Transit 7.5 x 8.25", price each Adapter New Flyer Rear 5 x 7.75", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 975 700 593 791 988 995 988 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 798.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 \$ 421.37 \$ 561.83 \$ 679.99 \$ 679.99 \$ 679.99 \$ 679.99 | \$592.54 \$419.58 \$507.13 \$419.58 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$952.33 \$970.48 \$683.00 \$476.16 \$403.57 \$538.09 \$651.26 | \$656.73 \$579.47 \$410.32 \$495.94 \$410.32 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$949.07 \$667.17 \$3,255.31 \$474.01 \$648.37 \$465.66 \$394.66 \$526.22 \$636.89 \$661.95 |
| Buy America | 89010017 89010018 89010019 89010020 89010021 89010022 89010023 89010024 89010025 89010026 89010027 89010028 89010029 89010030 89010031 89010032 89010034 89010034 89010035 89010036 | A25122-00 A26122-00 A26122-00 A27122-00 A29122-00 A30122-00 A30122-00 A31122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A32122-00 A34122-00 A34122-00 A34122-00 A35122-00 A35122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 A55122-00 | Adapter Low Vertical 4 x 3.7", price each Adapter Low Vertical Wide 6.2 x 4", price each Adapter Front Orion 3.7 x 5.5", price each Adapter vertical low wide 6.2 x 4", price each Adapter vertical 10 w wide 6.2 x 4", price each Adapter vertical 3 x 7.8", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Flip-Up, 8.6" x 6", price each Adapter Fliat Top Block 3 x 6 x 2.75", price each Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each Adapter Flat Base, 6 x 10", price each Adapter Flat Base, 6 x 10", price each Adapter Centering Block, price each Adapter Vertical Wider axle 9 x 7.7" SP pin, price each Differential Adapter (only for DIAMOND LIFT) Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each Adapter Vertical 6 x 7.9", price each Adapter Vertical 10 x 7.9", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Vertical Narrow 7.1 x 3.7", price each Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each Adapter Rear Transit 6.5 x 8.25", price each Adapter Rear Transit 7.5 x 8.25", price each Adapter New Flyer Rear 5 x 7.75", price each | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 871 617 746 617 791 791 1,594 586 1,082 1,400 1,400 1,427 1,003 4,891 713 975 700 593 791 958 | \$ 618.68 \$ 438.09 \$ 529.50 \$ 438.09 \$ 561.83 \$ 561.83 \$ 1,131.45 \$ 768.05 \$ 798.05 \$ 994.34 \$ 994.34 \$ 1,013.29 \$ 712.32 \$ 3,472.40 \$ 506.09 \$ 692.25 \$ 497.17 \$ 421.37 \$ 561.83 \$ 679.99 \$ 679.99 \$ 679.99 \$ 679.99 | \$592.54 \$419.58 \$507.13 \$419.58 \$5507.13 \$419.58 \$538.09 \$538.09 \$1,083.65 \$398.23 \$735.60 \$952.33 \$970.48 \$682.22 \$3,325.68 \$444.71 \$663.00 \$476.16 \$4403.57 \$538.09 \$651.26 \$676.88 \$651.26 | \$656.73 \$579.47 \$410.32 \$526.22 \$526.22 \$1,059.74 \$389.44 \$719.37 \$931.32 \$941.32 \$667.17 \$3,252.31 \$440.07 \$667.17 \$3,252.31 \$440.07 \$668.37 \$668.39 \$666.95 |

| Buy America | Тво | A67122-00 | Adapter Cradle 6" x 6", price each | \$ | 1,045 | \$ 741.8 | 89 | \$710.55 | \$694.87 |
|-------------|--------------------|-----------|--|-----------|------------------|--------------------------|-----|--------------------------|--------------------------|
| Buy America | TBD | A71112-00 | Adapter Flat, 5" x 5", with pad, for Protera | <u>\$</u> | 1,519 | \$ 1,078.3 | _ | \$1,032.72 | \$1,009.94 |
| , | | | company and a set of another production of | | | | | | |
| | | | JACKING BEAMS FOR HEAVY DUTY LIFTS | | | | | | |
| | Model Number | | Description | - 1 | ist Price | 29% | 329 | | 33.5% 8-up |
| | | | · | _ | | for 1 Set | | Sets | Sets |
| | | | The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder. The JB is standard equipped with two flat adapters and two 4" extensions. | | | | | | |
| | + | | The 35 is standard equipped with two hat adapters and two 4 extensions. | | | | | | |
| | 39617160 | | JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock | \$ | 16,621 | \$ 11,800.8 | 88 | \$11,302.26 | \$11,052.94 |
| | 39617110 | | JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock | \$ | 16,621 | \$ 11,800.8 | _ | \$11,302.26 | \$11,052.94 |
| | 39617010 | | Set support arms for ST 4120 | \$ | 1,961 | \$ 1,392.0 | 61 | \$1,333.77 | \$1,304.35 |
| | | | | | | | | | |
| | 39615250 | | JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock | \$ | 16,621 | | _ | \$11,302.26 | \$11,052.94 |
| | 39615140 | | JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock | \$ | 16,621 | \$ 11,800. | _ | \$11,302.26 | \$11,052.94 |
| | 39615040 | | Set support arms for ST 4175 new style (for lifts manufactured from July 2015) | \$ | 1,961 | \$ 1,392.0 | 61 | \$1,333.77 | \$1,304.35 |
| | | | JACKING BEAMS FOR HEAVY DUTY LIFTS | | | 000/ | 200 | 0/ | 00.5% |
| | Model Number | | Description | L | ist Price | 29% for 1 Set | 32% | % Z-7 Sets | 33.5% 8-up Sets |
| | 39616030 | | Set support arms for SKY 200 & 250 and 4250 after June 2015 | \$ | 1,961 | \$ 1,392.0 | | \$1,333.77 | \$1,304.35 |
| | 39615025 | | Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform) | \$ | 1,961 | \$ 1,392.0 | | \$1,333.77 | \$1,304.35 |
| | 39616510 | | Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform) | \$ | 1,961 | \$ 1,392.0 | 61 | \$1,333.77 | \$1,304.35 |
| | | | | | | | | | |
| | 39616160 | | JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock | \$ | 18,328 | \$ 13,013.0 | 09 | \$12,463.24 | \$12,188.32 |
| | 39616110 | | JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock | \$ | 18,328 | \$ 13,013.0 | 09 | \$12,463.24 | \$12,188.32 |
| | 39616010 | | Set support arms for ST 4250 20/26/30' platforms | \$ | 1,961 | \$ 1,392.0 | _ | \$1,333.77 | \$1,304.35 |
| | 39616020 | | Set support arms for ST 4250 33'/38' platforms | \$ | 1,961 | \$ 1,392.0 | _ | \$1,333.77 | \$1,304.35 |
| | 39616030 | | Set support arms for SKY 200 & 250 and 4250 after June 2015 | \$ | 1,961 | \$ 1,392.0 | _ | \$1,333.77 | \$1,304.35 |
| | 39615025 | | Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform) | \$ | 1,961 1,961 | \$ 1,392.0 \$ 1,392.0 | | \$1,333.77 \$1,333.77 | \$1,304.35 |
| | 39616510 | | Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform) | \$ | 1,961 | \$ 1,392.0 | 01 | \$1,333.77 | \$1,304.35 |
| | 39618160 | | JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock | \$ | 18 328 | \$ 13,013.0 | na | \$12,463.24 | \$12,188.32 |
| | 39618110 | | JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock | \$ | 18,328 | \$ 13,013.0 | _ | \$12,463.24 | \$12,188.32 |
| | 39616030 | | Set support arms for SKY 200 & 250 and 4250 after June 2015 | \$ | 1,961 | \$ 1,392.0 | | \$1,333.77 | \$1,304.35 |
| | 39615025 | | Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform) | \$ | 1,961 | \$ 1,392.0 | 61 | \$1,333.77 | \$1,304.35 |
| | 39616510 | | Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform) | \$ | 1,961 | \$ 1,392.0 | 61 | \$1,333.77 | \$1,304.35 |
| | | | | | | | | | |
| | | | Options for JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2: | | | 1 | | | |
| | 9114300 | | LB 20T differential beam allows use of both rams to lift at one point | \$ | 735 | | | \$499.80 | \$488.78 |
| | 5866600 5866055 | | T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions | \$ \$ | 1,762 4,164 | \$ 1,250.9 \$ 2,956.0 | | \$1,198.09 \$2,831.72 | \$1,171.66 \$2,769.26 |
| | 9114100 | | 16-2 Closspeall adapter, capacity 25,000 lbs., adjustance 25.34 - 46.23 with wheel, neight 3.34 , only for tandem piston versions FG100 4" metal extension adapter, capacity 22,000 lbs. | \$ | 90 | \$ 2,930.0 | | \$61.40 | \$60.05 |
| | 9114200 | | FG200 8" metal extension adapter, capacity 22,000 lbs. | \$ | 113 | \$ 80. | | \$77.11 | \$75.41 |
| | 9112700 | | FW2 V-shape adapter, capacity 22,000 lbs., width 4.00" | \$ | 114 | \$ 81.3 | 26 | \$77.83 | \$76.11 |
| | 9112710 | | FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125" | \$ | 130 | \$ 92.4 | 44 | \$88.54 | \$86.58 |
| | 9113210 | | US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00" | \$ | 130 | \$ 92.4 | 44 | \$88.54 | \$86.58 |
| | 9113240 | | US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125" | \$ | 171 | \$ 121. | | \$116.38 | \$113.81 |
| | 5836700 | | Trolley for JB-80-2 - JB-200-2 | \$ | 628 | \$ 446.0 | _ | \$427.16 | \$417.74 |
| | 5866340 | | VB1 Wall bracket for storage of up to 4 adapters | \$ | 71 | \$ 50.0 | _ | \$48.55 | \$47.48 |
| | 5866380 | | VB2 Wall bracket for storage of up to 8 adapters | \$ | 114 | \$ 81.2 | 20 | \$77.83 | \$76.11 |
| | 4311.70.91.00 | | Air-cleaning/greasing/reducing unit for jacking beams | \$ | 1,241 | \$ 881.0 | 08 | \$843.85 | \$825.24 |
| | 1011110101100 | | Air kit - See accessories for SKYLIFTS | | , | ψ 001 | - | \$0.000 | , QCO.2. |
| | | | | | | | | | |
| | | | AIR-HYDRAULIC PIT JACKS | 1 | | | | | |
| | Model Number | | Description | - 1 | ist Price | 29% | 32% | | 33.5% 8-up |
| | | | | | | for 1 Set | | Sets | Sets |
| | 5876410 | | MPJ-100-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5" | \$ | 11,918 | \$ 8,461. | _ | \$8,104.25 | \$7,925.48 |
| | 5877410 | | MPJ-100-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5" | \$ | 11,918 | \$ 8,461. | _ | \$8,104.25 | \$7,925.48 |
| | 5876415 5877415 | | MPJ-150-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5" MPJ-150-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5" | \$ \$ | 13,158 13,158 | \$ 9,341.8 \$ 9,341.8 | | \$8,947.11 \$8,947.11 | \$8,749.74 \$8,749.74 |
| | 5876420 | | MPJ-190-2W, frame 33.50 - 45.28, mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5" MPJ-200-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5" | \$ | 14,186 | \$ 10,071. | _ | \$9,646.17 | \$9,433.39 |
| | 5877420 | | MPJ-200-2V, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5" MPJ-200-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5" | \$ | 14,186 | | _ | \$9,646.17 | \$9,433.39 |
| | | | The support arms have to be ordered separately from the pit jack. | Ψ | , 100 | , .o,o. 1. | | ψ0,040.17 | φυ,-υυ.υυ |
| | 20020042 | | | | 4.00- | le 22: | | **** | **** |
| | 39630010 | | Set support arms for pit jacks (always fill out pit specification form and send with order) | \$ | 1,298 | \$ 921. | 58 | \$882.64 | \$863.17 |
| | 1 | | | | | | | | |
| | 5900000 | | FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, | \$ | 12 770 | \$ 9,783.0 | 00 | \$9,369.72 | \$9,163.04 |

| ı | | | | | | |
|---|--|--|--|---|--|--|
| 5901500 | FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 42' 0.25" | \$ | 14,420 | \$ 10,238.20 | \$9,805.60 | \$9,589.30 |
| | Outland for all hydraulic alticular | | | | | |
| 5867010 | Options for air-hydraulic pit jacks: AB, Support bridge, capacity 44,000 lbs., usable in combination with various adapters | \$ | 2,864 | \$ 2,033.19 | \$1,947.2 | \$1,90 |
| 5867500 | ABT, Variable Support bridge, capacity 33,000 lbs., usable in combination with various adapters | \$ | 3,581 | | | \$2,3 |
| 5866500 | T4-1 Crossbeam adapter, capacity 44,000 lbs., height 4.00", adjustable 7.80" - 29.50", only for single piston versions | \$ | 1,761 | \$ 1,250.58 | | |
| 5866550 | T4-1W Crossbeam adapter, capacity, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50",, only for single piston versions | \$ | 2,025 | \$ 1,437.77 | \$1,377.0 | 2 \$1,3 |
| | AIR-HYDRAULIC PIT JACKS | | | | | |
| Model Number | Description | Lis | st Price | 29% for 1 Set | 32% 2- | 7 33.5% Sets |
| 5866600 | T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions | \$ | 1,761 | | | |
| 5866650 | T4-2W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for tandem piston versions | \$ | 2,025 | \$ 1,437.77 | | |
| 5866700 | T5-1 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for single piston versions | \$ | 3,224 | | | |
| 5866800 5866050 | T5-2 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs. height 4.74", adjustable 36" - 59", only for twin piston versions | \$ | 3,224 4,164 | \$ 2,288.74 | \$2,192.0 \$2,831.4 | \$2,1 |
| | T6-1 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for single pistons versions | \$ \$ | 4,164 | \$ 2,956.36 \$ 3,125.66 | | \$2,7 9 \$2,9 |
| 5866000 5866055 | T6-1W Crossbeam adapter, capacity 28,600 lbs., adjustable 39,37" - 63,00" with wheel, height 3,54", only for single pistons versions | | 4,402 | \$ 3,125.66 \$ 2,956.36 | \$2,993.5 \$2,831.4 | |
| 5866010 | T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for twin piston versions | \$ \$ | 4,402 | \$ 3,125.66 | | \$2,7 |
| 5900500 | T6-2 W Crossbeam adapter, capacity 28,600 lbs., adjustable 44.10" - 67.72" with wheel, height 3.54", only for twin ram versions AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) | <u> </u> | 1,790 | \$ 1,271.21 | \$1,217.5 | \$1,1 |
| 9114100 | ASS Adjustable sadule 20.67 X 14.50 , capacity 2,200 ibs. (for single-pision units) FG100 4" metal extension adapter, capacity 22,000 ibs. | \$ \$ | 90 | \$ 63.86 | | 5 \$1,1 |
| 9114200 | FG200 8" metal extension adapter, capacity 22,000 lbs. | \$ | | \$ 80.26 | | 7 |
| 9112700 | FW2 V-shape adapter, capacity 22,000 lbs., width 4.00" | \$ | 114 | \$ 81.12 | \$77.7 |) ; |
| 9112710 | FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125" | \$ | 130 | \$ 92.34 | | 1 |
| 9113210 | US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00" US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125" | \$ | 130 | \$ 92.34 | | |
| 9113240 5866340 | US-130 U-saddle adapter, capacity 13,200 ibs., width 5.125* VB1 Wall bracket for storage of up to 4 adapters | <u> </u> | 171 72 | \$ 121.68 \$ 50.92 | | |
| 5866380 | VB1 Wall bracket for storage of up to 8 adapters VB2 Wall bracket for storage of up to 8 adapters | \$ | 114 | \$ 81.12 | | |
| | | · · · · · · | | | · · · · · · · · · · · · · · · · · · · | 1 |
| 9114300 | LB 20T differential beam allows use of both rams to lift at one point | \$ | 735 | \$ 522.12 | \$500.0 | \$ |
| 5863400 | GR Extra handle | \$ | 124 | | | |
| | HYDRAULIC TRANSMISSION JACK | | | | | |
| | TIT BITAGE O TITALIGNI GOLOT GAGIT | | | | | |
| Mandal Mountain | Proposition | | - 4 Dulas | 29% | 32% 2- | 7 33.5% |
| Model Number | Description | Lis | st Price | 29% for 1 Set | 32% 2-3 Sets | 7 33.5% Sets |
| Model Number 9085000 | Description SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" | Lis \$ | st Price 836 | | Sets | Sets |
| | | | | for 1 Set | Sets | Sets \$ |
| 9085000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" | \$ | 836 | for 1 Set \$ 593.75 | Sets \$568.6 | Sets \$ |
| 9085000 9086500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max | \$ \$ | 836 4,462 | for 1 Set \$ 593.75 \$ 3,167.67 | \$568.6 \$3,033.8 | Sets \$ |
| 9085000 9086500 9065000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: | \$ \$ \$ | 836 4,462 3,448 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 | \$568.6 \$3,033.8 \$2,344.9 | Sets \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |
| 9085000 9086500 9065000 9058800 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle | \$ \$ \$ | 836 4,462 3,448 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 | \$568.6 \$5,3,033.8 \$2,344.9 | Sets |
| 9085000 9086500 9065000 9058000 590500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) | \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 | \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 | Sets |
| 9085000 9086500 9065000 9058800 5900500 9059500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad | \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 | \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 | \$681.9 \$1,217.5 \$3,033.8 | Sets |
| 9085000 9086500 9065000 9058000 590500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) | \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 | \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 | \$681.9 \$1,217.5 \$3,033.8 | Sets |
| 9085000 9086500 9065000 905800 905900 9059500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad | \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 | \$568.6 \$5,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 | Sets |
| 9085000 9086500 9065000 905800 905900 9059500 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount | \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 | \$681.9 \$681.9 \$1,217.5 \$3.033.8 \$2,344.9 | Sets Sets S |
| 9085000 9086500 9065000 9058800 5900500 9059500 3601400 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES | \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 | \$681.9 \$681.9 \$1,217.5 \$33.8 32% \$2.5 \$4.9 | Sets Sets Sets |
| 9085000 9086500 9086500 9085000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 | \$ets \$568.6 \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$32% \$2.5 \$ets \$2,030.4 \$238.6 \$238.6 \$238.6 | Sets |
| 9085000 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 \$ 2,9% for 1 Set \$ 2,120.06 | \$ets \$568.6 \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$32% \$2.5 \$ets \$2,030.4 \$238.6 \$238.6 \$238.6 | Sets |
| 9085000 9086500 9086500 9085000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 | \$ets \$568.6 \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$32% \$2.5 \$ets \$2,030.4 \$238.6 \$238.6 \$238.6 | Sets |
| 9085000 9086500 9086500 9085000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 | \$568.6 \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$2,303.4 \$24.813.7 | Sets |
| 9085000 9086500 9065000 9058000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 6102300 | SKVLT3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 11.271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$33.8 \$2.30.4 \$2.30.4 \$2.30.4 \$2.30.4 \$2.30.4 \$2.30.4 \$2.30.6 \$2.30. | Sets Sets Sets Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6102300 Model Number | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,49.21 \$ 5,026.09 | \$ets \$568.6 \$3,033.8 \$3,033.8 \$2,344.9 \$\$1,217.5 \$39.6 \$33.8 \$33.8 \$\$32% \$2.\$\$ets \$2,030.4 \$238.6 \$4,813.7 \$\$2% \$2.\$\$ets \$2,720.9 \$\$2,720.9 \$\$2,720.9 \$\$2,720.9 \$\$2,720.9 \$\$2,720.9 \$\$2,720.9 | Sets |
| 9085000 9086500 9065000 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6102300 Model Number | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 2,49.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$33.6 \$33.8 \$234 \$2.5 \$ | Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 6102300 Model Number 4480000 4487000 | SKVLT6 1,300 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 7711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 5,026.39 \$ 233.92 \$ 233.92 \$ 233.92 | \$ets \$568.6 \$3,033.8 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$393.6 \$333.8 \$228 \$2,030.4 \$238.6 \$4,813.7 \$25 \$2,720.9 \$2,229.7 \$214.0 \$214.0 \$214.0 | Sets |
| 9085000 9086500 9086500 9085000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 6102300 Model Number 4480000 4487000 4402000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 233.52 \$ 3,129.27 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$\$681.9 \$\$1,217.5 \$39.6 \$33.8 \$\$33.8 \$\$32% \$\$2,303.4 \$\$238.6 \$\$2,303.4 \$\$238.6 \$\$2,203.4 \$\$229.7 | Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6102300 Model Number 4480000 4487000 4402000 4563000 | SKVLT3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (825-2 Only) SK25-1 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 233.52 \$ 3,129.27 | \$ets \$568.6 \$3,033.8 \$3,033.8 \$2,344.9 \$\$1,217.5 \$39.6 \$33.8 \$33.8 \$\$32% \$\$2,58ts \$\$2,030.4 \$\$238.6 \$\$4,813.7 \$\$255 \$\$2,720.9 \$\$229.7 \$\$214.0 \$\$2,997.0 \$\$3,702.0 \$\$3,702.0 \$\$3,702.0 \$\$3,702.0 \$\$3,702.0 \$\$3,702.0 \$\$3,702.0 \$\$\$3,702.0 \$\$\$3,702.0 \$\$\$\$\$3,702.0 \$\$\$3,702.0 \$\$\$\$3,702.0 \$\$\$\$3,702.0 \$\$\$\$3,702.0 \$\$\$\$\$3,702.0 \$\$\$\$3,702.0 \$\$\$\$\$\$3,702.0 \$\$\$\$\$3,702.0 \$\$\$\$\$\$\$3,702.0 \$\$\$\$\$\$3,702.0 \$\$\$\$\$\$3,702.0 \$\$\$\$\$\$\$\$3,702.0 \$\$\$\$\$\$\$\$\$3,702.0 \$\$\$\$\$\$\$\$\$\$3,702.0 \$\$\$\$\$\$\$\$\$\$3,702.0 \$ | Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6102300 Model Number 4480000 4487000 44663000 4563000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only) SK25-1 25T single-stage air/hydraulic floor jack for frucks/buses min collapsed height 7.10" SK25-1H 25T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 5,444 4,321 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 2,120.06 \$ 2,49.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 223.52 \$ 3,129.27 \$ 3,865.42 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$2,44.9 \$2,936.4 \$32% \$2,720.9 \$229.7 \$214.0 \$2,997.0 \$3,702.0 \$2,938.3 | Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6007000 6102300 Model Number 4480000 4487000 44663000 4563000 45640000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIG FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only) SK25-11 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10" SK25-11-25T single-stage air/hydraulic floor jack, min. height 7.20" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 5,444 4,321 7,539 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 223.52 \$ 3,129.27 \$ 3,865.42 \$ 3,068.00 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$139.6 \$33.8 \$238.6 \$2,303.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 | Sets |
| 9085000 9086500 9086500 9085000 9085000 9059800 9059500 3601400 Model Number 6005000 6007000 6102300 Model Number 4480000 4487000 4460000 4560000 4515000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacity wheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only) SK25-1 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10" SK25-11 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10" SK25-12 5/10T 2-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21" SK25-2 25/10T 2-stage air/hydraulic floor jack, for whicles with extra low clearance, min. height 03.90" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 5,444 4,321 7,539 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 233.92 \$ 3,129.27 \$ 3,865.48 \$ 3,865.40 \$ 5,352.38 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$139.6 \$33.8 \$238.6 \$2,303.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 \$238.6 \$2,203.4 | Sets |
| 9085000 9086500 9086500 9086500 9086000 9088800 5900500 9059500 3601400 Model Number 6005000 6007000 6102300 Model Number 4480000 4487000 44563000 4515000 4510000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: AS1 660 lbs. light duty gearbox saddle AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs. capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.0" (B25-2 Only) SK25-1 25T single-stage air/hydraulic floor jack for frucks/buses min collapsed height 7.10" SK25-12 T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21" SK25-2 25/10T 2-stage air/hydraulic floor jack, for high clearance vehicles, min. height 14.21" SK25-2 25/10T 3-stage air/hydraulic jack for vehicles with extra low clearance, min. height of 3.90" SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance of 5.90" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 5,444 4,321 7,534 6,243 6,380 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 711.98 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 3,129.27 \$ 3,865.42 \$ 3,068.00 \$ 5,52.38 \$ 4,432.42 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$2,344.9 \$1,217.5 \$39.6 \$33.8 \$3.10.0 \$3.0 \$3.0 \$3.0 \$3.0 \$3.0 \$3.0 \$3.0 \$ | Sets |
| 9085000 9086500 9086500 9065000 9058800 5900500 9059500 3601400 Model Number 6005000 6102300 Model Number 4480000 4487000 44560000 4515000 4520000 4520000 | SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77" SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max Options for hydraulic transmission jacks: A31 660 lbs. light duty gearbox saddle A53 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units) S Black steel universal adapter without rubber pad GS1 Rubber cushion for black steel mount WHEEL DOLLIES Description WTA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23" WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP WT-1500 NTB 3,300 lbs. capacityWheel Dolly with 2 swivel casters with brake AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES Description SKB-25-2 Portable 25/10T air/hydraulic jack SBB Transport locking device and wall bracket (only for SKB-25) F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only) SK25-11 25T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21" SK25-2 25/10T 2-stage air/hydraulic floor jack, min. height 7.20" SK40-4 40/27/16/10T 4-stage air/hydraulic jack for vehicles with extra low clearance, min. height of 3.90" SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance of 5.90" SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance, min. height of 3.90" SK60-1 65T Capacity air/hydraulic jack for vehicles with low clearance, min. height 9.65" | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 836 4,462 3,448 1,003 1,790 58 50 st Price 2,986 351 7,079 st Price 4,001 338 315 4,407 5,444 4,321 7,539 6,243 6,343 9,093 | for 1 Set \$ 593.75 \$ 3,167.67 \$ 2,448.39 \$ 1,271.21 \$ 41.42 \$ 35.38 29% for 1 Set \$ 2,120.06 \$ 249.21 \$ 5,026.09 29% for 1 Set \$ 2,841.03 \$ 239.92 \$ 3,129.27 \$ 3,865.42 \$ 3,068.00 \$ 5,352.38 \$ 4,432.42 \$ 4,529.57 | \$ets \$568.6 \$3,033.8 \$2,344.9 \$681.9 \$1,217.5 \$39.6 \$33.8 \$33.70.2 \$3.70 | Sets Sets Sets |

| | MANUAL FLOOR JACKS & ACCESSORIES | | | | | | | |
|--------------|---|----|----------|------------------|-----|-------------|-------|--------------|
| Model Number | Description | Li | st Price | 29% for 1 Set | 32% | 2-7 Sets | 33.5% | 8-up Sets |
| 3604500 | SKMFJ100 Manual Floor Jack, 10T capacity, lifting. range 5.875" - 23" | \$ | 3,157 | \$ 2,241.24 | | \$2,146.54 | | \$2,099.19 |
| 3606500 | SKMFJ120 Manual Floor Jack, 12T capacity, lifting. range 5.875" - 23" | \$ | 3,485 | \$ 2,474.25 | | \$2,369.70 | | \$2,317.43 |
| 3605500 | SKG4 pneumatic tires for Manual Floor Jacks | \$ | 370 | \$ 262.35 | | \$251.27 | | \$245.73 |
| 3601700 | SKFDK2 Height Extension, 4 in. | \$ | 167 | \$ 118.23 | | \$113.24 | | \$110.74 |
| | HEAVY DUTY SHOP CRANES | | | | | | | |
| Model Number | Description | Li | st Price | 29% for 1 Set | 32% | 2-7 Sets | 33.5% | 8-up Sets |
| 2001000 | SKWN20 4,400 lbs. HD Hydraulic workshop crane | \$ | 5,752 | \$ 4,083.92 | | \$3,911.36 | | \$3,825.08 |
| 2101000 | SKWN25 5,500 lbs. HD Hydraulic workshop crane | \$ | 6,754 | \$ 4,795.34 | | \$4,592.72 | | \$4,491.41 |
| | AIRCRAFT APPLICATIONS | | | | | | | |
| Model Number | Description | Li | st Price | 29% for 1 Set | 32% | 2-7 Sets | 33.5% | 8-up Sets |
| 4591000 | SK25-2AP 25T Air/hydraulic aircraft jack | \$ | 5,914 | \$ 4,198.95 | | \$4,021.53 | | \$3,932.82 |
| 4593000 | SK65-1AP 65T Air/hydraulic aircraft jack | \$ | 7,999 | \$ 5,679.53 | | \$5,439.55 | | \$5,319.56 |
| 4594000 | SK65-1APH 65T, Air/hydraulic aircraft jack with extra long stroke | \$ | 9,216 | \$ 6,543.59 | | \$6,267.10 | | \$6,128.86 |
| 6005300 | WTA-500AP 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23", Aircraft Service | \$ | 3,453 | \$ 2,451.65 | | \$2,348.06 | | \$2,296.27 |
| 6007000 | WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP | \$ | 351 | \$ 249.00 | | \$238.48 | | \$233.22 |
| | COMMERCIAL WASTE OIL EQUIPMENT | | | | | | | |
| Model Number | Description | Li | st Price | 29% for 1 Set | 32% | 2-7 Sets | 33.5% | 8-up Sets |
| 30120 | SK30120 31 gallon HD waste oil drain with standard funnel | \$ | 1,301 | \$ 923.73 | | \$884.70 | | \$865.19 |
| 30370 | SK30370 31 gallon waste oil drain with cantilever tray | \$ | 1,705 | \$ 1,210.41 | | \$1,159.27 | | \$1,133.69 |
| 30475 | SK30475 18.5 gallon waste oil drain with wash basin | \$ | ., | \$ 744.08 | | \$712.64 | | \$696.92 |
| 31210 | SK31210 Low Profile Oil Drain for Platform Lifts and Pits, Adjustable Sliding Rods w. Casters (35.43" - 51.57"), 29 Gal. Capacity | \$ | 01. | \$ 620.54 | | \$594.32 | | \$581.21 |
| 31125 | SK31125 Low profile waste oil drain, 33 gallon capacity | \$ | 001 | \$ 701.09 | | \$671.47 | | \$656.66 |
| 92000 | SK92000 Portable wash down system | \$ | 1,203 | \$ 853.97 | | \$817.89 | | \$799.84 |
| | ALIGNMENT ACCESSORIES | | | | | | | |
| Model Number | Description | Li | st Price | 29% for 1 Set | 32% | 2-7 Sets | 33.5% | 8-up Sets |
| CS-DT-069 | Stertil Koni portable alignment kit with drive through feature (does NOT include turnplates) | \$ | 5,089 | \$ 3,613.13 | | \$3,460.47 | | \$3,384.13 |
| CS-360 | Stertil Koni portable alignment kit with wheel stop, drive on back off (does NOT include turnplates) | \$ | 4,580 | \$ 3,251.49 | | \$3,114.10 | | \$3,045.41 |
| 25-24-S | Stainless steel turnplates | \$ | 4,427 | \$ 3,143.00 | 1 | \$3,010.20 | | \$2,943.79 |
| WB-200-30 | Deluxe Storage Cabinet for portable alignment kit | \$ | 2,446 | \$ 1,736.70 | | \$1,663.32 | | \$1,626.63 |
| SKALIGN | Permanently installed, surface mounted alignment deck. Call for custom quote | 0 | | On demand | | On demand | | On demand |

Exhibit D – Supplement 1

Sample Quote & Sample Invoice



Quote

Stertil-Koni USA, Inc. 200 Log Canoe Circle Stevensville, MD 21666 T: 410.643.9001 F: 410.643.8901 Quote # 876

Date 06.22.2023 Expires 06.22.2023 RSM Rawn Roman

Billing Address

State of MN Sample Sample 1234 Anywhere Anywhere, MD Shipping Address State of MN

1234 Anywhere Anywhere, MD

sample@sample.com

555.555.5555

NASPO Contract #: CW7260

| Item | Qty | Price | Discount | Total |
|--------------|------|--------|----------|--------|
| | | | | |
| ST-1085-2FWA | 1 00 | \$1.00 | 0.00% | \$1.00 |

Set of 4 Wireless Battery-Powered Mobile Lifts at 74,000 lbs. capacity, 24V DC, ebright control box on every column with synthetic fixed front wheels and adjustable forks

 Subtotal:
 \$1.00

 Discount:
 (\$0.00)

 Tax:
 \$0.00

 Shipping:
 \$0.00

 Total
 \$1.00

Comments

MN State Contract #: ABC987

Subcontract:

Local Distributor:

Midwest Lift Works Dave Schoenbeck dave@midwestliftworks.com (612) 382-0532

Terms and Conditions

- Product availability and proposed delivery date provided ARO
 Purchase Orders MUST be issued to Stertil-Koni USA, Inc., not the Local Distributor
 Please submit Purchase Orders to orders@stertil-koni.com
- 4. Customer is responsible for paying sales tax, if any, when applicable.

2/2



200 Log Canoe Circle Stevensville, MD 21666 410-643-9001 - Phone 410-643-8901 - Fax www.Stertil-Koni.com

State of MN

1234 Anywhere Anywhere MD 12345 USA INVOICE

| C12019 | Net 30 | |
|---------------|---------------|------|
| Customer Code | Payment Terms | |
| 174208 | 06/27/23 | 1/1 |
| Invoice | Invoice Date | Page |

Customer PO **PO # 123456**

Salesperson

-No Sales Employee-

Delivery Address

State of MN

Delivered To: State of MN 1234 Anywhere Anywhere, MD

Shipping Type:

Contract Number ABC987

| | Description | Pric | e To | otal |
|-----|-------------|-------------------|-------|------|
| 001 | ST1085-2FWA | 1.0 |)0 1. | .00 |
| | | Invoice Subtotal: | \$ 1 | .00 |
| | | Total Tax Amount: | \$ 0 | .00 |
| | | Total Amount: | \$ 1 | .00 |