

- Announcements
- Quiz
- Pre-lab Lecture
 - ❖ More about ELISA
 - ❖ DMMB assay
 - ❖ qPCR analysis
 - ❖ Today in lab (M3D6)

Announcements

- Assignment return plans
 - Mod 1 computational assignment Thu/Fri
 - Mod 2 revisions early next week
- Mod 3 report
 - No separate methods section needed
 - State any unique conditions along the way in results section or figure captions

ELISA protocol

- Direct ELISA uses labeled primary antibody
 - Indirect ELISA – why use a secondary antibody?
 - amplify signal
 - flexibility (use w/many 10 Abs, more efficient)
but may be more cross-reactive
 - Development process – what/why/how
 - 2° Ab - has enzyme AP \rightarrow Abs₄₂₀
 - provide substrate - pNPP⁻ for colorimetric rxn.
- * development time is key \rightarrow avoid saturation
 \rightarrow detect low conc.

ELISA Outcomes

Outcome	Possible Explanations
High reading in “blank” samples	<i>Cross-contamination of wells forgot to block A incomplete washing</i>
No signal at all (including standards)	<i>2° Ab went bad or incorrect non-optimal times too high [Twister]</i>
Saturated signal for some samples, <i>↳ explain</i>	<i>too concentrated → run a dilution series</i>

DMMB assay

- Measure GAGs with cationic dye
- Absorbance shift due to complex
 - fades quickly!
 - at low $\text{pH}^{1.5}$, selects for sulfates over carboxyls
 - thus a correction for alginate content
 - standard curve made with chondroitin 6-sulfate
- Typically normalize to cell amount (as DNA content)... maybe next year

qPCR analysis

amplification efficiencies
of different genes

$$\text{ratio} = \frac{\frac{E_{\text{target}}}{(E_{\text{ref}})} \cdot \Delta C P_{\text{target}} (\text{control-sample})}{\Delta C P_{\text{ref}} (\text{control-sample})}$$

① control - culture 1
Sample - culture 2

② control - fresh cell
Sample - culture 1 ; 2

18S rRNA

Equation 1 from M.W. Pfaffl, *Nucleic Acids Res* 29:2002 (2001)

Today in Lab (M3D6)

- Finish ELISA – includes 90 min incubation
- Meanwhile...
 - DMMB assay staggered (15-20 min of work)
 - qPCR analysis
 - cross-group research discussion (or another day)
 - finish viability analysis if you haven't already