

- Announcements
- Quiz (last one!)
- Pre-lab Lecture
  - ❖ DMMB assay
  - ❖ More about ELISA
  - ❖ qPCR analysis
  - ❖ Today in Lab (M3D6)

# Announcements

- Lec 7: Atissa on proposal; Lec 8: special topics
  - Next time: finish report + clean up; WAC survey
  - Mod 3 research proposal
    - feedback on your wiki page today/tonight
  - Mod 3 report
    - no separate Methods section needed: *do* state any unique conditions along the way in Results section/captions
    - required analysis: viability (incl. stats), qPCR (incl. RNA amount and cell counts), ELISA (incl. standard curves)
    - optional/if relevant analysis: PG assay; general bead, cell, and media appearance on D2, D3, and/or D4
- + collaborative DJ'ing

# DMMB assay

- Measure GAGs with cationic dye
- Absorbance shift due to complex  $A_{595}$  ↓
  - fades quickly! (pipet upstairs)
  - at low pH, selects for sulfates over carboxyls
  - thus a correction for alginate
  - standard curve made with chondroitin-6 sulfate
- Typically normalize to cell amount (cf DNA content in qPCR)... maybe next year


# ELISA protocol

- Direct ELISA uses labeled primary antibody
- Indirect ELISA – why use a secondary antibody?
  - flexibility/efficiency (t, \$)  $\rightarrow$  use w/many 1° Abs
  - signal amplification (Fc epitopes)
  - but maybe more cross-reactive
- Development process – what/why/how
  - 2° Ab has AP conjugate
  - provide substrate: pNPP  $\rightarrow$  colorimetric rxn.  
in soln.  $A_{420}$
  - development time is key
    - detect low [protein]  $\rightarrow$  long enough
    - avoid over-saturation (of all)  $\rightarrow$  not too long

# ELISA Outcomes

Outcome	Possible Explanations
High reading in "blank" samples	<ul style="list-style-type: none"><li>• cross-contamination from samples</li><li>• skipped block step</li><li>★ incomplete washing</li></ul>
No signal at all (including standards)	<ul style="list-style-type: none"><li>★ flipped 1<sup>st</sup> Ab's</li><li>• too high [Twen]</li><li>• added wrong zutat, or old</li></ul>
Saturated signal for some samples <u>Expt i</u>	<ul style="list-style-type: none"><li>too concentrated → run dilution series usually</li></ul>

# ELISA (and PG) analysis



exclude  
non-linear  
standards!

n ~ 4

report:  
(1) CN II:I ratios  
(2) absolute [CN]  
\* if (2) is very low,  
(1) is meaningless

# qPCR analysis

efficiency of CN I or II

change in crossing point ( $C_p = C_T$ )

control = Sample A (-FN)

Sample B = Sample B (+FN)

ratio =  $\frac{(E_{target})}{(E_{ref})} \Delta CP_{target}(control-sample) - \Delta CP_{ref}(control-sample)$

if  $E_{tar} = 2.0 \quad \Delta CP_{tar} = 2$   
 $E_{ref} = 2.0 \quad \Delta CP_{ref} = 0$

$\frac{2^2}{2^0} = 4\text{-fold change}$

→ we can know expression of  $CN_{II}(A)$  vs.  $CN_{II}(B)$   
 BUT NOT truly  $CN_{II}(A)$  vs.  $CN_I(A)$

Equation 1 from M.W. Pfaffl, Nucleic Acids Res 29:2002 (2001)

# Today in Lab (M3D6)

- Finish ELISA – includes 90 min incubation
- Meanwhile... *figure out how much DEUSLN your Super-group needs*
  - DMMB assay staggered (15-20 min of work)
  - qPCR analysis
  - finish viability analysis if you haven't already
  - cross-group research discussion
  - (optional: start clean-up)