

# PERRIN

## Transmission Mount Support for CVT

2022-09-23

PSP-DRV-161

Thank you for purchasing this PERRIN product for your car! Installation of this product should only be performed by persons experienced with installation of aftermarket performance parts and proper operation of high performance vehicles. If vehicle needs to be raised off the ground for installation, the installer must use proper jacks, jack-stands and/or a professional vehicle hoist for safety of the installer and to protect property. If the vehicle is lifted improperly, serious injury or death may occur! Please read through all instructions before performing any portion of installation. If you have any questions, please contact our tech department prior to starting installation. We can be reached in any of the following methods:

Email [Tech@PERRIN.com](mailto:Tech@PERRIN.com)

Instant Chat off the main page of [www.PERRIN.com](http://www.PERRIN.com)

Or simply call our tech team at 503-693-1702

Modifications to any vehicle can change the handling and performance. As with any vehicle extreme care must be used to prevent loss of control or roll-over during sharp turns or abrupt maneuvers. Always wear seat belts, and drive safely, recognizing that reduced speeds and specialized driving techniques may be required. Failure to drive a vehicle safely may result in serious injury or death. Do not drive a vehicle unless you are familiar with its unique handling characteristics and are confident of your ability to maintain control under all driving conditions. Some modifications (and combinations of modifications) are not recommended and may not be permitted in your state or country. Consult the owner's manual, service manual, instructions accompanying these products, and local laws before purchasing and installing these modifications. You are responsible for the legality and safety of the vehicle you modify using these components.

### Parts Included with the PERRIN Transmission Mount Insert:

QTY	Part Number	Description
1	X-PSP-DRV-161BK	Transmission Mount Support for CVT/Auto Black
1	X-PSP-DRV-161-1	Bushing for Transmission Mount Support for CVT/Auto
1	X-ASM-SUS-209	Energy Suspension Polyurethane Grease Packet
3	X-BLT-1.5X.74X.125NEO	1.50D X .74"ID X .125" Thick Neoprene Rubber Washer

### Installation of PERRIN Transmission Mount Support

1. Raise the car off the ground, using a professional hoist or jack stands. Vehicles with added ground clearance will NOT need to lift car off the ground. Make sure car is in park and e-brake is applied before sliding under vehicle.
2. Underneath car, locate transmission crossmember and remove 14mm headed nut and washer from center of mount.



### Remove Nut And Washer

3. Install bushing onto PERRIN Transmission Mount Support and apply supplied grease to both sides of bushing, outside of support, and around the inside of the transmission mount as shown in pictures.




**Apply Grease Here**



**Apply Grease Around Hole**

4. Slide insert with bushing into transmission mount until it stops (some twisting may be necessary to get this completely on).



**Slide Transmission Mount Insert  
Up Then Tighten To 30ft-lbs**

5. Thread support into mount until it stops.
  - a. While this is being tightened, the red bushing should contact the subframe before it stops turning. This is to be expected and if not follow step (b) below.
  - b. If there is gap during this step, remove support from car, remove red bushing and install 1 to 3 supplied rubber washers making sure to apply grease between each one. Re-install support and tighten down into subframe ensuring that there is some preload on the bushing as it is tightened down. This gap can be from a very old worn out transmission mount. If more than 3 washers are needed, replace mount with new OEM part.



6. Tighten PERRIN Transmission Support to 30ft-lbs.
7. Lower vehicle from jack stand or hoist and take vehicle for test drive. A slight change to the drivetrain noise is normal after installation. If clunking or grinding noises are heard, re-check installation.

**Questions, Comments and Suggestions Contact: [Tech@PERRIN.com](mailto:Tech@PERRIN.com)**  
**Visit Our Website for Instant Chat Options at [www.PERRIN.com](http://www.PERRIN.com)**  
**Call Our Tech Team at 503-693-1702**