

# Energy™ and Precision™ Series Premium Home Treadmills 200 and 400 Line



MSRP	\$2,199	\$2,699	\$3,199	\$4,799	\$5,299
<b>Console</b>					
Console Type	R10 Blue/White LCD	R20 5" High Contrast LCD	R40 7" LCD Capacitive Touch Screen	R20 5" high contrast LCD	R40 7" LCD Capacitive Touch Screen
<b>Features</b>					
Frame Color Options	Silver	Silver	Silver	Silver	Silver
Shock Absorption (Vertical)	Energy Stride™	Energy Stride™	Energy Stride™	Ground Effects® Impact Control System	Ground Effects® Impact Control System
Stride Support (Horizontal)	-	-	-	Integrated Footplant Technology™	Integrated Footplant Technology™
Speed Range	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph
Elevation Range	0% - 15% Incline	0% - 15% Incline	0% - 15% Incline	2% Decline - 15% Incline	2% Decline - 15% Incline
Step-Up Height	7.5 in / 19 cm	7.5 in / 19 cm	7.5 in / 19 cm	7.5 in / 19 cm	7.5 in / 19 cm
Running Platform Width	20 in / 51 cm	20 in / 51 cm	20 in / 51 cm	22 in / 56 cm	22 in / 56 cm
Handlebars	Short Length	Full Length	Full Length	Premium Full Length	Premium Full Length
Entertainment Options	-	-	-	-	-
User IDs	0	2	4	2	4
Custom Workouts per User ID	-	0	4	0	4
In-Workout Feedback Metrics	9	13	27	13	27
Pre-Programmed Workouts	6	9	39 (23 preset, 16 custom)	9	39 (23 preset, 16 custom)
Recommended Maximum User Weight*	Tested up to 300 lbs / 136 kg	Tested up to 300 lbs / 136 kg	Tested up to 300 lbs / 136 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg
Dimensions (LxWxH)	81 x 32 x 54 in 206 x 80 x 137 cm	81 x 33 x 59 in 206 x 82 x 150 cm	81 x 33 x 59 in 206 x 82 x 150 cm	79 x 34 x 59.5 in 204 x 86 x 151 cm	79 x 34 x 59.5 in 204 x 86 x 151 cm
Product Weight	227 lb / 103 kg	238 lb / 108 kg	238 lb / 108 kg	358 lb / 163 kg	358 lb / 163 kg
Power Requirements	120V, 60Hz; Dedicated 15A circuit	120V, 60Hz; Dedicated 15A circuit	120V, 60Hz; Dedicated 15A circuit	120V, 60Hz; Dedicated 15A circuit	120V, 60Hz; Dedicated 15A circuit
<b>Home Warranty**</b>	5-year parts and wear items 3-year console 1-year labor	5-year parts and wear items 3-year console 1-year labor	5-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.  
\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Experience™ Series Commercial Treadmills 600 Line



MSRP	\$5,495	\$7,595	\$8,595
<b>Console</b>			
Console Type	P30 Advanced LED display	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen
<b>Features</b>			
Frame Color Options	Black or Silver	Black or Silver	Black or Silver
Shock Absorption (Vertical)	Ground Effects® Impact Control System	Ground Effects® Impact Control System	Ground Effects® Impact Control System
Stride Support (Horizontal)	Integrated Footplant Technology™	Integrated Footplant Technology™	Integrated Footplant Technology™
Speed Range	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph
Elevation Range	0% - 15% Incline	0% - 15% Incline	0% - 15% Incline
Step-Up Height	8.4 in / 21.3 cm	8.4 in / 21.3 cm	8.4 in / 21.3 cm
Running Platform Width	22 in / 56 cm	22 in / 56 cm	22 in / 56 cm
Handlebars	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm
Entertainment Options	-	Embedded	Embedded
User IDs	-	Unlimited with Preva®	Unlimited with Preva®
Custom Workouts per User ID	-	Unlimited with Preva®	Unlimited with Preva®
In-Workout Feedback Metrics	20	20	20
Pre-Programmed Workouts	27	27	27
Recommended Maximum User Weight*	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg
Dimensions (LxWxH)	83 x 35 x 62 in 211 x 89 x 157.5 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm
Product Weight	325 lb / 147 kg	329 lb / 149 kg	332 lb / 151 kg
Power Requirements	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle
<b>Home Warranty**</b>			
	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Experience™ Series Commercial Treadmills 700 Line



MSRP	\$7,545	\$7,645	\$9,895	\$10,895
<b>Console</b>				
Console Type	P31 Advanced LED display	P30i Interval display with One-Touch Speed & Incline keys	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen
<b>Features</b>				
Frame Color Options	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Shock Absorption (Vertical)	Ground Effects® Impact Control System	Ground Effects® Impact Control System	Ground Effects® Impact Control System	Ground Effects® Impact Control System
Stride Support (Horizontal)	Integrated Footplant Technology™	Integrated Footplant Technology™	Integrated Footplant Technology™	Integrated Footplant Technology™
Speed Range	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph	0.5 - 12 mph 0.8 - 19.2 kph
Elevation Range	0% - 15% Incline	0% - 15% Incline	0% - 15% Incline	0% - 15% Incline
Step-Up Height	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm
Running Platform Width	22 in / 56 cm	22 in / 56 cm	22 in / 56 cm	22 in / 56 cm
Handlebars	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm
Entertainment Options	-	-	Embedded	Embedded
User IDs	-	-	Unlimited with Preva®	Unlimited with Preva®
Custom Workouts per User ID	-	-	Unlimited with Preva®	Unlimited with Preva®
In-Workout Feedback Metrics	21	6	20	20
Pre-Programmed Workouts	27	3 custom intervals	27	27
Recommended Maximum	Tested up to	Tested up to	Tested up to	Tested up to
User Weight*	400 lbs / 181 kg	400 lbs / 181 kg	400 lbs / 181 kg	400 lbs / 181 kg
Dimensions (LxWxH)	83 x 35 x 62 in 211 x 89 x 157.5 cm	83 x 35 x 62 in 211 x 89 x 157.5 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm
Product Weight	405 lb / 184 kg	405 lb / 184 kg	407 lb / 185 kg	412 lb / 187 kg
Power Requirements	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle
<b>Home Warranty**</b>				
	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.  
\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Experience™ Series Commercial Treadmills

## 800 Line

TRM 835



TRM 865



TRM 885



MSRP	\$8,995	\$11,455	\$12,455
<b>Console</b>			
Console Type	P31 Advanced LED display	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen
<b>Features</b>			
Frame Color Options	Black or Silver	Black or Silver	Black or Silver
Shock Absorption (Vertical)	Ground Effects® Impact Control System	Ground Effects® Impact Control System	Ground Effects® Impact Control System
Stride Support (Horizontal)	Integrated Footplant Technology™	Integrated Footplant Technology™	Integrated Footplant Technology™
Speed Range	0.5 - 16 mph 0.8 - 25.5 kph	0.5 - 16 mph 0.8 - 25.5 kph	0.5 - 16 mph 0.8 - 25.5 kph
Elevation Range	3% Decline - 15% Incline	3% Decline - 15% Incline	3% Decline - 15% Incline
Step-Up Height	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm
Running Platform Width	22 in / 56 cm	22 in / 56 cm	22 in / 56 cm
Handlebars	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm	Premium Full Length 18 in / 46 cm
Entertainment Options	-	Embedded	Embedded
User IDs	-	Unlimited with Preva®	Unlimited with Preva®
Custom Workouts per User ID	-	Unlimited with Preva®	Unlimited with Preva®
In-Workout Feedback Metrics	21	20	20
Pre-Programmed Workouts	27	27	27
Recommended Maximum User Weight*	Tested up to 400 lbs / 181 kg	Tested up to 400 lbs / 181 kg	Tested up to 400 lbs / 181 kg
Dimensions (LxWxH)	83 x 35 x 62 in 211 x 89 x 157.5 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm	83 x 35 x 68.5 in 211 x 89 x 174 cm
Product Weight	420 lb / 190 kg	430 lb / 195 kg	430 lb / 195 kg
Power Requirements	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle	120V, Dedicated 20A circuit with 5-20R NEMA receptacle
<b>Home Warranty**</b>			
	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor	10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.