

PROPERTY LOCATED AT: 310 Camden Rd, Appleton, ME 04862

### PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to other real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

**DO NOT LEAVE ANY QUESTIONS BLANK. WRITE N/A OR UNKNOWN IF NEEDED.**

#### SECTION I – WATER SUPPLY

TYPE OF SYSTEM:  Public  Private  Seasonal \_\_\_\_\_  Unknown  
 Drilled  Dug  Other \_\_\_\_\_

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump: .....  Yes  No  N/A  
Quantity: .....  Yes  No  Unknown  
Quality: .....  Yes  No  Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? .....  Yes  No  
If Yes, Date of most recent test: 5/2019 Are test results available? ..  Yes  No  
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? .....  Yes  No  
If Yes, are test results available? .....  Yes  No  
What steps were taken to remedy the problem? Well shocked to address coliform

IF PRIVATE:

INSTALLATION: Location: Behind house  
Installed by: Unknown  
Date of Installation: 1990

USE: Number of persons currently using system: 2  
Does system supply water for more than one household?  Yes  No  Unknown

Comments: Well is spring fed, and yields 5 gal/min according to previous disclosure. Point of use filtration system to address metallic taste.

Source of Section I information: Seller/Previous Disclosure

Seller Initials gm DM Page 1 of 7 Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: 310 Camden Rd, Appleton, ME 04862

**SECTION II – WASTE WATER DISPOSAL**

TYPE OF SYSTEM:  Public  Private  Quasi-Public \_\_\_\_\_  Unknown

~~IF PUBLIC OR QUASI-PUBLIC:~~

~~Have you had the sewer line inspected?.....  Yes  No~~

~~If Yes, what results: \_\_\_\_\_~~

~~Have you experienced any problems such as line or other malfunctions? .....  Yes  No~~

~~What steps were taken to remedy the problem? \_\_\_\_\_~~

IF PRIVATE:

Tank:  Septic Tank  Holding Tank  Cesspool  Other: \_\_\_\_\_

Tank Size:  500 Gallon  1000 Gallon  Unknown  Other: \_\_\_\_\_

Tank Type:  Concrete  Metal  Unknown  Other: \_\_\_\_\_

Location: **Behind bulkhead** OR  Unknown

Date installed: **Unknown** Date last pumped: **11/2015** Name of pumping company: **Interstate Septic**

Have you experienced any malfunctions? .....  Yes  No

If Yes, give the date and describe the problem: **N/A**

Date of last servicing of tank: **11/2015** Name of company servicing tank: **Interstate Septic**

Leach Field: .....  Yes  No  Unknown

If Yes, Location: **Behind lilacs**

Date of installation of leach field: **1954** Installed by: **Unknown**

Date of last servicing of leach field: **N/A** Company servicing leach field: **N/A**

Have you experienced any malfunctions? .....  Yes  No

If Yes, give the date and describe the problem and what steps were taken to remedy: **N/A**

Do you have records of the design indicating the # of bedrooms the system was designed for?  Yes  No

~~If Yes, are they available? .....  Yes  No~~

Is System located in a Shoreland Zone? .....  Yes  No  Unknown

Is System located in a Coastal Shoreland Zone?.....  Yes  No  Unknown

Comments: **No HHE 220 at town. Filter cleaned and leach field inspected on 11/2015.**

Source of Section II information: **Seller/Previous Disclosure/Public Record**

Seller Initials gm DM

Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: **310 Camden Rd, Appleton, ME 04862**

**SECTION III – HEATING SYSTEM(S)/HEATING SOURCES(S)**

| Heating System(s) or Source(s)   | SYSTEM 1                           | SYSTEM 2                   | SYSTEM 3 | SYSTEM 4 |
|--|------------------------------------|----------------------------|----------|----------|
| TYPE(S)  | <b>FHA, Oil</b>                    | <b>Wood Stove</b>          |          |          |
| Age of system(s) or source(s)  | <b>2001</b>                        | <b>1985</b>                |          |          |
| Name of company that services system(s) or source(s)                           | <b>M&amp;L Heating</b>             | <b>Dan the Chimney Man</b> |          |          |
| Date of most recent service call   | <b>_2017</b>                       | <b>_2017</b>               |          |          |
| Annual consumption per system or source (i.e., gallons, kilowatt hours, cords) | <b>343.3 gal delivered in 2018</b> | <b>Not used since 2017</b> |          |          |
| Malfunction per system(s) or source(s) within past 2 years                     | <b>N/A</b>                         | <b>N/A</b>                 |          |          |
| Other pertinent information  | <b>N/A</b>                         | <b>N/A</b>                 |          |          |

- Are there fuel supply lines? .....  Yes  No  Unknown
- Are any buried? .....  Yes  No  Unknown
- Are all sleeved? .....  Yes  No  Unknown
- Chimney(s): .....  Yes  No
  - If Yes, are they lined: .....  Yes  No  Unknown
  - Is more than one heat source vented through one flue? .....  Yes  No  Unknown
  - Had a chimney fire: .....  Yes  No  Unknown
  - Has chimney been inspected? .....  Yes  No  Unknown

If Yes, when: **2017**

Date chimney last cleaned: **2017**

Direct/Power Vent: .....  Yes  No  Unknown

Comments: **Wood stove has not been used since cleaning in 2017**

Source of Section III information: **Seller/Previous Disclosure**

**SECTION IV – HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

**A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? .....  Yes  No  Unknown

If Yes, are tanks in current use? .....  Yes  No  Unknown

If no longer in use, how long have they been out of service? \_\_\_\_\_

If tanks are no longer in use, have tanks been abandoned according to DEP?  Yes  No  Unknown

Are tanks registered with DEP? .....  Yes  No  Unknown

Age of tank(s): \_\_\_\_\_ Size of tank(s): \_\_\_\_\_

Location: \_\_\_\_\_

Seller Initials *gm DM* \_\_\_\_\_

Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: 310 Camden Rd, Appleton, ME 04862

~~What materials are, or were, stored in the tank(s)?~~ \_\_\_\_\_

~~Have you experienced any problems such as leakage:~~ \_\_\_\_\_  Yes  No  Unknown

Comments: N/A

Source of information: Seller/Previous Disclosure

**B. ASBESTOS** — Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? .....  Yes  No  Unknown

In the ceilings? .....  Yes  No  Unknown

In the siding? .....  Yes  No  Unknown

In the roofing shingles? .....  Yes  No  Unknown

In flooring tiles? .....  Yes  No  Unknown

Other: \_\_\_\_\_  Yes  No  Unknown

Comments: No known asbestos

Source of information: Seller/Previous Disclosure

**C. RADON/AIR** - Current or previously existing:

Has the property been tested? .....  Yes  No  Unknown

~~If Yes: Date: \_\_\_\_\_ By: \_\_\_\_\_~~

~~Results: \_\_\_\_\_~~

~~If applicable, what remedial steps were taken?~~ \_\_\_\_\_

~~Has the property been tested since remedial steps?~~ .....  Yes  No  Unknown

~~Are test results available?~~ .....  Yes  No

Results/Comments: N/A

Source of information: Seller/Previous Disclosure

**D. RADON/WATER** - Current or previously existing:

Has the property been tested? .....  Yes  No  Unknown

~~If Yes: Date: \_\_\_\_\_ By: \_\_\_\_\_~~

~~Results: \_\_\_\_\_~~

~~If applicable, What remedial steps were taken?~~ \_\_\_\_\_

~~Has the property been tested since remedial steps?~~ .....  Yes  No  Unknown

~~Are test results available?~~ .....  Yes  No

Results/Comments: N/A

Source of information: Seller/Previous Disclosure

Seller Initials gm DM \_\_\_\_\_

Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: **310 Camden Rd, Appleton, ME 04862**

**E. LEAD-BASED PAINT/PAINT HAZARDS** — (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? .....  
.....  Yes  No  Unknown  Unknown (but possible due to age)

~~If Yes, describe location and basis for determination: \_\_\_\_\_~~

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards:  Yes  No

~~If Yes, describe: \_\_\_\_\_~~

Are you aware of any cracking, peeling or flaking paint? .....  Yes  No

Comments: N/A

Source of information: **Seller/Previous Disclosure**

**F. OTHER HAZARDOUS MATERIALS** - Current or previously existing:

TOXIC MATERIAL: .....  Yes  No  Unknown

LAND FILL: .....  Yes  No  Unknown

RADIOACTIVE MATERIAL: .....  Yes  No  Unknown

Other: N/A

Source of information: **Seller/Previous Disclosure**

**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.**

**SECTION V — GENERAL INFORMATION**

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, private road/homeowner associations (including condominiums and PUD's) or restrictive covenants? .....  Yes  No  Unknown

If Yes, explain: N/A

Source of information: **Seller/Previous Disclosure**

Answer only one of the following sets of questions depending on the type of property:

If the subject property consists of at least one, but not more than four, residential dwelling units:

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? .....  Yes  No  Unknown

~~If No, who is responsible for maintenance? \_\_\_\_\_~~

~~For all other properties:~~

~~Are there any abandoned or discontinued town ways, any public easements or any private roads located on the property or abutting the property? .....  Yes  No  Unknown~~

~~If Yes, describe: \_\_\_\_\_~~

~~If Yes, who is responsible for maintenance (including road association, if any): \_\_\_\_\_~~

Seller Initials gm DM

Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: **310 Camden Rd, Appleton, ME 04862**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....  
.....  Yes  No  Unknown

If Yes, explain: **Homestead Exemption**

Is a Forest Management and Harvest Plan available?.....  Yes  No  Unknown  
Is house now covered by flood insurance policy (not a determination of flood zone)  Yes  No  Unknown  
Equipment leased or not owned (e.g., propane tank, hot water heater, satellite dish): Type: \_\_\_\_\_

Year Principal Structure Built: **circa 1700's**

What year did Seller acquire property? **2015**

Roof: Year Shingles/Other Installed: **2018**

Water, moisture or leakage: **N/A**

Comments: **Ceiling stain in spare bedroom existed when sellers moved in. No change in size was noted, so sellers painted over.**

Foundation/Basement:

Is there a Sump Pump? .....  Yes  No  Unknown

Water, moisture or leakage since you owned the property: .....  Yes  No  Unknown

Prior water, moisture or leakage? .....  Yes  No  Unknown

Comments: **Any water that comes in runs to drain in basement**

Mold: Has the property ever been tested for mold? .....  Yes  No  Unknown

~~If Yes, are test results available? .....~~  ~~Yes~~  ~~No~~

Electrical:  Fuses  Circuit Breaker  Other: \_\_\_\_\_  Unknown

Has all or a portion of the property been surveyed? .....  Yes  No  Unknown

If Yes, is the survey available? .....  Yes  No  Unknown

Manufactured Housing – Is the residence a:

Mobile Home .....  Yes  No  Unknown

Modular .....  Yes  No  Unknown

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **N/A**

Source of Section V information: **Seller/Previous Disclosure**

Seller Initials *gm DM* \_\_\_\_\_

Buyer Initials \_\_\_\_\_

PROPERTY LOCATED AT: 310 Camden Rd, Appleton, ME 04862

**SECTION VI – ADDITIONAL INFORMATION**

**See Improvements Sheet for list of improvements since purchased.**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: .....  Yes  No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Grace McMullen 05-07-2019  
SELLER DATE  
**Grace McMullan**

Drew McMullen 05-07-2019  
SELLER DATE  
**Drew McMullan**

\_\_\_\_\_  
SELLER DATE

\_\_\_\_\_  
SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

\_\_\_\_\_  
BUYER DATE

\_\_\_\_\_  
BUYER DATE

\_\_\_\_\_  
BUYER DATE

\_\_\_\_\_  
BUYER DATE