






20150 | Mini Ultrasonic Transmitter

The 60019 HID Badge Holder Tag is designed for operation within the ATLAS system architecture. This dual function transmitter is designed to provide staff, patients and vendors an alternative to a hand-held or belt clipped device.

Like the standard Heavy Duty Tag, the 60019 HID Badge Holder Tag utilizes a 2.4 GHz radio to accurately determine its location. This transmitter also uses the same channel to transmit data. The device design includes a secure housing for a standard ID badge as well as pull-cord notification. Ships with a nylon lanyard (device and lanyard are shown in picture).



Features & Benefits

-  Compatible with the PALS® 9000 systems and Crisis Controller® Software
-  Small, lightweight, closed room level location
-  Self monitoring - will slowly flash a "low battery" signal when replacement is needed
-  1 year or 1,000 use battery life
-  Programmable delay to panic button activation

Specifications

DIMENSIONS
Hand held single button
OPERATIONAL ULTRASONIC FREQUENCIES
40.6 KHz +/- 100 Hz Modulated
POWER SOURCE
12 V alkaline N format
MICRO PROCESS
Synthesized crystal controlled frequency
VISUAL INDICATOR
Red LED
WEIGHT
1 ounce (including battery and clip)
MATERIAL
ABS black plastic

*Battery Life when deployed will vary as a function of duty time used, frequency of alarm transmissions sent, LED brightness/frequency, location broadcast interval settings and environmental conditions at your site. Based upon 240mAh CR 2032 (Energizer). Ask your Actall Sales Representative for more details.

