


AIDS.

SEX...


CRACK...

How To Use Condoms


Condoms can protect you from AIDS. If you use crack or have sex with someone who uses crack, use condoms every time. Always have them with you.



1. Squeeze air out of tip.



2. Hold tip and roll all the way down



3. After cumming hold condom and pull out.



4. Throw condom away.




5. Use water-based lubes (like K-Y). Do not use oils (like vaseline or hand-cream.) Oil breaks condoms.

USE CONDOMS !


How To Clean Needles

You can get the AIDS virus when you share needles. If you use needles learn to clean them with bleach.


BLEACH




1. FILL



2. EMPTY




3. FILL




4. EMPTY


WATER



5. FILL



6. EMPTY



7. FILL



8. EMPTY

Graphic Design: Stan Stone
Content: Les Pappas
Cover Photo: Warwick May
Inside Photos: Marshall Bailey




**Can smoking crack
give you AIDS?**

NO

You will not always know if someone has the AIDS virus. Anyone can have it. The people you know best may have it and not even know it.



If you get the AIDS virus you could give it to your baby before it is born.



A blood test can tell you if you have the AIDS virus. Get this test! Find out if you have the AIDS virus. There are medical treatments that can help people who have the AIDS virus. The sooner you get help the better. Call the AIDS hotline

863-AIDS

to find out more about the AIDS/HIV antibody test.

**Do people who smoke
crack get AIDS?**

YES

**People who smoke crack
get AIDS by having sex
*without condoms!***



The AIDS virus is now common among crack users. Sex with a crack user can infect you with AIDS.

**Do you have questions?
We have answers.
Call us.
It is free and private.**

We can tell you about:

- ☐ Condoms and Safe Sex
- ☐ Antibody Testing
- ☐ Medical Treatments