

APPENDIX C.1

Computed Subreach-averaged Suspended-sediment Concentrations for With-dam Conditions and the Reroute and Removal Option




Figure C.1.1. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 4.3 (1978 start date).




Figure C.1.2. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 4.7 (1978 start date).




Figure C.1.3. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 5 (1978 start date).




Figure C.1.4. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 6.3 (1978 start date).




Figure C.1.5. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 6.7 (1978 start date).




Figure C.1.6. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 7.3 (1978 start date).




Figure C.1.7. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 7.7 (1978 start date).




Figure C.1.8. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 8.3 (1978 start date).




Figure C.1.9. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 8.7 (1978 start date).




Figure C.1.10. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 9 (1978 start date).




Figure C.1.11. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 4.3 (1985 start date).




Figure C.1.12. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 4.7 (1985 start date).




Figure C.1.13. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 5 (1985 start date).




Figure C.1.14. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 6.3 (1985 start date).




Figure C.1.15. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 6.7 (1985 start date).




Figure C.1.16. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 7.3 (1985 start date).




Figure C.1.17. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 7.7 (1985 start date).




Figure C.1.18. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 8.3 (1985 start date).




Figure C.1.19. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 8.7 (1985 start date).




Figure C.1.20. Computed daily suspended sediment concentrations for with-dam conditions and the Reroute and Removal Option in Subreach 9 (1985 start date).