

AGAINST AIDS



AGAINST AIDS

RUSSIAN ROULETTE

Written by The Doc of Rock and the Galileo High Peer Resource Class

Want to tell ya somethin'
That's sad but true
About a guy I know
And it could happen to you

He met a fly girl
On the set one night
He couldn't resist
She was a beautiful sight

So they chilled a while
And he was spittin' his game
One thing led to another
It's really a shame



Cause they ended up
Going back to his pad
She was the first and only
Lover that he ever had

To tell you the rest
I have to confess
That he got himself
In a terrible mess
You see, he wasn't prepared
For the love they shared
Didn't use a rubber
Now he's running scared

'Cause in the months to come
When the memory fades
One thing won't
And that is AIDS

So you don't like condoms
Ah come on
You say it's like taking a shower
With your clothes on
Well I would rather get my clothes
Just a little wet
Than sit around playing
Russian Roulette

And that's exactly what you're doing
When you're not prepared
I hope everything I'm saying
Is making you scared
'Cause if I can save one life
With the rap I wrote
This rap will become an antidote



Condoms stop the AIDS virus. If you decide to continue having sex, begin **now** using condoms EVERY TIME. Remember, being in love can't protect you from AIDS. If your sexual partner is infected, he or she can pass it to you — and your emotional feelings towards them won't make a difference. Even if you've known someone all of your life that person could be infected and not know it himself. Many people who have the AIDS virus look and feel healthy. So don't take a chance. ALWAYS use a condom.

Discuss your decision to use condoms with your partner. Find out how he or she feels about AIDS and safe sex. Help them understand that your decision to use condoms simply means that you care about your life and theirs. If your partner refuses to use condoms, then you can and **should** refuse to have sex.

While birth control pills, IUD's, and diaphragms help prevent pregnancy, they cannot protect you from AIDS or other sexually transmitted diseases. Abstinence (not having sex) is the best way to prevent HIV infection. But if you do have sex, a condom is the only thing that can protect you from AIDS.

TIPS ABOUT CONDOM USE

Although condoms provide excellent protection against AIDS, they're not perfect. Sometimes they break. Putting them on incorrectly is the main reason condoms break. Here are a few basic rules to help you use condoms correctly.

- Only use condoms made of latex.
- To apply correctly, put the condom on the head of the erect penis. Squeeze the air out of the tip of the condom with the thumb and index finger. While holding the tip, unroll the condom all the way down. Make sure there is no air inside. Air bubbles make condoms break. Keep room in tip to catch semen.
- Only use water-based lubricants (like K-Y jelly). Never use oils like vaseline and hand cream. Using oil-based lubricants is another reason condoms break.
- Practice putting on condoms together until you're sure you're doing it right. Always keep a supply of condoms on hand and readily available.

Dirty Needles — Shootin' AIDS

Written by Cliff McAllister and Sterling Winterhalter

You use a dirty needle
So I ask you why
Must you abuse your precious veins
Just for a quick high


Don't ruin your life
Don't damage yourself
This could really be a matter
Of life and death

You choose to use a dirty needle
Well I hate to say
That it could be one high
You might regret someday

So, to make this message
Short, simple and brief
If you must share a needle
Clean it with bleach

And if you think that a needle
Will ease your pain
You could be shootin' AIDS
Right in your veins

Reprinted courtesy of San Francisco AIDS Foundation. © 1988



Never shoot IV drugs or share needles. It's a dangerous practice that can lead to addiction, overdose and HIV infection. If you use IV drugs, STOP NOW.

Talk to your parents, counselor, local drug hotline or clinic about getting help. If you do share a needle, always clean it first with bleach.

Alcohol and other drugs don't cause AIDS, but they affect your judgement and decisions about safe sex. If you are high, odds are, you will have sex without a condom. Avoid the use of alcohol and drugs. It can lead to unsafe sex or sharing needles, the two most common activities linked with HIV infection.

PUT IT TO THE TEST

If you've had sex without using a condom, If you've used IV drugs, or have had sex with someone who shoots up, think about taking the AIDS Antibody test. Finding out early whether or not you're infected can mean the difference between life and death. If your test results are negative, that's good news. Now, make a commitment to stay that way. Don't shoot drugs or share needles. Don't have unsafe sex.

If you test positive, new medicine is currently available which can help delay or even prevent certain illnesses. But the sooner you know you are positive, the better your chances of getting effective treatment. Your counselor, clinic or local AIDS hotline can tell you more.

YOU HAVE THE POWER TO PREVENT AIDS

If you don't have sex or use drugs, you won't get AIDS. It's that simple. If you do have sex, use a condom EVERY TIME. If you use drugs, DON'T SHARE NEEDLES.



For more information call your local AIDS hotline

Produced by: Impact AIDS, Inc., 3692 18th St., San Francisco, CA 94110 (415)861-3397

Created by: Optima Productions, 842 Folsom St., Suite 107 S.F., CA (415)530-7319

Written by: Sterling A. Winterhalter III / Art Director: Tony Yuen / Photographer: Warwick May

Special thanks to the Galileo High Peer Resource counselor and class who helped write and edit the "Russian Roulette" rap. Stephanie Sears, Larrell Dean, Lateshia Hardy, Latanya Duree, Milton Turner, Monica Lee, Stephen Logsdon, Mark Anderson, Raymond Redd, Darnell Thompson, Michelle Strater, John Griffin, Mali Watkins, Tameca Coleman, Patti Hernandez, E.J. Stepany, Ruschell Gordon, and Howard Kwong.



THE CHOICE IS YOURS

There is no cure for AIDS, but it can be prevented. The choices you make now can protect you from AIDS and save your life.

WANDA AND RAY

(Written by Sterling Winterhalter)

Let me tell you all a story
About Wanda and Ray
Two - young lovers
Who decided one day
That the time had come
To go - all the way


Well they didn't know much
About the problem of AIDS
But they did know enough
To be a little afraid

So they made a decision
Right there and then
To get the facts about AIDS
Before the love begins

When they learned the facts
It opened their eyes
They decided to wait
A decision so wise

And if you ever find yourself
In that position one day
Be smart, take a lesson
From Wanda and Ray

Reprinted courtesy of
San Francisco AIDS Foundation.
© 1988



The best way to protect yourself from AIDS is to not have sex or to stop having sex. It's the only way to be 100% safe. This decision can also give you and your partner a chance to work on other important things in your relationship; like trust, friendship, and learning how to share your feelings. If you decide to stop having sex or not to start, talk it over with your partner. He or she may feel the same way. Also talk with your parents about it, or with a school counselor. But remember, it's your life and ultimately, your decision.

**For best results add rhythm and
sound effects to the following rap lyrics.**

CLEAN OUT YOUR EARS

(Written by Sterling Winterhalter and Cliff McAllister)

Clean out your ears
Open up your eyes
Listen, I'm not dissin'
I tell no lies

I'm here to broadcast reality
The most talked about threat
To you and me
AIDS, Acquired Immune Deficiency

You don't have to be gay
To get this disease
So listen to this message
I'm askin' you please

'Cause if you're using dirty needles
Or you're having sex
When it comes to AIDS
You know, you could be next

So take care, be careful
You better watch out
Think about what you're doin'
When the lights go out

And if you don't have a condom
When it's time to play
You'd be a whole lot smarter
Just to — walk away,
Walk away, walk away

Reprinted courtesy of
San Francisco AIDS Foundation.
© 1988



A

IDS can happen to anyone who has vaginal, anal, or oral sex without using a condom. It can happen to anyone who shares needles. If you think AIDS can't happen to teenagers, **you're wrong**. Whether you are young, old, Black, White, Hispanic, Asian, gay or straight ...

IT CAN HAPPEN TO YOU!

YOUTH AND AIDS



WHAT'S THE CONNECTION

DO YOU KNOW?

2,000 children in San Francisco are living in the streets. In order to survive, many become involved in activities commonly associated with street life:

- IV drug use
- Prostitution, hustling
- Criminal activities

Are these youth at risk for acquiring AIDS?



WHAT IS AIDS?

AIDS is a disease which causes a breakdown in the body's immune system, impairing the self-defense mechanisms which fight certain illnesses. The AIDS epidemic continues to grow at an alarming rate. The cause is unknown, but certain behaviors are considered to be high-risk.

WHO IS AT RISK?



Nearly all AIDS cases have occurred among the following populations.

- Hemophiliacs
- Haitian immigrants
- Intravenous drug users
- Gay or bisexual men

AIDS is *not* highly contagious, and it is *not* spread through casual social contact.

WHAT ARE THE RISKS FOR YOUTH?



Some young people engage in behaviors which are believed to put them at higher risks for developing AIDS.

- IV drug users run the risk of contracting and spreading AIDS by an inadvertent exchange of blood products in sharing needles.
- Young men who have or are experimenting with a gay identity may engage in sexual behaviors that are believed to be involved in the spread of AIDS.
- Young men who do *not* identify as gay but *do* hustle or prostitute may engage in high-risk sexual behaviors.
- Young women who are sexually active may have sexual contact with IV drug users or bisexual men who carry the disease.



WHAT CAN BE DONE FOR HIGH RISK YOUTH?

The Youth Program of the AIDS Health Project is directed towards:

- Youth who use IV drugs
- Young men who may be homosexually or bisexually active
- Young women who may be sexually active with other high-risk individuals (IV drug users or bisexual men)
- Young people who are anxious or concerned about AIDS, whether or not they have an identified risk.

Our goals are:

- Education
- Intervention and behavior change
- AIDS prevention

Our services include:

- Information about AIDS for youth (ages 12-22): what AIDS is, who is at risk, how to reduce risks.
- Presentations to youth groups.
- Referral for AIDS screening.
- Activity groups for youth.
- Health groups for youth.
- Theater presentations about AIDS and other health issues.
- Trainings for youth service professionals.
- Consultations to youth service professionals.

All services are free of charge to residents and programs of San Francisco.

To make a referral, get more information or request a consultation, contact:

Ernest Andrews, M.A.

Marcia Quackenbush, M.S., M.F.C.C.

Center for Special Problems

558-4801

The AIDS Health Project is a program of the University of California San Francisco, funded by the City and County of San Francisco.

AIDS Health Project


Administrative Office

54 Tenth Street

San Francisco, CA 94103

WHO CAN GET AIDS?

AIDS is an equal opportunity disease. It is caused by HIV (Human Immunodeficiency Virus). AIDS can infect anyone who has vaginal, anal, or oral sex without using a condom. It can infect anyone who shares an IV drug needle. Whoever you are, whatever your age, race, or sex—if you have sex without condoms, or share needles, **YOU CAN GET AIDS.**



"I used to think you could only get AIDS if you were gay, or an IV drug user."

HOW YOU CAN PREVENT IT

WAIT A WHILE!



"We talked about it and agreed not to have sex. Sure, we think about it sometimes, but having sex isn't the only way to show our love for each other."

The surest way to prevent AIDS is to **NOT** have sex. That's the only way to be 100% safe. If you're already having sex, consider stopping now. Whether you decide to stop, or to wait a while before you start, be sure to discuss it openly and honestly with your partner. You may find that he or she feels the same way. Even if your partner doesn't agree with your decision, you still have the right to choose this option. Talk to close friends, parents, or a school counselor for support and encouragement. And remember, having sex is only one way of expressing love. In good relationships, friendship, communication, and trust are far more important.

USE A CONDOM


If you have sex, condoms can help protect you from AIDS. But you must use a condom **EVERY TIME** you have sex. No matter how long you've known your partner, or how much you love each other, **ALWAYS** use a latex condom. Remember, many people who are infected with HIV don't know it themselves, because they may look and feel healthy.

If you're not already using condoms but want to start, talk with your partner about it and share your concerns about AIDS. Using condoms just proves that you care about your own life and theirs. If your partner won't use condoms, **DON'T HAVE SEX**.


And don't forget, birth control pills, IUDs, and diaphragms help prevent pregnancy, but they cannot protect you from AIDS. If you have sex, a condom is the only thing that can help protect you from HIV infection.

HOW TO PUT IT ON

A condom can break if it's put on the wrong way. If the condom breaks, you have no protection against AIDS. Here's the right way to put on a condom.




- 1 Put the condom on the head of the hard penis.**



- 2 Squeeze the air out of the tip and unroll the condom all the way down.**



- 3 Use only water-based lubricants. Oils can cause condoms to break.**



- 4 After sex, hold the condom at the base of the penis and pull out of your partner carefully.**



"Man, it's dumb to have sex without using a condom. With AIDS and all the other sexually transmitted diseases out there, I'm not taking any chances."



CONDOM TIPS

- Use only condoms made of latex.
- Use only water-based lubricants like K-Y jelly.
- ◆ Never use the same condom twice.
- ▼ Always keep an extra supply on hand.

Avoid IV Drugs and Alcohol



“My cousin Angela only shot drugs a couple of times. She wasn’t a real drug addict or anything. But still, she got AIDS and died. She was just 19.”

Never shoot IV drugs or share needles. It’s a dangerous practice that can lead to addiction, overdose, and HIV infection. If you use IV drugs, STOP NOW. Talk to your parents, counselor, local drug hot line, or clinic about getting help. If you do share a needle, always clean it first with bleach.

Alcohol and other drugs don’t cause AIDS, but they affect your judgment and decisions about safer sex. If you are high, odds are you will have sex without a condom. Avoid using alcohol and drugs. It can lead to sex without condoms or sharing needles, the two most common activities linked with HIV infection.

TAKE THE TEST

If you’ve had sex without using a condom, if you’ve used IV drugs, or have had sex with someone who shoots up, think about taking the AIDS antibody test. Finding out early whether or not you’re infected can mean the difference between life and death.

If your test results are negative, that’s good news. Now, make a commitment to stay that way. Don’t shoot drugs or share needles. Don’t have unsafe sex.

If you test positive, it means you can infect others when you have sex. Ask the HIV counselor about new medicine that may help delay, or even prevent, certain illnesses. Finding out early that you’re HIV-positive improves your chances of getting effective treatment.

“I’ve dated a lot in the last couple of years, and I never used condoms. Now I’m beginning to wonder if I should take the antibody test.”



ABOUT AIDS



TEENS TALK...

YOU'VE GOT THE POWER

You have the power to prevent AIDS and protect your life. It's simple:

- Don't have sex or use IV drugs.
- ▲ If you do have sex, use a condom every time.
- If you use IV drugs, don't share needles.



**For more information call
your local AIDS hot line**

© 1993 Impact AIDS, Inc.

Produced by: Impact AIDS, Inc., 3692 18th St.,
San Francisco, CA 94110, (415) 861-3397

Created by: Sterling Winterhalter Productions, (415) 355-8759

Writer: Sterling A. Winterhalter III

Designer: Trish Brewer Photographer: Warwick May

TALKING WITH YOUR TEEN ABOUT HIV



AIDS
LIFELINE


Teens do take
risks with sex and drugs.

.....

And they don't think that
AIDS and HIV disease can
happen to them.

.....

They need to hear the truth.
It's important that you
talk with your teen
about AIDS and HIV disease.



PREPARE YOURSELF


Learn the facts about AIDS and HIV disease. Read, take a class, or call your local hotline or Department of Public Health.

.....

Think about what you want to say
about sex and drug use.
Plan it out ahead of time.

.....

The best time to talk to your teen is now.
If your teen brings up sex or drug use,
you should be prepared to discuss it. But
don't wait for them to bring it up.



GETTING STARTED

Share the facts.

You don't need to know everything about AIDS and HIV, but you should learn as much as you can.


.....

Share your feelings.

If you feel afraid or embarrassed, or if you feel strongly about sex or drug use, let your teen know.

.....

Ask your teen what he or she thinks. Listen! His or her feelings and concerns are valid. Let your teen know that you care.



AIDS is hard to get.

AIDS is caused by a virus called HIV.
The virus is passed through unprotected
sex and sharing IV drug needles.
You can't get HIV by sharing glasses,
toilet seats, touching, coughing, or being
near a person who has HIV disease.

.

HIV can be prevented.

You won't get HIV if
you don't have sex or use drugs.
If you do have sex, use a latex condom.
If you do use drugs, don't share needles.
Get help so you can stop.
Remember, it is not who you are,
it is what you do. Anyone can get AIDS.

.

**To learn more,
call an AIDS hotline.**





**Produced by
SAN FRANCISCO AIDS FOUNDATION
P.O. Box 426182
San Francisco, CA 94142-6182**

**Distributed by Impact AIDS, Inc.
3692 18th St.
San Francisco, CA 94110
415-861-3397**

This brochure was developed for the AIDS Lifeline series by the San Francisco AIDS Foundation, KPIX and Education Programs Associates.

Funding was provided by:
Wallace A. Gerbode Foundation
Haigh-Scatena Foundation
Herman Goldman Foundation
KPIX/Westinghouse Broadcast Corporation
Metropolitan Life Insurance Company
Digital Equipment Corporation

Photography by Michael Llewellyn

© San Francisco AIDS Foundation • Second Edition, 1992

KPIX 5



**AIDS
LIFELINE**

HABLANDO CON SUS HIJOS SOBRE EL SIDA (O AIDS)



AIDS
LIFELINE

LOS JOVENES PUEDEN
CONTRAER SIDA

Los jóvenes se arriesgan cuando
usan drogas y tienen relaciones sexuales.

.....

Ellos creen que no pueden contraer
el SIDA.

.....

Usted necesita decirles la verdad. Hable
con sus hijos sobre el SIDA.



Infórmese sobre el SIDA.


Tome una clase, lea, o llame a su línea de información y asistencia local (hotline).

.....

Piense en lo que les quiere decir sobre las relaciones sexuales y las drogas. Planee lo que les va a decir.

.....

No espere hasta que sus hijos le pregunten sobre el SIDA. Busque la manera de iniciar una conversación con ellos.



COMO EMPEZAR

Comparta los datos con sus hijos.
Comparta sus sentimientos con ellos. Si tiene
vergüenza o temor, ¡Dígalo!

.....

Si tiene una opinión definida sobre las
relaciones sexuales y el uso de las drogas,
¡Dígalo!

.....

Pregúnteles su opinión y escúchelos.
Muestre a sus hijos lo mucho
que los quiere.



LOS HECHOS SOBRE EL SIDA

El SIDA es difícil de contraer.

El SIDA se contagia por medio de relaciones sexuales y al compartir agujas o jeringas.

El SIDA no se contagia compartiendo vasos, ropa, por medio de estornudos, ni estando cerca o tocando a una persona que tiene SIDA.

.

El SIDA es fácil de prevenir.

Usted no se va a contagiar con el SIDA si no tiene relaciones sexuales ni usa drogas.

Si tiene relaciones sexuales, use un condón. Si usa drogas, pida ayuda.
¡No comparta agujas ni jeringas!

.

Para aprender más sobre el SIDA

Si usted tiene preguntas sobre el SIDA, llame a su línea de información local. Ellos pueden contestar sus preguntas.



Para mas informes o recomendacion
confidencial sobre el SIDA, llame a
la linea de informacion de la Fundacion
AIDS de San Francisco.

863-AIDS in San Francisco
800-367-2437 (gratis) en el
Norte de California
TDD 415-864-6606



Produced by:
SAN FRANCISCO AIDS FOUNDATION
333 Valencia Street, 4th Floor
San Francisco, CA 94103

This brochure was developed for the AIDS Lifeline series by the San Francisco
AIDS Foundation, KPIX and Education Programs Associates.

Funding was provided by:
Wallace A. Gerbode Foundation
Haigh-Scatena Foundation
Herman Goldman Foundation
KPIX/Westinghouse Broadcast Corporation
Metropolitan Life Insurance Company
Digital Equipment Corporation

Photography by Michael Llewellyn

Copyright © San Francisco AIDS Foundation, 1988
all rights reserved.



KPIX 5



AIDS
LIFELINE

1



#1 X and Your Body

1st in a series, collect 'em all!

X takes about 30mins. to kick in
-prepare for a 3-6 hour trip

X dehydrates your body
-drink plenty of water
-take breaks from dancing

Small amounts are best
-over use burns out your body

Alcohol reduces the effects of X
-water is better

415.985.7477

**for recorded info on
ecstasy and safe sex**

**San Francisco AIDS Foundation
Haight-Ashbury Free Clinics Inc.**

**This flyer is in no way meant
to encourage the use of ecstasy**



#2 Under Wraps

2nd in a series, collect 'em all!

**You might find love tonight
-bring a few condoms**

**Don't lube with oil
-use only water based lubes**

**X can increase staying power
-orgasms may take longer**

**Check condom while in use
-if it is torn replace**

415.985.7477

**for recorded info on
ecstasy and safe sex**

**San Francisco AIDS Foundation
Haight-Ashbury Free Clinics Inc.**

**This flyer is in no way meant
to encourage the use of ecstasy**

©1993 SAN FRANCISCO AIDS FOUNDATION



#3 Chillin' on X

3rd in a series, collect 'em all!

Not all X is X

-Trust who you get it from

Are you ready to fly

-be well rested, think positive

Take care of each other

Time to leave?

-know how you'll get home

415.985.7477

**for recorded info on
ecstasy and safe sex**

**San Francisco AIDS Foundation
Haight -Ashbury Free Clinics Inc.**

**This flyer is in no way meant
to encourage the use of ecstasy**

4

INDIVIDUALITY



#4 Smart Love

4th in a series, collect 'em all!

Everybody's different
-some people feel sexual on X
-some feel sensual

If you do feel sexual
-take time to be safe
-learn about and use condoms

If you feel sensual
-touch and be close

Whatever you do be smart


415.985.7477

**for recorded info on
ecstasy and safe sex**

**San Francisco AIDS Foundation
Haight-Ashbury Free Clinics Inc.**

***This flyer is in no way meant
to encourage the use of ecstasy***

THE PARENT-TEEN AIDS EDUCATION PROJECT



A Multimedia Program Designed for
Parents of Adolescents



SAN FRANCISCO AIDS FOUNDATION



WHY EDUCATE PARENTS?

Parental involvement and support can make or break an AIDS education program.

THIS PROGRAM WILL

- ◆ Give parents the information they need to educate their teens about AIDS
- ◆ Motivate parents to communicate more effectively with their children
- ◆ Provide parents with an opportunity to practice these new skills
- ◆ Encourage parental advocacy for AIDS education for their teens

- ◆ Parents are natural educators of their children. They can help their children resist peer pressure, make good decisions and build self-esteem.
- ◆ Teens are at risk for AIDS. Curiosity and peer pressure can lead to drug and sexual experimentation.

“Parents have been neglected by many educational programs. They must play a significant role in AIDS educational efforts.”

Jackson Peyton, Project Director
The Parent-Teen AIDS Education
Project


TEENAGERS TAKE RISKS!

Teens who experiment with sex and drugs can be exposed to infection with the AIDS virus.

- ◆ Two-thirds of all teens have had sex before the age of 18.
- ◆ Teens also experiment with alcohol and drugs. Getting high can impair judgment and promote unsafe sexual behavior. Teens who share IV drug needles are at very high risk for AIDS.

“Parents must recognize a question, listen, and respond. If you don’t have an answer, admit it, do some research, and answer it later.”

Andre Cunningham
Director, Family Life Education
Lawndale Youth and Family Center



“One in seven teenagers gets a sexually transmitted disease each year.”

Marcia Quackenbush
Testimony before the
Select Committee
on Children, Youth,
and Families
February, 1987


THE PARENT-TEEN AIDS EDUCATION PROJECT

The **Parent-Teen AIDS Education Project** offers you several approaches to parental education. Each component can be implemented by itself or can be part of a more comprehensive approach. The complete program includes a 127 page implementation manual for educators, a 27 minute video and 25 brochures in English and Spanish, both for parents. The complete package costs \$95.

THE IMPLEMENTATION MANUAL


The **Parent-Teen AIDS Education Program** provides detailed information on how to choose and implement an appropriate program for your community, present AIDS information, and develop AIDS policies. It contains a parent-teen meeting guide in English and Spanish that will help parents with their communication skills and strategies.

(1988) *Three-ring binder, 127 pages* \$40.00



TOPICS INCLUDE:

- ◆ Parent-teen communication
- ◆ Parent meeting guides in English and Spanish
- ◆ Community leadership
- ◆ Parent-Teen AIDS forums
- ◆ Cultural and ethnic concerns
- ◆ Working with the media
- ◆ Writing AIDS policies



This program was field tested in rural, urban, and suburban locations. The meeting guide and brochures were field tested with both English and Spanish speaking parents.

THE BROCHURE

Talking With Your Teens About AIDS

(Hablando Con Sus Hijos Sobre El SIDA)

These easy-to-read brochures provide parents with basic facts about AIDS and communication tips for talking with teens. Written and tested with Black, Latino, Asian and Anglo parents, these brochures can be distributed in many ways: through mailings to membership lists, in employee mail, at meetings, fairs and worship services, and wherever parents of teens come together.

(1988) 8½ × 11½ colors Calif. -Generic versions

Prices: 1-99 . . . 30¢ / 100-499 . . . 20¢

500-999 . . . 17¢ /1000 + . . . 15¢

From **Talking With Your Teen About AIDS:**

“Share the facts.

You don't need to know everything about AIDS.


Share your feelings.

If you feel afraid or embarrassed, or if you feel strongly about sex or drug use, let your teen know. Ask your teen what he or she thinks. Listen! Let your teen know you care.”

THE VIDEO

Talking with Teens with Jane Curtin is a fast-paced, emotionally involving presentation. It provides parents with a review of basic AIDS information and examples of effective parent-teen communication. It can be distributed to parents through school loans, public libraries, home video stores, organizations, etc.

(1988) 27 minutes \$65.00



Talking with Teens is part of the *AIDS Lifeline TV Series* and may be available to interested individuals who call local participating TV stations.

ORDER NOW! CALL 415/861-3397

THIS PROGRAM IS DESIGNED FOR

- ♦ Adult organizations and civic groups such as PTA's and the Lion's Clubs
- ♦ Schools
- ♦ Religious organizations
- ♦ Youth serving agencies such as Big Brothers, Big Sisters, and the YMCA
- ♦ The workplace
- ♦ Departments of Health and other governmental agencies



With funding generously provided by: Wallace A. Gerbode Foundation ♦ Haigh-Scatena Foundation ♦ Herman Goldman Foundation ♦ KPIX 5/ Westinghouse Broadcast Corporation ♦ Metropolitan Life Insurance Company ♦ Digital Equipment Corporation ♦ Mr. Thom Beckman ♦ Mr. Paul H. Anderson ♦ Herman Schornstein, M.D. ♦ And many individual donors of the San Francisco AIDS Foundation

ORDER FORM

NAME _____

AGENCY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE (_____) _____

If billing address is different please attach instructions.

- ☐ Yes, I want to order the complete **Parent-Teen AIDS Education Project!**

\$95 for the first package \$55 each for 2-5 copies*

\$ _____

Preview: \$25 for one week only

\$ _____

- ☐ Please send me the **Parent-Teen AIDS Education implementation manual** only!

\$40 for the first copy

\$ _____

\$30 each for 2-5 copies*

\$ _____

- ☐ Please send me the video, **Talking With Teens,** with Jane Curtin!

\$65 for the first copy

\$ _____

\$40 each for 2-5 copies*

\$ _____

Please specify format: ☐ VHS ☐ ¾" ☐ BETA

- ☐ Please send me _____ copies of **Talking With Your Teen About AIDS!**

Specify ☐ California ☐ Generic

_____ @ _____ = _____

\$ _____

- ☐ Please send me _____ copies of **Hablando Con Sus Hijos Sobre El SIDA!**

Specify ☐ California ☐ Generic

_____ @ _____ = _____

\$ _____

- ☐ Please bill me ☐ Payment enclosed

- ☐ Please send me your catalog, the **AIDS Educator!**

- ☐ Please have a program consultant call me!

Tax: SF residents, please add 6.5% sales tax;

Calif. residents please add 6%.

Shipping: \$10 per package; \$5 each additional item; \$5 every 200 brochures.

Please allow 4-6 weeks for delivery.

Subtotal

\$ _____

Sales tax

\$ _____

Shipping

\$ _____

GRAND TOTAL

\$ _____

Please make checks payable to the **San Francisco AIDS Foundation** and mail your order to: **Talking with Teens**, SFAF, PO Box 6182, San Francisco, CA 94101-6182.

*Call for additional discounts on quantity orders: 415/861-3397



SAN FRANCISCO AIDS FOUNDATION

P.O. BOX 6182

SAN FRANCISCO, CA 94101-6182

NON PROFIT
ORGANIZATION

U.S. POSTAGE

PAID

SAN FRANCISCO, CA

PERMIT NO. 15137




THE PARENT-TEEN AIDS EDUCATION PROJECT

Risky Business



**2 New
Stories**

RISKY BUSINESS



CONTENTS

AIDS VIRUS 3
Dave Cherry

RISKY BUSINESS 11
Winthrop Prince

GLOSSARY: 20
Words Used in this book

This book was produced by the SAN FRANCISCO AIDS FOUNDATION.

Developed & Edited by — Sterling A. Winterhalter III

Art Director — Larry Stinson

All material © 1988 SFAF

Thanks to the following people who helped edit and review this book: Isabel Auerbach, Ron Baker, Holly Calica, Maria Camacho, Hector Carrillo, Pat Christen, Garth Collins, Nicolette Collins, Kim Cox, Ralph DiClemente, Rene Durazzo, Chuck Frutchey, Maureen Gammon, Paul Gibson, Bobby Hilliard, Cameron Hubey, Ernesto Hinojos, Francis Jue, Michael Lee, Helen Leslie, Gloria Lockett, Beth Maerten, Horacio Maiorana, Jim Martindale, Jacques McCright, David May, Lyn Paleo, Les Pappas, Jackson Peyton, Mark Picciano, Liz Rojas, Holly Smith, Janice Schooler, Ruth Schwartz, Lou Valla, Charles Wiz.

For additional copies write to:
San Francisco AIDS Foundation
P.O. Box 6182
San Francisco, CA 94101-6182




Bulk rates
available.
Single copies
cost \$1.00

Major Funding Provided by
Pacific Telesis Foundation

PACIFIC  **TELESIS**
Foundation


BIG CITY, U.S.A. AH, THE TWENTIETH CENTURY! TECHNOLOGY HAS ADVANCED BEYOND OUR WILDEST DREAMS — YET ALL AROUND US ARE VIRUSES WE STILL HAVE NOT CONQUERED. AND THE WORST OF THEM ALL IS THE

AIDS VIRUS!



ALSO KNOWN AS "HUMAN IMMUNODEFICIENCY VIRUS" (H.I.V.), IT CAUSES THE LIFE-THREATENING DISEASE CALLED AIDS (ACQUIRED IMMUNE DEFICIENCY SYNDROME!)

SOMEWHERE IN THE EERIE DEEP
WHERE VIRUSES ARE BORN...




YOU WILL THRIVE
IN BLOOD, SEMEN, AND
VAGINAL FLUIDS!

AND YOU MAY SPREAD
THROUGH SEX, THE
SHARING OF DRUG
NEEDLES, AND FROM
MOTHER TO CHILD
DURING PREGNANCY!

NOW GO FORTH
AND DESTROY!

THE EARLY CASES OF AIDS IN THE UNITED STATES WERE DIAGNOSED IN 1978. AT THE SAME TIME THE DISEASE WAS SPREADING IN ALMOST EVERY MAJOR POPULATION CENTER IN THE WORLD!




IT ENTERED THE HUMAN BODY THROUGH SEXUAL CONTACT, THROUGH SHARING DRUG NEEDLES AND, UNTIL 1985, THROUGH TRANSFUSIONS OF INFECTED BLOOD.



MEANWHILE IN THE HALLS OF JAMES CHEW HIGH SCHOOL...


SO HOW WAS HEALTH CLASS, KIDS?

THEY WERE TELLING US ALL ABOUT AIDS. IT'S SCARY STUFF!



SOUNDS LIKE IT, BUT LIKE WHAT'S IT GOT TO DO WITH US? I MEAN I THOUGHT LIKE ONLY TOTAL DRUG ADDICTS AND GAYS GOT AIDS!

NO, MAN! ANYBODY CAN GET IT JUST BY HAVING SEX WITH AN INFECTED PERSON OR BY SHARING NEEDLES, LIKE YOU SAID!




THAT'S TOTALLY BOGUS!


186,880!

WHAT'S THAT, JOHN? THE ESTIMATED NUMBER OF AIDS CASES IN THIS CITY BY 1990?

NO, BUT NICOLE HAS USED THE WORD "TOTALLY" EIGHT TIMES IN THE PAST FIFTEEN MINUTES...



AND AT THAT RATE, ALLOWING FOR TIME TO SLEEP, OF COURSE, SHE WOULD SAY IT 186,880 TIMES IN ONE YEAR!



THE AIDS VIRUS, MEANWHILE, HAS INVADDED THE BODY THROUGH A SEXUAL ENCOUNTER.




THE VIRUS GETS INTO THE BLOODSTREAM THROUGH TINY CUTS OR ABRASIONS ON THE PENIS OR VAGINAL OR RECTAL WALLS.

THEN IT SWIMS IN THE BLOOD-STREAM ON A COURSE OF DESTRUCTION.




SOON IT'S SPOTTED BY THE BODY'S IMMUNE SYSTEM, WHICH SENDS OUT T-CELLS (WHITE BLOOD CELLS) TO FIGHT ILLNESS.

T-CELL SQUAD ON ALERT! YOU KNOW WHAT TO DO?



THAT'S MISTER T-CELL TO YOU, SUCKA!


WE GONNA KICK THE CRAP OUTA THAT VAHRUS!



BUT ALAS; THE -ER-"MR. T" CELLS AREN'T STRONG ENOUGH.





SEND IN THE ANTIBODY SQUAD!




... BUT IT'S NO USE.






WHICH BRINGS US TO THE MANY PEOPLE WHO'VE BEEN INFECTED WITH THE AIDS VIRUS.


HERE, FOR INSTANCE, IS YOUNG MICHELLE, WHOSE BOYFRIEND LIKED TO SHOOT A LITTLE DOPE NOW AND THEN... SOMETIMES HE SHARED NEEDLES WITH HIS FRIENDS, THEN HE AND MICHELLE WOULD HAVE SEX WITHOUT CONDOMS.



AND THEN THERE'S DAVE, WHO WORKS FOR THE ELECTRIC COMPANY. DAVE IS BISEXUAL, AND HE NEVER USES CONDOMS EITHER.




THEN THERE'S MIKE'S STORY. MIKE, A JUNKIE, CAUGHT THE VIRUS FROM SHARING NEEDLES. HE MADE LOVE TO HIS GIRLFRIEND SARA WHO BECAME INFECTED. SHE GOT PREGNANT THEN PASSED IT TO THEIR NEW BABY.



NOT LONG AGO SARA DIED OF AIDS. NOW MIKE HAS IT AND WILL PROBABLY DIE WITHIN A YEAR AND A HALF. THE CHILD WAS BORN INFECTED AND IS EXPECTED TO DIE SOON TOO.

"AND FOR EXTRA PROTECTION, USE CONDOMS LUBRICATED WITH NON- OXYNOL-9. IT'S A SPERMICIDE THAT KILLS THE AIDS VIRUS."




AND FOR GOD'S SAKE, **DON'T SHOOT DRUGS!** SOME OF YOU, I KNOW, WILL DO IT ANYWAY—TO YOU, I SAY—**DON'T SHARE NEEDLES!**



MEANWHILE BACK AT JAMES CHEW HIGH, JOHN AND NICOLE HAVE JOINED TONY AND SYLVIA'S HEALTH CLASS...

SO HOW DO WE AVOID GETTING INFECTED?

WELL, **NOT** HAVING SEX IS, OF COURSE, THE **SAFEST** POLICY. BUT IF YOU **DO** HAVE SEX, USE A CONDOM—**ALWAYS**. THAT WAY BLOOD, SEMEN, AND VAGINAL FLUIDS CAN'T BE PASSED FROM BODY TO BODY.




"IF YOU THINK SOMEONE ELSE HAS USED THE NEEDLE, RINSE IT TWICE WITH BLEACH AND TWICE WITH WATER **BEFORE** USING IT. BLEACH KILLS THE AIDS VIRUS TOO."

BLEACH



WATER



"**DON'T SHOOT OR DRINK THE BLEACH, THOUGH!**"

THAT'S SOME OUT- RAGEOUS STUFF! HEY NICOLE! ISN'T THAT YOUR COUSIN JIM? HE LOOKS OUT OF IT!

FOR SURE! HI JIM! WHAT'S UP?

DON'T ASK!



YOU KNOW I TOOK THAT TEST THEY HAVE FOR AIDS, RIGHT, TO SEE IF THERE'S ANTIBODIES IN YOUR BLOOD? WELL, I JUST GOT THE RESULTS BACK TODAY!

HOW'D IT TURN OUT?

POSITIVE!

WHAT'S THAT MEAN?

IT MEANS I'M INFECTED WITH THE AIDS VIRUS AND COULD GIVE IT TO SOMEONE ELSE WHEN I HAVE SEX!

BUT IF THE RESULTS ARE NEGATIVE, DOES THAT MEAN YOU CAN NEVER GET AIDS?

HECK NO! A NEGATIVE RESULT MEANS EITHER YOU DON'T HAVE THE VIRUS OR YOU'RE INFECTED BUT YOUR BODY HASN'T MADE ANTIBODIES YET. THEY SAY IT COULD TAKE UP TO THREE MONTHS OR MORE TO SHOW ANTIBODIES TO THE AIDS VIRUS.

BUT JIMMY, SINCE YOU TESTED POSITIVE, ARE YOU GONNA GET SICK OR ANYTHING?

I DUNNO, SYLVIA. I MIGHT NOT GET SICK AT ALL, OR I MIGHT GET AIDS, OR ARC* WHICH IS ALMOST AS BAD.

*AIDS RELATED COMPLEX

HANG IN THERE, BUDDY. WE'RE PLUGGING FOR YOU!

I FEEL REAL BAD ABOUT JIMMY, BUT WE BETTER BE CAREFUL NOT TO TOUCH HIM OR ANYTHING, HUH?

NO, STUPID! YOU CAN'T GET AIDS FROM JUST TOUCHING SOMEONE WHO HAS IT! HAVEN'T YOU BEEN PAYING ATTENTION IN HEALTH CLASS?

I WISH I COULD DO SOMETHING ABOUT THIS AIDS THING!

GISTER YOU'RE HAPPIER

YOU CAN! YOU'VE GOT A HOT DATE WITH SUZETTE McBAYB TONIGHT, RIGHT?

YEAH...

WELL, GET YOURSELF SOME CONDOMS! THE BEST WAY YOU CAN HELP JIM IS TO MAKE SURE IT DOESN'T HAPPEN TO YOU!

I KNOW, BUT I HATE ASKING FOR RUBBERS AT THE DRUGSTORE. THEY ALWAYS LOOK AT ME FUNNY.

WELL, IT'S BETTER THAN RISKING INFECTION. BESIDES, YOU DON'T HAVE TO "ASK" FOR CONDOMS. LOTS OF STORES HAVE THEM ON THE SHELVES.

HOW'D I SUPPOSE TO LIFT MY LEG WITH THESE ON?

OR ELSE GO TO THAT SUPERMARKET! THEY'VE GOT A CONDOM VENDING MACHINE!

YEAH? ALL RIGHT!

CONDOM

\$1.00

PACK OF 3




MINI-MAG




MAN

ALL SET FOR TONIGHT?


GOT EVERYTHING I NEED, BROTHER! NOW LET'S GO OVER TO MY PAD AND LISTEN TO SOME BEAT!

GENERIC SHIRT W/ NO WRITING ON IT










Risky Business








BY WINTHROP PRINCE


WITH THANKS TO STERLING WINTERHALTER





















I'M EMBARRASSED TO MENTION IT... BUT WE SHOULD USE CONDOMS.




I KNOW... AFTER ALL THAT TALK AT THE PARTY I'M GLAD I HAVE ONE.




I GUESS I'M NOT **ALL** TALK. I HAVE ONE TOO.



THERE YOU HAVE IT... TYPICAL TEENS WITH A TYPICAL PROBLEM... SAFE SEX...



YOUNG PEOPLE IN SEARCH OF TRUTH. ARE THERE SIMPLE ANSWERS?... PERSONALLY **THIS** REPORTER...



HEY BUDDY, DO YOU MIND ? YOU'RE BREAKING THE MOOD.

END



Questions & Answers

Q. *How do teenagers get AIDS?*

A. Teenagers get AIDS through sex and through sharing IV needles to shoot drugs, steroids, or anything else.

Q. *Can you get AIDS from someone coughing or sneezing, or from sharing food or a drinking glass?*

A. No. You can *only* get AIDS through sex or blood to blood contact, such as sharing IV needles.

Q. *Can you get AIDS from mosquitos?*

A. No. Numerous studies have all concluded mosquitos cannot spread AIDS.

Q. *Is it true only gay white men get AIDS?*

A. No. Anyone of any race, gay, straight or bisexual, can get AIDS. People get AIDS because of what they do (unsafe sex or sharing IV needles). AIDS does not discriminate. Currently, 25% of all people with AIDS are black, 14% are Latino, 59% are white, and 1% are Asian and Native American. AIDS is everyone's problem.

Q. *How do babies get AIDS?*

A. Unborn babies are infected with the AIDS virus while still in the womb of mothers who are infected with the virus. After they are born, infected babies will usually get AIDS within the first two years of life.

Q. *Can you get AIDS from becoming a blood brother with someone?*

A. Yes, *if* when you become blood brothers, your blood gets into your friend's body, or his or her blood gets into your body.

Q. *If bleach kills the AIDS virus, why can't we use bleach to cure people with AIDS?*

A. Bleach can kill the AIDS virus *only* while the virus is *outside* the body. After it enters the body, the AIDS virus can no longer be killed with bleach. Bleach can be very harmful if swallowed or injected.

Q. *Is there a cure for AIDS?*

A. There is no cure yet. Scientists and researchers are working hard to find one. Right now, education—learning how to avoid getting AIDS—is the best thing we can do.

Glossary: Words Used in this Book

AIDS — Acquired Immune Deficiency Syndrome, a disease caused by a virus (HIV) which damages your immune system so that your body can't fight off infections.

Antibody — a substance produced by your body to fight off infections.

ARC — AIDS Related Complex, a variety of diseases and conditions caused by (HIV), usually less severe than AIDS.

Bisexual — someone who is sexually attracted to both sexes.

Condom — A rubber "sleeve" for covering the penis during sex to help prevent disease and pregnancy.

Cryptosporidium — (krip'-tō-spō-rid-ē-um) an intestinal parasite that produces the severe diarrhea often experienced by people with AIDS and ARC.

HIV — Human Immunodeficiency Virus. The virus that causes AIDS.

Hairy Leukoplakia — (har'-ē-loo-kō-plā-kē-uh) a white growth that sometimes appears on the sides of the tongue in people with (HIV) infection.

Immune System — a complex network of cells and chemicals in your body that protects you against germs and infections.

Kaposi's Sarcoma (kah-pō-sēz sar-kō-mah) (KS) — a cancer that causes pink, purple or brown spots on the skin. It is the second most common illness experienced by people with AIDS.

Opportunistic Infections — infections which only cause disease when the body's immune system is damaged.

Pneumocystis Carinii Pneumonia (PCP) — (noo-mō-sis-tis kah-rin-ee-i noo-mōn-yuh) A lung infection found in people with severely weakened immune systems and is often fatal. It is the most common opportunistic infection in people with AIDS.

Semen — a white fluid, containing sperm, which comes out of the penis when a male reaches climax.

Spermicide — a substance used in birth control gels and foams to kill sperm in order to prevent pregnancy.

Toxoplasmosis — (tox'-ō-plaz-mō-sis) an opportunistic infection, often experienced by people with AIDS, that causes brain damage.

Vaginal Fluids — fluids in a woman's vagina.

Virus — a small germ that gets into your body and causes illness.

RAPPIN'

TEENS, SEX AND AIDS



RAPPIN'



LIFE AS A TEENAGER CAN BE HARD THESE DAYS. DRUGS ALL AROUND. SEXUALLY TRANSMITTED DISEASE, AIDS, AND MANY OF CARMEN'S FRIENDS ARE SEXUALLY ACTIVE.

PSST! CARMEN, HOLD UP!
DID YOU HEAR ABOUT CONSUELO?
SHE'S PREGNANT!



REALLY? DAMN. THAT'S HEAVY,
TANYA. WHO'S THE GUY? SHE'S
BEEN MESSIN' WITH A COUPLE
OF DIFFERENT GUYS.
IS SHE GOING TO KEEP IT?






I DON'T KNOW, I HOPE SO. I JUST
LOVE LITTLE BABIES. I PLAY WITH MY
SISTER'S LITTLE GIRL ALL THE TIME.








YEAH, BUT PLAYING WITH THEM AND
BEING A MOTHER, ARE TWO DIFFERENT
THINGS. MAN, AND HER MOTHER AND
FATHER ARE STRICT. SHE MUST BE
GOING THROUGH HELL AT HOME!


















Produced by Multicultural Training
Resource Center
1540 Market Street, Suite 320
San Francisco, CA 94102
415 861-2142

Rappin': Teens, Sex and AIDS
was made possible with funds from
the March of Dimes, in conjunction
with the Bayview-Hunter's Point
Foundation and the San Francisco
Department of Public Health Com-
munity Substance Abuse Service.

Concept and script: Sala Udin

Illustration: Brian Clarke

Design and layout:
Shelley Harper Design

"Rappin'" graffiti on back cover:
Bomani Howze

RAPPIN'