

Scientific articles

- Abed-Navandi, D., Dworschak, P.C. 2005. Food sources of tropical thalassinidean shrimps: a stable isotope study. *Marine Ecology Progress Series* 201: 159-168.
- Abed-Navandi, D., Koller,H., Dworschak, P.C. 2005. Nutritional ecology of thalassinidean shrimps constructing burrows with debris chambers: The distribution and use of macronutrients and micronutrients. *Marine Biology Research* 1: 202-215.
- Acero, A.P.1985. Zoogeographical implications of the distribution of selected families of Caribbean coral reef fishes. *Proc. of the Fifth International Coral Reef Congress*, Tahiti, Vol. 5.
- Acero, A.P.1987. The chaenopsine blennies of the southwestern Caribbean (Pisces, Clinidae, Chaenopsinae). III. The genera *Chaenopsis* and *Coralliozetus*. *Bol. Ecotrop.* 16: 1-21.
- Acosta, C.A. 2001. Assessment of the functional effects of a harvest refuge on spiny lobster and queen conch populations at Glover's Reef, Belize. *Proceedings of Gulf and Caribbean Fisheries Institute*. 52 :212-221.
- Acosta, C.A. 2006. Impending trade suspensions of Caribbean queen conch under CITES: A case study on fishery impact and potential for stock recovery. *Fisheries* 31(12): 601-606.
- Acosta, C.A., Robertson, D.N. 2003. Comparative spatial geology of fished spiny lobster *Panulirus argus* and an unfished congener *P. guttatus* in an isolated marine reserve at Glover's Reef atoll, Belize. *Coral Reefs* 22: 1-9.
- Allen, G.R., Steene, R., Allen, M. 1998. A guide to angelfishes and butterflyfishes. *Odyssey Publishing/Tropical Reef Research*. 250 p.
- Allen, G.R.1985. Butterfly and angelfishes of the world, volume 2. *Mergus Publishers*, Melle, Germany.
- Allen, G.R.1985. FAO Species Catalogue. Vol. 6. Snappers of the world. An annotated and illustrated catalogue of lutjanid species known to date. *FAO Fish. Synop.* 125(6):208 p.
- Allsop, W.H.L. 1980. Fish by-catch from shrimp trawling. The main protein source for Caribbean Atlantic Countries: Reality and Potential. Meeting: Inter-American Development Bank Round Table on Non-Traditional Fishery Products for Mass Human Consumption, Second Working Session, 15-19 Sept. 1980, Washington, DC, US.,
- Alvarez, B.,van Soest, R.W.M., Rützler, K. 1998. A revision of Axinellidae (Porifera: Demospongiae). *Smithsonian Contribution to Zoology* 598: 1-47.

- [Alvarez, B., van Soest, R.W.M., Rützler, K.](#) 2002. *Svenzea*, a new genus of Dictyonellidae (Porifera: Demospongiae) from tropical reef environments, with description of two new species. Contributions to Zoology 7(4): 171-76.
- Alvez-Stanley, C.D., Worthy, G.A.J., Bonde, R.K. 2010. Feeding preferences of West Indian manatees in Florida, Belize, and Puerto Rico as indicated by stable isotope analysis. Marine Ecology Progress Series 402: 255-267.
- [Ambler, J.W., Ferrari, F.D., Fornshell, J.A.](#) 1991. Population structure and swarm formation of the cyclopoid copepod *Dioithona oculata* near mangrove cays. Journal of Plankton Research 13(6): 1257-1272.
- Anderson, W.D. and Springer, V.G. 2005. Review of the perciform fish genus *Sympysanodon*, Bleeker (Sympysanodontidae), with descriptions of three new species, *S. mona*, *S. parini*, and *S. rhax*. Zootaxa 996:1-44.
- [Anker, A., Dworschak, P.C.](#) 2007. *Jengalpheops rufus* gen. nov., sp. nov., a new commensal alpheid shrimp from the Philippines (Crustacea: Decapoda). Zoological Studies 46(3): 290-302.
- [Aronson, R.B.](#) 1987. Predation of fossil and recent ophiuroids. Paleobiology 13(2): 187-197.
- [Aronson, R.B.](#) 1988. Palatability of five Caribbean ophiuroids. Bulletin of Marine Science 43(1): 93-97.
- [Aronson, R.B.](#) 1991. Predation, physical disturbance, and sublethal arm damage in ophiuroids: a Jurassic-Recent comparison. Marine Ecology Progress Series 74: 91-97.
- [Aronson, R.B.](#) 1992. Biology of a scale-independent predator-prey interaction. Marine Ecology Progress Series 89: 1-13.
- [Aronson, R.B.](#) 1992. The effects of geography and hurricane disturbance on a tropical predator-prey interaction. Journal of Experimental Marine Biology and Ecology 162: 15-33.
- [Aronson, R.B.](#) 1998. Decadal-scale persistence of predation potential in coral reef communities. Marine Ecology Progress Series 172: 53-60.
- [Aronson, R.B., Macintyre, I.G., Precht, W.F., Murdoch, T.J.T., Wapnick, C.M.](#) 2002. The expanding scale of species turnover events on coral reefs in Belize. Ecological Monographs 72(2): 233-249.
- [Aronson, R.B., Macintyre, I.G., Staci, A.L., Hilbun, N.L.](#) 2005. Emergent zonation and geographic convergence of coral reefs. Ecology 86(10): 2586-2600.
- [Aronson, R.B., Macintyre, I.G., Wapnick, C.M., O'Neill, M.W.](#) 2004. Phase shifts, alternative states, and the unprecedented convergence of the two reef systems. Ecology 85(7): 1876-1891.

[Aronson, R.B., Precht, W.F.](#) 1995. Landscape patterns of reef coral diversity: A test of the intermediate disturbance hypothesis. *Journal of Experimental Marine Biology and Ecology* 192:1-4.

[Aronson, R.B., Precht, W.F.](#) 1997. Stasis, biological disturbance, and community structure of a Holocene coral reef. *Paleobiology* 23(3): 326-346.

[Aronson, R.B., Precht, W.F.](#) 2001. Applied paleoecology and the crisis on Caribbean coral reefs. *Palaios* 16(3): 195-196.

[Aronson, R.B., Precht, W.F.](#) 2001. White-band disease and the changing face of Caribbean coral reefs. *Hydrobiologia* 460: 25-38.

[Aronson, R.B., Precht, W.F., Macintyre, I.G.](#) 1998. Extrinsic control of species replacement on a Holocene reef in Belize: the role of coral disease. *Coral Reefs* 17: 223-230.

[Aronson, R.B., Precht, W.F., Macintyre, I.G., Murdoch, T.J.T.](#) 2000. Coral bleach-out in Belize. *Nature* (405): 1

[Aronson, R.B., Precht, W.F., Toscano, M.A., Koltes, K.H.](#) 2002. The 1998 bleaching event and its aftermath on a coral reef in Belize. *Marine Biology* 141: 435-447.

Axelrod, H.R. 1993. The most complete colored lexicon of cichlids. T.F.H. Publications, Neptune City, New Jersey.

[Bacchus, M.C., Dunbar, S.G., Self-Sullivan, C.](#) 2009. Characterization of resting holes and their use by the Antillean manatee (*Trichechus manatus manatus*) in the Drowned Cayes, Belize. *Aquatic Mammals* 35(1): 62-71.

[Baeza, J.A.](#) 2010. Molecular systematics of peppermint and cleaner shrimps: phylogeny and taxonomy of the genera *Lysmata* and *Exhippolysmata* (Crustacea: Caridea: Hippolytidae). *Zoological Journal of the Linnean Society* 160: 254-265.

[Baeza, J.A.](#) 2010. The symbiotic lifestyle and its evolutionary consequences: social monogamy and sex allocation in the hermaphroditic shrimp *Lysmata pederseni*. *Naturwissenschaften* 97: 729-741.

[Baeza, J.A., Bolaños, J.A., Fuentes, S., Hernandez, J.E., Lira, C., López, R.](#) 2010. Molecular phylogeny of enigmatic Caribbean spider crabs from the *Mithrax-Mithraculus* species complex (Brachyura: Majidae: Mithracinae): ecological diversity and a formal test of genera monophyly. *Journal of the Marine Association of the United Kingdom* 90(4): 851-858.

[Baeza, J.A., Piatoni, C.](#) 2010. Sexual system, sex ratio, and the group living in the shrimp *Thor amboinensis* (De Man): Relevance to resource-monopolization and sex-allocation theories. *Biol. Bull.* 219: 151-165.

[Baeza, J.A., Schubart, C.F., Zillner, P., Fuentes, S., Bauer, R.T.](#) 2009. Molecular phylogeny of shrimps from the genus *Lysmata* (Caridea: Hippolytidae): the

evolutionary origins of protandric simultaneous hermaphroditism and social monogamy. Biological Journal of the Linnean Society 96: 514-424.

Baillie, J., Groombridge, B. (eds.). 1996. 1996 IUCN red list of threatened animals.IUCN, Gland, Switzerland. 378 p.

Baldwin, C. C., Castillo, C.I., Weigt, L.A., Victor, B.C. 2011. Seven new species within western Atlantic *Starksia atlantica*, *S. lepicoelia*, and *S. sluiteri* (Teleostei, Labrisomidae), with comments on congruence of DNA barcodes and species. ZooKeys 79: 21-72.

Baldwin, C.C., Weigt, L.A., Smith, D.G., Mounts, J.H. 2009. Reconciling genetic lineages with species in western Atlantic *Coryphopterus* (Teleostei: Gobiidae).Smithsonian Contrib. Mar. Sci. (38):113-140.

Barnard, J.L., Thomas, J.D. 1990. *Ensayara jumane*, a new species from Belize, Caribbean Sea (Amphipoda, Lysianassidae). Proc. Biol. Soc. Wash. 103(1):120-126.

Bauer, R.T. 1985. Hermit crab fauna from sea grass meadows in Puerto Rico.: Species composition, diet and seasonal variation in abundance. Journal of Crustacean Biology 5(2): 249-257.

Bauer, R.T. 1986. Stomatopod grooming behaviour: Functional morphology and amputation experiments in *Gonodactylus oerstedii*. Journal of Crustacean Biology 7(3): 414-432.

Bauer, R.t., Caskey, J.L. 2006. Flagellar setae of the second antennae in decapod shrimps: sexual dimorphism and possible role in detection of contact pheromones. Invertebrate Reproduction and Development 49: 51-60.

Bauer, R.T., VanHoy, R. 1996. Variation in sexual systems (protandry, gonochorism) and reproductive biology among three species of the shrimp genus *Thor* (Decapoda: Caridea). Bulletin of Marine Science 59(1): 53-73.

Bauer-Nebelsick, M., Blumer, M., Urbanick, W., Ott, J.A. 1995. The glandular sensory organ of Desmodoridae (Nematoda)-ultrastructure and phylogenetic implications. Invertebrate Biology 114(3): 211-219.

Belize Fisheries Department, 2005. Report on the spawning aggregation of multi-species at Caye Glory, Nicholas Caye, Rocky Point, and Sandboore (Belize). Belize Fisheries Department. Ministry of Agriculture and Fisheries, 43 p.

Belize Tourism Board, 2008. Belize Travel and Tourism Statistics, 59 p.

Berry, F.H., Smith-Vaniz, W.F.1978. Carangidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 1. FAO, Rome. [var. pag.].

Bert, T.M., Hochberg, R.J. 1992. Stone crabbing in Belize: Profile of a developing fishery and comparison with the Florida stone crab fishery. In: Proceedings of the Forty-First Annual Gulf and Caribbean Fisheries Institute 41: 363-381.

Bleidorn, C., Husen, H. 2007. *Axiothella isocirra*, a new species of Maldanidae (Annelida: Polychaeta) from Belize. Proceedings of the Biological Society of Washington 120(1): 49-55.

Bockmann, F.A., Guazzelli, G.M. 2003. Heptapteridae (heptapterids). pp. 406-431. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the Freshwater Fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Böhlke, J.E., Chaplin, C.C.G. 1993. Fishes of the Bahamas and adjacent tropical waters. 2nd edition. University of Texas Press, Austin.

Böhlke, J.E. 1978. Muraenidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31), Vol. 3, var. pag. FAO, Rome.

Böhlke, J.E. 1978. Ophichthidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Vol. 3, var. pag. FAO, Rome.

Böhlke, J.E. 1978. Ophichthidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Vol. 3, var. pag. FAO, Rome.

Bolstad, K.S., Kensley, B. 1999. Two new species of *Hansenium* (Crustacea: Isopoda: Asellota) from Madang, Papua New Guinea. Proceedings of Biological Society of Washington 112(1): 164-174.

Bräutigam, A., Eckert, K.L. 2006. Turning the Tides: Exploitation, Trade and Management of Marine Turtles in the Lesser Antilles, Central America, Colombia and Venezuela. TRAFFIC international and CITES, 534 p.

Bright, T.J. 2010. A list of species from Glover's Reef Atoll, Belize. Wildlife Conservation Society 28 p.

Brown-Saracino, J., P. Peckol, H.A. Curran and M.L. Robbart. 2007. Spatial variation in sea urchins, fish predators, and bioerosion rates on coral reefs of Belize. Coral Reefs 26:71-78.

Budaeva, N., Fauchald, K. 2008. *Diopatra tuberculatennata*, a new species of Onuphidae (Polychaeta) from Belize with a key to onuphids from the Caribbean Sea. Zootaxa 1795: 29-45.

Buddemeier, R.W., Kleypas, J.A., Aronson, R.B. 2004. Coral reefs and Global climate change. Potential contributions of climate change to stresses on coral reef ecosystems. PEW Center for Global Climate Change 42 p.

Bulgheresi, S., Schabussova, I., Chen, T., Mullin, N.P., Maizels, R.M., Ott, J.A. 2006. A new C-type lectin similar to the human immunoreceptor DC-SIGN mediates

symbiont acquisition by a marine nematode. Applied and Environmental Microbiology 72(4): 2950-2956.

Burgess, W.E. 1978. Ephippidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. [var. pag.] FAO, Rome.

Burgess, W.E. 1978. Pomacanthidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [var. pag.] FAO, Rome.

Buskey, E.J. 1998. Energetic cost of position-holding behaviour in the planktonic mysid *Mysidium columbiae*. Marine Ecology Progress Series 172: 139-147.

[Buskey, E.J. 1998.](#) Energetic costs of swarming behaviour for the copepod *Dioithona oculata*. Marine Biology 130: 425-431.

[Buskey, E.J.](#) 2000. Role of vision in the aggregative behaviour of the planktonic mysid *Mysidium columbiae*. Marine Biology 137: 257-265.

[Buskey, E.J., Peterson, J.O., Ambler, J.W.](#) 1996. The swarming behaviour of the copepod *Dioithona oculata*: in situ and laboratory studies. Limnology and Oceanography 41(3): 513-521.

Bussing, W.A. 1987. Peces de las aguas continentales de Costa Rica. Editorial de la Universidad de Costa Rica ciudad Universitaria Rodrigo Facio. San Jose.

Bussing, W.A. 1998. Peces de las aguas continentales de Costa Rica [Freshwater fishes of Costa Rica]. 2nd Ed. San José Costa Rica: Editorial de la Universidad de Costa Rica. 468 p.

[Bayer, C., Helndl, N.R., Rinke, C., Lücker, S., Ott, J.A., Bulgheresi, S.](#) 2009. Molecular characterization of the symbionts associated with the marine nematodes of the genus *Robbea*. Environmental Microbiology Reports 1(2); 136–144.

[Calder, D.R.](#) 1991. Associations between hydroid species assemblages and substrate types in the mangal at Twin Cays, Belize. Canadian Journal of Zoology 69: 2067-2074.

[Calder, D.R. 1991.](#) Vertical zonation of the hydroid *Dynamena crisoidea* (Hydrozoa, Sertulariidae) in a mangrove ecosystem at Twin Cays, Belize. Canadian Journal of Zoology 69: 2993-2999.

Calder, D.R. 1993. Local distribution and biogeography of the hyroids (Cnidaria) of Bermuda. Caribbean Journal of Science 29(1-2):61-74.

[Calder, D.R.](#) 1998. Hydroid diversity and species composition along a gradient from shallow waters to deep sea around Bermuda. Deep Sea Research, Part I, 45: 1843-1860.

- Calder, D.R., Kirkendale, L. 2005. Hydroids (Cnidaria, Hydrozoa) from shallow-water environments along the Caribbean coast of Panama. Caribbean Journal of Science 41(3): 476-491.
- Calder, D.R., Vervoort, W. 1998. Some hydroids (Cnidaria: Hydrozoa) from the Mid-Atlantic Ridge, in the North Atlantic Ocean. Zool. Verh. Leiden 319: 5-65.
- Campbell, G.S., Bilgre, B.A., Defran, R.H. 2002. Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance. Aquatic Mammals 28(2): 170-180.
- Campbell, J., Inderbitzin, P., Kohlmeyer, J., Volkmann-Kohlmeyer, B. 2009. Koralionastetales, a new order of marine Ascomycota in the Sordariomycetes. Mycological Research 113: 373-380.
- Campbell, J., Volkmann-Kohlmeyer, B., Gräfehan, T., Spatafora, J.W., Kohlmeyer, J. 2005. Mycological Research 109(5): 556-568.
- Cárdenas, P., Menegola, C., Rapp, H.T., Díaz, M.C. 2009. Morphological description and DNA barcodes of shallow-water *Tetractinellida* (Porifera: Demospongiae) from Bocas del Toro, Panama, with description of a new species. Zootaxa 2276:1-39.
- Cardona-Maldonado, M.A., Mignucci-Giannoni, A.A. 1999. Pygmy and dwarf sperm whales in Puerto Rico and the Virgin Islands, with a review of *Kogia* in the Caribbean. Caribbean Journal of Science 35(1-2): 29-37.
- Carpenter, K.E. (ed.), 2002. The living marine resources of the Western Atlantic. Volume 1: Introduction, molluscs, crustaceans, hagfishes, sharks, batoid fishes, and chimaeras. FAO Species Identification Guide for Fishery Purposes and American Society of Ichthyologists and Herpetologists Special Publication No. 5, Rome. 600 p.
- Carrera-Parra, L.F., Saazar-Vallejo, S.I. 1998. A new genus and twelve new species of Eunicidae (Polychaeta) from the Caribbean Sea. Journal of Marine Biology 78: 145-182.
- Carricart-Ganivet, J.P., Carrera-Parra, L.F., Quan-Young, L.I., García-Madrigal, M.S. 2004. Ecological note on *Troglocarcinus corallicola* (Brachyura: Cryptochiridae) living in symbiosis with *Manicina areolata* (Cnidaria: Scleractinia) in the Mexican Caribbean. Coral Reefs 23: 215-217.
- Caruso, J.H. 1978. Lophiidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Volume 3. FAO, Rome.
- Castro-Aguirre, J.L., Espinosa Perez, H. 1996. Listados faunísticos de México. VII. Catálogo sistemático de las rayas y especies afines de México. (Chondrichthyes: Elasmobranchii: Rajiformes: Batoideiomorpha). Universidad Nacional Autónoma de Mexico, Mexico. 75 p.

- Chace, Jr., F.A., Holthuis, L.B. 1978. *Psalidopus*: The scissor-foot shrimps (Crustacea: Decapoda: Caridea). Smithsonian Contribution to Zoology 227: 1-22.
- Chao, L.N. 1978. Sciaenidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). Volume 4. FAO, Rome.
- Cheeseman, J.M., Lovelock, C.E. 2004. Photosynthetic characteristics of dwarf and fringe *Rhizophora mangle* L. in a Belizean mangrove. Plant, Cell and Environment 27: 769-780.
- Cho, L. 2005. Marine protected areas: a tool for integrated coastal management in Belize. Coastal & Coastal management 48: 932-947.
- Cigliano, J.A., Bugler, B.S., Ridlon, A. 2007. PS 57-56: Pre-enforcement, baseline assessment of queen conch (*Strombus gigas*) populations in the Sapodilla Cayes Marine Reserve (Belize).
- CITES. 2003. Proposal to include the whale shark (*Rhincodon typus*) in Appendix II of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). Prop. 12.35. International Trade in Endangered Species of Wild Fauna and Flora (CITES). <http://www.cites.org/eng/cop/12/prop/E12-P35.pdf>
- Claro, R. 1994. Características generales de la ictiofauna. pp. 55-70. In R. Claro (ed.) Ecología de los peces marinos de Cuba. Instituto de Oceanología Academia de Ciencias de Cuba and Centro de Investigaciones de Quintana Roo.
- Cohen, A.C. 1989. Comparison of myodocopid ostracodes in two zones of the Belize Barrier reef near Carrie Bow Cay with changes in distribution 1978-1981. Bulletin of Marine Science 45(2): 316-337.
- Cohen, A.C., Kornicker, L.S. 1987. Catalog of the Rutidermatidae (Crustacea: Ostracoda). Smithsonian Contribution to Zoology 449: 1-11.
- Cohen, D.M., Inada, T., Iwamoto, T., Scialabba, N. 1990. FAO Species Catalogue. Vol. 10. Gadiform fishes of the world (Order Gadiformes). An annotated and illustrated catalogue of cods, hakes, grenadiers and other gadiform fishes known to date. FAO Fish. Synop. 10 (125). 442 p.
- Coleman, R., Diamond, E. 2005. Resource value assessment of the Port Honduras Marine Reserve, Toledo District, Belize. Proceedings of the 14th Biennial Coastal Zone Conference, 5 p.
- Colin, P.L. 2002. A new species of sponge-dwelling *Elacatinus* (Pisces: Gobiidae) from the western Caribbean. Zootaxa 106:1-7.
- Collette, B.B. 2001. *Opsanus dichrostomus*, a new toadfish (Teleostei: Batrachoididae) from the western Caribbean Sea and southern Gulf of Mexico. Occas. Pap. Mus. Zool. Univ. Mich. (731):1-16.

- Collette, B.B. and. Nauen, . C.E 1983. FAO Species Catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date.FAO Fish. Synop. 125(2). 137 p.
- Collette, B.B.1978. Lamprididae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Volume 3. FAO, Rome.
- Collette, B.B.1978. Belonidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Central Atlantic (Fishing Area 31), Volume 1. FAO, Rome.
- Collette, B.B.1978. Coryphaenidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Volume 2. FAO, Rome.
- Collette, B.B.1978. Hemiramphidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Volume 2. FAO, Rome.
- Collette, B.B.1978. Rachycentridae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Volume 4. FAO, Rome.
- Compagno, L.J.V. 2001. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Volume 2. Bullhead, mackerel and carpet sharks (Heterodontiformes, Lamniformes and Orectolobiformes).FAO Species Catalogue for Fishery Purposes. No. 1, Vol. 2. Rome, FAO. 2001. 269 p.
- Compagno, L.J.V.1984. FAO Species Catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 2 - Carcharhiniformes.FAO Fish. Synop. 125(4/2):251-655.
- Compagno, L.J.V.1984. FAO Species Catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 1 - Hexanchiformes to Lamniformes.FAO Fish. Synop. 125(4/1):1-249.
- Conkel, D.1993. Cichlids of North and Central America.T.F.H. Publications, Inc., USA.
- Cooper, E.L., Burke, L., Bood, N. 2008. Coastal capital: Economic contribution of coral reefs and mangroves to Belize. Washington DC: World Resources Institute, 6 p.
- Correa, C., Thiel, M. 2003. Mating systems in caridean shrimp (Decapoda: Caridea) and their evolutionary consequences for sexual dimorphism and reproductive biology. Revista Cilena de Historia Natural 76: 187-203.
- Costa, W.J.E.M. 2003. Cyprinodontidae (Pupfishes). pp. 549-554. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the Freshwater Fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Courtenay, W.R., Sahlman, H.F. 1978. Pomadasyidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), Volume 4. FAO, Rome.

Courtenay, W.R. 1978. Grammistidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Volume 2. FAO, Rome.

Craig, A.K. 1969. The grouper fishery of Cay Glory, British Honduras. Annals of the American Geographers 59: 252-263.

Cressey, R. 1981. Parasitic copepods from the Gulf of Mexico and Caribbean Sea, I: *Holobomolochus* and *Neobomolochus*. Smithsonian Contribution to Zoology 339: 1-24.

Cressey, R. 1983. Parasitic copepods from the Gulf of Mexico and Caribbean Sea, II: Bomocholidae. Smithsonian Contribution to Zoology 389: 1-35.

Cressey, R. 1990. *Belizia brevicauda*, a new genus and species of caligid copepod from Western Caribbean Sea. Systematic Parasitology 15: 151-154.

Cressey, R. 1991. Parasitic copepods from the Gulf of Mexico and Caribbean Sea, III: *Caligus*. Smithsonian Contribution to Zoology 497: 1-53.

Cressey, R., Cressey, H.B. 1986. A new species of parasitic copepod, *Shiinoa bakeri* (Shiinoidae), with a new host record for *Shiinoa elegata* Cressey. Systematic Parasitology 8: 285-290.

Cressey, R., Schotte, M. 1983. Three new species of *Colobomatus* (Copepoda: Philichthyidae) parasitic in the mandibular canals of haemulid fishes. Proceeding of the Biological Society of Washington 96(2): 189-201.

Crosnier, A., Forest, et J. 1973. Les crevettes profondes de l' atlantique oriental tropical. Faune Tropicale XIX: 1-386.

Dahl, A.L. 1973. Surface area in ecological analysis quantification of benthic coral reef algae. Marine Biology 23: 239-249.

Dawson, C.E. 1982. Atlantic sand stargazers (Pisces: Dactyloscopidae), with description of one new genus and seven new species. Bull. Mar. Sci. 32(1):14-85.

de Weerdt, W.H., Rützler, K., Smith, K.P. 1991. The Chalinidae (Porifera) of Twin Cays, Belize, and adjacent waters. Proceedings of the Biological Society of Washington 104(1): 189-205.

Deckert, G.D., Greenfield, D.W. 1987. A review of the western Atlantic species of the genera *Diapterus*, *Eugerres* (Pisces: Gerreidae). Copeia 1987(1): 182-194.

Deehr, R.A., Barry, D.B., Chagaris, D.D., Luczkovich, J.J. 2007. Using SCUBA and snorkling methods to obtain model parameters for an ecopath network model for Calabash Caye, Belize, Central America. pp. 51-67, In: Pollock, N.W., Godfrey,

J.M. (eds), 2007. Diving for Science. Proceedings of the American Academy of Underwater Science 26th Symposium, Dauphin Island, AL: AAUS.

Dennis, G.D., Hensley, D., Colin, P.L., Kimmel, J.J. 2004. New records of marine fishes from the Puerto Rican plateau. *Caribb. J. Sci.* 40(1):70-87.

Diaz, M.C., Rützler, K. 2001. Sponges: An essential component of Caribbean coral reefs. *Bulletin of Marine Science* 69(2): 535-546.

Diaz, M.C., Rützler, K. 2009. Biodiversity and Abundance of Sponges in Caribbean Mangrove: Indicators of Environmental Quality. *Smithsonian Contribution to Zoology* 38: 151-172.

Diaz, M.C., Smith, K.P., Rützler, K. 2004. Sponge species richness and abundance as indicators of mangrove epibenthic community health. *Atoll Research Bulletin* 518: 1-17.

Diaz, M.C., Thacker, R.W., Rützler, K., Pinatoni, C. 2007. Two new haplosclerid sponges from Caribbean Panama with symbiotic filamentous cyanobacteria, and an overview of sponge-cyanobacteria associations. In: Custódio, M. R., Lôbo-Hajdu, G., Hajdu, E. and Muricy, G., *Porifera research: Biodiversity, innovation and sustainability*. Rio de Janeiro: Museu Nacional, pp.31-39.

Diaz, M.C., Ward, B.B. 1997. Sponge-mediated nitrification in tropical benthic communities. *Marine Ecology Progress Series* 156: 97-107.

Diaz, R.J., Erséus, C. 1994. Habitat preferences and species associations of shallow-water marine Tubificidae (Oligochaeta) from the barrier reef ecosystems off Belize, Central America. *Hydrobiologia* 278: 93-105.

Dick, D.M., Hines, E.M. 2011. Using distance sampling techniques to estimate bottlenose dolphin (*Tursiops truncatus*) abundance at Turneffe Atoll, Belize. *Marine Mammal Science* 16 p.

Dill, R.F., Land, L.S., Mack, L.E., Schwarcz, H.P. 1998. A submerged stalactite form Belize: Petrography, geochemistry, and geochronology of massive marine cementation. *Carbonates and Evaporites* 13(2): 189-197.

Dimmick-Wells, K. 2002. Syndepositional marine dolomitization at Bulkhead Shoals Mudbank, Northern Belize. MS Thesis, Wichita State University, Wichita, KS, 205 p.

Domeier, M.L. 1994. Speciation in the serranid fish *Hypoplectrus*. *Bulletin of Marine Science* 54(1):103-141.

Domeier, M.L., Colin, P.L., Donaldson, T.J., Heyman, W.D., Pet, J.S., Russell, M., Sadovy, Y., Samoilys, M.A., Smith, A., Yeeting, B.M., Smith, S. 2002. Transforming coral reef conservation: Reef fishes spawning aggregations component. Working Group Report, the Nature Conservancy, Hawaii, April 22, 2002, 85 p.

- Dudzinski, K.M., Frohoff, T.G., Crane, N.L. 1995. Behavior of a lone female bottlenose dolphin (*Tursiops truncates*) with human off coast of Belize. Aquatic mammals 21(2): 149-153.
- Duffy, J.T., Morrison, C.L., Rios, R. 2000. Multiple origin of eusociality among sponge-dwelling shrimps. Evolution 54(2): 503-516.
- Duffy, J.E. 1993. Genetic population struture in two tropical sponge-dwelling shrimps that differ in dispersal potential. Marine Biology 116:459-470.
- Duffy, J.E. 1996. Eusociality in coral-reef shrimp. Nature 381:512-514.
- Duffy, J.E. 1996. Species boundaries, specialization, and the radiation of sponge-dwelling alpheid shrimp. Biological Journal of the Linnean Society 58:307-324, 5 figs.
- Duffy, J.E. 2003. The ecology and evolution of eusociality in sponge-dwelling shrimp. p. 217-254. In T. Kikuchi, S. Higashi and N. Azuma (eds.) Genes, Behaviors and Evolution of Social Insects. Japan: Hokkaido Univeristy Press.
- Duffy, J.E., Macdonald K.S. 1999. Colony structure of the social snapping shrimp *Synalpheus filidigitus* in Belize. Journal of Crustacean Biology 19(2):283-292.
- Dworschak, P.C. 1992. The Thalassinidea in the Museum of Natural History, Vienna; with some remarks on the biology of the species. Ann. Naturhist. Mus. Wien 93: 189-238.
- Dworschak, P.C. 2003. Biology of Mediterranean and Caribbean Thalassinidea (Decapod). In: Tamaki, A. (Ed.), Proceedings of the Symposium on "Ecology of Large Bioturbators in Tidal Flats and Shallow Sublittoral sediments - from individual behaviour to their role as ecosystem engineers". Nagasaki University, Nagasaki, pp. 15-22.
- Dworschak, P.C., Anker, A., Abed-Navandi, D. 2000. A genus genus and three new species of alpheids (Decapoda: Caridea) associated with thalassinids. Ann. Naturhist. Mus. Wien 102: 301-320.
- Dworschak, P.C., Coelho, V.R. 1999. On two alpheids from Araçá (São POaulo, Brazil) with a description of a new species of *Leptalpheus* (Decapoda: Caridea: Alpheidae). Ann. Naturhist. Mus. Wien 101: 475-488.
- Dworschak, P.C., Koller, H., Abed-Navandi, D. 2006. Burrow structure, burrowing and feeding behaviour of *Corallianassa longiventris* and *Pestarella tyrrhena* (Crustacea, Thalassinidea, Callianassidae). Marine Biology 148(6): 1369-1382.
- Dworschak, P.C., Pervesler, P. 2002. *Alpheus migrans* Lewinsohn & Holthuis, 1978 (Decapoda, Caridea, Alpheidae): Burrow morphology and first record from the Red Sea. Crustaceana 75(3/4): 351-357.
- Dworschak, P.C., Ott, J.A. 1993. Decapod burrows in mangrove-channel and back reef environments at the Atlantic Barrier Reef, Belize. Ichnos 2: 227-290.

[Eckelbarger, K.J., Larson, R.](#) 1992. Ultrastructure of the ovary and oogenesis in the jellyfish *Linuche unguiculata* and *Stomolophus meleagris*, with a review of ovarian structure in the Scyphozoa. *Marine Biology* 114: 633-643.

[Eckert, K.L.](#) 2005. WIDECAST & SPAW: Working together to ensure the survival of the Caribbean sea turtles. WIDECAST 26 p.

Emery, A.R. 1978. Pomacentridae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Central Atlantic (Fishing Area 31). FAO, Rome. Vol. 4. pag.var.

[Engstrom, N.A.](#) 1984. Depth limitation of a tropical intertidal xanthid crab, *Cataleptodius floridanus*, and a shallow-water majid, *Pitho aculeata*: Results of a caging experiment. *Journal of Crustacean Biology* 4(1): 55-62.

Epstein, L. 2008. Belize Fisheries Sector: Summary of Research. Environmental Defense Fund. 8 p.

[Erickson, A.A., Bell, S.S., Dawes, C.J.](#) 2004. Does mangrove leaf chemistry help explain crab herbivory patterns? *Biotropica* 36(3): 333-343.

[Erickson, A.A., Feller, I.C., Paul, V.J., Kwiatkowsky, L.M., Lee, W.](#) 2008. Selection of an omnivorous diet by the mangrove tree crab *Aratus pisonii* in laboratory experiments. *Journal of Sea Research* 59: 59-69.

[Erséus, C.](#) 1990. The marine Tubificidae (Oligochaeta) of the barrier reef ecosystems at Carrie Bow Cay, Belize, and other parts of the Caribbean Sea, with description of twenty-seven new species and revision of *Heterodrilus*, *Thalassodrilides* and *Smithsonidrilus*. *Zoologica Scripta* 19 (3): 243-303.

Eschmeyer, W.N. (ed.) 2001. Catalogue of fishes. Updated database version of December 2001. Catalog databases as made available to FishBase in December 2001.

Eschmeyer, W.N. (ed.). 1998. Catalog of fishes. Special Publication, California Academy of Sciences, San Francisco. 3 vols. 2905 p.

Eschmeyer, W.N. (ed.). 2003. Catalog of fishes. Updated database version of March 2003. Catalog databases as made available to FishBase in March 2003.

Eschmeyer, W.N. 1978. Scorpaenidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 4. FAO, Rome. pag. var.

Eschmeyer, W.N. 1997. PISCES. Eschmeyer's PISCES database as published on the Internet in June 1997, URL: gopher://gopher.calacademy.org:640/7.

[Evers, D.C., Graham, R.T., Perkins, C.R., Michener, R., Divoll, T.](#) 2009. Mercury concentrations in the goliath grouper of Belize. An anthropogenic stressor of concern. *Endangered Species Research* 7: 249-256.

- Farmer, M.A., Fitt, W.K., Trench, R.K. 2001. Morphology of the symbiosis between *Corculum cardissa* (Mollusca: Bivalvia) and *Symbiodinium corculorum* (Dinophyceae). *Biol. Bull.* 200: 336–343.
- Fauchald, K. 1969. A revision of six species of the Flavus-Bidentatus group of *Eunice* (Eunicidae: polychaeta). *Smithsonian Contribution to Zoology* 6: 1-15.
- Fauchald, K. 1991. A morphometric study of eunicid polychaetes from Belize, Western Caribbean Sea. *Ophelia Suppl.* 5: 47-53.
- Faunce, C.G., Serafy, J.E. 2006. Mangroves as fish habitat: 50 years of field study. *Marine Ecology Progress Series* 318: 1-8.
- Fedler, A.J., Hayes, C. 2008. Economic impact of recreational fishing for bonefish permit and tarpon in Belize for 2007. Friends of Turneffe Atoll, 20 p.
- Felder, D.L., Dworschak, P.C., Robles, R., Bracken, H.D., Windsor, A.M., Felder, J.M., Lemaitre, R. 2009. Obvious invaders and overlooked infauna: unexpected constituents of the decapod crustacean fauna at Twin Cays, Belize. *Smithsonian Contribution to Marine Sciences* 38: 181-188.
- Feller, I.C. 1995. Effects of nutrient enrichment on growth and herbivory of dwarf red mangrove (*Rhizophora mangle*). *Ecological Monograph* 65(4): 477-505.
- Feller, I.C. 2002. The role of herbivory by wood-boring insects in mangrove ecosystems in Belize. *Oikos* 97(2): 167-176.
- Feller, I.C., Lovelock, C.E., Berger, U., McKee, K.L., Joye, S.B., Ball, M.C. 2010. Biocomplexity in mangrove ecosystems. *Annu. Rev. Mar. Sci.* 2010. 2: 395–417.
- Feller, I.C., Mathis, W.N. 1997. Primary herbivory by wood-boring insects along an architectural gradient of *Rhizophora mangle*. *Biotropica* 29(4): 440-451.
- Feller, I.C., McKee, K.L. 1999. Small gapcreation in Belizean mangrove forests by a wood-boring insect. *Biotropica* 31(4): 607-617.
- Feller, I.C., McKee, K.L., Whigham, D.F., O'Neill, J.P. 2002. Nitrogen vs. Phosphorus across an ecotonal gradient in a mangrove forest. *Biogeochemistry* 62(2): 145-175.
- Feller, I.C., Whigham, D.F., O'Neill, J.P., McKee, K.L. 1999. Effects of nutrient enrichment on within-stand cycling in a mangrove forest. *Ecology* 80(7): 2193-2205.
- Fenner, D. 1999. New observations on the stony coral (Scleractinia, Milleporidae, and Stylasteridae) species of Belize (Central America) and Cozumel (Mexico). *Bulletin of Marine Science* 64(1):143-154.
- Ferraris, J.D. 1981. Oxygen uptake with acute variation in temperature and salinity in two coral reef ploychaetes. *Marine Ecology* 2(2): 159-168.

[Ferrari, F.D.](#) 1995. Six copepod stages of *Ridgewayia klausruetzleri*, a new species of copepod crustacean (Ridgewayiidae: Calanoida) from the barrier reef of Belize, with comments on appendage development. Proceedings of Biological Society of Washington 108(2): 180-200.

[Ferrari, F.D., Ambler, J.W.](#) 1992. Nauplii and copepods copepod *Dioithona oculata* (Farran, 1913) (Oithonidae) from a mangrove cay in Belize. Proceeding of the Biological Society of Washington 105(2): 275-298.

[Ferrari, F.D., Bowman, T.E.](#) 1980. Pelagic copepods of the family Oithonidae (Cyclopoida) from the East Coasts of Central and South America. Smithsonian Contribution to Zoology 312: 1-27.

[Ferrari, F.D., Fornshell, J.A., Ong, L., Ambler, J.W.](#) 2003. Diet distribution of copepods across a channel of an overwash mangrove island. Hydrobiologia 499: 147-159.

[Ferrari, F.D., Markhaseva, E.L.](#) 2000. *Brachycalanus flemingeri* and *B. brodskyi*, two new copepods (Crustacea: Calanoida: Phaennidae) from benthopelagic waters of the tropical pacific. Proceedings of the Biological Society of Washington 113(4): 1078-2000.

[Ferraris, J.D., Fuachald, K., Kensley, B.](#) 1994. Physiological responses to fluctuation in temperature or salinity in invertebrates. Adaptations of *Alpheus viridari* (Decapoda, Crustacea), *Terebellides parva* (Polychaeta) and *Golfinigia cylindrata* (Sipunculida) to the mangrove habitat. Marine Biology 120: 397-406.

[Fertl, D., Jefferson, T.A., Moreno, I.B., Zerbini, A.N., Mullin, K.D.](#) 2003. Distribution of the Clymene dolphin (*Stenella clymene*). Mammal Rev 33(3): 253-271.

Findley, J.S., Findley, M.T. 2001. Global, regional, and local patterns in species richness and abundance of butterflyfishes. Ecological Monographs. 7(1): 69-91.

[Finelli, C.M., Clarke, R.D., Robinson, H.E., Buskey, E.J.](#) 2009. Water flow controls distribution and feeding behaviour of two co-occurring coral reef fishes: I. Field measurements. Coral reefs 28: 461-473.

[Fischthal, J.H.](#) 1977. Some Digenetic Trematodes of Marine Fishes from the Barrier Reef and Reef Lagoon of Belize. Zoologica Scripta 6:81-88.

[Fischthal, J.H.](#) 1978. Allometric growth in three species of digenetic trematodes of marine fishes from Belize. Journal of Helminthology 52: 29-39.

[Food and Agriculture Organization](#). 1998. Working Party on the Assessment of Marine Fisheries Resources. FAO Fisheries Report No. 576. 39 p.

[Food and Agriculture Organization](#). 2006. Socio-economic indicators in integrated coastal zone and community-based fisheries management. Cases from the Caribbean. FAO Fisheries Technical Paper 491. 139 p.

[Fornshell, J.A.](#) 1994. Copepod nauplii from the barrier reef of Belize. Hydrobiologia 292/293: 295-301.

Foroshchuk, V.P., Fedorov, V.V. 1992. *Poecilopsetta normani*- a new species of flounder (Pleuronectidae) from the Saya de Malha Bank, Indian Ocean.J. Ichthyol. 32(7):37-44.

Fosshagen, A., Iiiffe, T.M. 1991. A new genus of calanoid copepod from an anchialine cave in Brazil. Bull. Plankton Soc. Japan,Spec. 339-346.

Foster, N.L., Williams, M., Chan, S., Ramirez, C., Vasquez, V. 2010. Damage to the reefs of Port Honduras Marine Reserve, Belize, during the 28 May 2009 earthquake. Coral reefs 29 (1): 19.

Fraser, T.H.1978. Centropomidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). FAO, Rome. Vol. 1-2. pag.var.

Fritzsche, R.A.1978. Aulostomidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). FAO, Rome. Vol. 1. pag.var.

Ganivet-Carricart, J.P. 2004. Sea surface temperature and the growth of the West Atlantic reef-building coral *Montastraea annularis*. Journal of Experimental Marine Biology and Ecology 302: 249-260.

Gaston, G.R., Slattery, M. 2002. Ecological function of chemical deterrents in a tropical polychaete, *Eupolymnia crassicornis* (Annelida, Terebellidae), in Belize. Bulletin of Marine Science 70(3): 891-897.

Giangrande, A., Licciano, M., Gambi, M.C. 2007. A collection of Sabellidae (Polychaeta) from Carrie Bow Cay (Belize, Western Caribbean Sea) with the description of two new species. Zootaxa 1650: 41-53.

Gibbs, R.H. Jr.1978. Exocoetidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. pag.var.

Gibson, J. 1978. The successes and failure of the Fishing Cooperatives of Belize. Proceedings of the Gulf and Caribbean Fisheries Institute 30: 130-140.

Gibson,J., Lizama, D., Pomeroy, R. 2005. Establishing a socioeconomic monitoring program for Glover's Reef Atoll, Belize. Wildlife Conservation Society, 58 p.

Gibson, J., McField, M., Wells, S. 1998. Coral reef management in Belize: an approach through Integrated Coastal Zone Management. Ocean & Coastal Management 39: 229-244.

Gibson, J., Strasdine, S., Gonzales, K. 1983. The status of the conch industry of Belize. Proceedings of the Gulf and Caribbean Fisheries Institute 35: 99-107.

Gilbert, C.R., Tyler, JC. 1997. *Apogon robbyi*, a new cardinalfish (Perciformes: Apogonidae) from the Caribbean Sea. Bulletin of Marine Science 60(3):764-781.

Gillet, V. 2003. The Fisheries of Belize. Belize Fisheries 11(6): 141-147.

Gilmore, R.G.1997. *Lipogramma robinsi*, a new basslet from the tropical western Atlantic, with descriptive and distributional notes on *L. flavescens* and *L. anabantoides* (Perciformes: Grammatidae). Bulletin of Marine Science 60(3):782-788.

Gischler, E. 1994. Sedimentation on three Caribbean atolls: Glover's Reef, Lighthouse Reef and Turneffe Islands, Belize. Facies 31: 243-254.

[Gischler, E., Ginsburg, R.N.](#) 1996. Cavity dwellers (coelobites) under coral rubble in Southern Belize barrier and atoll reefs. Bulletin of Marine Science 58(2): 570-589.

[Gobin, J.F.](#) 2010. Free-living marine polychaetes (Annelida) inhabiting hard-bottom substrates in Trinidad and Tobago, West Indies. Rev. Biol. Trop. 58(1): 147-157.

[Gómez-Montes, C., Bayly, N.J.](#) 2010. Habitat use, abundance, and persistence of neotropical migrant birds I in a habitat matrix in northeast Belize. Journal of Field Ornithology 81(3): 237-251.

Gomon, M.F.1978. Labridae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. pag.var.

[Goodbody, I.](#) 1994. The tropical western Atlantic Perophoridae (Asciidiacea): I. The genus *Perophora*. Bulletin of Marine Science 55(1): 176-192.

[Goodbody, I.](#) 2004. Diversity and distribution of Ascidiarians (Tunicata) at Twin Cays, Belize. Atoll Research Bulletin 524: 1-19.

[Goodbody, I.](#) 1996. *Pycnoclavella belizeana*, a new species of Ascidian from the Caribbean. Bulletin of Marine Science 58(2): 590-597.

[Goodbody, I.](#) 2003. The ascidian fauna of Port Royal, Jamaica. I. Harbor and mangrove dwelling species dwelling species. Bulletin of Marine Science 73(2): 457-476.

[Goodbody, I., Cole, L.](#) 1987. A new species of *Perophora* (Asciidiadea) from the Western Atlantic, including observations on muscle action in related species. Bulletin of Marine Science 40(2): 246-254.

[Goodbody, I., Cole, L.](#) 2006. The tropical Western Atlantic Perophoridae (Asciidiacea) II. The genus *Ecteinascidia*. Bulletin of Marine Science 79(1): 49-70.

[Graham, R.](#) 2007. Vulnerability assessment of sharks and rays. Wildlife Conservation Society, 11 p.

[Graham, R.T, Castellanos, D.W.](#) 2005. Courtship and spawning behaviours of carangid species in Belize. Fishery Bulletin 103(2): 426-432.

[Graham, R.T, Roberts, C.M.](#) 2007. Assessing the size, growth rate and structure of a seasonal population of whale sharks (*Rhincodon typus* Smith 1828) using conventional tagging and photo identification. Fisheries Research 84: 71-80.

Graham, R.T., Carcamo, R., Rhodes, K.L. 2008. Historical and contemporary evidence of a mutton snapper (*Lutjanus annalis* Cuvier, 1828) spawning aggregation fishery in decline. *Coral Reefs* 27: 311-319.

Graham, R.T., Rhodes, K.L., Castellanos, D. 2009. Characterization of the goliath grouper *Epinephelus itajara* fishery of southern Belize for conservation planning. *Endangered Species Research* 7: 195-204.

Grammer, G.M., Ginsburg, R.N., Swart, P.K., McNeill, D.F., Jull, A.J.T., Prezbindowski, D.R. 1993. Rapid growth rates of syndepositional marine aragonite cements in steep marginal slope deposits, Bahamas and Belize. *Journal of Sedimentary Petrology* 63(5): 983-989.

Graus, G.G., Macintyre, I.G. 1976. Light control of growth form in colonial reef corals: Computers simulation. *Science* 193(4256): 895-897.

Greenfield, D.W., Rakocinski, C.F., Greenfield, T.A. 1983. Spatial and trophic interactions in wet and dry seasons between *Gambusia luma* and *Gambusia sexradiata* (Pisces: Poeciliidae) in Belize, South America. *FIELDIANA Zoology* (14): 1-16.

Greenfield, D.W., Greenfield, T. 1975. *Anchovia landivarensis*, a new species

Greenfield, D.W., Johnson, R.K. 1981. The Blennoid fishes of Belize and Honduras, Central America with comments on their systematics, ecology, and distribution (Blenniidae, Chaenopsidae, Labrisomidae, Tripterygiidae). *FIELDIANA Zoology* (8): 1-106.

Greenfield, D.W., T. Greenfield, T. 1973. *Triathalassothia gloverensis*, a new species of toadfish from Belize (=British Honduras) with remarks on the genus. *Copeia* (3):561-565.

Greenfield, D.W., Thomerson, J.E. 1997. Fishes of the continental waters of Belize. University Press of Florida, Florida. 311 p.

Greenfield, D.W., Woods, L.P. 1974. *Eupomacentrus diencaeus* Jordan and Rutter. A valid species of damselfish from the Western Tropical Atlantic. *FIELDIANA Zoology* 65(2): 9-20.

Greenfield, D.W. 1988. A review of the *Lythrypnus mowbrayi* complex (Pisces: Gobiidae), with description of a new species. *Copeia* 1988(2):460-470.

Greenfield, D.W. 1993. New goby, *Psilotris boehlkei* (Pisces: Gobiidae), from the western Atlantic, with a key to the species. *Copeia* 1993(3):771-775.

Grigg, E., Markowitz, H. 1997. Habitat use by bottlenose dolphin (*Tursiops truncatus*) at Turneffe Atoll, Belize.

Guimarães, R.Z.P. 1999. Revision, phylogeny and comments on biogeography of soapfishes of the genus *Rypticus* (Teleostei: Serranidae). *Bull. Mar. Sci.* 65(2): 337-279.

Gutherz, E.J.1978. Cynoglossidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. pag.var.

Hailer, F., Schreiber, E.A., Miller, J.M., Levin I.I., Parker, P.G., Chesser R.T., Fleischer, R.C. 2010. Long term isolation of a highly mobile sea bird on the Galapagos. Proceedings of the Royal Society Biological Science 278: 817-825.

Hardy, J.D. Jr. 2003. Coral reef fish species. NOAA\National Oceanographic Data Center. NODC Coral Reef Data and Information Management System. USA. 537 p.

Harper, S., Zeller, D. 2010. Reconstruction of total marine fisheries catches for Belize, 1950-2008. Fisheries Centre Research Report. Fisheries Centre, University of British Columbia.

Harrison, I.J., Nirchio, M., Oliveira, C., Ron, E., Gaviria,J. 2007. A new species of mullet (Teleostei: Mugilidae) from Venezuela, with a discussion on the taxonomy of *Mugil gaimardianus*. Journal of Fish Biology 71(Supplement A):76-97.

Hastings, P.A. and V.G. Springer. 2009. Recognizing diversity in blennioid fish nomenclature (Teleostei: Blennioidei). Zootaxa 2120:3-14.

Hay, M.E.; Duffy, J.E.; Fenical, W. 1990. Host-plant specialization decreases predation on a marine amphipod: an herbivore in plant's clothing. Ecology 71(2):733-743.

Heemstra, P.C., Randall, J.E .1993. FAO Species Catalogue. Vol. 16. Groupers of the world (family Serranidae, subfamily Epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hind, coral grouper and lyretail species known to date.FAO Fish. Synop. 125(16): 382 p.

Heemstra, P.C.1986. Lampridae. pp. 398. In M.M. Smith and P.C. Heemstra (eds.) Smiths' sea fishes. Springer-Verlag, Berlin.

Heidelberg, K.B., Sebens, K.P., Purcell, J.E. 2004. Composition and surface of near reef zooplankton on a Jamaican forereef along with implications for coral feeding. Coral Reefs 23: 263-276.

Helmuth, B.S.T., Sebens, K.P., Daniel, T.L. 1997. Morphological variation in coral aggregations: branch spacing and mass flux to coral tissue. Journal of Experimental Marine Biology and Ecology 209: 233-259.

Helmuth, B.S.T., Timmerman, B.E.H., Sebens, K.P. 1997. Interplay of host morphology and symbiont microhabitat in coral aggregations. Marine Biology 130: 1-10.

Handler, G. 1982. Slow flicks show star tricks: Elapsed-time analysis of basketstar (*Astrophyton muricatum*) feeding behaviour. Marine Ecology Progress Series 32(2): 908-918.

Handler, G. 1984. Brittlestar color-change and phototaxis (Echinodermata: Ophiuroidea: Ophiocomidae). Marine Ecology 5(4): 379-401.

- Hendler, G. 1984. The association of *Ophiotrix lineata* and *Callyspongia vaginalis*: A brittle star-sponge cleaning symbiosis? *Marine Ecology* 5(1): 9-27.
- Hendler, G. 1988. Ophiuroid skeleton ontogeny reveals homologies among skeletal plates of adults: A study of *Amphiura filiformis*, *Amphiura stimpsonii*, and *Ophiophragmus filograneus* (Echinodermata). *Biol. Bull.* 174:20-29.
- Hendler, G. 1988. Western Atlantic *Ophiolepis* (Echinodermata: Ophiuroidea): a description of *O. pawsoni* new species, and a key to the species. *Bulletin of Marine Science* 42(2):265-272.
- Hendler, G., Byrne, M. 1987. Fine structure of the dorsal arm plate of *Ophiocoma wedti*: evidence for a photoreceptor system (Echinodermata, Ophiuroidea). *Zoomorphology* 107: 261-272.
- Hendler, G., Littman B.S. 1986. The ploys of sex: relationships among the mode of reproduction, body size and habitats of coral-reef brittlestars. *Coral Reefs* 5:31-42.
- Hendler, G., Meyer, D.L. 1982. An association of a polychaete, *Branchiosyllis exilis* with an ophiuroid, *Ophiocoma echinata*, in Panama. *Bulletin of Marine Science* 32(2): 736-744.
- Henry, L., Nizinski, M.S., Ross, S.W. 2008. Occurrence and biogeography of hydrozoans (Cnidaria: Hydrozoa) from deep-water coral habitats off the southeastern United States. *Deep-Sea Research, Part I*, 55: 788-800.
- Hentschel, U., Berger, E.C., Bright, M., Felback, H., Ott, J.A. 1999. Metabolism of nitrogen and sulfur in endosymbiotic bacteria in marine nematodes (Nematoda, Stilbonematinae). *Marine Ecology Progress Series* 183: 149-158.
- Herrera, A., Meeman, J., Gillete, I., Green, E. 2003. Belize facing the climate change. Food and Agriculture Organization 60 p.
- Heyman, W.D. 1996. Integrated coastal management and sustainable development for tropical estuarine ecosystems: a case study of Port Honduras, Belize. PhD Thesis, University of South Carolina, USA.
- Heyman, W.D. 2001. Spawning aggregations in Belize. A report generated for the workshop, "Towards a sustainable management of Nassau groupers in Belize". The Nature Conservancy.
- Heyman, W.D., Carr, L.M., Lobel, P.S. 2010. Diver ecotourism and disturbance to reef fish spawning aggregations: It is better to be disturbed than to be dead. *Marine Ecology Progress Series* 419: 201-210.
- Heyman, W.D., Dobberstein, R.A., Urry, L.A., Heyman, A.M. 1989. Pilot hatchery for the queen conch, *Strombus gigas*, shows potential for inexpensive and appropriate technology for larval aquaculture in the Bahamas. *Aquaculture*, 77: 277-285.

- Heyman, W.D., Ecochard, J.B., Biasi, F.B. 2007. Low-cost bathymetric mapping for tropical marine conservation - a focus on reef fish spawning aggregation sites. *Marine Geodesy* 30: 37-50.
- Heyman, W.D., Graham, R.T., Kjerfve, B., Johannes, R.E. 2001. Whale sharks *Rhincodon typus* aggregate to feed on fish spawn in Belize. *Marine Ecology Progress Series* 215: 275-282.
- Heyman, W.D., Kjerfve, B. 2008. Characterization of transient multi-species barrier reef fish spawning aggregations at Gladden Spit, Belize. *Bulletin of Marine Science* 83(3): 531-551.
- Heyman, W.D., Kjerfve, B., Graham, R.T., Rhodes, K.L., Garbutt, L. 2005. Spawning aggregations of *Lutjanus cyanopterus* (Cuvier) on the Belize Barrier Reef over a 6 year period. *Journal of Fish Biology* 67: 83-101.
- Higgins, R.P. 1983. The Atlantic Barrier Reef ecosystems at Carrie Bow Cay, Belize, II: Kinorhyncha. *Smithsonian Contribution to Marine Science* 18: 1-131.
- Highsmith, R.C. 1980. Geographic patterns of coral bioerosion: a productivity hypothesis. *Journal of Experimental Marine Biology and Ecology*. (46): 177-196.
- Hoyt, E. 1995. The Worldwide value and extent of whale watching: 1995. *Whale and Dolphin Conservation Society*, Bath, UK, pp. 1-36.
- Hauser, I., Oschmann, W., Gischler, E. 2007. Modern bivalve shell assemblages on three atolls offshore Belize (Central America, Caribbean Sea). *Facies* 53:451–478.
- Hauser, I., Oschmann, W., Gischler, E. 2008. Taphonomic signatures on modern Caribbean bivalve shells as indicators of environmental conditions (Belize, Central America). *Palaios* 23: 586-600.
- Huber, J.H. 1996. Killi-Data .1996. Updated checklist of taxonomic names, collecting localities and bibliographic references of oviparous Cyprinodont fishes (Atherinomorpha, Pisces). Société Française d'Icthyologie, Muséum National d'Histoire Naturelle, Paris, France, 399 p.
- Huitric, M. 2005. Lobster and conch fisheries in Belize: a history of sequential exploitation. *Ecology and Society* 10(1): 21.
- Hultgren, K.M., MacDonald K.S. III, J.E. Duffy. 2010. Sponge-dwelling snapping shrimps of Curaçao, with descriptions of three new species. *Zootaxa* 2372:221-262.
- Humann, P. 1994. Reef fish identification: Florida, Caribbean, Bahamas. New World Publications, Jacksonville, Florida. 426 p.
- Huys, R., Iliffe, T.M. 1998. Novocriniidae, a new family of harpacticoid copepods from anchihaline caves in Belize. *Zoologica Scripta* 27(1): 1-15.

Jacobs, N.D. 1998. Assessment and analysis of the fisheries sector and marine coastal areas. Belize National Biodiversity Strategy and Action Plan (UNDP/GEF-Project No. BZE/97/G31).

Johnson, R.B., Greenfield, D.W. 1976. A new chaenopsid fish, *Emblemaria hyltoni* from Isla Roatán, Honduras. *FIELDIANA Zoology* 70(2): 13-28.

Joye, S.B., Lee, R.Y. 2004. Benthic microbial mats: Important sources of fixed nitrogen and carbon to the Twin Cays, Belize ecosystem. *Atoll Research Bulletin* 528: 1-24.

Kampfer, S., Sturmbauer, C., Ott, J. 1998. Phylogenetic analysis of rDNA sequences from adenophorean nematodes and implications for the Adenophorea-Secernentea controversy. *Invertebrate Biology* 117(1): 29-36.

Kensley, B. 1981. Notes on *Axiopsis (Axiopsis) serratifrons* (A. Milne Edwards) (Crustacea: Decapoda: Thalassinidea). *Proceedings of the Biological Society of Washington* 93(4): 1253-1263.

Kensley, B. 1982. Anthuridea (Crustacea: Isopoda) of Carrie Bow Cay, Belize. *Smithsonian Contribution to Marine Sciences* 12: 321-353.

Kensley, B. 1983. New records of bresiliid shrimp from Australia, South Africa, Caribbean, and Gulf of Mexico (Decapoda: Natantia: Caridea). *Smithsonian Contributions to Zoology* 394: 1-31.

Kensley, B. 1994. Records of shallow-water marine isopods from Bermuda with descriptions of four new species. *Journal of Crustacean Biology* 14(2): 319-336.

Kensley, B. 1994. The genus *Coralaxius* redefined, with the description of two new species (Crustacea: Decapoda: Axiidae). *Journal of Natural History* 28(4): 813-828.

Kensley, B. 1996. The genus *Paraxiopsis* de Man, with descriptions of new species from the Western Atlantic (Crustacea: Decapoda: Axiidae). *Bulletin of Marine Science* 58(3): 709-729.

Kensley, B. 1998. Estimates of species diversity of free-living marine isopod crustaceans on coral reefs. *Coral Reefs* 17:83-88.

Kensley, B. 2003. Axioid shrimps from Guam (Crustacea, Decapoda, Thalassinidea). *Micronesica* 35-36: 359-384.

Kensley, B., Gore, R.H. 1981. *Coralaxius abelei*, new genus and species (Crustacea: Decapoda: Thalassinidea: Axiidae): A coral-inhabiting shrimp from the Florida keys and the Western Caribbean Sea. *Proceedings of the Biological Society of Washington* 93(4): 1277-1294.

Kensley, B., Heard, R.W. 1991. An examination of the shrimp family Callianideidae (Crustacea: Decapoda: Thalassinidea). *Proceedings of the Biological Society of Washington* 104(3): 493-537.

- Kensley, B., Heard, R.W. 1991. Studies on the crustacean of the Turks and Caicos Islands, British West Indies I. Four new marine isopod crustaceans from the vicinity of Pine Cay. *Gulf Research Report* 8(3): 237-246.
- Kensley, B., Ortiz, M., Schotte, M. 1997. New records of marine isopoda from Cuba (Crustacean: Peracarida). *Proceedings of Biological Society of Washington* 110(1): 74-88.
- Kensley, B., Schotte, M. 1987. New records of isopod crustacean from the Caribbean, The Florida Keys, and the Bahamas. *Proceedings of Biological Society of Washington* 100(1): 216-247.
- Kensley, B., Snelgrove, P. 1987. Records of marine isopod crustaceans associated with the coral *Madracis mirabilis* from Barbados. *Proceedings of Biological Society of Washington* 100(1): 186-197.
- Kensley, B. 1984. The Atlantic barrier reef ecosystem at Carrie Bow Cay, Belize, III: New marine isopoda. *Smithsonian Contribution to Marine Sciences* 24: 1-81.
- Kensley, B. 1984. The role of isopod crustaceans in the reef crest community at Carrie Bow Cay, Belize. *Marine Ecology* 5(1): 29-44.
- Kensley, B. 1987. Further records of marine isopod crustaceans from the Caribbean. *Proceedings of Biological Society of Washington* 100(3): 559-577.
- Kerr, K.A., Defran, R.H., Campbell, G.S. 2005. Bottlenose dolphins (*Tursiops truncates*) in the Drowned Cays, Belize: Group size, site fidelity and abundance. *Caribbean Journal of Science* 41(1): 172-177.
- Kobara, S., Heyman, W.D. 2008. Geomorphometric patterns of Nassau grouper (*Epinephelus striatus*) spawning aggregation sites in the Cayman Islands. *Marine Geodesy* 31: 231-245.
- Kobara, S., Heyman, W.D. 2010. Sea bottom geomorphology of multi-species spawning aggregation sites in Belize. *Marine Ecology Progress Series* 405: 243-254.
- Kohlmeyer, J. 1985. *Caryosporella rhizophorae* gen. et sp. nov. (Massariaceae), a marine Ascomycete from *Rhizophora mangle*. *Proceeding of Indian Academy of Science (Plant Science)* 94(2/3): 355-361.
- Kohlmeyer, J. 1985. Marine fungi (Ascomycetes) within and on tests of Foraminifera. *Marine Biology* 90: 147-149.
- Kohlmeyer, J., Bebout, B. 1986. On the occurrence of marine fungi in the diet of *Littorina angulifera* and observations on the behaviour of the periwinkle. *Marine Ecology* 79(4): 333-343.
- Kohlmeyer, J., Bebout, B., Volkmann-Kohlmeyer, B. 1995. Decomposition of mangrove wood by marine fungi and teredinids in Belize. *Marine Ecology* 16(1): 27-39.

- [Kohlmeyer, J., Hawksworth, D.L., Volkmann-Kohlmeyer, B.](#) 2004. Observations on two marine and maritime “borderline” lichens: *Mastodia tesellata* and *Collemopsidium pelvetiae*. *Mycological progress* 3(1): 51-56.
- [Kohlmeyer, J., Volkmann-Kohlmeyer, B.](#) 1987. Marine fungi from Belize with a description of two new genera of Ascomycetes. *Botanica Marina* 30: 195-204.
- [Kohlmeyer, J., Volkmann-Kohlmeyer, B.](#) 1990. Revision of marine species of *Didymosphaeria* (Ascomycotina). *Mycological Research* 94(5): 685-690.
- [Kohlmeyer, J., Volkmann-Kohlmeyer, B.](#) 1998. A new marine *Xylomyces* on *Rhizophora* from the Caribbean and Hawaii. *Fungal Diversity* 1: 159-164.
- [Kohlmeyer, J., Volkmann-Kohlmeyer, B.](#) 2003. Fungi from coral reefs: A commentary. *Mycological Research* 107(4): 386-387.
- [Kohlmeyer, J.](#) 1984. Tropical marine fungi. *Marine Ecology* 5(4): 329-378.
- [Kornicker, L.S.](#) 1983. Rutidermatidae of the Continental Shelf of Southeastern North America and the Gulf of Mexico (Ostracoda: Myodocopina). *Smithsonian Contributions to Zoology* 371: 1-89.
- [Kornicker, L.S.](#) 1984. Philomedidae of the Continental shelf of Eastern North America and the Northern Gulf of Mexico (Ostracoda: Myodocopina). *Smithsonian Contributions to Zoology* 393: 1-78.
- [Kornicker, L.S., Caraion, F.E.](#) 1980. *Nealella*, a new genus of myodocopid ostracoda (Sarsiellidae: Dantyinae). *Smithsonian Contributions to Zoology* 309: 1-27.
- [Kornicker, L.S., Harrison-Nelson, E.](#) 2004. Ostracoda from Johnston Atoll, Pacific Ocean, and a proposal of a new tribe, *Bruuniellini* (Myodocopina: Cylindroleberididae). *Pacific Science* 59(3): 323-362.
- [Kornicker, L.S., Iliffe, T.M.](#) 2000. Myodocopid ostracoda from Exuma Sound, Bahamas, and from Marine Caves and Blue Holes in Bahamas, and Mexico. *Smithsonian Contributions to Zoology* 606: 1-98.
- [Kornicker, L.S., Iliffe, T.M., Harrison-Nelson, E.](#) 2002. Ostracoda (Myodocopina) from Bahamian Blue Holes. *Smithsonian Contributions to Zoology* 616: 1-99.
- [Koslow, J.A., Aiken, C., Auil, S., Clementson, A.](#) 1994. Catch and effort analysis of the reef fisheries of Jamaica and Belize. *Fishery Bulletin* 92(4): 737-747.
- [Kramer P. and B. Bischof.](#) (1999). Assessment tables for Abaco, Bahamas (fish), Lighthouse Atoll, Belize (corals, fishes), and Bonaire, Netherlands Antilles (corals, algae, fishes). *Atoll Research Bulletin* 591-597 pp.
- Kullander, S.O. 2003. Cichlidae (Cichlids). pp. 605-654. In R.E. Reis, S.O. Kullander, Ferraris, C.J. Jr. (eds.) Checklist of the Freshwater Fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Kullander, S.O. 2003. Gobiidae (Gobies). pp. 657-665. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the freshwater fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

[Lajeunesse, T.C., Loh, W., Trench, R.K.](#) 2008. Do introduced endosymbiotic dinoflagellates 'take' to new hosts? *Biological Invasions* 10: 579-583.

Lang, M.A., Macintyre, I.G., Rützler, K. 2009. Biodiversity and Abundance of Sponges in Caribbean Mangrove: Indicators of Environmental Quality. *Smithsonian Contribution to Marine Science* 38: 151-172.

Lapointe, B.E.; Littler, M.M.; Littler, D.S. 1992. Modification of benthic community structure by natural eutrophication: the Belize Barrier Reef. *Proceedings of the seventh International Coral Reef Symposium, Guam*, 1:323-334.

[Larson, R.](#) 1992. Riding Langmuir circulations and swimming in circles: a novel form of clustering behavior by the scyphomedusa *Linuche unguiculata*. *Marine Biology* 112: 229-235.

Lasker, H.R., Coffroth, M.A. 1983. Octocoral distributions at Carrie Bow Cay, Belize. *Marine Ecology* (13): 21-28.

Lee, D.S., Platania, S.P., Burgess, G.H. 1983. Atlas of North American freshwater fishes, 1983 supplement. Occasional Papers of the North Carolina Biological Survey no. 1983-6. North Carolina State Museum of Natural History, Raleigh, N.C. 67 p.

[Lee, R.Y., Porubsky, W.P., Feller, I.C., McKee, K.L., Joye, S.B.](#) 2008 Porewater biogeochemistry and soil metabolism in red mangrove habitats (Twin Cays, Belize). *Biogeochemistry* 87: 181-198.

Lewis, J.B. 1975. A preliminary description of the coral reefs of the Tobago Cays, Grenadines and West Indies. *Atoll Research Bulletin* 178:1-14.

[Lewis, J.B.](#) 1989. The ecology of *Millepora*. A review. *Coral Reefs* 8: 99-107.

[Lewis, S.M.](#) 1985. Herbivory on coral reefs: Algal susceptibility to herbivorous fishes. *Oecologia* 65(3): 370-375.

[Lewis, S.M.](#) 1986. The role of herbivorous fishes in the organization of a Caribbean reef community. *Ecological Monograph* 56(3): 183-200.

[Lewis, S.M., Wainright, P.C.](#) 1985. Herbivore abundance and grazing intensity on a Caribbean coral reef. *Journal of Experimental Marine Biology and Ecology* 87: 215-228.

Lieske, E., Myers, R. 1994. Collins Pocket Guide. Coral reef fishes. Indo-Pacific & Caribbean including the Red Sea. Haper Collins Publishers, 400 p.

Lima, F.C.T. 2003. Characidae - Bryconinae (characins, tetras). pp. 174-181. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the Freshwater Fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Lima, F.C.T., Malabarba, L.R., Buckup, P.A., Pezzi da Silva, J.F., Vari, R.P., Harold, A., Benine, R., Oyakawa, O.T., Pavanelli, C.S., Menezes, N.A., Lucena, C.A.S., Malabarba, M.C.S.L., Lucena, Z.M.S., Reis, R.E., Langeani, F., Cassati, L., Bertaco, V.A. 2003. Genera incertae sedis in Characidae. pp. 106-168. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the Freshwater Fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Lindberg, W.J., Marshall, M.J. 1984. Species profile: Life histories and environmental requirements of coastal fishes and invertebrates (South Florida): stone crabs. U.S. Fish and Wildlife Service Biological Services Program FWS/OBS 82(11.21), 17 p.

Lobel, P.S., Rocha, L.A., Randall, J.E. 2009. Color phases and distribution of the Western Atlantic labrid fish, *Halichoeres socialis*. Coenia 1: 171-174.

Lourie, S.A., Vincent, A.C.J., Hall, H.J. 1999. Seahorses: an identification guide to the world's species and their conservation. Project Seahorse, London. 214 p.

Lu, H., Fauchald, K. 2000. A phylogenetic and biogeographic study of *Euniphysa* (Eunicidae, Polychaeta). Journal of Natural History 34: 997-1044.

Macdonald, K.S. III., Ríos, R., Duffy, J.E. 2006. Biodiversity, host specificity, and dominance by eusocial species among sponge-dwelling alpheid shrimp on the Belize Barrier Reef. Diversity and Distributions 12:165-178.

MacDonald, K.S. III; Duffy, J.E. Two new species of sponge-dwelling snapping shrimp from the Belizean Barrier Reef, with a synopsis of the *Synalpheus brooksi* species complex. American Museum Novitates 3543: 1-22,16 figs.

Macintyre, I.G., Goodbody, I., Rützler, K., Littler, D.S., Littler, M.M. 2000. A general biological and geological survey of the rims of ponds in the major mangrove islands of the Pelican Cays, Belize. Atoll Research Bulletin 467: 15-44.

Macintyre, I.G., Goodbody, I., Rützler, K., Littler, D.S., Littler, M.M. 2000. A general biological and geological survey of the rims of ponds in the major mangrove islands of the Pelican Cays, Belize. Atoll Research Bulletin 467: 15-44.

Macintyre, I.G., Rützler, K., Feller, I.C. 2004. The Twin Cays mangrove ecosystem, Belize: Biodiversity, geological history, and two decades of change. Atoll Research Bulletin 509-530, 475 p.

Maddocks, R.F. 1969. Recent ostracodes of the family Pontocyprididae chiefly from the Indian Ocean. Smithsonian Contributions to Zoology 7: 1-56.

Mahon, R. 2000. Review of data collection and management systems of the marine fisheries in Suriname. Caricom Fisheries Unit, 48 p.

Manning, R.B. 1969. Notes on some stomatopod crustacean from Southern Africa. Smithsonian Contributions to Zoology 1: 1-17.

Manning, R.B., Felder, D.L. 1996. *Nannotheres moorei*, a new genus and species of minute pinnotherid crabs from Belize, Caribbean Sea (Crustacea: Decapoda:

Pinnotheridae). Proceedings of the Biological Society of Washington 109(2): 311-317.

Marceniuk, A.P., Betancur, R. 2008. Revision of the species of the genus *Cathorops* (Siluriformes: Ariidae) from Mesoamerica and the Central American Caribbean, with description of three new species. Neotropical Ichthyology 6(1):25-44.

Marceniuk, A.P., Ferraris, C.J Jr. 2003. Ariidae (Sea catfishes). pp. 447-455. In R.E. Reis, S.O. Kullander and C.J. Ferraris, Jr. (eds.) Checklist of the freshwater fishes of South and Central America. Porto Alegre: EDIPUCRS, Brasil.

Marceniuk, A.P., Menezes, N.A. 2007. Systematics of the family Ariidae (Ostariophysi, Siluriformes), with a redefinition of the genera. Zootaxa 1416:1-126.

Markle, D.F., Quéro, J.C. 1984. Alepocephalidae (including Bathylaconidae, Bathyprionidae). p. 228-253. In P.J.P. Whitehead, M.-L. Bauchot, J.-C. Hureau, J. Nielsen and E. Tortonese (eds.) Fishes of the North-eastern Atlantic and the Mediterranean. UNESCO, Paris. Vol. 1.

Maslakova, S.A., Norenburg, J.L. 2008. Revisions of the smiling worms, genera *Prosadenoporus* Bürger, 1890 and *Pantinonemertes* Moore and Gibson, 1981 and description of a new species *Prosadenoporus floridensis* sp. Nov. (Prosorhochmidae; Hoplonemertea; Nemertea) Journal of Natural History 42(25-26): 1689-1727.

Mather, F.J., III, 1952. Sport fishes of the vicinity of the Gulf of Honduras, certain Caribbean Islands, and Carmen, Mexico. In: Proceedings of the Gulf and Caribbean Fisheries Institute, 4th Annual Session, pp. 118-129.

McClanahan, T.R. 1999. Predation and the control of the sea urchin *Echinometra viridis* and fleshy algae in the patch reefs of Grovers Reef, Belize. Ecosystems 2: 511-523.

McClanahan, T.R., McField, M., Huitric, M., Bergman, K., Sala, E., Nyström, M., Nordemar, I., Elfwing, T., Muthiga, N.A. 2001. Response of algae, corals and fish to the reduction of macroalgae in fished and unfished patch reefs of Grovers Reef Atoll, Belize. Coral Reefs 19: 367-379.

McConney, P., Mahon, R., Pomeroy, R. 2003. Belize case study: Fisheries advisory board in the context of integrated coastal management. Caribbean Coastal C-management Guideline Project, 65 p.

McKee, K.L. 1995. Interspecific variation in growth, biomass partitioning, and defensive characteristics of neotropical mangrove seedling: Response to light and nutrient availability. American Journal of Botany 82(3): 299-307.

McKee, K.L. 1995. Mangrove species distribution and propagule predation in Belize: An exception to the dominance-predation hypothesis. Biotropica 27(3): 334-345.

McKee, K.L. 1995. Seedling recruitment patterns in a Belizean mangrove forest: Effects of establishment ability and physico-chemical factors. Oecologia 101(4): 448-460.

McKee, K.L. 2000. Root proliferation in decaying roots and old root channels: A nutrient conservation mechanism in oligotrophic mangrove forests? *Journal of Ecology* 89(5): 876-887.

[McKee, K.L., Mendelsohn, I.A., Hester, M.W.](#) 1988. Reexamination of pore water sulfide concentrations and redox potentials near the aerial roots of *Rhizophora mangle* and *Avicennia germinans*. *American Journal of Botany* 75(9): 1352-1359.

[McKee, K.L., Cahoon, D.R., Feller, I.C.](#) 2007. Caribbean mangroves adjust to rising sea level through biotic controls on change in soil elevation. *Global Ecology and Biogeography* 16: 645-556.

[McKee, K.L., Faulkner, P.L.](#) 2000. Mangrove peat analysis and reconstruction of vegetation history at the Pelican Cays, Belize. *Atoll Research Bulletin* 468: 46-58.

[McKee, K.L., Feller, I.C., Popp, M., Wanek, W.](#) 2002. Mangrove isotopic fractionation across a nitrogen vs. phosphorus limitation gradient. *Ecology* 83(4): -1065-1075.

McKeon, C.S.; Feller, I.C. 2004. The supratidal fauna of Twin Cays, Belize. *Atoll Research Bulletin* 526:18.

McNeill, D.F., Janson, X., Bergman, K.L., Eberli, G.P. 2010. Chapter 3, Belize: A modern example of mixed carbonate-siliciclastic shelf. In: Whesphal, H., Eberli, G.P., Reigl, B., eds., Factors controlling modern carbonate deposition: Springer-Verlag, pp. 81-144.

[Meerman, J. C.; Clabaugh, J.](#) 2005. Class Gastropoda. Biodiversity and Environmental Resource Data System of Belize. <http://www.biodiversity.bz> [Accessed 21/10/10].

[Mehta, R.S., Wainwright, P.C.](#) 2007. Biting releases constraints on moray eel feeding kinematics. *The Journal of Experimental Biology* 210: 495-504.

[Mehta, R.S., Wainright, P.C.](#) 2007. Raptorial jaws in the throat help moray eels swallow large prey. *Nature* 449: 79-82.

[Mehta, R.S., Wainright, P.C.](#) 2008. Functional morphology of the pharyngeal jaw apparatus in moray eels. *Journal of Morphology* 269: 604-619.

Meyer, M.K., Radda, A.C. 2000. Notes on the subgenus *Mollienesia* Lesueur, 1821, with a description of a new species of *Poecilia* Bloch & Schneider, 1801 (Cyprinodontiformes: Poeciliidae) from Venezuela. *Ann. Naturhist. Mus. Wien* 102B:75-81.

[Middleton, B.A., McKee, K.L.](#) 2001. Degradation of mangrove tissues and implications for peat formation in Belizean island forests. *Journal of Ecology* 89(5): 818-828.

Mignucci-Giannoni, A.A., Swartz, L.S., Martinez, A., Burks, C.M., Watkins, W.A. 2003. First records of the pantropical spotted dolphin (*Stenella attenuata*) for the Puerto Rican bank, with a review of the species in the Caribbean. *Caribbean Journal of Science* 39(3): 381-392.

- Miller, B.W., Miller, C.M. 1998. Ornithology in Belize since 1960. The Wilson Bulletin 110(4): 544-558.
- Miller, B.W., Miller, C.M. 2006. Final Report. Waterbirds in Belize. Wildlife Conservation Society 31 pp.
- Miller, G.C., Richards, W.J. 1978. Triglidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). FAO, Rome. Vol. 5. pag.var.
- Miller, J.E., Pawson, D.L. 1990. Swimming cucumbers (Echinodermata: Holothuroidea): A survey, with analysis of swimming behaviour in four bathyal species. Smithsonian Contributions to Marine Sciences 35: 1-18.
- Miller, R.R. 1983. Checklist and key to the mollies of Mexico (Pisces: Poeciliidae: *Poecilia*, subgenus *Mollienesia*). Copeia 1983(3): 817-822.
- Mitten, S., Feller, I.C. 2004. Winter and summer bird communities of Twin Cays, Belize. Atoll Research Bulletin 527: 1-19.
- Modlin, R.F. 1991. *Paranebalia belizensis*, a new species from shallow waters off Belize, Central America (Crustacea: Malacostraca: Leptostraca). Proceedings of Biological Society of Washington 104(3): 603-612.
- Modlin, R.F. 1987. Mysidacea from shallow waters in the vicinity of Carrie Bow cay, Belize, Central America, with descriptions of two new species. Journal of Crustacean Biology 7(1): 106-121.
- Modlin, R.F. 1990. Observations on the aggregative behaviour of *Mysidium columbiae*, the mangrove mysid. Marine Ecology 11(3): 263-275.
- Modlin, R.F. 1993. Population parameters, life cycle, and feeding of *Mysidium columbiae* (Zimmer) in the waters surrounding a Belizian Mangrove Cay. Marine Ecology 14(1): 23-24.
- Modlin, R.F. 1996. Contributions to the ecology of *Paranebalia belizensis* from the waters off Central Belize, Central America. Journal of Crustacean Biology 16(3): 529-534.
- Møller, P.R., Schwarzhans, W., Nielsen, J.G. 2005. Review of the American Dinematichyini (Teleostei: Bythitidae). Part II. Ogilbia .Aqua 10(4):133-207.
- Montoya-Cadavid, E., P. Flórez-Romero and J.E. Winston. 2007. Checklist of the marine Bryozoa of the Colombian Caribbean. Biota Colombiana 8(2):159-184.
- Morris, D. 1883. The Colony of British Honduras, its resources and prospects; with particular reference to its indigenous plants and economic productions. Harrison and Sons, Printers in Ordinary to Her Majesty, St. Martin's Lane, London. 152 pp.
- Morton, B. 1989. Life-history characteristics and sexual strategy of *Mytilopsis sallei* (Bivalvia: Dreissenacea), introduced into HongKong. J. Zool., Lond. 219,469-485.

- Munroe, T.A. 2002. Achiridae. American soles. pp. 1925-1933. In K.E. Carpenter (ed.) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Atlantic. Vol. 3: Bony fishes part 2 (Opistognathidae to Molidae), sea turtles and marine mammals.
- Munroe, T.A. 2002. Paralichthyidae. Sand flounders. pp. 1898-1921. In K.E. Carpenter (ed.) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Atlantic. Vol. 3: Bony fishes part 2 (Opistognathidae to Molidae), sea turtles and marine mammals.
- Munroe, T.A. 1991. Western Atlantic tonguefishes of the *Symphurus plagusia* complex (Cynoglossidae: Pleuronectiformes), with descriptions of two new species. Fishery Bulletin 89(2): 247-287.
- Munroe, T.A. 1998. Systematics and ecology of tonguefishes of the genus *Symphurus* (Cynoglossidae: Pleuronectiformes) from the western Atlantic Ocean. Fish. Bull. 96(1):1-182.
- Munroe, T.A. 2002. Cynoglossidae. Tonguefishes and tongue soles. pp. 1934-1959. In K.E. Carpenter (ed.) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Atlantic. Vol. 3: Bony fishes part 2 (Opistognathidae to Molidae), sea turtles and marine mammals.
- Murdy, E.O., Hoese, D.F. 2002. Gobiidae. Gobies. pp. 1781-1796. In K.E. Carpenter (ed.) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Atlantic. Vol. 3: Bony fishes part 2 (Opistognathidae to Molidae), sea turtles and marine mammals.
- Nakamura, I., Parin, N.V. 1993. FAO Species Catalogue. Vol. 15. Snake mackerels and cutlassfishes of the world (families Gempylidae and Trichiuridae). An annotated and illustrated catalogue of the snake mackerels, snoeks, escolars, gemfishes, sackfishes, domine, oilfish, cutlassfishes, scabbardfishes, hairtails, and frostfishes known to date. FAO Fish. Synop. 125(15):136 p.
- Nakamura, I. 1985. FAO Species Catalogue. Vol. 5. Billfishes of the world. An annotated and illustrated catalogue of marlins, sailfishes, spearfishes and swordfishes known to date. FAO Fish. Synop. 125(5):65 p.
- Narchi, W. 1974. Aspectos ecológicos e adaptativos de alguns bivalves do litoral paulista. Papéis Avulsos Zool. 27(19): 235-262.
- [Nebelsick, M., Blumer, M., Novak, R., Ott, J.](#) 1992. A new glandular sensory organ in *Catanema* sp. (Nematoda, Stillbonematiniae). Zoomorphology 112: 17-26.
- Ng, H.H., Hadiaty, R.K. 2009. *Ompok brevirictus*, a new catfish (Teleostei: Siluridae) from Sumatra. Zootaxa 2232: 50-60.
- Nielsen, J.G. 1999. A review of the genus *Neobythites* (Pisces, Ophidiidae) in the Atlantic, with three new species. Bull. Mar. Sci. 64(2): 335-372.

Nielsen, J.G., Cohen, D.M., Markle, D.F., Robins, C.R. 1999. FAO Species Catalogue. Vol. 18. Ophidiiform fishes of the world (Order Ophidiiformes). An annotated and illustrated catalogue of pearlfishes, cusk-eels, brotulas and other ophidiiform fishes known to date. FAO Fish. Synop. 125(18):178 p. Rome: FAO.

[Nowacek, S.M., Nowacek, D.P., Johnson, M.P., Shorter, K.A., Powell, J.A., Wells, R.S.](#)

2002. Manatee behavioral responses to vessel approaches: Result of digital acoustic data logger of manatees in Belize. Mote Marine Laboratory Technical Report No. 847, Mote Marine Laboratory, Sarasota, FL.

[Nussbaumer, A.D., Bright, M., Baranyi, C., Beisser, C.J., Ott, J.A.](#) 2004. Attachment mechanism in a highly specific association between ectisymbiotic bacteria and marine nematodes. Aquatic Microbial Ecology 34: 239-246.

[Greenfield, D.W., Greenfield, T.](#) 1975. *Anchovia landivarensis*, a new species of anchovy (Pisces: Engraulidae) from Belize, Central America, with comments on related species. FIELDIANA Zoology 65(9): 103-112.

[Oliverio, M., Mariottini, P.](#) 2001. A molecular framework for the phylogeny of *Coralliophila* and related muricoids. J. Moll. Stud. 67: 215-224.

Ott, J., Bright, M. 2004. Sessile ciliates with bacterial ectosymbionts from Twin Cays, Belize. Atoll Research Bulletin (516): 1-9.

Ott, J., Bright, M. Sessile ciliates with bacterial ectosymbionts from Twin Cays, Belize. Atoll Research Bulletin 516: 1-7.

[Ott, J.A. 1997.](#) A new symbiotic marine nematode, *Adelphos rolandi* gen.n. sp.n. (Stilbonematinae), form the Caribbean Sea. Ann. Naturhist. Mus. Wien 99: 417-422.

[Ott, J.A., Bright, M., Schiemer, F.](#) 1998. The ecology of a novel symbiosis between a marine peritrich ciliate and chemoautotrophic bacteria. Marine Ecology 19(3): 229-243.

[Ott, J.A., Novak, R., Schiemer, F., Hentschel, U., Nebelsick, M., Polz, M.](#) 1991. Traking the sulfide gradient: A novel strategy involving marine nematodes and chemoautotrophic ectosymbionts. Marine Ecology 12 (3): 261-279.

Page, L.M., Burr, B.M. 1991. A field guide to freshwater fishes of North America north of Mexico. Houghton Mifflin Company, Boston. 432 p.

Palazzo, J.R., Iñiguez, M.A., Hevia, M. A worldwide directory of whale watching research.

Patterson, H.M., Thorrold, S.R., Shenker, J.M. 1999. Analysis of otolith chemistry in Nassau grouper (*Epinephelus striatus*) from the Bahamas and Belize using solution-based ICP-MS. Coral reefs 18: 171-178.

- [Patterson, K.W.](#) 2006. Conservation, captivity, and whaling: A survey of Belize whalewatching tourists' attitudes to cetacean conservation issues. MS Thesis. George Mason University, USA. 155 p.
- [Lawson, D.L.](#) 1976. Shallow-water sea cucumber (Echinodermata: Holothuroidea) from Carrie Bow Cay, Belize. Proceedings of Biological Society of Washington 89(31): 369-382.
- Lawson, D.L., Miller, J.E. 1983. Systematics and ecology of the sea-urchin genus *Centrostephanus* (Echinodermata: Echinoidea) from the Atlantic and Eastern Pacific Oceans. Smithsonian Contributions to Marine Sciences 20: 1-15.
- [Peckol, P.M., Curran, H.A., Floyd, E.Y., Robbart, M.L., Greenstein, B.J., Buckman, K.L.](#) 2003. Assessment of selected reef sites in northern and southern central Belize, including recovery from bleaching and hurricane disturbance (stony corals, algae and fish). pp. 146-147. In J.C. Lang (ed.) Status of Coral Reefs in the Western Atlantic: Results of initial survey, Atlantic and Gulf Rapid Reef Assessment Program. Atoll Research Bulletin 496.
- [Perez, A.](#) 2009. Fisheries management at the tri-national border between Belize, Guatemala, and Honduras. Marine Policy 33: 195-200.
- Perkins, J.S. 1985. The Belize Barrier Reef: Status and prospects for conservation management. Biological Conservation 31: 291-301.
- [Perkins, J.S., Car, A., III.](#) 1985. The Belize Barrier Reef: Status and prospects for conservation management. Biological Conservation 31: 291-301.
- [Perkins, J.S., Miller, G.W.](#) 1983. Mass Stranding of *Stenobredanensis* in Belize. Biotropica 15(3): 235-236.
- [Petersen, C.W., Fischer, E.A.](#) 1986. Mating system of the hermaphroditic coral-reef fish, *Serranus baldwini*. Behavioral Ecology and Sociobiology 19(3): 171-178.
- Pietsch, T.W., Grobecker, D.B. 1987. Frogfishes of the world. Systematics, zoogeography, and behavioral ecology. Stanford University Press, Stanford, California. 420 p.
- [Piou, C., Feller, I.C., Berger, U., Chi, F.](#) 2006. Zonation patterns of Belizean offshore mangrove forests 41 years after a catastrophic hurricane. Biotropica 38(3): 365-374.
- [Piatt, S.G., Rainwater, T.R., Nichols, S.](#) 2004. A recent population assessment of the American crocodile (*Crocodylus acutus*) in Turneffe Atoll, Belize. Herpetological Bulletin 89: 26-32.
- [Piatt, S.G., Thorbjarnarson, J.B.](#) 2000. Nesting ecology of the American crocodile in the coastal zone of Belize. Copeia, 2000(3): 869-873.

- Piatt, S.G., Thorbjarnarson, J.B., Rainwater, T.R. 1999. Occurrence of the American crocodile in the Lighthouse Atoll, Belize. Caribbean Journal of Science 35(3-4): 316–318.
- Polunin, N.V.C., Roberts, C.M. 1993. Greater biomass and value of target coral-reef fishes in two small Caribbean marine reserves. Marine Ecology Progress Series 100: 167-176.
- Polz, M.F., Distel, D.L., Zarda, B., Amann, R., Felbeck, H., Ott, J.A., Cavanaugh, C.M. 1994. Phylogenetic analysis of a highly specific association between ectosymbiotic, sulfur-oxidizing bacteria and a marine nematode. Applied and Environmental Microbiology 60(12): 4461-4467.
- Polz, M.F., Felbeck, H., Novak, R., Nebelsick, M., Ott, J.A. 1992. Chemoautotrophic, Sulfur-Oxidizing Symbiotic Bacteria on Marine Nematodes: Morphological and Biochemical Characterization. Microbial Ecology 24(3): 313-329.
- Precht, W.F., Aronson, R.B., Moody, R.M., Kaufman, L. 2010. Changing patterns of microhabitat utilization by the three spot damselfish, *Stegastes planifrons*, on Caribbean reefs. PloS ONE 5: e10835. 10. 1371/journal.pone.0010835., 8 p.
- Precht, W.F., Robbart, M.L., Aronson, R.B. 2004. The potential listing of *Acropora* species under the US Endangered Species Act. Marine Pollution Bulletin 49: 534-536.
- Proudlove, G.S. 1998. Checklist of cave-dwelling fishes of the world, to 1998. Unpublished. Expansion of Ref. 27297.
- Purdy, E.G., Gischler, E. 2003. The Belize margin revisited: 1. Holocene marine facies. International Journal Of Earth Science 93: 535-551.
- Ramon, M.L., Lobel, P.S., Sorenson, M.D. 2003. Lack of mitochondrial genetic structure in hamlets (*Hoploplectrus* spp.): recent speciation or ongoing hybridization. Molecular Ecology 12: 2975-2980.
- Ramos, A. 1997. Establishment of data acquisition and monitoring systems for the Belize Shrimp Fishery. Species caught and landed for the Belize Shrimp Fishery. CARICOM Fishery Research Document 21: 1-17.
- Randall, J.E. 1997. Randall's underwater photos. Collection of almost 2,000 underwater photos (slides). Unpublished.
- Randall, J.E., Baldwin, C.C. 1997. Revision of the serranid fishes of the subtribe *Pseudogrammina* with descriptions of five new species. Indo-Pacific Fishes (26):56 p.
- Randall, J.E., Colin, P.L. 2009. *Elacatinus lobeli*, a new cleaning goby from Belize and Honduras. Zootaxa 2173: 31-40.
- Randall, J.E., Lobel, P.S. 2003. *Halichoeres socialis*: a new labrid fish from Belize. Coepia 2003(1): 124-130.

- Randall, J.E., Lobel, P.S. 2003. *Halichoeres socialis*: a new labrid fish from Belize. *Copeia* (1):124-130.
- Randall, J.E., Lobel, P.S. 2009. A literature review of the sponge-dwelling gobiid fishes of the genus *Elacatinus* from the western Atlantic, with description of two new Caribbean species. *Zootaxa* 2133: 1-19.
- Randall, J.E., Lobel, P.S., Kennedy, C.W. 2005. Comparative ecology of the gobies *Nes longus* and *Ctenogobius saepepallens*, both symbiotic with the snapping shrimp *Alpheus floridanus*. *Environmental Biology of Fishes* 74: 119-127.
- Randall, J.E., Vergara R. 1978. Gerreidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. pag.var.
- Randall, J.E., Vergara R. 1978. Sparidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). FAO, Rome. Vol. 5. pag.var.
- Randall, J.E., Vergara, R. 1978. Bothidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). FAO, Rome. Vol. 1. pag.var.
- Randall, J.E. 1978. Acanthuridae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). FAO, Rome. Vol. 1. pag.var.
- Randall, J.E. 1978. Polynemidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. pag.var.
- Randall, J.E. 1978. Priacanthidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 4. pag. var.
- Randall, J.E. 1978. Scaridae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 4. pag. var.
- Randall, J.E. 1996. Caribbean reef fishes. Third edition - revised and enlarged. T.F.H. Publications, Inc. Ltd., Hong Kong. 3nd ed. 368 p.
- Reinthal, P.N., Kensley, B., Lewis, S.R. 1984. Dietary shifts in the queen triggerfish, *Balistes vetula*, in the absence of its primary food item, *Diadema antillarum*. *Marine Ecology* 5(2): 191-195.
- Reinthal, P.N., Lewis, S.R. 1986. Social behaviour foraging efficiency and habitat utilization in a group of tropical herbivorous fishes. *Animal Behaviour* 34: 1687-1693.
- Reinthal, P.N., McIntyre, I.G. 1994. Spatial and temporal variations in grazing pressure by herbivorous fishes: Tobacco Reef, Belize. *Atoll Research Bulletin* 435: 1-11.

- Richards, V.P., Thomas, J.D., Stanhope, M.J., Shivji, S.M. 2007. Genetic connectivity in the Florida reef system: comparative phylogeography of commensal invertebrates with contrasting reproductive strategies. *Molecular Ecology* 16:139–157.
- Richardson, L.L., Aronson, R.B. 2000. Infectious diseases of reef corals. *Proceedings 9th International Coral Reef Symposium* (2): 1-6.
- Richlen, M.L., Morton, S.L., Barber, P.H., Lobel, P.S. 2008. Phylogeography, morphological variation and taxonomy of the toxic dinoflagellate *Gambierdiscus toxicus* (Dinophyceae). *Harmful Algae* 7: 614-629.
- Rinke, C., Schmitz-Esser, S., Stoecker, K., Nussbaumer, A.D., Molnár, D.A., Vanura, K., Wagner, M., Horn, M., Ott, J.A., Bright, M. 2006. “*Candidatus Thiobios zoothamnicoli*”, an ectosymbiotic bacterium covering the giant marine ciliate *Zoothamnium niveum*. *Applied and Environmental Microbiology* 72 (3): 2014-2021.
- Rios, R. and J.E. Duffy. 2007. A review of the sponge-dwelling snapping shrimp from Carrie Bow Cay, Belize, with description of *Zuzalpheus*, new genus, and six new species (Crustacea: Decapoda: Alpheidae). *Zootaxa* 1602:1-89.
- Robbart, M.L., Peckol, P., Scordilis, S.P., Curran, H.A., Brown-Saracino, J. 2004. Population recovery and differential heat shock protein expression for the corals *Agaricia agaricites* and *A. tenuifolia* in Belize. *Marine Ecology* (283): 151-160.
- Roberts, C.M., Graham, R.T. 2003. Research and conservation of whale sharks and fish spawning aggregations in Belize. Darwin Initiative, 28 p.
- Robins, C.R., Bailey, R.M., Bond, C.E. , Brooker, J.R., Lachner, E.A., Lea, R.N., Scott, W.B. 1991. World fishes important to North Americans. Exclusive of species from the continental waters of the United States and Canada. *Am. Fish. Soc. Spec. Publ.* (21):243 p.
- Robins, C.R., Ray, G.C. 1986. A field guide to Atlantic coast fishes of North America. Houghton Mifflin Company, Boston, U.S.A. 354 p.
- Rocha, L.A., Rosa, R.S. 2001. *Halichoeres brasiliensis* (Bloch, 1791), a valid wrasse species (Teleostei: Labridae) from Brazil, with notes on the Caribbean species *Halichoeres radiatus* (Linnaeus, 1758). *Journal of Ichthyology & Aquatic Biology* 4(4): 161-166.
- Rodriguez, C.M. 1997. Phylogenetic analysis of the tribe Poeciliini (Cyprinodontiformes: Poeciliidae). *Copeia* (4):663-679.
- Rodriguez, W., Feller, I.C. 2004. Mangrove landscape characterization and change in Twin Cays, Belize using aerial photography and IKINOS satellite data. *Atoll Research Bulletin* 513: 1-22.
- Rodriguez, W., Urish, D.W., Feller, I.C., Wright, R.M. 2009. Relationship between frequency of ground exposure and forest cover in a mangrove island ecosystem. *Atoll Research Bulletin* 568: 1-21.

- Rotjan, R.D., Dimond, J.L., Thornhill, D.J., Leichter, J.J., Helmuth, B., Kemp, D.W., Lewis, S.M. 2006. Chronic parrotfish grazing impedes coral recovery after bleaching. *Coral Reefs* 25: 361-368.
- Rotjan, R.D., Lewis, S.M. 2005. Selective predation by parrotfishes on the reef coral *Porites astreoides*. *Marine Ecology Progress Series* 305: 193-201.
- Rotjan, R.D., Lewis, S.M. 2006. Parrotfish abundance and selective corallivory on a Belizean coral reef. *Journal of Experimental Marine Biology and Ecology* 335: 292-301.
- Rotjan, R.D., Lewis, S.M. 2008. Impact of coral predators on tropical reefs. *Marine Ecology Progress Series* 367: 73-91.
- Rotjan, R.D., Lewis, S.M. 2009. Predator selectively graze reproduction structures in a clonal marine organism. 156: 569-577.
- Røy, H., Vopel, K., Huettel, M., Jørgensen, B.B. 2009. Sulfide assimilation by ectosymbionts of the sessile ciliate *Zoothamnium niveum*. *Marine Biology* 156: 669-667.
- Rubenstein, D.R., McCleery B.V., Duffy, J.E. 2008. Microsatellite development suggests evidence of polyploidy in the social sponge-dwelling snapping shrimp *Zuzalpheus brooksi*. *Molecular Ecology Resources* 1-5.
- Rützler, K. 1975. The Role of Burrowing Sponges in Bioerosion. *Oecologia* 19(3): 203-216.
- Rützler, K. 1981. An Unusual Bluegreen Alga Symbioticwith Two New Species of *Ulosa* (*Porifera: Hymeniacidonidae*) from Carrie Bow Cay, Belize. *Marine Ecology* 2 (1): 35-5O.
- Rützler, K. 1997. The role of psammobiotic sponges in the reef community. *Proceedings 8th International Coral Reef Symposium* 2:1393-1398.
- Rützler, K. 2002. Impact of Crustose Clionid Sponges on Caribbean Reef Corals. *Acta Geologica Hispanica* 37(1): 61-72.
- Rützler, K., MacIntyre, I.G. 1982. The Atlantic barrier reef ecosystem at Carrie Bow Cay, Belize, I. Structure and communities. *Smithsonian Contributions to Marine Science* 12:535pp.
- Rützler, K. MacIntyre, I.G. 1978. Siliceous sponge spicules in coral reef sediments. *Marine Biology* 49:147-159
- Rützler, K., Diaz, M.C., van Soest, R.W.M., Zea, S., Smith, K.P., Alvarez, B., Wulff, J. 2000. Diversity of sponge fauna in mangrove ponds, Pelican Cays, Belize. *Atoll Research Bulletin* 476: 231-248.

- [Rützler, K., Duran, S., Piantoni, C.](#) 2007. Adaptation of reef and mangrove sponges to stress: evidence for ecological speciation exemplified by *Chondrilla caribensis* new species (Demospongiae, Chondrosida). *Marine Ecology* 28(1): 95–111.
- Rützler, K., Feller, I.C.1996. Caribbean mangrove swamps. *Scientific American* 274(3): 70-75.
- Rützler, K., Feller, I.C.1999. Mangrove swamp communites: An approach in Belize. In: A.Yañéz-Arancibia and L. Lara-Dominguez (Eds.), *Mangrove ecosystems in tropical America*. Institute of Ecology A.C. Xalapa, IUCN Central America, and NOAA-NMFS-US Beaufort.
- [Rützler, K., Goodbody, I., Diaz, M.C., Feller, I.C., Macintyre, I.G.](#) 2004. The aquatic environment of Twin Cays, Belize. *Atoll Research Bulletin* 512: 1-31.
- Rützler, K., Macintyre, I.G. 1982. The Atlantic Barrier Reef Ecosystem at Carrie Bow Cay, Belize, I. Structure and Communities. *Smithsonian Contribution to Marine Science* 12: 12-141.
- [Rützler, K., Piantoni, C., Diaz, M.C.](#) 2007. *Lissodendoryx*: rediscovered type and new tropical western Atlantic species (Porifera: Demospongiae: Poecilosclerida: Coelosphaeridae). *Journal of Marine Biology Ass. U.K.* 87: 1491–1510.
- [Rützler, K., Rob, W.M., van Soest, R.W.M., Alvarez, B.](#) 2003. *Svenzea zeai*, a Caribbean reef sponge with a giant larva, and *Scopalina ruetzleri*: A comparative fine-structural approach to Ccassification (Demospongiae, Halichondrida,Dictyonellidae). *Invertebrate Biology* 122(3): 203-222.
- [Rützler, K., Santavy, D.L., Antonius, A.](#) 1983. The black band disease of Atlantic reef corals. *Marine Ecology* 4(4): 329-358.
- Rützler, K., Smith, K.P. 1993. The genus *Terpios* (Suberitidae) and new species in the *Lobiceps* complex. *Sci. Mar* 57(4): 381-393.
- [Sala, E., Ballesteros, E., Starr, R.M.](#) 2001. Rapid decline of Nassau grouper spawning aggregations in Belize: Fishery management and conservation needs. *Fisheries* 26: 23-31.
- [Schiemer, F., Novak, R., Ott, J.A.](#) 1990. Metabolic studies on thiobiotic free-living nematodes and their symbiotic microorganisms. *Marine Biology* 106: 129-137.
- [Schmidt, K.P.](#) 1941. The amphibians and reptiles of British Honduras. *Field Museum of Natural History - Zoology* (12): 475-510.
- Schmitter-Soto, J.J. 2007. A systematic revision of the genus *Archocentrus* (Perciformes: Cichlidae), with the description of two new genera and six new species. *Zootaxa* 1603:1-78.
- [Schoch, C.L., Sung, G., Volkmann-Kohlmeyer, B., Kohlmeyer, J., Spatafora, J.W.](#) 2007. Marine fungal lineages in the Hypocreomycetidae. *Mycological Research* 3: 154-162.

Schotte, M., Heard, R.W., Kensley, B. 1991. Studies on the crustacean of the Turks and Caicos Islands, British West Indies. III. Records of marine isopoda from Pine Cay, Fort George Cay, Water Cay, and adjacent waters. Gulf Research Reports 8(3): 251-257.

Schulze, A., Rice, M.E. 2004. Sipunculan diversity at Twin Cays, Belize with a key to the species. Atoll Research Bulletin 512 : 1-9.

Searle, L. 2001. A brief history of sea turtle communities, conservation and consumption in Belize. 21st Annual Symposium on Sea Turtle Biology and Conservation, 24-28 Feb 2001. NOAA Technical Memorandum NMFS SEFSC 528:316.

Searle, L. 2006. The effect on new fishery regulations on traditional turtle fishermen in Belize. 23rd Annual Symposium on Sea Turtle Biology and Conservation, 17-21 Mar 2003. NOAA Technical Memorandum NMFS SEFSC 536: 261.

Sebens, K.P., Grace, S.P., Helmuth, B., Maney Jr., E.J., Miles, J.S. 1998. Water flow and prey capture by three scleractinian corals, *Madracis mirabilis*, *Montastrea cavernosa* and *Porites porites*, in a field closure. Marine Biology 131: 347-360.

Sebens, K.P., Helmuth, B., Carrington, E., Agius, E. 2003. Effects of water flow on growth and energetics of scleractinian coral *Agaricia tenuifolia* in Belize. Coral Reefs 22: 35-47.

Sebens, K.P., Vandersall, K.S., Savina, L.A., Graham, K.R. 1996. Zooplankton capture by two scleractinian corals, *Madracis mirabilis* and *Montastrea cavernosa*, in a field enclosure. Marine Biology 127: 303-317.

Sebens, K.P., Witting, J., Helmuth, B. 1997. Effects of water flow and branching on particle capture by the reef coral *Madracis mirabilis* (Duchassaing and Michelotti). Journal of Experimental Marine Biology and Ecology 211: 1-28.

Sedberry, G.R., Carter, J. 1993. The fish community of a shallow tropical lagoon in Belize, Central America. Estuaries 16(2): 198-215.

Self-Sullivan, C., Smith, G.W., Packard, J.M., LaCommare, K.S. 2003. Seasonal occurrence of male Antillean manatees (*Trichechus manatus*) on the Belize Barrier Reef. Aquatic Mammals 29(3): 342-354.

Sgano, T. 1978. Kyphosidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.]. FAO, Rome.

Shcherbina, A.Y., Gawarkiewicz, G.G., Linder, C.A., Thorrold, S.R. 2008. Mapping bathymetric and hydrographic features of Glover's Reef, Belize, with a REMUS autonomous underwater vehicle. Limnol. Oceanogr. 53(5, part): 2264-2272.

Sheng, J., Wang, L., Andréfouët, Hu, C., Hatcher, B.G., Muller-Karger, F.E., Kjerfve, B., Heyman, W.D., Yang, B. 2007. Upper ocean response of the Mesoamerican Barrier Reef system to Hurricane Mitch and coastal freshwater inputs: A study

using Sea-viewing Wide Field-of-view Sensor (SeaWiFS) ocean color data and a nested-grid ocean circulation model. *Journal of Geophysical Research* 112: 1-22.

Shepard, W.D. 1999. The first record of fairy shrimp from Belize, and a comparison of cyst-shell morphology in the New World members of the *Streptocephalus sealii* species group (Anostraca: Streptocephalidae). *Journal of Crustacean Biology* 19(2): 355-360.

Shipp, R.L. 1978. Tetraodontidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 5. [pag. var.]. FAO, Rome.

Shusterich, K.M. 1984. Marine resource development in Belize. *Marine Policy*. pp. 369-372.

Signorovich, A.Y. 2006. The life cycle, phylogeography, and comparative mitochondrial genomics of members of the phylum Placozoa (Grell, 1971).

Signorovich, A.Y., Buss, L.W., Dellaporta, S.L. 2007. Comparative genomics of large mitochondria in Placozoans. *Placozoan Comparative Genomics* 3(1): 44-50.

Signorovich, A.Y., Dellaporta, S.L., Buss, L.W. 2005. Molecular Signatures for Sex in the Placozoa. *Proceedings of the National Academy of Sciences of the United States of America*, Vol. 102, No. 43, Residential Mobility of Low-Income Populations (Oct. 25, 2005), pp. 15518-15522.

Signorovich, A.Y., Dellaporta, S.L., Buss, L.W. 2006. Caribbean Placozoan Phylogeography. *Biological Bulletin* 211(2):149-156.

Smith, C.L. 1978. Serranidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 4. [pag. var.]. FAO, Rome.

Smith, C.L., Tyler, J.C., Davis, W.P., Jones, R.S., Smith, D.G., Baldwin, C.C. 2003. Fishes of the Pelican Cays, Belize. *Atoll Research Bulletin* 497: 1-88.

Smith, C.L., Tyler, J.C., Davis, W.P., Jones, R.S., Smith, D.G., Baldwin, C.C. 2003. Fishes of the Pelican Cays, Belize. *Atoll Research Bulletin* (497): 1-88.

Smith, C.L. 1978. Lobotidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.]. FAO, Rome.

Smith, C.L. 1997. National Audubon Society field guide to tropical marine fishes of the Caribbean, the Gulf of Mexico, Florida, the Bahamas, and Bermuda. Alfred A. Knopf, Inc., New York. 720 p.

Smith, D.G., Thacker, C.E. 2000. Late-stage larvae of the family Microdesmidae (Teleostei, Gobioidei) from Belize, with notes on systematics and biogeography in the western Atlantic. *Bull. Mar. Sci.* 67(3):997-1012.

Smith, D.G.1994. Catalog of type specimens of recent fishes in the National Museum of Natural History, Smithsonian Institution, 6: Anguilliformes, Saccopharyngiformes, and Notacanthiformes (Teleostei: Elopomorpha).Smithsonian Contribution 566: 50 p.

Smith, G.W., Eckert, K.L., Gibson, J.P. 1992. WIDECAST Sea Turtle Recovery Action Plan for Belize. Eckert, K.L. (Ed.), Kingston, Jamaica: UNEP Caribbean Environmental Programme, CEP Tech. Rept. No. 18, 86 p.

Smith, Gregory W., Karen. L. Eckert, and Janet P. Gibson. 1992. WIDECAST SeaTurtle Recovery Action Plan for Belize (Karen L. Eckert, Editor). CEP Technical Report No. 18 UNEP Caribbean Environment Programme, Kingston, Jamaica. 86 p.

Smith-Vaniz, W.F. 2002. Carangidae. Jacks and scads (bumpers, pompanos, leatherjacks, amberjacks, pilotfishes, rudderfishes). pp. 1426-1468. In K.E. Carpenter (ed.) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Atlantic. Vol. 3: Bony fishes part 2 (Opistognathidae to Molidae), sea turtles and marine mammals.

Smith-Vaniz, W.F., Collette, B.B., Luckhurst, B.E.1999. Fishes of Bermuda: history, zoogeography, annotated checklist, and identification keys.American Society of Ichthyologists and Herpetologists Special Publication No. 4. 424 p.

Smith-Vaniz, W.F.1978. Dactylopteridae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. [pag. var.]. FAO, Rome.

Solis-Weis, V., Fauchald, K. Orbiniidae (Annelida: Polychaeta) from mangrove root-mats in Belize, with a revision of protoarciin genera. Proceedings of the Biological Society of Washington 120(3): 772-792.

Sotka, E.E., Hay, M.E., Thomas, J.D. 1999. Host-plant specialization by a non-herbivorous amphipod: Advantages for the amphipod and costs for the seaweed. Oecologia 118(4): 471-482.

Springer, V.G., Orrell, T.M. 1996. Catalog of type specimens of recent fishes in the National Museum of Natural History, Smithsonian Institution, 5: Chaenopsidae, Clinidae, Dactyloscopidae, Labrisomidae, and Tripterygiidae.Smithson. Contrib. Zool. 576:38.

Starnes, W.C.1988. Revision, phylogeny and biogeographic comments on the circumtropical marine percoid fish family Priacanthidae. Bulletin of Marine Science 43(2):117-203.

Stehmann, M., McEachran, J.D., Vergara R.1978. Dasyatidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 1. [pag. var.]. FAO, Rome.

Stehmann, M., Vergara R.1978. Myliobatidae.In W. Fischer (ed.) FAO Species Identificaiton Sheets for Fishery Purposes. Western Central Atlantic (fishing area 31). Vol. 5. [pag. var.]. FAO, Rome.

- Stevely, J.M., Sweat, D.E. 1994. A preliminary evaluation of the commercial sponge resources of Belize with reference to the location of the Turneffe Islands sponge farm. Atoll Research Bulletin 424: 1-21.
- Stiles, M.L., Stockbridge, J., Lande, M., Hirshfield, M.F. 2010. Impacts of bottom trawling on fisheries, tourism, and the marine environment. Oceana, 10 p.
- Stoddart, D.R. 1962. Three Caribbean atolls: Turneffe Islands, Lighthouse Reef, and Glover's Reef, British Honduras. Atoll Research Bulletin 87: 1-151.
- Stoddart, D.R. 1969. Post-hurricane changes on the British Honduras reefs and cays: Re-survey of 1965. Atoll Research Bulletin 131: 1-25.
- Suárez-Morales, E., Ferrare, F.D., Hiffe, T.M. 2006. A new species epacteriscid copepod (Calanoida: Epacteridiscidae) from the Yucatan Peninsula Mexico, with comments on the biogeography of the family. Proceeding of the Biological Society of Washington 119(2): 222-238.
- Sullivan, C.S. 2008. Conservation of Antillean manatees in the Drowned Cays are of Belize. Ph.D. Thesis. Texas A & M University, USA. 129 p.
- Sulock, A.J. 2009. Investigating the role of the recreational dive industry in marine reserve performance in Belize and Honduras. Proceedings of CMT2009, The International Congress on Coastal and Marine Tourism, 2 p.
- Taylor, D.S., Davis, W.P., Turner, B.J. 2004. Groveling in the mangroves: 16 years in pursuit of the cyprinodont fish *Rivulus marmoratus* on the Belize Cays.
- Taylor, D.S., Reyier, E.A., McIvor, C.C., Davis, W.P. 2007. An assessment of ichthyofaunal assemblages within the mangal of the Belize offshore cays. Bulletin of Marine Science 80(3): 721-737.
- Taylor, W.R., Menezes, N.A. 1978. Ariidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 1. [pag. var.]. FAO, Rome.
- Teal, C.S., Mazzullo, S.J., Bischoff, W.D. 2000. Dolomitization of Holocene shallow-marine deposits mediated by sulfate reduction and methanogenesis in normal-salinity seawater, Northern Belize. Journal of Sedimentary research 70(3): 649-663.
- Thacker, R.W., Diaz, M.C., Rützler, K., Erwin, P.M., Kimble, S.J.A., Pierce, Dillard, S.L. 2007. Phylogenetic relationships among the filamentous cyanobacterial symbionts of Caribbean sponges and a comparison of photosynthetic production between sponges hosting filamentous and unicellular cyanobacteria. pp. 31-39, in Custódio, M.R., Lôbo-Hajdu, G., Hajdu, E. and Muricy, G. (eds), Porifera research: biodiversity, innovation and sustainability. Série Livros 28. Museu Nacional, Rio de Janeiro.

- Thiel, M., Baeza, J.A. 2001. Factors affecting the social behaviour of crustaceans living symbiotically with other marine invertebrates: A model approach. *Symbiosis* 30: 163-190.
- Thomas, J.D., Barbard, J.T. 1983. Transformation of the *leucothoides* morph to the *anamixis* morph (Amphipoda). *Journal of Crustacean Biology* 39(1): 154-157.
- Thomas, J.D., Barbard, J.T. 1985. A new marine genus of the *Maera* group (Crustacea: Amphipoda) from Belize. *Proceedings of Biological Society of Washington* 98(3): 630-635.
- Thomas, J.D., Barnard, J.L. 1986. New genera and species of the *Megaluropus* group (Amphipoda, Megaluropidae) from American Seas. *Bulletin of Marine Science* 38(3):442-476.
- Thomas, J.D., Barnard, J.L. 1986. Two species of *Hornellia* (subgenus *Metaceradocus*) from the Florida Keys and Belize (Amphipoda, Melphidippoidea). *Bulletin of Marine Science* 38(3):477-487.
- Thomas, J.D., Klebba K.N. 2007. New species and host associations of commensal leucothoid amphipods from coral reefs in Florida and Belize (Crustacea:Amphipoda). *Zootaxa* 1494:1-44.
- Thomas, J.D., Klebba, K.N. 2006. Studies of commensal leucothoid amphipods: two new sponge-inhabiting species from south Florida and the western Caribbean. *Journal of Crustacean Biology* 26(1):13-22.
- Thomas, J.D., Taylor, G.W. 1981. Mouthpart morphology and feeding strategies of the commensal amphipod, *Anamixis hansenii* Stebbing. *Bulletin of Marine Science* 31(2): 462-467.
- Thomas, J.D.; Barnard, J.L. 1983. The Platyischnopidae of America (Crustacea: Amphipoda). *Smithsonian Contributions to Zoology* 375:33pp.
- Thomson, J.M. 1978. Mugilidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.]. FAO, Rome.
- Thorpe, J.E., Stoddart, D.R. 1962. Cambridge Expedition to British Honduras. The *Geographical Journal* 128(2): 158-171.
- Tornabene, L., Baldwin, C., Weigt, L.A., Pezold, F. 2010. Exploring the diversity of western Atlantic *Bathygobius* (Teleostei: Gobiidae) with cytochrome c oxidase-I, with descriptions of two new species. *Aqua, International J. Ichthyol.* 16(4): 141-170.
- Torres, E., Morin, J.G. 2007. *Vargula annecohenae*, a new species of bioluminescent ostracode (Myodocopina: Cypridinidae) from Belize. *Journal of Crustacean Biology* 27(4): 649-659.

Toth, E., Bauer, R.T. 2007. Gonopore sexing technique allows determination of sex ration and helper composition in eusocial shrimps. *Marine Biology* 151(5): 1875-1886.

Tóth, E., Duffy, J.E. 2008. Influence of sociality on allometric growth and morphological differentiation in sponge-dwelling alpheid shrimp. *Biological Journal of Linnean Society* 94: 527-540.

Touré, M. Turneffe Islands, Belize. Draft. Master Plan Development Strategy.

Tyler, J.C. and Hastings, P.A. 2004. *Emblemariopsis dianae*, a new species of chaenopsid fish from the Western Caribbean off Belize (Blennioidei). *Aqua Int. J. Ichthyol.* 8(2):49-60.

Tyler, J.C. 1978. Balistidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). Vol. 1. [pag. var.] FAO, Rome.

Tyler, J.C. 1978. Diodontidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. [pag.var.]. FAO, Rome.

Tyler, J.C. 1978. Monacanthidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.]. FAO, Rome.

Tyler, J.C. 1978. Ostraciidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). Vol. 3. [pag. var.]. FAO, Rome.

United Nations Environment Programme-World Conservation Monitoring Centre. 2008. 9 p.

Urbancik, W., Bauer-Nebelsick, M., Ott, J.A. 1996. The ultrastructure of the cuticle of Nematoda. I. The body cuticle within the Stilbonematinae (Adenophorea, Desmodoridae). *Zoomorphology* 116:51–64.

Vergara, R., Randall, J.E. 1978. Mullidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. pag.var.

Vergara, R. 1978. Ariommidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 1. [pag. var.]. FAO, Rome.

Vergara, R. 1978. Sphyraenidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). FAO, Rome. Vol. 5. pag.var.

Vopel, K., Pöhn, M., Sorgo, A., Ott, J. 2001. Ciliate-generating advective seawater transport supplies chemoautotrophic ectosymbionts. *Marine Ecology Press Series* 210: 93-99.

- Vopel, K., Reick, C.H., Arlt, G., Pöhn, M., Ott, J.A. 2002. Flow microenvironment of two marine peritrich ciliates with ectobiotic chemoautotrophic bacteria. *Aquatic Microbial Ecology* 29: 19-28.
- Vopel, K., Thistle, D., Ott, J., Bright, M., Røy, H. 2005. Wave-induced H₂S flux sustains a chemoautotrophic sysmbiosis. *Limnology and Oceanography* 50(1): 128-133.
- Vørs, N. 1993. Marine heterotrophic amoeba, flagellates and heliozoan fro Belize (Central America) and Tenerife (Canary Islands), with description of new species, *Luffisphaera bulbochaete* n. sp., *L. longihastis* n.sp., *L. turriformis* n. sp., and *Paulinella intermedia* n. sp. *Journal of Eukaryotic Microbiology* 40(3): 272-287.
- Wade, B.A., Ariola, E.A. 2003. A perspective on the implications of USA fisheries policies on the Belize fishing industry. *Proceedings of the 54th Annual Gulf and Caribbean Fisheries Institute*, pp. 147-155.
- Wagett, R.J., Buskey, E.J. 2007 Calanoid copepod escape behaviour in response to a visual predator. *Marine Biology* 150: 599-607.
- Wagett, R.J., Buskey, E.J. 2008. Escape reaction performance of myelinated and non-myelinated calanoid copepods. *Journal of Experimental Biology and Ecology* 361: 111-118.
- Wainwright, P.C. 1987. Biomechanical limits to ecological performances: mollusc-crushing by the Caribbean hogfish, *Lachnolaimus maximus* (Labridae). *Journal of Zoology* 312(2): 283-297.
- Wainwright, P.C. 1988. Functional basis of feeding constraints in Caribbean labrid fishes. *Ecology* 69(3): 635-645.
- Wainwright, P.C. 1989. Functional morphology of the pharyngeal jaw apparatus in perciform fishes: an experimental analysis of the Haemulidae. *Journal of Morphology* 200: 231-245.
- Wainwright, P.C. 1991. Ecomorphology: Experimental functional anatomy for ecological problems. *American Zoologist* 31: 680-693.
- Wainwright, P.C., Richard, B.A. 1995. Predicting patterns of prey use from morphology of fishes. *Environmental Biology of Fishes* 44: 97-113.
- Waller, T. R. 1980. Scanning electron microscopy of shell and mantle in the order Arcoida (Mollusca: Bivalvia). *Smithsonian Contributions to Zoology* 313: 1-58.
- Waltzek, T.B., Wainwright, P.C. 2003. Functional morphology of extreme jaw protrusion on neotropical cichlids. *Journal of Morphology* 257: 96-106.
- Wambler, J.W., Ferrari, F.D., Fornshell, J.A., Buskey, E.J. 1999. Diet cycles, molting, egg sac production and hatching in the swarm forming cyclopoid copepod *Dioithona oculata*. *Plankton Biol. Ecol.* (2): 120-127.

Wanek, W., Hofmann, J., Feller, I.C. 2007. Canopy interactions of rainfall in an off-shore mangrove ecosystem dominated by *Rhizophora mangle* (Belize). Journal of Hydrology 345: 70-79.

Ward, N., Moscrop, A. 1999. Marine mammals of the wider Caribbean region: A review of their conservation status. Fourth Meeting of the Interim Scientific and Technical Advisory Committee (ISTAC) to the Protocol Concerning Specially Protected Areas and Wildlife (SPAW) in the Wider Caribbean Region. Havana, Cuba, 3-6 August 1999. UNEP(Water)/CAR WG.22/INF.7

Watson, R.E.1996. Revision of the subgenus Awaous (Chonophorus) (Teleostei: Gobiidae).Ichthyological Exploration on Freshwater 7(1):18.

Welcomme, R.L.1988. International introductions of inland aquatic species.FAO Fish. Tech. Pap. 294. 318 p.

Wenner, C.A.1978. Anguillidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). Volume 1. [pag. var.]. FAO, Rome.

Wenner, E.L. 1982. Notes on the distribution and biology of Galatheidae and Chirostyliidae (Decapoda: Anomura) from the Middle Atlantic Bight. Journal of Crustacean Biology 2(3): 360-377.

Wehrtmann, I.S.; Cortés, J., 2009. Marine biodiversity of Costa Rica, Central America. Springer 538pp

Weyrer, S., Rützler, K., Rieger, R. 1999. Serotonin in Porifera? Evidence from developing *Tedania ignis*, the Caribbean fire sponge (Demospongiae). Memoir of the Queensland Museum 44: 659-665.

Whaley, A.R., Parsons, E.C.M., Sellares, R., Bonnelly, I.C. 2006. Dolphin ecology and behaviour in the southeastern waters of the Dominican Republic: preliminary observations. SC/58/SM12. Presented to the Scientific Committee. 58th Annual Meeting of the International Whaling Commission. St. Kitts & Nevis.

Whitehead, P.J.P., Vergara R.1978. Elopidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 2. pag.var.

Whitehead, P.J.P., Vergara R.1978. Megalopidae.In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.] FAO, Rome.

Whitehead, P.J.P., Nelson, G.J., Wongratana, T. 1988. FAO Species Catalogue. Vol. 7. Clupeoid fishes of the world (Suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 2 - Engraulididae.FAO Fish. Synop. 125(7/2):305-579.

- Whitehead, P.J.P. 1978. Albulidae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. West Atlantic (Fishing Area 31). volume 1. [pag. var.]. FAO, Rome.
- Whitehead, P.J.P. 1985. FAO Species Catalogue. Vol. 7. Clupeoid fishes of the world (suborder Clupeoidei). An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 1 - Chirocentridae, Clupeidae and Pristigasteridae. FAO Fish. Synop. 125(7/1):1-303.
- Williams, J.T., Mounts, J.H. 2003. Descriptions of six new Caribbean fish species in the genus *Starksia* (Labrisomidae). *Aqua* 6(4):145-164.
- Wilk, R.R. 1999. Real Belizean food: Building local identity in the transnational Caribbean. *American Anthropologist* 101(2): 244-255.
- Williams, J.T., Tyler, J.C. 2003. Revision of the western Atlantic clingfishes of the genus *Tomicodon* (Gobiesocidae), with descriptions of five new species. *Smithsonian Contribution to Zoology* 621:1-26.
- Winston, J.E. 1986. Victims of Avicularia. *Marine Ecology* 7(3): 193-199.
- Winston, J.E. 2004. Bryozoans from Belize. *Atoll Research Bulletin* (53): 1-14
- Winston, J.E. 2007. Diversity and distribution of bryozoans in the Pelican Cays, Belize, Central America. *Atoll Research Bulletin* (546): 1-24.
- Winston, J.E. 2010. Life in the colonies: Learning the alien ways of colonial organisms. *Integrative and Comparative Biology* pp.1-15.
- Winston, J.E., Hákansson, E. 1989. Molting by *Cupuladria doma*, a free-living bryozoan. *Bulletin of Marine Science* 44(3): 1152-1158.
- Winston, J.E., Woollacott, R.M. 2009. Scientific results of the Hassler Expedition. Bryozoa. No. 1. Barbados. *Bull. Mus. Comp. Zool.* 159(5): 239-300.
- Wischnath, L. 1993. Atlas of livebearers of the world. T.F.H. Publications, Inc., United States of America. 336 p.
- Woods, L.P., Greenfield, D.W. 1978. Holocentridae. In W. Fischer (ed.) FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31). Vol. 3. [pag. var.] FAO, Rome.
- Wulff, J. 2008. Collaboration among sponge species increases sponge diversity and abundance in a seagrass meadow. *Marine Ecology* 29:193–204.
- Wulff, J. 2010. Regeneration of sponges in ecological context: Is regeneration an integral part of life history and morphological strategies? *Integrative and Comparative Biology* 50(4): 494–505.

- Wulff, J.L. 2000. Sponge predators may determine differences in sponge fauna between two sets of mangrove cays, Belize Barrier Reef. Atoll Research Bulletin 477: 251-263.
- Wulff, J.L. 2004. Sponges on mangrove roots, Twin Cays, Belize: Early stages of community assembly. Atoll Research Bulletin 519: 1-10.
- Wulff, J.L. 2005. Trade-offs in resistance to competitors and predators, and their effects on the diversity of tropical marine sponges. Journal of Animal Ecology 2005 74: 313–321.
- Wulff, J.L. 2006. Sponge Systematics by Starfish: Predators Distinguish Cryptic Sympatric Species of Caribbean Fire Sponges, *Tedania ignis* and *Tedania klausii* n. sp. (Demospongiae, Poecilosclerida). Biol. Bull. 211: 83–94.
- Young, R.E., Roper, C.F.E. 1969. A monograph of the Cephalopoda of the North Atlantic: The family Cyclotheutidae. Smithsonian Contributions to Zoology 5: 1-24.