

Leading the Science of Cannabis




Steep Hill, Inc. seeks to protect public health through the development of infrastructure and analytical services for legally-authorized cultivators, processors, distributors, retailers, and regulators of cannabis.

Contents

Understanding the Science of Cannabis	2	
Cannabinoids	3	
Terpenoids	6	
Cannabis Contaminants	8	
Types of Cannabis Products	9	
Our Services	10	
Steep Hill in the Lab	10	
Phenosight™	12	
Steep Hill in the Field	13	
About Steep Hill	14	
References	16	

Understanding the Science of Cannabis



Cannabinoids

Cannabinoids are chemical compounds found in cannabis plants.

They're a subset of the 80-100 terpenoid-derived molecules found in significant amounts only in cannabis. Thus, all cannabinoids are terpenoids, but not all terpenoids are cannabinoids. They all have similar structures, but have been shown to have very different effects. Cannabinoids, are found in highest concentrations within the trichomes (or resin glands) found predominately on the female flowers. Most cannabinoids are found in both acid and neutral forms, which have distinctive medical qualities about them.


Decarboxylation

Decarboxylation is the conversion of a cannabinoid from acid form to neutral form, which occurs during heat exposure. For example, $\Delta 9$ -THC is the result of THC-A ('A' for acid) decarboxylating. The main difference between the acid and neutral forms of Tetrahydrocannabinol (THC) is that only $\Delta 9$ -THC causes the euphoric sensation associated with cannabis. THC-A, on the other hand, is not psychoactive! $\Delta 9$ -THC is the best way to measure a cannabis product's psychoactive potency, and a typical cannabis plant contains about 13% to 25%.

We Quantify 17 Cannabinoids

CBG-A	Cannabigerolic Acid
CBG	Cannabigerol
THC-A	Tetrahydrocannabinolic Acid
THC-C4	Tetrahydrocannabinol-C4
THCV-A	Tetrahydrocannabivarinic Acid
Δ9-THC	Delta 9-Tetrahydrocannabinol
Δ8-THC	Delta 8-Tetrahydrocannabinol
THCV	Tetrahydrocannabivarin
CBN-A	Cannabinolic Acid
CBN	Cannabinol
CBD-A	Cannabidiolic Acid
CBDV-A	Cannabidivaric Acid
CBD	Cannabidiol
CBDV	Cannabidivarin
CBC-A	Cannabichromic Acid
CBC	Cannabichromene
CBL-A	Cannabicyclol Acid

By simply applying heat or exposing cannabinoids to light and air there are a multitude of opportunities for other cannabinoids.



Therapeutic Properties of Cannabinoids

Each cannabinoid offers unique medical properties. Many of them have been observed in clinical settings.

Raw

CBG-A

analgesic anti-inflammatory

THC-A

anti-cancer anti-inflammatory anti-spasmodic

CBD-A

anti-cancer anti-inflammatory

CBC-A

anti-fungal anti-inflammatory

CBGV-A, THCV-A, CBDV-A, CBCV-A

ant-inflammatory

CBG

analgesic anti-bacterial anti-cancer anti-depressant anti-fungal bone stimulant

Heated

CBG

analgesic anti-bacterial anti-cancer anti-depressant anti-fungal bone stimulant

THCV

anti-convulsive anti-inflammatory appetite suppressant bone stimulant neuroprotective

CBD

analgesic
anti-anxiety
anti-bacterial
anti-cancer
anti-convulsive
anti-depressant
anti-emetic
anti-inflammatory
anti-insomnia
anti-ischemic
anti-psychotic
bone stimulant
immunosuppressive
neuroprotective

Δ9-ΤΗС

analgesic anti-bacterial anti-cancer anti-inflammatory anti-spasmodic appetite stimulant bronchodilator neuroprotective

CBDV

anti-convulsive bone stimulant

CBC

analgesic
anti-bacterial
anti-cancer
anti-depressant
anti-fungal
anti-inflammatory
anti-insomnia
bone stimulant

Aged

Δ8-ΤΗС

anti-anxiety anti-emetic

CBN

analgesic anti-bacterial anti-convulsive anti-inflammatory

CBL

unknown

CBL-A

anti-inflammatory

Terpenoids

Terpenoids are the compounds responsible for a plant's fragrance.

They are found within the resin glands (or trichomes). They interact with cannabinoids, called the 'entourage effect', which helps define a given strain's unique quality.

Mankind has been infatuated with terpenoids for thousands of years, enjoying the aromas and flavors in beer, candy, perfumes, fruits, incense and much more. In addition to the smells and tastes, we have continuously benefited from the diverse array of the medicinal and nutritional aspects found in terpenoids. Terpenoids likely make up the single largest family of chemical compounds available, from across the planet, to herbalists and apothecaries alike for use in compounding remedies and medicine.

We Quantify 10 Terpenoids

Linalool
Citronellol
Caryophyllene Oxide
Myrcene
Terpinolene
Limonene
Alpha Pinene
Alpha Humulene
Beta Carophyllene

Phytol



Therapeutic Properties of Terpenoids and their Associated Fragrance



α-Pinene

anti-bacterial anti-fungal anti-inflammatory bronchodilator



β-Caryophyllene

anti-bacterial anti-cancer anti-fungal anti-inflammatory anti-septic







Borneol

analgesic anti-insomnia anti-septic bronchodilator



camphor



Caryophyllene oxide

anti-fungal anti-ischemic





Cineol

anti-bacterial anti-depressant anti-inflammatory anti-ischemic bronchodilator



Citronellol

anti-cancer anti-inflammatory anti-insomnia anti-spasmotic



СН₃

СН₃

Phytol

anti-insomnia



green tea

CH₂ но сн₃

Linalool anti-anxiety anti-bacterial anti-convulsive anti-depressant

anti-insomnia



Humulene

anorectic anti-cancer anti-bacterial anti-inflammatory



Limonene

anti-anxiety anti-bacterial anti-cancer anti-depressant anti-fungal bronchodilator



Myrcene

analgesic anti-cancer anti-inflammatory anti-insomnia anti-spasmodic





Terpinolene anti-bacterial anti-fungal anti-insomnia anti-septic



Nerolidol

CH₂ anti-fungal anti-insomnia



citrus rind

Cannabis Contaminants

Potency is important, safety is our priority.



Residual Solvents

Residual Solvents are the leftover chemicals used to make various cannabinoid extracts. This method allows the lab to identify the extraction process and subsequent quality of any cannabis extract.



Pesticides

Pesticides are common in most agricultural settings. Cannabis is no different. Testing for these residues help protect the consumer from consuming hazardous chemicals like abamectin, bifenazate, and bifenthrin.



Mycotoxins

Mycotoxins are incredibly toxic by-products of some molds and fungi.



Microbes

Microbes are molds and bacteria that may pose a high risk to consumers (especially with suppressed immune systems.) The higher the concentration of these organisms, the greater the risk to consumers.



Types of Cannabis Products

Cannabinoids are infused into various consumer products.



Raw Flowers

Flowers are dried and cured female flowers cultivated from the cannabis plant. They contain cannabinoids in their acid forms, as well as a variety of terpenes.

Concentrates

Concentrates use solvents like Supercritical CO2 or Nitrogen to extract the cannabinoids from the cannabis plant into a substance with substantially higher concentrations. While most raw flowers test below 20% THC, some concentrates contain over 80% THC. Concentrates contain cannabinoids (in their acid and decarboxylated forms) as well as some terpenes, depending on the type of extraction method used.

Edibles

Edibles are food products infused with active cannabinoids, for example: they are available as baked goods, beverages, candy, and countless other items. Manufacturers usually make a cannabinoid extract using butter or a variety of oils, which they then use as an enhanced ingredient in their recipes.


Tinctures

Tinctures are infusions of alcohol, oil, or glycerin. They contain various levels of cannabinoid acids and their decarboxylated counterparts.

Steep Hill in the Lab

We are focused on measuring the purity and safety of all types of products containing active cannabinoids.







Testing & Analysis

We take the mystery out of medical cannabis through rigorous quality-standard protocols. We prove the safety, consistency, and potency of all cannabis products to bring guidance to distributors, cultivators, dispensaries, manufacturers, and consumers.

Genetic Services

Steep Hill offers genetic testing services to help our customers gain a better understanding of all aspects of cannabis genetics. We provide the cannabis industry, from growers and breeders to dispensaries and end users, with a suite of identification and diagnostic tools that help identify important genetic markers that can be used in breeding unique strains and in choosing the correct strain for medical purposes.

Consulting

We offer consulting services in the areas of cannabis safety, regulation, testing methodology, packaging including labeling, scientific development, processing and regulatory management.

Steep Hill Express



Express Potency

Instead of waiting days for a full Cannabinoid potency, Steep Hill Express reports on THC-A, $\Delta 9$ -THC, CBD-A, and CBD in under 60 seconds.

Accurate Reporting

Steep Hill Express used our extensive knowledge from testing over 100,000 Cannabis samples using High Performance Liquid Chromatography to develop our Near-Infrared instruments.

Walk Away with Your Sample

Once your sample is ground and scanned for Express Potency you get to walk away with it, ready to roll and enjoy!

Cost Efficient

We're utilizing a test methodology that allows us to eliminate chemicals and decrease labor cost allowing us to put that money back in your pocket. Steep Hill Express was selected for the 2016 Nor-Cal High Times Cannabis Cup. Quick results are essential with a tight deadline and accuracy matters when you're choosing the next winner!

Phenosight™

Our suite of genetic tests are designed to quicken breeding schedules, enhance efficiencies, and increase productivity.

Help Navigate the Patent Process

Curious about patenting your strain? We can help you succeed in applying for it.

Identify Unique Traits

Interested a special phenotype? We can measure its genetic indentity.

Chemical Profiling

Chemistry can help you understand the real-world implications of certain genes.

Custom Genetic Marker Analysis

Pursuing a specific trait? We can help you find genetic indicators for it.

Breeding Program Refinement

Our scientists are available for private consulting to help you increase the productivity and efficiency of your breeding program using our proprietary methods, tests, and systems.



Are You Hunting for CBD?

Samples submitted via GenKit™ may also be tested for CBD markers upon request.

Steep Hill in the Field





Steep Hill is an innovative research and development lab that generates highly-differentiated products.

In addition to our lab-testing services, we have been providing ground-breaking solutions to businesses and consumers in the cannabis industry since 2008.

QuantaCann2™

QuantaCann2[™] produces laboratory-grade THC-A, D9THC, CBD, CBD-A, and moisture levels for cannabis flower and leaf samples from any location in the world (with an internet connection) in under sixty seconds.

GenKit™

Using proprietary techniques and technology, Steep Hill scientists are able to swiftly and efficiently identify the males in any grow. We provide cultivators with plant sex identification within days to eliminate males from their gardens.

Strain Fingerprint™

Values and graphics are produced using cluster analysis of samples tested at Steep Hill, resulting in a composite average chemical makeup and unique strain-identifying iconography. Ranges take into account standard deviation to provide the most accurate models possible.

About Steep Hill



Founded in California in 2008, Steep Hill, Inc. is a science and technology firm that has become the industry leader in cannabis testing and analytics.

With labs in six states and a joint venture with the University of Technology in Jamaica, Steep Hill is the largest cannabis lab network in the world.

The company pioneered the first medical cannabis potency and microbiological contaminants testing methodology for use in California—the first state to legalize medical cannabis. Steep Hill has since developed a variety of revolutionary cannabis testing products, including QuantaCann™, QuantaCann2™ and GenKit™. Steep Hill provides expert consulting services to many states, countries and municipalities, and the company is developing proprietary genetic testing, mapping and trademark protection services for the industry as well.

June 2008 Steep Hill markets first marijuana potency test in California. March 2009 Steep Hill Identifies first high-CBD strain in CA medical marijuana supply. April 2013 Steep Hill hired by WA for regulatory consultation and method evaluation.

February 2014 Steep Hill licensee opens in CO for Amendment 64 regulatory testing.

January 2008
Steep Hill opens the first
Cannabis analytical lab
in the U.S.

October 2008 Steep Hill creates first microbiological safety screen for cannabis. March 2011 Steep Hill develops QuantaCann™, the first remote instant on-site potency test. June 2013 Steep Hill merges with Halent Scientific.



California (Headquarters)

1005 Parker St. Berkeley, CA 94710 (510) 562-7400 info@steephill.com

Canada

info@can.steephill.com

México

Insurgentes sur 552, Int piso 4 Colonia Roma Sur Ciudad de México, México (240) 307-3420 info@steephill.mx

Alaska

2509 Fairbanks Street, Ste A Anchorage, AK, 99503 (907) 770-9997 info@ak.steephill.com

Arkansas

11711 Hermitage Road, Suite #5 Little Rock, AR 72211 (501) 561-8028 info@ar.steephill.com

Hawaii

1150 South King Street, #PH Honolulu, HI 96814 (808) 735-5227 info@hi.steephill.com

Maryland

9691 Gerwig Lane, Suite 2A Columbia, MD 21046 (240) 307-3420 info@md.steephill.com

Pennsylvannia

6360 Flank Drive, Suite 700 Harrisburg, PA 17112 (717) 857-3909 info@pa.steephill.com

Washington

720 Industry Dr. Tukwila, WA 98188 (253) 277-8936 info@steephill.com

Washington, D.C.

(410) 627-6601 info@md.steephill.com

November 2014 Steep Hill and UTech Jamaica sign MoU opening 3-year partnership.

April 2015 QuantaCann2™ featured in CSI Las Vegas.

September 2015 Steep Hill forms Genetic Research Alliance with University of Colorado.

March 2014 Steep Hill opens lab in Washington state for I-502 regulatory testing. February 2015

Steep Hill announces GenKit™ revolutionary new sex test for Cannabis breeders and growers. June 2015

Steep Hill presents to CA Lt. Governor Newsom's Blue Ribbon Commission.

November 2015

Steep Hill's QuantaCann2™ is the official testing equipment for the High Times World Cannabis Cup in Jamaica.

References

Photography

Talking terpenes

Lee, Matrin A. High Times, May 2013.

Aroma therapy

Gardner, Fred

Medical Marijuana, 2012, Spring: 29-34.

Naturally orccurring anixolytic substances from aromatic plants and

genus citrus Pimenta, Flávia Cristina Fernandes, et al

Journal of Medicinal Plants Research, 2012, 6(3): 342-347.

Taming THC: potential cannabis syngergy and phytocannabinoidterpenoid entourage effects.

Russo, Ethan B.

British Journal of Parmacology, 2011, 163; 1344-1364.

Importance of terpenes

Spaulding, Nathan

Cannabis Review

Hazekamp, Amo

Department of Plant Metabolomics Leiden University, 2008-2009.

Non-psychotropic plant cannabinoids: new therapeutic opportunities from an ancient herb

Izzo, Angelo A, et al

Trends in Pharmacological Sciences, 2009, 30(10)

The diverse CB1 and CB2 receptor pharmacology of three plant cannabinoids: Δ9-tetrahydrocannabinol, cannabidiol, and . Δ9-tetrahydrocannabivarin

Pertwee, RG

British Journal of Pharmacology, 2008.

D-Limonene: safety and clinical applications

Sun, Jidong

Alternative Medicine Review, 2007, 12(3): 259-264.

A multicenter dose-escalation study of the analgesic and averse effects of an oral cannabis (cannador) for posterperative pain management

Holdcroft, Antita, et al

Anesthesiology, 2006, 104 (5):1030-1046.

Immunodulatory and therapeutic properties of the Nigella sative L. seed

Salem, Mohammed Labib

International Immunopharmacology, 2005, 5: 1749-1770.

Antilleishmanial activity of the terpene nerolidol

Amud, Denise C, et al

Antimicrobial Agents and Chemotherpay, 2005, 49(5): 1679-1687.

Transdermal delievery of zidovudine: effect of terpenes and their mechanism of action

Narishetty, Sunil Thomas Kumar, et al

Journal of Controlled Release, 2004, 95: 367-379.

The inhertiance of chemical phenotype in cannabis sativa L.

Meijer, Etienne PM de

Genetics, 2003, 163: 335-346.

Chronic conditions treated with cannabis. Encountered between 1990-

2004. "Dr. Tod's List'

Mikuriya, Tod H.

2004.

Pharmacological actions and the therapeutic uses of cannabis and cannabinoids

Kumar, RN, et al

Anaesthesia, 2001, 56: 1059-1060.

Cannabis and cannabis extracts: greater than the sum of their parts?

McPartland, John et al

Hayworth Press, 2001.

Cannabinoids in clinical practice

Williamson, Elizabeth et al

Drugs, 2000 December.

Elizabeth Peace Photography Pages 6, 9, 11, and 13.



info@steephill.com steephill.com