

# AVI Release Notes

---

*VIMS v5.16.12.10 Release Date: September 8, 2020*

Known Issues VIMS v5.16.12.10 .....	2
Fixes in v5.16.12.10.....	4
HDSD-1705 – Facility Maintenance Screen – Postal Code pop up window displays a “Request URI Too Long” error.....	4
HDSD-1912 – Add Kamada as manufacturer in AVI .....	4
HDSD- 2095 - Add new influenza vaccine types in AVI.....	4

## Known Issues VIMS v5.16.12.10

JIRA Ticket	Affects AHS Users?	Issue Identified	Expected Results	Work Around
N/A	Yes	When creating or editing facilities, if postal code is entered in lower case or without a space pop up error message will appear during entry and at time of saving to warn user of the invalid format.	System to auto-correct invalid formatting of postal codes when entered (i.e. auto-capitalize lower case letters or enter space).	Enter the postal code using capital letters and include the space in the middle (e.g. X1X 1X1)  This work around will be included in the Known Issues and Best Practices document.
N/A	Yes	Rejected transfer print out does not list the sending and receiving ORG/Facility correctly. Instead lists the sender and receiver as per the original transfer.	The rejection transfer print out would list the sender as the rejecting facility and the receiver as the receiving facility.	No work around.
HDAB-477	Yes	Create Order, Reconciliation and Search/Add page will not submit if User includes spaces after dose number value.	User receives message to remove spaces before submitting an order, reconciliation or adding a new lot number through the Search/Add page.	Submitting of the given page responds with an <i>"Invalid field value"</i> or <i>"Order Qty must be a positive integer"</i> error message and does not allow the User to proceed when the given page contains spaces. If this error is received, User should review entries to remove spaces after entries.
HDAB-480	Yes	Rejection reason on transfer print out does not include the rejection reason. Only says "Doses rejected by provider".	Printable documents match the information on the screen.	User can view the rejection reason in the Transfer Detail screen prior to deleting the transfer. Rejected transfer documents are not usually printed.
HDAB-499	No	Search/Add page allows Users with Cold Storage Locations active to add less quantity to lot sets than is actually available.	An error message would show if the total quantity on hand does not match the total quantity in locations.	No work around.
HDAB-500	Yes	When a vaccine is removed from the Vaccine Return screen the Lot log entry lists the incorrect date.	The date either indicates the date the product was removed from listing OR spoiled/expired/recalled from inventory.	No work around.

HDAB-505	No	Allocation of lot numbers are determined by the total doses in the PVD, instead of doses available in non-excluded pick locations.	Pick rules are followed according to available dose numbers per pick location & not total doses in the Depot.	No work around.
HDSD-1299	No	For ORGs with cold storage location activated, when choosing the product to pick AVI considers the entire quantity in the ORG.	Expected that AVI would only consider the quantity in the non-excluded locations	No work around
HDSD-2041	Yes	Training video hyperlinks on the AVI Training environment homepage will not open the training videos.	The training videos would be accessible from the production and training environments	The hyperlinks on the production environment will open the training videos

## Fixes in v5.16.12.10

### HDSD-1705 – Facility Maintenance Screen – Postal Code pop up window displays a “Request URI Too Long” error

**Reported by:** PVD

**Version Reported in:** VIMS v5.16.12.8

**Description:** In the Facility Maintenance [Detail] screen, when the postal code field is selected a pop up window will appear to allow the user to choose a postal code from the available postal codes on the system. For some cities, the postal code pop up window was showing an error with the message "Request-URI Too Long".

**Resolution:** The pop up window no longer appears when the postal code field is selected. This was not the resolution intended by STC. This ticket will remain open and may be resolved with the intended fix in upcoming releases.

### HDSD-1912 – Add Kamada as manufacturer in AVI

**Reported by:** PVD

**Version Reported in:** VIMS v5.16.12.8

**Description:** Add Kamada (KAM) as manufacturer option. Available for use in Product Settings and Lot Number Maintenance screen.

**Resolution:** Added Kamada (KAM) to AVI

### HDSD- 2095 - Add new influenza vaccine types in AVI

**Reported by:** PVD

**Version Reported in:** VIMS v5.16.12.8

**Description:** Add *Influenza TIV – High Dose* and *Influenza QIV – High Dose* as vaccine type options. Available for use in Product Settings and Lot Number Maintenance screen.

**Resolution:** Added *Influenza TIV – High Dose* and *Influenza QIV – High Dose* to AVI