

AVI Release Notes

VIMS v5.16.12.22 Release Date: July 13, 2022

Known Issues VIMS v5.16.12.22	2
Fixes in v5.16.12.22	5
HDSD-4671 – Wastage Correction – Return: Inaccurate Wastage Return Quantities	5
HDSD-5900 – Messaging Function: Spelling Error	5
HDSD-6294 – URGENT: Inactivate & Add OR Change Pfizer COVID Vaccine Type AND Add New Moderna COVID Vaccine Type	5
HDSD-6391 – URGENT: Add Vaccine Types & Manufacturer for Newly Incoming Monkeypox Vaccine and Medication	6

Known Issues VIMS v5.16.12.22

Ticket	Affects All Users?	Issue Identified	Expected Results	Work Around
	No	Packing slips (and pick lists when applicable) should be printed in landscape only. The order number may be cut off if printed in portrait.		Print packing slips (and pick lists when applicable) in landscape only.
	No	If a postal code is entered for a facility in lower case or without a space, a pop-up error message will appear during entry and at the time of saving to warn the user of the invalid format.	System to auto-correct invalid formatting of postal codes when entered (i.e. auto-capitalize lower case letters or enter space).	Enter the postal code using capital letters and include the space in the middle (e.g X1X 1X1). This workaround will be included in the best practices document.
	No	Rejected transfer printout does not list the sending and receiving ORG/Facility correctly. Instead, it lists the sender and receiver as per the original transfer.	The rejection transfer print out would list the sender as the rejecting facility and the receiver as the receiving facility.	No work around.
HDAB-477	Yes	Create Order, Reconciliation and Search/Add page will not submit if User includes spaces after dose number value.	User receives message to remove spaces before submitting an order, reconciliation or adding a new lot number through the Search/Add page.	If this error is received, User should review entries to remove spaces after entries.
HDAB-480	Yes	Rejection transfer print out does not include correct reason. Reason appears as "Doses rejected by provider".	Rejection transfer print out would match the information on the screen.	Users generally do not print out transfer information & correct reason displays on screen.
HDAB-499	No	Locations with cold storage Search/Add page allows Users to add less quantity to lot sets than is actually available.	An error message would show if the total quantity on hand does not match the total quantity in locations.	No work around.
HDAB-500	Yes	When vaccine is removed from the Vaccine Return screen the Lot Log entry lists the incorrect date.	The date either indicates the date the product was removed from listing OR spoiled/expired/recalled from inventory.	No work around.
HDSD-3607	No	Wastage Report - Summation total for 'Number of doses expired/spoiled' not present and vaccine damaged	Users can see totals for 'number of doses expired/spoiled' and transaction type 'shipment damaged' in	No work around.

Ticket	Affects All Users?	Issue Identified	Expected Results	Work Around
		transaction type is not included	rejected transfers included in Aggregate Wastage Report	
HDSD-3749	No	Broken username - username containing apostrophe cannot be inactivated	Users with an apostrophe in the username cannot be inactivated	No work around.
HDSD-4024	Yes	Insert Stamp and Date in Lot Number Inventory Log for the transaction type 'To be transferred but discarded (never transferred)' do not align	The Insert Stamp and Date in the Lot Number Inventory Logs match	No work around.
HDSD-4074	No	Emails that do not end in typical format (ie: .COM, .ORG, .NET, .CA) cannot be added to the facility email	All functional email domains can be added to a facility email	No work around.
HDSD-4113	No	Provider Contact Report does not have a postal code search filter	Expect that postal codes can be included in the Provider Contact Report	No work around.
HDSD-2961	No	Facility names with invalid characters are unable to be inactivated and the prompt is not timing out.	Facility names created with invalid characters (? * % & = < >) cannot be inactivated	Change the name of the facility in the Facility Maintenance Detail [Update] screen and then inactivate the facility
HDSD-1299	No	For ORGs with cold storage location activated, when choosing the product to pick AVI considers the entire quantity in the ORG	Expected that AVI would only consider the quantity in the non-excluded locations	No work around.
HDSD-4160	Yes	Transfer was decremented from inventory but disappeared on provider end	Transfers created will be able to be received appropriately on provider end	No work around.
HDSD-4260	Yes	Order Reports cannot search by vaccine name	Order reports will filter out specific vaccine name, rather than vaccine type.	No work around.
HDSD-4259	Yes	Incorrect VFC PIN is displayed in the Lot Number Inventory Log of rejected transfers	The provider's VFC PIN is to display in the Lot Number Inventory Log and the Inventory Transaction Report for the 'Doses rejected by provider' transaction, not the provider's ORG.	No work around.

Ticket	Affects All Users?	Issue Identified	Expected Results	Work Around
HDSD-4289	Yes	Orders are fulfilled but not decremented from AVI inventory	Orders that are sent through the 'Approve and Print' and 'Ship' process will decrement inventory appropriately	No work around.
HDSD-4925	Yes	Training Environment Email Settings are Overwritten by Production Settings during Monthly data transfer	New user and change password email settings (link and subject) are overwritten with Production settings every month during data transfer	No work around.
HDSD-6435	Yes	Users are intermittently unable to view messages in AVI.	All users should be able to view and manage messages in AVI.	No work around.
HDSD-3804	Yes	Files opened from the AVI home page do not reflect the name of the file. Instead, the browser tabs are all titled "Vaccine Ordering Quick Reference. Create and Submit a Vaccine Order".	The browser tabs reflect the name of the opened file.	No work around.
HDSD-5848	No	The VIMS Vaccine Shipment Summary report does not reflect accurate distribution/total shipment quantities for the specified date range.	The report displays accurate shipment quantities for the specified date range.	No work around.

Fixes in v5.16.12.22

HDSD-4671 – Wastage Correction – Return: Inaccurate Wastage Return Quantities

Reported by: PVD

Version Reported in: VIMS v5.16.12.14

Description: Wastage Correction – Disposed does not provide a list of historical wastage events, that is present when selecting Wastage Correction – Return, to correct previous wastage entries.

Resolution: Wastage Correction – Disposed now corrects historical wastage entries in the same way as Wastage Correction – Return.

HDSD-5900 – Messaging Function: Spelling Error

Reported by: PVD

Version Reported in: VIMS v5.16.12.15

Description: There is a spelling mistake in the confirmation when deleting a message; an extra 's' is present in the word "message."

Resolution: The spelling was changed to, "message/s", so that the notification is consistent for deleting 1 or multiple messages.

HDSD-6294 – URGENT: Inactivate & Add OR Change Pfizer COVID Vaccine Type AND Add New Moderna COVID Vaccine Type

Reported by: PVD

Version Reported in: VIMS v5.16.12.22

Description: Two new COVID vaccine types or AVI

- COVID-19 mRNA 1273 - mRNA Pediatric 6 months-5 years
- COVID-19 BNT162b2 - mRNA Pediatric 6 months-4 years

The second vaccine type needs to replace the existing vaccine type: COVID-19 BNT162b2-mRNA Pediatric 2-4 years, due to the formulation change.

Resolution: Above vaccine types were added to Product Settings and Search/Add screens

HDSD-6391 – URGENT: Add Vaccine Types & Manufacturer for Newly Incoming Monkeypox Vaccine and Medication

Reported by: PVD

Version Reported in: VIMS v5.16.12.22

Description: Add the following vaccine types and manufacturer:

Vaccine Type: Orthopoxvirus

Vaccine Type: Tecovirimat, Oral

Manufacturer: SIGA (SIG)

Resolution: Above vaccine types and manufacturer were added to Product Settings and Search/Add screens.