



# Texas Notifiable Conditions

24/7 Number for Immediately Reportable– 1-800-705-8868

Report confirmed and suspected cases.

Unless noted by \*, report to your local or regional health department using number above or find contact information at <http://www.dshs.texas.gov/idcu/investigation/conditions/contacts/>



Contact Information\*



A – L	When to Report	L – Y	When to Report
*Acquired immune deficiency syndrome (AIDS) <sup>1</sup>	Within 1 week	Legionellosis <sup>2</sup>	Within 1 week
Amebiasis <sup>2</sup>	Within 1 week	Leishmaniasis <sup>2</sup>	Within 1 week
Amebic meningitis and encephalitis <sup>2</sup>	Within 1 week	Listeriosis <sup>2, 3</sup>	Within 1 week
Anaplasmosis <sup>2</sup>	Within 1 week	Lyme disease <sup>2</sup>	Within 1 week
<b>Anthrax</b> <sup>2, 3</sup>	<b>Call Immediately</b>	Malaria <sup>2</sup>	Within 1 week
Arboviral infections <sup>2, 4</sup>	Within 1 week	<b>Measles (rubeola)</b> <sup>2</sup>	<b>Call Immediately</b>
*Asbestosis <sup>5</sup>	Within 1 week	<b>Meningococcal infection, invasive (<i>Neisseria meningitidis</i>)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
Ascariasis <sup>2</sup>	Within 1 week	<b>Multidrug-resistant <i>Acinetobacter</i> (MDR-A)</b> <sup>2, 6</sup>	<b>Within 1 work day</b>
Babesiosis <sup>2</sup>	Within 1 week	<b>Mumps</b> <sup>2</sup>	<b>Within 1 work day</b>
<b>Botulism (adult and infant)</b> <sup>2, 3, 7</sup>	<b>Call Immediately</b> <sup>7</sup>	Paragonimiasis <sup>2</sup>	Within 1 week
<b>Brucellosis</b> <sup>2, 3</sup>	<b>Within 1 work day</b>	<b>Pertussis</b> <sup>2</sup>	<b>Within 1 work day</b>
Campylobacteriosis <sup>2</sup>	Within 1 week	*Pesticide poisoning, acute occupational <sup>8</sup>	Within 1 week
*Cancer <sup>9</sup>	See rules <sup>9</sup>	<b>Plague (<i>Yersinia pestis</i>)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
<b>Carbapenem-resistant <i>Enterobacteriaceae</i> (CRE)</b> <sup>2, 10</sup>	<b>Within 1 work day</b>	<b>Poliomyelitis, acute paralytic</b> <sup>2</sup>	<b>Call Immediately</b>
Chagas disease <sup>2</sup>	Within 1 week	<b>Poliovirus infection, non-paralytic</b> <sup>2</sup>	<b>Within 1 work day</b>
*Chancroid <sup>1</sup>	Within 1 week	Prion disease such as Creutzfeldt-Jakob disease (CJD) <sup>2, 11</sup>	Within 1 week
*Chickenpox (varicella) <sup>12</sup>	Within 1 week	<b>Q fever</b> <sup>2</sup>	<b>Within 1 work day</b>
* <i>Chlamydia trachomatis</i> infection <sup>1</sup>	Within 1 week	<b>Rabies, human</b> <sup>2</sup>	<b>Call Immediately</b>
*Contaminated sharps injury <sup>13</sup>	Within 1 month	<b>Rubella (including congenital)</b> <sup>2</sup>	<b>Within 1 work day</b>
* <b>Controlled substance overdose</b> <sup>14</sup>	<b>Call Immediately</b>	Salmonellosis, including typhoid fever <sup>2, 3</sup>	Within 1 week
<b>Coronavirus, novel</b> <sup>2, 15</sup>	<b>Call Immediately</b>	Shiga toxin-producing <i>Escherichia coli</i> <sup>2, 3</sup>	Within 1 week
Cryptosporidiosis <sup>2</sup>	Within 1 week	Shigellosis <sup>2</sup>	Within 1 week
Cyclosporiasis <sup>2</sup>	Within 1 week	*Silicosis <sup>16</sup>	Within 1 week
Cysticercosis <sup>2</sup>	Within 1 week	<b>Smallpox</b> <sup>2</sup>	<b>Call Immediately</b>
<b>Diphtheria</b> <sup>2, 3</sup>	<b>Call Immediately</b>	*Spinal cord injury <sup>17</sup>	Within 10 work days
*Drowning/near drowning <sup>17</sup>	Within 10 work days	Spotted fever group rickettsioses <sup>2</sup>	Within 1 week
Echinococcosis <sup>2</sup>	Within 1 week	Streptococcal disease (groups A <sup>2</sup> , B <sup>2</sup> ; <i>S. pneumoniae</i> ) <sup>2, 3</sup> , invasive	Within 1 week
Ehrlichiosis <sup>2</sup>	Within 1 week	<b>*Syphilis – primary and secondary stages</b> <sup>1, 18</sup>	<b>Within 1 work day</b>
Fascioliasis <sup>2</sup>	Within 1 week	*Syphilis – all other stages <sup>1, 18</sup>	Within 1 week
*Gonorrhea <sup>1</sup>	Within 1 week	<i>Taenia solium</i> and undifferentiated <i>Taenia</i> infection <sup>2</sup>	Within 1 week
<i>Haemophilus influenzae</i> , invasive <sup>2, 3</sup>	Within 1 week	Tetanus <sup>2</sup>	Within 1 week
Hansen's disease (leprosy) <sup>2</sup>	Within 1 week	*Traumatic brain injury <sup>17</sup>	Within 10 work days
Hantavirus infection <sup>2</sup>	Within 1 week	Trichinosis <sup>2</sup>	Within 1 week
Hemolytic uremic syndrome (HUS) <sup>2</sup>	Within 1 week	Trichuriasis <sup>2</sup>	Within 1 week
<b>Hepatitis A</b> <sup>2</sup>	<b>Within 1 work day</b>	<b>*Tuberculosis (<i>Mycobacterium tuberculosis</i> complex)</b> <sup>3, 19</sup>	<b>Within 1 work day</b>
Hepatitis B, C, and E (acute) <sup>2</sup>	Within 1 week	*Tuberculosis infection <sup>20</sup>	Within 1 week
Hepatitis B infection identified prenatally or at delivery (mother) <sup>2</sup>	Within 1 week	<b>Tularemia</b> <sup>2, 3</sup>	<b>Call Immediately</b>
<b>Hepatitis B, perinatal (HBsAg+ &lt; 24 months old) (child)</b> <sup>2</sup>	<b>Within 1 work day</b>	Typhus <sup>2</sup>	Within 1 week
Hookworm (ancylostomiasis) <sup>2</sup>	Within 1 week	<b>Vancomycin-intermediate <i>Staph aureus</i> (VISA)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
<b>*Human immunodeficiency virus (HIV), acute infection</b> <sup>1, 21</sup>	<b>Within 1 work day</b>	<b>Vancomycin-resistant <i>Staph aureus</i> (VRSA)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
*Human immunodeficiency virus (HIV), non-acute infection <sup>1, 21</sup>	Within 1 week	<b><i>Vibrio</i> infection, including cholera</b> <sup>2, 3</sup>	<b>Within 1 work day</b>
<b>Influenza-associated pediatric mortality</b> <sup>2</sup>	<b>Within 1 work day</b>	<b>Viral hemorrhagic fever (including Ebola)</b> <sup>2</sup>	<b>Call Immediately</b>
<b>Influenza, novel</b> <sup>2</sup>	<b>Call Immediately</b>	<b>Yellow fever</b> <sup>2</sup>	<b>Call Immediately</b>
<b>*Lead, child blood, any level &amp; adult blood, any level</b> <sup>22</sup>	<b>Call/Fax Immediately</b>	Yersiniosis <sup>2</sup>	Within 1 week

In addition to specified reportable conditions, **any outbreak, exotic disease, or unusual group expression of disease that may be of public health concern should be reported by the most expeditious means available**

\*See condition-specific footnotes for reporting contact information

---

## Texas Notifiable Conditions Footnotes

- <sup>1</sup> Please refer to specific rules and regulations for HIV/STD reporting and who to report to at: <http://www.dshs.texas.gov/hivstd/healthcare/reporting.shtm>.
- <sup>2</sup> Reporting forms are available at <http://www.dshs.texas.gov/idcu/investigation/forms/> and investigation forms at <http://www.dshs.texas.gov/idcu/investigation/>. Call as indicated for immediately reportable conditions.
- <sup>3</sup> Lab samples of the following must be sent to the Department of State Health Services, Laboratory Services Section, 1100 West 49th Street, Austin, Texas 78756-3199 or other public health laboratory as designated by the Department of State Health Services: *Bacillus anthracis* isolates, *Clostridium botulinum* isolates, *Brucella* species isolates, *Corynebacterium diphtheriae* isolates, *Haemophilus influenzae* isolates from normally sterile sites in children under five years old, *Listeria monocytogenes* isolates, *Neisseria meningitidis* isolates from normally sterile sites or purpuric lesions, *Yersinia pestis* isolates, *Salmonella* species isolates (also requested - specimens positive for *Salmonella* by culture-independent diagnostic testing (CIDT) methods), Shiga toxin-producing *Escherichia coli* (all *E.coli* O157:H7 isolates and any *E.coli* isolates or specimens in which Shiga toxin activity has been demonstrated), *Staphylococcus aureus* with a vancomycin MIC greater than 2 µg/mL (VISA and VRSA), *Streptococcus pneumoniae* isolates from normally sterile sites in children under five years old, *Mycobacterium tuberculosis* complex isolates, *Francisella tularensis* isolates, and *Vibrio* species isolates (also requested - specimens positive for *Vibrio* by culture-independent diagnostic testing (CIDT) methods). Pure cultures (or specimens) should be submitted as they become available accompanied by a current department Specimen Submission Form. See the [Texas Administrative Code \(TAC\) Chapter 97](#): §97.3(a)(4), §97.4(a)(6), and §97.5(a)(2)(C). Call 512-776-7598 for specimen submission information.
- <sup>4</sup> Arboviral infections including, but not limited to, those caused by California serogroup virus, chikungunya virus, dengue virus, Eastern equine encephalitis (EEE) virus, St. Louis encephalitis (SLE) virus, Western equine encephalitis (WEE) virus, West Nile (WN) virus, and Zika virus.
- <sup>5</sup> For asbestos reporting information see <http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/>.
- <sup>6</sup> See additional MDR-A reporting information at [http://www.dshs.texas.gov/IDCU/health/antibiotic\\_resistance/MDR-A-Reporting.doc](http://www.dshs.texas.gov/IDCU/health/antibiotic_resistance/MDR-A-Reporting.doc).
- <sup>7</sup> Report suspected botulism immediately by phone to 888-963-7111.
- <sup>8</sup> For pesticide reporting information see <http://www.dshs.texas.gov/epitox/Pesticide-Exposure/#reporting>.
- <sup>9</sup> For more information on cancer reporting rules and requirements go to <http://www.dshs.texas.gov/tcr/reporting.shtm>.
- <sup>10</sup> See additional CRE reporting information at [http://www.dshs.texas.gov/IDCU/health/antibiotic\\_resistance/Reporting-CRE.doc](http://www.dshs.texas.gov/IDCU/health/antibiotic_resistance/Reporting-CRE.doc).
- <sup>11</sup> For purposes of surveillance, CJD notification also includes Kuru, Gerstmann-Sträussler-Scheinker (GSS) disease, fatal familial insomnia (FFI), sporadic fatal insomnia (sFI), Variably Protease-Sensitive Prionopathy (VPSPr), and any novel prion disease affecting humans.
- <sup>12</sup> Call your [local health department](#) for a copy of the Varicella Reporting Form with their fax number. The [Varicella \(Chickenpox\) Reporting Form](#) should be used instead of an Epi-1 or Epi-2 morbidity report.
- <sup>13</sup> Applicable for governmental entities. Not applicable to private facilities. ([TAC §96.201](#)) Initial reporting forms for Contaminated Sharps at [http://www.dshs.texas.gov/idcu/health/infection\\_control/bloodborne\\_pathogens/reporting/](http://www.dshs.texas.gov/idcu/health/infection_control/bloodborne_pathogens/reporting/).
- <sup>14</sup> To report controlled substance overdose, contact local poison center at 1-800-222-1222. For instructions, see <https://www.dshs.texas.gov/epidemiology/epipoison.shtm>.
- <sup>15</sup> Novel coronavirus causing severe acute respiratory disease includes Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS).
- <sup>16</sup> For silicosis reporting information see <http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/>.
- <sup>17</sup> Please refer to specific rules and regulations for injury reporting and who to report to at <http://www.dshs.texas.gov/injury/rules.shtm>.
- <sup>18</sup> Laboratories should report syphilis test results within 3 work days of the testing outcome.
- <sup>19</sup> Reportable tuberculosis disease includes the following: suspected tuberculosis disease pending final laboratory results; positive nucleic acid amplification tests; clinically or laboratory-confirmed tuberculosis disease; and all *Mycobacterium tuberculosis* (*M. tb*) complex including *M. tuberculosis*, *M. bovis*, *M. africanum*, *M. canettii*, *M. microti*, *M. caprae*, and *M. pinnipedii*. See rules and reporting information at <http://www.dshs.texas.gov/idcu/disease/tb/reporting/>.
- <sup>20</sup> TB infection is determined by a positive result from an FDA-approved Interferon-Gamma Release Assay (IGRA) test such as T-Spot<sup>®</sup> TB or QuantiFERON<sup>®</sup> - TB GOLD In-Tube Test or a tuberculin skin test, and a normal chest radiograph with no presenting symptoms of TB disease. See rules and reporting information at <http://www.dshs.texas.gov/idcu/disease/tb/reporting/>.
- <sup>21</sup> Any person suspected of having HIV should be reported, including HIV exposed infants.
- <sup>22</sup> For lead reporting information see <http://www.dshs.texas.gov/lead/default.shtm>.