

# MRO Products Catalogue

1<sup>st</sup> Edition



**1.866.546.3267**  
[www.wajaxindustrial.com](http://www.wajaxindustrial.com)



**INDUSTRIAL  
COMPONENTS**



Dear customers,

For many years now, Wajax Industrial Components has been known to offer the best products and services to their customers.

With the goal of continuing this mission, Wajax Industrial Components proudly introduces the first Edition of their MRO catalogue (maintenance, repair, operations).

As the industry leader in bearing and power transmission products, it was natural for us to introduce you to the best equipment and tools in the industry. Suppliers such as Gray Tools, Jet Group, Rustoleum, Pramet Dormer, Makita tools, Bosch tools, Hitachi tools, SIA abrasives, Loctite, Knipex tools, Walter Technologies, Norton Abrasives, Topring, WIHA tools, Pearl Abrasives, to name but a few, are proud to be part of this first edition of the MRO catalogue.

All of our key suppliers, with whom we have partnered to offer you the best products and services on the market, are part of this first edition and we have selected the most popular products in the industry for each of these suppliers. If you cannot find a product in this edition (it's impossible to showcase all products from all suppliers in one single edition), our customer service representatives throughout our network of 60+ branches will gladly help you find what you need.


Some of the products showcased in this edition won't necessarily be in stock. These products have been identified with the pictogram of a telephone beside the part number and you are invited to contact our nearest branch to obtain a delivery date.

On behalf of the 60+ Wajax Industrial Components branches across Canada, I would like to thank you for your continued business and don't forget to work safely, regardless of the type of equipment and tools you may use in your work environment.

Best regards,

A handwritten signature in black ink, appearing to read 'Sylvain Lefebvre', is written over a light blue horizontal line.

Sylvain Lefebvre  
Product Manager  
WAJAX INDUSTRIAL COMPONENTS



# Table of Contents

## Hand Tools

MEGAPRO	4
GRAY TOOLS	5 - 9
JET TOOLS	10 - 13
WERA	14
KNIPEX	15
BESSEY	16 - 20
SIGNET	21 - 22
WIHA	23 - 24
IRWIN	25 - 27
STABILA	28

## Power Tools

BOSCH	29 - 30
MAKITA	31 - 33
HITACHI	34 - 36
GREY PNEUMATIC	37 - 38

## Cutting Tools

MORMER PARMET	39 - 40
JET TOOLS	41
OLFA	42
KDS	43
MPUS	44
MORSE CUTTING TOOLS	45 - 47
TRIUMPH	48 - 50
GROBET USA	51

## Pneumatic Tools

AIRPRO	52 - 53
JET TOOLS	54
TOPRING	55 - 62

## Abrasives

PEARL	63
SIA	64 - 66
WALTER	67 - 69
NORTON	70 - 72

## Paints & Coatings

RUSTOLEUM	73
MARKAL	74 - 75

## Lubricants & Cleaners

BIO-CYCLE	76
CRC	77 - 79
PERMATEX	80 - 81
LOCTITE	82 - 84
RUSTOLEUM	85

## Tool Storage

GRAY TOOLS	86 - 88
------------	---------

## Pouches & Storing Devices

KUNYS	89
-------	----

## Flashlights & Lighting

PROBUILT	90
AIR SYSTEM	91
RAYOVAC	92 - 93
LIND EQUIPEMENT	94

## Ropes / Sling Lifting

BBH	95
BEN MOR	96 - 98
TRACTEL	99 - 102

## General Maintenance

NEW PIG	103 - 105
CHECKERS	106
AIRMASTER	107 - 108
CENTURY	109
GARANT	110
ABUS	111 - 112
FEATHERLITE	113
MASTER LOCK	114 - 116
PURELL GOJO	117
CAN ROSS	118 - 121
ABSORB-IT	122
MOTOROLA	123
JET TOOLS	124
SHOP-VAC	125 - 126
WOOD WYANT	127



contact your local Wajax Industrial Components branch for delivery information


# HAND TOOLS

## MEGAPRO<sup>+</sup>

Vendor Code: MEGMAR

### ORIGINAL 151NASWJX

Our Original bit load driver is our most popular. Loaded with 7 double end professional quality bits, this assortment provides the 14 most popular tips for driving screws. The shaft opening serves as a 1/4" hex driver! Hence "15in1".



### PL ROBERTSON 151YW/RD-PLR

PL Robertson has created 4 special double end bits for Megapro. These bits are designed to be compatible with most megapro drivers. All authentic Robertson® TIPS are manufactured from a specially modified tool steel and carefully heat treated to provide maximum wear and torque.



### WORKLIGHT 6WORKLIGHTWJX

Quality push button on/off switch.

Magnetic Swivel Clip

Water Resistant-Superior Design.

3 AAA Batteries To Drive 7 Super Bright White Leds.

Rugged, Versatile, Made To Last.


Magnetic Base For Convenient, Hands Free Use

Produces A Powerful Floodlight Effect To See Your Work!



### TAMPERPROOF 151TP

This 15in1 is a must for all commercial/industrial tradesmen i.e. electricians, locksmiths, telephone technicians, maintenance personnel, etc. The Tamperproof assortment includes the most popular security bits, including Spanners, Hex Pins and Torx Pins. The shaft opening serves as a 1/4" hex driver!



### VERSA-LITE 6VERSA-LITE-PDM

Features a pivoting hook, magnetic base and magnetic spine for maximum versatility when in use

10 LED's provide up to 250 lm for bright light

3 Lighting Modes: Bright, Scattered and Spotlight

Folds for compact storage when not in use

Available in 9 Piece Counter Display



### RATCHETING 211R2C36RD

Features patent pending ZAD 8 Zinc Alloy SOLID-CORE™ ratchet that delivers over 225 inch lbs of torque strength. Precision 28-Tooth ratchet design makes driving fasteners faster and easier.



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: GRAHAN



**35038DH**

## 1/2" Dr. 38 Piece 12 Point SAE & Metric Socket & Attachment Set

Contains: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/8", 1 1/4", 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm sockets. Reversible Ratchet, 15" Flexible Handle, U-Joint and 2", 5" & 10" Extensions.



**38320**

## 1/2" Dr. 20 Piece 12 Point Deep SAE Socket Set

Contains: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4" sockets. Reversible Ratchet, Flex Handle, Universal Joint and 5" & 10" Extensions, Socket Rail.



**BK-SET5-89**

## Grip-on® 5 Piece General Service Set

Contains: 10" Locking Pliers - Straight Jaws, 10" Locking Pliers - Curved Jaws, 7" Locking Pliers - Curved Jaws with Wire Cutter, 6" Locking Pliers - Long Nose, 5" Locking Pliers - Curved Jaws.



**WK-SET5-89**

## Grip-on® 5 Piece Welding Locking Pliers Set

Contains: 6" Locking Pliers - Long Nose, 9" Locking Pliers - Plugweld, 10" Locking Pliers - Omnium Grip, 12" Locking Pliers - Aluminum Alloy C-Clamp, Micro Grip Locking Pliers

**C14LR**


## 14 Piece Punch and Chisel Set

Contains: Flat Chisel: 1/2", 5/8", 3/4", 7/8", Cape Chisel: 1/4", Long Taper Punch: 5/32", 3/16", Taper Punch: 3/32", 1/8", 3/16", Pin Punch: 1/8", 3/32", 3/16", Centre Punch: 3/8"

**C47LR**

## 25 Piece Punch and Chisel Set

Contains: Flat Chisel: 1/2", 5/8", 3/4", 7/8", 1", 1 1/8", Cape Chisel: 1/4", 3/8", Long Flat Chisel: 3/4", Diamond Point Chisel: 1/4", 3/8", Round Nose Chisel: 1/4", 3/8", Long Taper Punch: 5/32", 3/16", Prick Punch: 3/8", Taper Punch: 1/16", 3/32", 1/8", Centre Punch: 3/8", Rivet Buster Chisel: 7/8", Pin Punch: 1/8", 3/16", 1/4", Pinch Bar: 5/8"



**86009**

## 9 Piece Comfort Grip Screwdriver Set

Contains: Slotted .04 X 13/64" Tip (4" Blade Length), .05 X 1/4" Tip (6" Blade Length), .05 X 5/16" Tip (7" Blade Length) & .08 X 25/64" Tip (8" Blade Length), Phillips® #1 (3" Blade Length), #2 (4" Blade Length) & #3 (6" Blade Length), Square Recess #1 (4" Blade Length) & #2 (4" Blade Length).  
Packaged in: plastic tray



**SPI-156-S8**

## IMPAX® Soft Face Dead Blow Hammer Set

16 oz. dead blow hammer with eight 1 1/2" diameter non-marring striking faces. Included faces: super soft, soft, medium, tough, medium hard, hard, extra-hard & steel. Packaged in blow mold case.



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: GRAHAN

- Corrosion resistant black oxide finish.
- Made of premium tool steel and precision heat treated for maximum durability.
- Hex openings deliver maximum turning power without rounding fasteners.
- Limited Lifetime Warranty
- Meets ANSI standards.



## 1/2" Drive Metric Sockets

Hex Size	6 Point Standard Part No.	6 Point Deep Part No.
8 mm	MP08H	MPD08H
9 mm	MP09H	MPD09H
10 mm	MP10H	MPD10H
11 mm	MP11H	MPD11H
12 mm	MP12H	MPD12H
13 mm	MP13H	MPD13H
14 mm	MP14H	MPD14H
15 mm	MP15H	MPD15H
16 mm	MP16H	MPD16H
17 mm	MP17H	MPD17H
18 mm	MP18H	MPD18H
19 mm	MP19H	MPD19H
20 mm	MP20H	MPD20H
21 mm	MP21H	MPD21H
22 mm	MP22H	MPD22H
23 mm	MP23H	MPD23H
24 mm	MP24H	MPD24H
25 mm	MP25H	MPD25H
26 mm	MP26H	-
27 mm	MP27H	MPD27H
28 mm	MP28H	-
29 mm	MP29H	-
30 mm	MP30H	MPD30H
31 mm	MP31H	-
32 mm	MP32H	-
36 mm	MP36H	MPD36H

## 1/2" Drive SAE Sockets

Hex Size	6 Point Standard Part No.	6 Point Deep Part No.	12 Point Standard Part No.
3/8"	P2406	PL2406	P2406DH
7/16"	P2407	PL2407	P2407DH
1/2"	P2408	PL2408	P2408DH
9/16"	P2409	PL2409	P2409DH
5/8"	P2410	PL2410	P2410DH
11/16"	P2411	PL2411	P2411DH
3/4"	P2412	PL2412	P2412DH
13/16"	P2413	PL2413	P2413DN
7/8"	P2414	PL2414	P2414DH
15/16"	P2415	PL2415	P2415DH
1"	P2432	PL2432	P2432DH
1 1/16"	P2433	PL2433	P2433DH
1 1/8"	P2434	PL2434	P2434DH
1 3/16"	P2435	PL2435	P2435DH
1 1/4"	P2436	PL2436	P2436DH
1 5/16"	P2437	PL2437	P2437DH
1 3/8"	P2438	PL2438	P2438DH
1 7/16"	P2439	PL2439	P2439DH
1 1/2"	P2440	PL2440	P2440DH



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: GRAHAN

- Corrosion resistant black oxide finish.
- Made of premium tool steel and precision heat treated for maximum durability.
- Hex openings deliver maximum turning power without rounding fasteners.
- Limited Lifetime Warranty
- Meets ANSI standards.



## 3/4" Drive SAE Sockets

Hex Size	6 Point Standard Part No.	6 Point Deep Part No.	8 Point Standard Part No.
9/16"	P2609	PL2609	
5/8"	P2610	PL2610	
11/16"	P2611	PL2611	
3/4"	P2612	PL2612	P6-824
13/16"	P2613	PL2613	P6-826
7/8"	P2614	PL2614	P6-828
15/16"	P2615	PL2615	P6-830
1"	P2632	PL2632	P6-832
1 1/16"	P2634	PL2634	P6-834
1 1/8"	P2636	PL2636	P6-836
1 3/16"	P2638	PL2638	P6-838
1 1/4"	P2640	PL2640	P6-840
1 5/16"	P2642	PL2642	P6-842
1 3/8"	P2644	PL2644	
1 7/16"	P2646	PL2646	
1 1/2"	P2648	PL2648	
1 9/16"	P2650	PL2650	
1 5/8"	P2652	PL2652	
1 11/16"	P2654	PL2654	
1 3/4"	P2656	PL2656	
1 13/16"	P2658	PL2658	
1 7/8"	P2660	PL2660	
1 15/16"	P2662	PL2662	
2"	P2664	PL2664	
2 1/16"	P2666	PL2666	
2 1/8"	P2668	PL2668	
2 3/16"	P2670	PL2670	
2 1/4"	P2672	PL2672	
2 5/16"	P2674	PL2674	
2 3/8"	P2676	PL2676	

## 3/4" Drive Metric Sockets

Hex Size	6 Point Standard Part No.	6 Point Deep Part No.
17mm	MP3417H	MPD3417H
18mm	MP3418H	MPD3418H
19mm	MP3419H	MPD3419H
20mm	MP3420H	MPD3420H
21mm	MP3421H	MPD3421H
22mm	MP3422H	MP34D22H
23mm	MP3423H	MP34D23H
24mm	MP3424H	MPD3424H
25mm	MP3425H	MPD3425H
26mm	MP3426H	MPD3426H
27mm	MP3427H	MP34D27H
28mm	MP3428H	MPD3428H
29mm	MP3429H	MPD3429H
30mm	MP3430H	MPD3430H
31mm	MP3431H	MPD3431H
32mm	MP3432H	MPD3432H
33mm	MP3433H	MPD3433H
34mm	MP3434H	MPD3434H
35mm	MP3435H	MPD3435H
36mm	MP3436H	MPD3436H
37mm	MP3437H	MPD3437H
38mm	MP3438H	MPD3438H
41mm	MP3441H	MPD3441H
43mm	MP3443H	MPD3443H
46mm	MP3446H	MPD3446H
50mm	MP3450H	MPD3450H

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: GRAHAN



## Individual Hex Keys

Hex Size	SAE Short Key Part No.	SAE Long Key Part No.	SAE Extra Long Key Part No.	Metric Hex Size	Metric Short Key Part No.	Metric Long Key Part No.	Metric Extra Long Key Part No.
.05"	69100	68200	68200XL	1.5mm	69315	68415	68415XL
1/16"	69104	68204	68204XL	2mm	69302	68402	68402XL
5/64"	69105	68205	68205XL	2.5mm	69325	68425	68425XL
3/32"	69106	68206	68206XL	3mm	69303	68403	68403XL
7/64"	69107	68207	68207XL	4mm	69304	68404	68404XL
1/8"	69108	68208	68208XL	5mm	69305	68405	68405XL
9/64"	69109	68209	68209XL	6mm	69306	68406	68406XL
5/32"	69110	68210	68210XL	8mm	69308	68408	68408XL
3/16"	69112	68212	68212XL	10mm	69310	68410	68410XL
7/32"	69114	68214	68214XL	11mm	-	68411	-
1/4"	69116	68216	68216XL	12mm	69312	68412	-
5/16"	69120	68220	68220XL	14mm	69314	68414	-
3/8"	69124	68224	68224XL	17mm	69317	68417	-
7/16"	69128	68228	-	19mm	69319	68419	-
1/2"	69132	68232	-				
9/16"	69136	68236	-				
5/8"	69140	68240	-				
3/4"	69148	68248	-				
7/8"	69152	-	-				
1"	69164	-	-				

## Individual Ball End Hex Keys

Hex Size	SAE Short Key Part No.	SAE Long Key Part No.	SAE Extra Long Key Part No.	Metric Hex Size	Metric Short Key Part No.	Metric Long Key Part No.	Metric Extra Long Key Part No.
.05"	68301	68501	68501XL	1.5mm	68715	68915	68915XL
1/16"	68304	68504	68504XL	2mm	68702	68902	68902XL
5/64"	68305	68505	68505XL	2.5mm	68725	68925	68925XL
3/32"	68306	68506	68506XL	3mm	68703	68903	68903XL
7/64"	68307	68507	68507XL	4mm	68704	68904	68904XL
1/8"	68308	68508	68508XL	5mm	68705	68905	68905XL
9/64"	68309	68509	68509XL	6mm	68706	68906	68906XL
5/32"	68310	68510	68510XL	8mm	68708	68908	68908XL
3/16"	68312	68512	68512XL	10mm	68710	68910	68910XL
7/32"	68314	68514	68514XL	11mm	-	68911	-
1/4"	68316	68516	68516XL	12mm	-	68912	-
5/16"	68320	68520	68520XL	14mm	-	68914	-
3/8"	68324	68524	68524XL	17mm	-	68917	-
7/16"	-	68528	-	19mm	-	68919	-
1/2"	-	68532	-				
9/16"	-	68536	-				
5/8"	-	68540	-				
3/4"	-	68548	-				



- Made from premium S2 steel for superior durability and corrosion resistance.
- Deliver up to 33% more torque than ordinary hex keys.
- Keys 1/8" & 3mm and larger have size permanently laser marked on the key.
- Models with ball end design offer greater access to fasteners from different angles in hard to reach applications.
- Limited Lifetime Warranty
- Meet ANSI standards.



Contact your local Wajax Industrial Components branch for delivery information



- Drive Type: 12 Point
- Ratcheting head allows for faster removal and installation of fasteners.
- Flexible head pivots 90 degrees in either direction for greater access in confined spaces.
- Stainless steel construction.
- Limited Lifetime Warranty.
- Meets ANSI standards.



## SAE & Metric Combination Flex Head Multigear™ Ratcheting Wrench

Hex Size	Stainless Steel Finish Part No.
5/16"	520111
3/8"	520112
7/16"	520114
1/2"	520116
9/16"	520118
5/8"	520120
11/16"	520122
3/4"	520124
8mm	520008
10mm	520010
11mm	520011
12mm	520012
13mm	520013
14mm	520014
15mm	520015
16mm	520016
17mm	520017
18mm	520018
19mm	520019

### P2303T

## 3 Ton Capacity, 2/3 Jaw Single Operator Puller

- Maximum Reach: 4¾"
- Maximum Spread: 7"
- Screw Size: 5/8"-8 x 7½"
- Unique fixed leg design allows for easy one person operation.
- Yoke and legs are drop-forged from alloy steel.
- Pressure screw threads designed for easy adjustment and high torque application.



### P2308T

## 8 Ton Capacity, 2/3 Jaw Single Operator Puller

- Maximum Reach: 8¼"
- Maximum Spread: 11¾"
- Screw Size: 3/4"-8 x 11-3/8"
- Unique fixed leg design allows for easy one person operation.
- Yoke and legs are drop-forged from alloy steel.
- Pressure screw threads designed for easy adjustment and high torque application.



### P2312T

## 12 Ton Capacity, 2/3 Jaw Single Operator Puller

- Maximum Reach: 10"
- Maximum Spread: 17¼"
- Screw Size: 7/8"-6 x 15¾"
- Unique fixed leg design allows for easy one person operation.
- Yoke and legs are drop-forged from alloy steel.
- Pressure screw threads designed for easy adjustment and high torque application.



# HAND TOOLS



Vendor Code: JETEQU



## 600341 1/2" DR Socket Wrench Sets 55 PC S.A.E./Metric - 6 Point

3/8 - 1-1/4"  
10 - 32mm Standard length  
7/16 - 7/8"  
10 - 21mm Deep length  
CrV Steel / Acier CrV



## 610321 1/2" Drive Socket Sets 13 PC S.A.E. - 6 Point

7/16 - 1-1/4"  
CrMo Steel



## 610323 1/2" Drive Socket Sets 13 PC Deep S.A.E. - 6 Point

7/16 - 1-1/4"  
CrMo Steel



## 600125 1/4" DR Socket Wrench Sets 42 PC S.A.E./Metric - 6 Point

3/16 - 1/2"  
4 - 12mm  
Standard and deep length  
CrV Steel



## 600406 3/4" DR Socket Wrench Sets 55 PC S.A.E. - 12 Point

3/4" - 2"  
CrV Steel



## 600241 3/8" DR Socket Wrench Sets 45 PC S.A.E./Metric - 6 Point

3/8 - 3/4"  
8 - 19mm Standard length  
3/8 - 13/16"  
8 - 19mm Deep length  
CrV Steel

## Professional Adjustable Wrenches - Super Heavy Duty

Series #	Description
711132AWP-6	6 in
711133AWP-8	8 in
711134AWP-10	10 in
711135AWP-12	12 in
711136AWP-15	15 in
711137AWP-18	18 in
711139AWP-24	24 in



## 779218 Bars - Powerclaw™ Series Crow Bar - Super Heavy Duty




## 730321 Chrome Vanadium - Sets 5 PC Maintenance Set



## 700121 16 PC S.A.E. Raised Panel Combination Wrench Set



## 700128 10 PC S.A.E. Jumbo Raised Panel Combination Wrench Set



## 700177 Combination Wrenches Raised Panel Metric Wrench Sets

JET raised panel combination wrenches are made with industrial quality S.A.E. 6140 Chrome Vanadium steel (up to 1-1/4" or 32mm sizes)

All wrenches feature TORQUE DRIVE® box ends for increased torque

Wrench size stamped on head for easy identification

All sets meet ANSI specifications



## 720566 14 PC Cushion Grip Screwdriver Set



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: JETEQU



## 775164 Hex Key Wrenches - Sets Long Arm Ball Nose Sets

for 775173: 1/16 - 3/8"  
for 775184: 1.5 - 10mm  
for 775164: 0.05 - 3/8", 1.5 - 10mm  
CrV Steel



## 720507 Jumbo Handle Series - Sets 14 PC Master Set

CrV shafts  
Blow mould tray



## 730336 Locking Pliers Sets Super Heavy Duty

Exclusive 9254 steel jaw components offer increased core strength over Chrome Molybdenum or Chrome Vanadium jaws



## Pipe Wrenches Steel - Heavy Duty

Series #	Description
710142	8" Steel Pipe Wrench
710143	10" Steel Pipe Wrench
710144	12" Steel Pipe Wrench
710145	14" Steel Pipe Wrench
710147	18" Steel Pipe Wrench
710150	24" Steel Pipe Wrench
710156	36" Steel Pipe Wrench
710159	48" Steel Pipe Wrench

## Pipe Wrenches Aluminum - Heavy Duty

Series #	Description
710245	14" Aluminum Pipe Wrench
710247	18" Aluminum Pipe Wrench
710250	24" Aluminum Pipe Wrench
710256	36" Aluminum Pipe Wrench
710259	48" Aluminum Pipe Wrench



## Bolt Cutters Heavy Duty

Series #	Description
731108BC-8	8" Bolt Cutter - Heavy Duty
731112BC-12	12" Bolt Cutter - Heavy Duty
731118BC-18	18" Bolt Cutter - Heavy Duty
731124BC-24	24" Bolt Cutter - Heavy Duty
731130BC-30	30" Bolt Cutter - Heavy Duty
731136BC-36	36" Bolt Cutter - Heavy Duty
731142BC-42	42" Bolt Cutter - Heavy Duty



## 720524 Ergonomic Screwdrivers - Sets

Unique handle design conforms to the hand for exceptional comfort and grip  
Patented SVCM tool steel is up to 30% stronger than CrV screwdrivers



## 740560 Hammers - Indestructible Handle

Heads drop forged from 99.9% pure copper for spark free use  
Will not break, bend, or split even after repeated overstrikes



## 740583 Hammers - Indestructible Handle

Spring steel rods encased in vulcanized rubber provide the ultimate striking tool handle  
Will not break, bend, or split, even after repeated overstrikes

## 601802 Hex Bit Socket Sets 10 PC S.A.E. Hex Bit

3/8" DR/prise 1/8 - 3/8"  
1/2" DR/prise 1/2 - 5/8"  
Includes socket rail  
S2 steel



## 601803 Hex Bit Socket Sets 10 PC Metric Hex Bit

3/8" DR/prise 3 - 10mm  
1/2" DR/prise 12 - 16mm  
Includes socket rail  
S2 steel



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: JETEQU

## Portable Tool Boxes Stainless Steel / Plastic Heavy Duty

Series #	Description
842152	15" Stainless Steel Hand Tool Box
842153	20" Stainless Steel Hand Tool Box
842154	22" Stainless Steel Hand Tool Box

## 775513 Punch and Chisel – Sets 24 PC Punch and Chisel Set

Dual Hardened  
Includes roll up pouch

## 730305 5 PC Chrome Nickel Pliers Set – Super Heavy Duty

Chrome Nickel steel drop forged for  
ultimate strength  
Patented High Leverage design  
reduces effort

## Vises

### JVSG Series - Super Heavy Duty

Series #	Description
320312	4" SG Iron Bench Vise
320313	5" SG Iron Bench Vise
320314	6" SG Iron Bench Vise
320315	8" SG Iron Bench Vise

## Chain Hoists VCH Series - Standard Duty

Series #	Description
101002	1/2 Ton 10' Lift VCH Series
101012	1 Ton 10' Lift VCH Series

## Striking Wrenches S.A.E. - Offset Style

Series #	Description
715201	1" Offset Striking Wrench
715202	1-1/16" Offset Striking Wrench
715203	1-1/8" Offset Striking Wrench
715204	1-3/16" Offset Striking Wrench
715205	1-1/4" Offset Striking Wrench
715206	1-5/16" Offset Striking Wrench
715207	1-3/8" Offset Striking Wrench
715208	1-7/16" Offset Striking Wrench
715209	1-1/2" Offset Striking Wrench
715210	1-9/16" Offset Striking Wrench
715211	1-5/8" Offset Striking Wrench
715212	1-11/16" Offset Striking Wrench
715213	1-3/4" Offset Striking Wrench
715214	1-13/16" Offset Striking Wrench
715215	1-7/8" Offset Striking Wrench
715216	1-15/16" Offset Striking Wrench
715217	2" Offset Striking Wrench
715218	2-1/16" Offset Striking Wrench
715219	2-1/8" Offset Striking Wrench
715220	2-3/16" Offset Striking Wrench
715221	2-1/4" Offset Striking Wrench
715222	2-5/16" Offset Striking Wrench
715223	2-3/8" Offset Striking Wrench
715224	2-7/16" Offset Striking Wrench
715225	2-1/2" Offset Striking Wrench
715226	2-9/16" Offset Striking Wrench
715227	2-5/8" Offset Striking Wrench
715228	2-11/16" Offset Striking Wrench
715229	2-3/4" Offset Striking Wrench
715230	2-13/16" Offset Striking Wrench
715231	2-7/8" Offset Striking Wrench
715232	2-15/16" Offset Striking Wrench
715233	3" Offset Striking Wrench
715234	3-1/16" Offset Striking Wrench
715235	3-1/8" Offset Striking Wrench

## Torque Wrenches JTW Series

Series #	Description
718902	1/4" DR 250 In/lbs Torque Wrench
718908	3/8" DR 80 ft/lbs Torque Wrench
718911	1/2" DR 150 ft/lbs Torque Wrench
718912	1/2" DR 250 ft/lbs Torque Wrench
718918	3/4" DR 600 ft/lbs Torque Wrench
718922	1" DR 700 ft/lbs Torque Wrench

# HAND TOOLS



Vendor Code: JETEQU

## Lever Chain Pullers Mini-Mite II Series Super Heavy Duty

Series #	Description
110506	3/4 Ton 5' Lift Mini-Mite II
110509	1-1/2 Ton 5' Lift Mini-Mite II
110510	1-1/2 Ton 10' Lift Mini-Mite II

## Manual Trolleys SBT Series - Heavy Duty

Series #	Description
120251	1/2 Ton SBT Series
120252	1 Ton SBT Series
120254	2 Ton SBT Series

## Plate Clamps SPCU Series Universal Style Heavy Duty

Series #	Description
109322	1/2 Ton SUMO® Series Universal
109323	1 Ton SUMO® Series Universal

## 130104 Single Sheave Snatch Blocks

Tested to 150% of rated capacity

## Wire Rope Pullers SGP Series – Heavy Duty (with out cable)

Series #	Description
111136	3/4 Ton SUMO® Series Grip Puller
111137	1-1/2 Ton SUMO® Series Grip Pulle
111138	3 Ton SUMO® Series Grip Puller

## 131104 Single Sheave Yarding Blocks

Strong, all steel construction  
Ball bearing, high carbon steel sheave  
Quick release yoke swings open to accept rope  
Zerk type grease fitting on all sizes  
Tested to 150% of rated capacity

## Chain Hoists KCH Series - Heavy Duty

Series #	Description
101102	1/2 Ton 10' Lift KCH Series
101112	1 Ton 10' Lift KCH Series
101132	2 Ton 10' Lift KCH Series

## Chain Hoists L-90 Series – Super Heavy Duty

Series #	Description
101212	1 Ton 10' Lift L-90 Series
101232	2 Ton 10' Lift L-90 Series

## Chain Hoists KCH Series - Heavy Duty

Series #	Description
140101	2 Ton JET Hydraulic Bottle Jack
140102	3 Ton JET Hydraulic Bottle Jack
140103	5 Ton JET Hydraulic Bottle Jack
140104	8 Ton JET Hydraulic Bottle Jack
140105	12-1/2 Ton JET Hydraulic Bottle Jack
140106	12-1/2 Ton JET Hydraulic Bottle Jack
140109	22-1/2 Ton JET Hydraulic Bottle Jack
140110	22-1/2 Ton JET Hydraulic Bottle Jack

## Lever Chain Pullers VLP Series – Standard Duty

Series #	Description
110302	3/4 Ton 5' Lift VLP Series
110303	1-1/2 Ton 5' Lift VLP Series

## Lever Chain Pullers VLP Series – Standard Duty

Series #	Description
110402	3/4 Ton 5' Lift KLP Series
110403	1-1/2 Ton 5' Lift KLP Series
110404	3 Ton 5' Lift KLP Series Lever

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: WERTO0



**05347105001**  
Set of 12 screwdrivers Wera  
XXL with rack include  
Content : slotted,  
PH and square in 3  
series 300 /  
100 insulated / 900



**05347901001**  
Set of 12 screwdriver  
serie 300 with rack.  
Content : Slotted,  
Ph and square



**05118152003**  
Set of 6 Micro  
screwdrivers with rack  
Content : 4 slotted and 2 PH



**05003473002**  
KKVDE set 7 pieces  
insulated in a pouch  
Content : 2 slotted , 2  
PH and 2 square

**05003692002**  
Hammer- ratchet  
Koloss 1/2 drive



**05073233002**  
Extension for use  
with Wera  
KOLOSS 8002 C  
to increase torque  
transfer



**0573234002**  
Centering pin  
for Koloss

**05021728002**  
Set of hex keys on a  
clip SAE 13 pieces



**05073597002**  
Set of hex keys  
Metric with sleeve  
9 pieces on a clip



**05073596003**  
Set of 9 hex keys  
Metric on a clip



**05073661002**  
Ratcheting screw-  
driver with bits in the  
handle 2 slotted, 2  
PH and 2 square



**05004048001**  
Set of ratchet 3/8  
with switch lever 29  
pieces Metric

**05059297005**  
KK 62 screwdriver  
set 32 pieces with  
changeables blades  
in a pouch for  
security



**05346293001**  
Mini ratchet set 1/4  
with bits and socket  
adaptor in a case for  
belt



**05051025002**  
6 in 1 screwdriver with  
blades in handle. Content  
2 slotted, 2 PH , 2 square  
in a pouch  
for belt



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: KNIPEX

Series #	Size
72 01 160	6 1/4 in
72 01 180	7 1/4 in

Diagonal cutter for plastics  
Provides a fully flush cut when cutting tie-wraps, plastic and soft metals  
For nearly flush cutting of moulded plastic components from sprues



## 00 19 56

4 Pc. Circlip Pliers Set  
Tool roll made of hard-wearing polyester fabric with adjustable quick release closure  
Four common Circlip Pliers for internal and external circlips



## 73 71 180

TwinForce® High Leverage Diagonal Cutter black atramentized plastic coated 7 1/4 in  
The superior High-Leverage Diagonal Cutter with patented double joint  
Ideal transmission of force due to double-hinged design  
Reliably cuts all types of wire, including steel tape

## 00 20 06 US1

3 Pc. Cobra Set (7 1/4", 10", & 12")  
Popular pliers set packaged in durable plastic packaging  
Includes 87 01 180, 87 01 250, 87 01 300



Series #	Size
74 01 180	7 1/4 in
74 01 200	8 in
74 01 250	10 in



Series #	Size
74 21 200	8 in
74 21 250	10 in

High Leverage Diagonal Cutter  
For very tough, continuous use  
High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio  
74 21 series include a 12 degree angled head for excellent finger clearance when cutting

## 00 20 06 US2

3 Pc. Pliers Wrench Set (7 1/4", 10", & 12") Popular pliers set packaged in durable, plastic packaging  
Includes 86 03 180, 86 03 250, 86 03 300



## 00 20 08 US2

3 Pc. Popular Pliers Set  
Popular pliers set packaged in durable plastic packaging Includes:  
Long Nose Pliers 26 11 200  
Diagonal Cutter 74 21 200  
Cobra Pliers 87 01 250



Series #	Size
78 61 125	5 in

Electronic Super Knips® with multi-component grips  
Precision pliers for ultra fine cutting work, e. g. in electronics and fine mechanics  
Ground, very sharp cutting edges without bevel for flush cutting



## 70 01 160

Diagonal Cutter black atramentized plastic coated 6 1/4 in  
The essential cutting tool for versatile use  
High quality material and precise workmanship for long service life



Series #	Size
87 01 125	5 in
87 01 180	7 1/4 in
87 01 250	10 in
87 01 300	12 in

Cobra® High-Tech Water Pump Pliers  
Adjustment at the touch of a button directly on the workpiece  
Fine adjustment for optimum adaptation to different size workpieces and a comfortable gripping position

Series #	Size
71 01 200	8 in
71 02 200	8 in

CoBolt® Compact Bolt Cutter  
Induction hardened edges cut hard, soft and piano wire  
Cuts material like bolts, nails, rivets, etc. up to 6.0 mm dia.  
71 01 200 has plastic coated handles, 71 02 200 has slim multi-component comfort grips



 Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: BEST00



## High-performance All-Steel Sliding Arm Clamps

Regular Duty with Ergonomic BESSEY® Grip and MorPad (2400S Series)

Replacement arms, spindles and MorPads are available.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
2400S-8	8	5-1/2"	2800
2400S-12	12	5-1/2"	2800
2400S-16	16	5-1/2"	2800
2400S-20	20	5-1/2"	2800
2400S-24	24	5-1/2"	2800
2400S-36	36	5-1/2"	2800
2400S-48	48	5-1/2"	2800
2400S-60	60	5-1/2"	2800

## Heavy Duty (4800S Series) and Extra Heavy Duty (7200S Series) Clamps with MorPad

4800S comes standard with a 19mm hex head spindle, and 7200S comes standard with 36mm hex head spindle.

Replacement arms, spindles and MorPads are available.



Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
4800S-12	12	7	4880
4800S-18	18	7	4880
4800S-24	24	7	4880
4800S-36	36	7	4880
4800S-48	48	7	4880
4800S-60	60	7	4880
7200S-12	12	8	7770
7200S-18	18	8	7770
7200S-36	36	8	7770



## Regular Duty Deep Reach with Ergonomic BESSEY® Grip and MorPad (DT 2400 Series)

Replacement arms, spindles and MorPads are available.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
DT 2400-12	12	8	1770
DT 2400-24	24	8	1770

## classiX® Value Line of All-Steel Sliding Arm Clamps

classiX® - Standard pad

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
GS12-8K	4	3-1/8"	550
GS16K	6	3-1/8"	550
GS20K	8	4"	880
GS16-12K	6	4-3/4"	1,000
GS25K	10	4-3/4"	1,000
GS30K	12	5-1/2"	1,200
GS60K	24	4-3/4"	1,200



classiX® - Heavy duty pad

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
GSL30	12"	4-3/4"	1880
GSL60	24"	4-3/4"	1880
GSM20	7-1/2"	4-3/4"	2660
GSM25	9"	5-1/2"	2660
GSM30	12"	5-1/2"	2660
GSM40	16"	5-1/2"	2660
GSM50	20"	5-1/2"	2660
GSM60	24"	5-1/2"	2660



## STB Series - Heavy Duty Value Line of All-Steel Sliding Arm Clamps

German produced classic rail profile, hardened spindle (with 19 mm hex head), and crimped on swivel pad

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
STB-12	12	7	4880
STB-18	18	7	4880
STB-24	24	7	4880
STB-36	36	7	4880

Contact your local Wajax Industrial Components branch for delivery information



# HAND TOOLS



Vendor Code: BESTOO

## 540 Series Ductile Alloy C-Clamps

Black oxide spindle to resist corrosion, high tensile ductile alloy castings.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
540 - 2-1/2	0-2 1/2	1-3/4"	1100
540 - 3	0-3	1-7/8"	1800
540 - 4	0-4	2-1/16"	2150
540 - 5	0-5	2-1/2"	2250
540 - 6	0-6	2-3/4"	2450
540 - 8	0-8	3-1/4"	2750
540 - 10	0-10	3-5/8"	2850
540 - 12	0-12	3-5/8"	2850

## Step-Over All-Steel Sliding Arm Clamps

Patented BESSEY® Morpad that tilts to 35 degrees is standard on 2400J-12 and 4800J-20; standard swivel pad on J18-8.

Ergonomic BESSEY® grip handle is standard equipment on 2400J-12; Hex head (19 mm) is standard on 4800J-20.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
LIGHT DUTY			
J18-8	10	4-3/4"	880
REGULAR DUTY			
2400J-12	12	5-1/2"	2660
HEAVY DUTY			
4800J-20	20	7	4880

## Drop Forged Regular Duty, Extra Deep Throat C-Clamps

Powder coated frame, ball-in-swivel pad.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
Black oxide spindle to resist corrosion			
CDF402	0-2	2-1/8"	3500
CDF403	0-3	2-3/8"	3500
CDF404	0-4	3-1/4"	6200
CDF406	0-6	4-1/8"	6900
CDF408	0-8	5	6900
CDF410	0-10	6	8000
CDF412	0-12	6-1/4"	9300
HiVis frame, copper spindle			
CDF402CHV	0-2	2-1/8"	3500
CDF403CHV	0-3	2-3/8"	3500
CDF404CHV	0-4	3-1/4"	6200
CDF406CHV	0-6	4-1/8"	6900
CDF408CHV	0-8	5	6900
CDF410CHV	0-10	6	8000
CDF412CHV	0-12	6-1/4"	9300

## classiX® GSH All-Steel Lever Clamps

Large tilting pressure plate.

Ergonomically shaped, powder-coated clamping lever.

Secure ratchet mechanism for rapid vibration-resistant clamping. Non-slip trigger release.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Clamping Force (lbs)
GSH12	4	2-3/8"	400
GSH20	8	4	600
GSH30	12	5-1/2"	1110
GSH50	20	4-3/4"	1110

## Double Force All-Steel Clamping and Spreader Sets

NEW modular concept for the widest range of applications. Complete, assembled, high-performance clamping/spreading sets PLUS versatile accessories to mix and match.

Rail end fastenings (both sides) can be loosened without tools.

Change fitted sliding arms from clamping to spreading or replace with different sliding arms or supplement with others.

Sliding arms available with lever handles, T-Bars or gripping arm.

This clamping/spreading system's flexibility means numerous applications can be handled by the combinations of rails and sliding arms.

Series #	Clamping Capacity (inches)	Throat Depth (inches)	Throat Depth (inches)	Clamping Force (lbs)
SLV100M	1-1/8 x 7/16	39-1/2"	4-3/4"	1450
SLV150M	1-1/8 x 7/16	60	4-3/4"	1450
SLV200M	1-1/8 x 7/16	79	4-3/4"	1450
GSV300M	1-3/16 x 5/8	118	5-1/2"	2000

## 5Multi-Purpose Vise (rotating pipe and bench vise)

Made from high quality 30,000 PSI grey cast iron, comes standard with a 360 degree swivel base with three mounting holes and two lockdowns.

Pipes are no problem with the serrated jaws that rotate 360 degrees. Built-in anvil.

Series #	Jaw Width (inches)	Jaw Opening (inches)	Throat Depth (lbs)	Pipe Capacity (inches)	Approx. Weight (lbs)
BV-MPV5	5	5	3	2	43

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: BESTOO



## Auto-Adjust Toggle Clamps

Automatic adjusting jaw height and clamping force (dependent on spindle settings, pressure screw setting, applied force, etc.).  
Adaptable base plates with holes that are sized and spaced for easy mounting and flexibility in metric and imperial.  
Large ergonomic handles with soft inserts for maximum comfort.  
Nickel plate standard coating.

Series #	Description	Opening	Nominal Clamping Force Range	Holding Capacity	Overall Length - Closed	Overall Length - Open	Overall Height - Closed	Overall Height - Open	Overall Width (base plate)	Fastener
STC-VH20	Compact vertical toggle with open arm and horizontal base plate.	0 - 13/16"	25 - 250 lbs.	450 lbs.	3.62"	4.84"	5.08"	3.94"	1.89"	3/16" or M5
STC-VH50	Full size vertical toggle with open arm and horizontal base plate.	0 - 1 9/16"	25 - 550 lbs.	700 lbs.	4.57"	6.06"	6.38"	4.96"	2.36"	1/4" or M6
STC-HH20	Compact horizontal toggle with flanged base plate.	0 - 13/16"	25 - 250 lbs.	450 lbs.	6.57"	3.27"	1.73"	5.59"	1.65"	3/16" or M5
STC-HH50	Full size (low profile) horizontal toggle with flanged base plate.	0 - 1 9/16"	25 - 550 lbs.	700 lbs.	8.54"	4.45"	1.85"	6.22"	2.36"	1/4" or M6
STC-HH70	Full size (high profile) horizontal toggle with flanged base plate.	0 - 2 3/8"	25 - 550 lbs.	700 lbs.	8.54"	4.45"	2.52"	6.89"	2.36"	1/4" or M6
STC-IHH15	Compact inline toggle with flanged base plate.	0 - 3/8"	25 - 250 lbs.	450 lbs.	7.13"	4.13"	1.26"	4.21"	1.65"	3/16" or M5
STC-IHH25	Full size inline toggle with flanged base plate.	0 - 5/8"	25 - 550 lbs.	700 lbs.	9.17"	6.06"	1.81"	6.10"	2.36"	1/4" or M6
STC-IHA15	Compact inline toggle with angled (front mount) base plate.	0 - 3/8"	25 - 250 lbs.	450 lbs.	7.13"	4.13"	3.19"	5.87"	1.77"	3/16" or M5
STC-HV20	Compact horizontal toggle with vertical base plate.	0 - 13/16"	25 - 250 lbs.	450 lbs.	6.57"	3.27"	2.56"	6.38"	0.71"	3/16" or M5
STC-HA20	Compact horizontal toggle with angled (front mounting) base plate.	0 - 13/16"	25 - 250 lbs.	450 lbs.	6.57"	3.27"	3.35"	7.13"	1.77"	3/16" or M5

## Drop Forged Industrial Bench Vise



90,000 PSI drop forged alloy steel is 100% guaranteed unbreakable with drop forged moveable jaws. Adjustable perfect parallel jaws and anvil are precision ground and induction hardened to provide precision clamping. Long length alloy steel spindle handle for fast, high force clamping. Comes standard with a 360 degree rotation drop forged alloy steel swivel base for versatile positioning of workpieces, with two long length alloy steel swivel base locking handles for fast, easy, high force clamping of swivel base. Sliding guides enhance protection against contamination. Large capacity drop forged pipe jaws are welded in place. Made in Europe.

## Heavy Duty Bench Vise



Made from high quality 30,000 PSI grey cast iron, come standard with a 360 degree swivel base with three mounting holes and two lock-downs. Lock your workpiece in place with heavy duty serrated jaws. Built-in anvil.

Series #	Jaw Width (inches)	Jaw Opening (inches)	Throat Depth (lbs)	Approx. Weight (lbs)
BV-HD40	4	4	2	17
BV-HD60	6	6	3	44

Series #	Jaw Width (inches)	Jaw Opening (inches)	Throat Depth (lbs)	Pipe Capacity (inches)	Length (inches)	Width incl. swivel base (inches)	Height incl. swivel base (inches)	Anvil Size (inches)
BV-DF4SB	4	4-1/4"	2-3/8"	1/4 to 3	12	7	5-1/2"	1-7/16 x 2
BV-DF5SB	5	6-1/2"	3	1/4 to 3	15	8-1/4"	6-3/4"	2 x 2-3/4
BV-DF6SB	6	7	4	1/4 to 5	19	10	8-3/4"	2-1/2 x 3-1/8
BV-DF8SB	8	10	4-1/8"	1/4 to 6	23-3/4"	10-3/4"	9-1/2"	3 x 3-5/8

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: BEST00

## Compact Aviation Snips

### BESSEY® D15A

All the power of a full size aviation snip, but is 25% smaller.

Designed for long continuous, straight and curved cuts, sliding the surface being cut beneath your fingers and reducing the chance of injury. Great manoeuvrability, cutting the narrowest radii.

Locking mechanism allows one-handed open & close operation, and limits max opening of the snip.

Compound leverage improves productivity while reducing hand fatigue.

Ergonomic handles keep hand from slipping.



Series #	Overall Length (Inches)	Blade Length (Inches)	Cutting Capacity (Regular Metal)	Cutting Direction
D15A-BE	7-3/16"	13/16"	18 gauge	right
D15AL-BE	7-3/16"	13/16"	18 gauge	left
D15S-BE	7-3/16"	13/16"	18 gauge	straight
D15-SET	all three styles in a nylon pouch			

## Relton Rapid Tap® Cutting Fluid

Effective on tough-to-drill metals and alloys such as beryllium, brass, bronze, cast iron, copper, iconel, magnesium, molybdenum, stainless steel, and stellite.

Makes tapping, reaming, drilling, and threading operations easier, faster, and more accurate, leaving a fine machined finish.

No 1,1,1 Trichloroethane – ozone friendly, non-toxic, and non-flammable; non-WHMIS.



Series #	Unit/Container (Imperial/Metric)
RT114	4 oz/118 ml
RT455	16 oz/455 ml
RT4	1 US gal/3.785L
RT20	5 US gal/18.925L



## Induction Bearing Heaters

Works on bearings, sprockets, gears, couplings and sleeves.

Demagnetizes bearings - easy to use, ready in minutes.

Single phase 60 Hz units.

Series #	Voltage	Standard Cross Bars	Bearing Capacity (inches)	Bearing Capacity with optional raising blocks - OD (inches)
SC 110D	110V (17 amp)	3/4", 2"	4 x 11 OD	14
SC 110V	110V (17 amp)	3/4", 2"	4 x 11 OD	14
SC 220V	240V (11 amp)	3/4", 2"	4 x 11 OD	14
BC 220V	240V (30 amp)	1-1/4", 3"	7-1/2 x 22 OD	32
BC 440V	480V (20 amp)	1-1/4", 3"	7-1/2 x 22 OD	32
BC 550V	600V (15 amp)	1-1/4", 3"	7-1/2 x 22 OD	32
BCS 220V	240V (30 amp)	1-1/4", 3"	11-1/2 x 22 OD	32
BCS 440V	480V (20 amp)	1-1/4", 3"	11-1/2 x 22 OD	32
BCS 550V	600V (15 amp)	1-1/4", 3"	11-1/2 x 22 OD	32

## Relton A-9® Aluminum Cutting Fluid

Specifically for aluminum – use for tapping, drilling, boring, milling, turning, broaching, reaming and sawing.

Forms an effective extreme pressure boundary lubricant between tool and work surface, leaving a work surface that requires only ordinary cleaning.



Series #	Unit/Container (Imperial/Metric)
A9114	4 oz/118 ml
A9455	16 oz/455 ml
A94	1 US gal/3.785L
A920	5 US gal/18.925L



## MultiSnip

Made for everyday light duty use with an offset stainless steel blade. The spring opens the cutter automatically and it features a thumb operated lock.



Series #	Overall Length (Inches)	Blade Length (Inches)
D48A	7-1/2"	1-3/8"

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: BEST00



## Cone Style Bearing Heaters

GCS models include 250 degree F temperature indicator crayon

GCST models have automatic temperature regulation preset at 250 degree F

Series #	Bearing I.D. Range (inches)	Watts	Width (inches)	Height (inches)
GCS38534	3/8 to 5-3/4	725	9	10
GCS34534	3/4 to 5-3/4	725	9	10
GCST3480	3/4 to 8	725	12	10
GCST5518	5-1/2 to 18	1450	23	19



## MagWand (MW)

Can collect up to 12 lbs of swarf in a pass for cleaner safer work area.

Rolls easily over industrial work surfaces and dumps waste by simply pulling and sliding the magnetic insert.

Series #	Description
MW-1	15-1/2" length

## MagSweep (MSP)

A rolling shop-floor magnet on wheels that makes clean up quick and easy.

Series #	Description
MSP-24	24" swath



## Magnetic Ground Clamps (MGC)


Ground clamps only need base surface metal for clamping.



Series #	Nominal Dimensions	Pull	Amps
MGC-1	3-1/2" x 2"	55 lbs	250
MGC-2	3-1/2" x 2"	55 lbs	800


Contact your local Wajax Industrial Components branch for delivery information

# RATCHETING WRENCHES



Large sizes up to 1-1/4"  
Full Polished Mirror Finish  
Heavy Duty Roll Up Pouch

**34166 16 PIECE SAE SET**  
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,  
11/16, 3/4, 13/16, 7/8, 15/16, 1,  
1-1/16, 1-1/8, 1-1/4"



Large sizes up to 32mm  
Full Polished Mirror Finish  
Heavy Duty Roll Up Pouch

**34279 19 PIECE METRIC SET**  
8, 9, 10, 11, 12, 13, 14, 15, 16, 17,  
18, 19, 20, 21, 22, 24, 27, 30,  
32mm



# HAND TOOLS



**OPEN STOCK SIZES**  
**SAE**

Vendor Code: SIGTOO

Series #	Description
34101	RATCHET WRENCH, REG, 1/4"
34102	RATCHET WRENCH, REG, 5/16"
34103	RATCHET WRENCH, REG, 3/8"
34104	RATCHET WRENCH, REG, 7/16"
34105	RATCHET WRENCH, REG, 1/2"
34106	RATCHET WRENCH, REG, 9/16"
34107	RATCHET WRENCH, REG, 5/8"
34108	RATCHET WRENCH, REG, 11/16"
34109	RATCHET WRENCH, REG, 3/4"
34110	RATCHET WRENCH, REG, 13/16"
34111	RATCHET WRENCH, REG, 7/8"
34112	RATCHET WRENCH, REG, 15/16"
34113	RATCHET WRENCH, REG, 1"
34114	RATCHET WRENCH, REG, 1-1/16"
34115	RATCHET WRENCH, REG, 1-1/8"
34116	RATCHET WRENCH, REG, 1-1/4"



5° of Movement



**34162 9 PIECE SAE SET**  
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"



**34265 12 PIECE METRIC SET**  
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm




Outer Storage  
Deluxe Handle

## REVERSING



Satin Finish  
Durable Zipped Case



Capstop prevents fastener from passing through

Series #	Description
34216	RATCHET WRENCH, REG, 16mm
34217	RATCHET WRENCH, REG, 17mm
34218	RATCHET WRENCH, REG, 18mm
34219	RATCHET WRENCH, REG, 19mm
34220	RATCHET WRENCH, REG, 20mm
34221	RATCHET WRENCH, REG, 21mm
34222	RATCHET WRENCH, REG, 22mm
34224	RATCHET WRENCH, REG, 24mm
34225	RATCHET WRENCH, REG, 25mm
34227	RATCHET WRENCH, REG, 27mm
34228	RATCHET WRENCH, REG, 30mm
34229	RATCHET WRENCH, REG, 32mm
34230	RATCHET WRENCH, REG, 34mm



**34688 8 PIECE SAE SET REVERSING**  
5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: SIGTOO

## SAE

- 13628 28 Piece SAE Socket Set
- 14 - Regular Sockets 3/8 to 1-1/4"
- 9 - Deep Sockets 3/8 to 7/8"
- 1 - 1/2" Dr. Prof Locking Ratchet
- 2 - Extension Bars - 5" & 10"
- 2 - Universal Joint, Socket Adapter

## METRIC

- 13729 29 Piece Metric Socket Set
- 15 - Regular Sockets 10 to 32mm
- 9 - Deep Sockets 10 to 19mm
- 1 - 1/2" Dr. Prof Locking Ratchet
- 2 - Extension Bars - 5" & 10"
- 2 - Universal Joint, Socket Adapter



## 1/2" DRIVE SOCKET SETS



## 1/2" DRIVE CHROME SOCKETS AND ACCESSORIES

Series #	Regular
13101	1/2" Drive 3/8" 6Pt Socket
13102	1/2" Drive 7/16" 6Pt Socket
13103	1/2" Drive 1/2" 6Pt Socket
13104	1/2" Drive 9/16" 6Pt Socket
13105	1/2" Drive 5/8" 6Pt Socket
13106	1/2" Drive 11/16" 6Pt Socket
13107	1/2" Drive 3/4" 6Pt Socket
13108	1/2" Drive 13/16" 6Pt Socket
13109	1/2" Drive 7/8" 6Pt Socket
13110	1/2" Drive 15/16" 6Pt Socket
13111	1/2" Drive 1" 6Pt Socket
13112	1/2" Drive 1-1/16" 6Pt Socket
13113	1/2" Drive 1-1/8" 6Pt Socket
13114	1/2" Drive 1-1/4" 6Pt Socket

Series #	Deep
13201	1/2" Drive 3/8" 6Pt Deep Socket
13202	1/2" Drive 7/16" Deep Socket
13203	1/2" Drive 1/2" 6Pt Deep Socket
13204	1/2" Drive 9/16" 6Pt Deep Socket
13205	1/2" Drive 5/8" 6Pt Deep Socket
13206	1/2" Drive 11/16" 6Pt Deep Socket
13207	1/2" Drive 3/4" 6Pt Deep Socket
13208	1/2" Drive 13/16" 6Pt Deep Socket
13209	1/2" Drive 7/8" 6Pt Deep Socket
13210	1/2" Drive 15/16" 6Pt Deep Socket
13211	1/2" Drive 1" 6Pt Deep Socket
13212	1/2" Drive 1-1/16" 6Pt Deep Socket
13213	1/2" Drive 1-1/8" 6Pt Deep Socket
13214	1/2" Drive 1-1/4" 6Pt Deep Socket



## SOCKET - ACCESSORIES

13505	1/2" Drive 3" Extension
13506	1/2" Drive 5" Extension
13507	1/2" Drive 10" Extension
13567	1/2" Drive 15" Extension
13568	1/2" Drive 24" Extension

13509	1/2" Drive Universal Joint
13510	1/2" Drive Adapter 1/2"-3/8"
13522	1/2" Drive 24" Flex Handle
13532	1/2" Drive Professional Locking Ratchet
13534	1/2" Drive Extra Long Reversible Ratchet 15"

## 15 PIECE SCREWDRIVER SET



**HARDENED CRV BLADES  
MAGNETIC TIPS - PHILLIPS, SLOTTED**

**FRONT**  
Large Outer Storage

**BACK**  
Expandable Outer Pocket



- 52994  
7 - Slotted  
4 - Phillips,  
4 - Robertson

## PUNCH & CHISEL SETS



- 60390  
13 Piece Punch & Chisel Set  
3 - Taper Punches  
5 - Flat Chisels  
4 - Pin Punches  
1 - Centre Punch



- 60391  
6 Piece Roll Pin Punch Set  
3/32 x 1/4 x 3.5"  
5/16 x 3/8 x 6"  
1/8 x 1/4 x 3.75"  
5/32 x 5/16 x 4.5"  
3/16 x 5/16 x 4.5"  
1/4 x 3/8 x 5.5"

Contact your local Wajax Industrial Components branch for delivery information

## 74996

1/4" Reversible Bit Ratchet, Slotted bits: 5.5, 6.5mm, Phillips #0, 1, 2, 3, Square: #1, 2, Torx: T8, T10, T15, T20, T25, T27, T30 Hex: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16", 1/4 Hex to 1/4" Square Socket adapter, 4" Magnetic Bit Holder Extension with Compact Metal Box 35 Pc compact "Go Box" Premium Bit set

Compact Pocket Sized Metal Box  
Extra Fine 72 Tooth Reversible Ratchet  
Fast Action Rotation Thumb Ring

## 71990

Includes the following Bits Tamper Resistant Styles  
Security - Hex, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 Security TORX, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s Spanner - #4, #6, #8, #10 Tri-Wing - #1, #2, #3, #4 Torq-Set - #6, #8, #10 Standard Bits Square - #1, #2, #3 Pozidriv - #0, #1, #2, #3 Slotted - 6.5, 8.0 Phillips - #1, #2 Bit Holder Handle 1/4" Magnetic Driver 1/4" Bit Holding Socket  
39 Pc. Security Bits Collector Set

Professional Quality Precision Machined Exact Fit

## 36993

5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 In Molded Holder  
13 Pc. Special Finish "ErgoStar" Torx set

Extra Long Arm Inch Ball End L-Keys & Sets  
Wiha Exclusive Chrome-V-Moly Super Tool Steel (best wear resistance, less distortion at high torque)  
Hardened for maximum durability  
Machine chamfered ends for a perfect fit  
No impact cut off distortions

## 66990

MagicRing Ball Ends on 3, 4, 5, 6, 8 & 10mm Standard Ball Ends On 1.5, 2.0, 2.5mm and ErgoStar Holder  
9 Pc Magic Ring Screw Holding "ErgoStar" Metric Hex set  
Uses a Hardened Spring Steel Compression Ring  
Securely Grips Inner Head Of Screw  
Allows free hand for work positioning  
Sizes 1/8 to 3/8 Screw holding MagicRing  
Wiha Exclusive Chrome-V-Moly Super Tool Steel  
Hard Chromed Corrosion Resistant Finish  
Guaranteed Quality Made By Wiha

## 66991

MagicRing Ball Ends Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 Standard Ball End Sizes .05, 1/16, 5/64, 3/32, 7/64 and ErgoStar Holder  
13 pc Magic Ring Screw Holding "ErgoStar" Inch Hex set  
Uses a Hardened Spring Steel Compression Ring  
Securely Grips Inner Head Of Screw  
Allows free hand for work positioning  
Sizes 1/8 to 3/8 Screw holding MagicRing  
Wiha Exclusive Chrome-V-Moly Super Tool Steel  
Hard Chromed Corrosion Resistant Finish  
Guaranteed Quality Made By Wiha

## 26190

Slotted: 1.5 x 40, 2.0 x 50, 2.5 x 50, 3.0 x 60mm Phillips #00 x 40, 0 x 50, 1 x 60mm.  
7 Pc Precision screwdrivers Set  
Exact Fit Precision Machined Tips  
Special high performance CRM-72 Tool Steel  
Vapor Hard Chromed Satin Non Slip Tips  
Through Hardened For Maximum Durability  
Longest Tool Life, Highest Performance  
Handles Proportioned to Blade Size  
All handles are molded onto blades

## 35891

6 Pc insulated Screwdrivers set  
Insulated 1000 Volt Rated, 10,000 Volt Tested  
Meet ASTM, IEC, VDE, EN, ISO, NFPA  
All Tools Individually Tested for insulation Integrity, OSHA Compliant  
Ergo Molded Insulated Cushioned Grips, 1000 Volt Rated.  
Each Tool individually tested up to 10,000 Volts for insulation integrity.  
Handle & Insulation Molded On for maximum durability  
Exact Fit Precision Machined Tips.




# HAND TOOLS

**wiha**   
Tools that work for you  
Vendor Code: WIHPRE

## 28394

Slotted 3.0, 4.0mm, Phillips #1, #2, Square #1, #2  
Insulated "Slimline" Pop Up Screwdriver Set

Insulated 1000 Volt Rated 10,000 Volt Tested  
Meets ASTM F1505, VDE 0682/part201, DIN 7437, EN/IEC 60900, NFPA-70E & CSA specification  
ClicFix bit holder securely locks blades in place for precise fastening  
Convenient Rotating Cap  
SlimLine blades high quality CV steel, through hardened  
Guaranteed Quality - Made In Germany



## 32197

Insulated Slim Slotted 3.5, 4, 4.5, 5.5 Phillips #1, 2 Square #1 & 2 8 Pc Insulated "slimline" Screwdrivers Set

Insulated 1000 Volt Rated 10,000 Volt Tested  
Meets ASTM F1505, VDE 0682/part201, DIN 7437, EN/IEC 60900, NFPA-70E & CSA specification  
Ideal for jobs where access is limited  
Integrated Slim Insulation Molded directly onto blade  
Achieves blade diameters up to 33% narrower utilizing integrated insulation.  
Insulation does not exceed screw head diameter.  
Guaranteed Quality - Made In Germany



## 28390

Slotted 3.0, 4.0, 5.5, 6.5 Phillips #1 #2, Xeno #1 #2, Torx T8, T10, T15, T20, Square #1 #2,  
Slim Line Cushion Grip Blade Holder and Roll Up Pouch  
15 Pc. Insulated "SlimLine" Interchangeable Set  
Insulated 1000 Volt Rated 10,000 Volt Tested  
Meets ASTM F1505, VDE 0682/part201, DIN 7437, EN/IEC 60900, NFPA-70E & CSA specification  
Ideal for jobs where access is limited  
Integrated Slim Insulation Molded directly onto blade  
Achieves blade diameters up to 33% narrower utilizing integrated insulation.  
Insulation does not exceed screw head diameter.  
Guaranteed Quality - Made In Germany

## 32636

8" BiCut Super Cut pliers with push Button  
Ergonomic Molded Two Component Soft Comfort Grips  
Cutting force doubled for extremely hard materials  
Double the power at the press of a button  
BiCut does the job of two pairs of pliers  
Up to 50% less hand strength required for cutting  
Easily switch between two strengths in one-handed operations  
For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.



 Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Tools that work for you

Vendor Code: WIHPRE

## 32800

Insulated: 6.3" & 8" Long Nose Pliers, 6.3" Bent Nose & Long Flat Nose Pliers, 9" Combo Pliers/Crimpers, 6.3" Diagonal Cutters, 8" High Leverage Cutters, 6.3" Cable Cutters, 6.3" Stripping Pliers, 8" Adj Wrench, Sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 13.0, 14.0, 15.0, 17.0, 19.0, 20.0, 22.0, 3/8" Dr Ratchet, 4.9" Extn, Nut Drivers: 7/32, 1/4, 5/16, 3/8, 7/16, 5.0, 5.5, 6.0, 7.0, 8.0, 10.0, 13.0, Cable Knife, Ruler, Insulated Voltage Detector, Slotted Drivers: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0 Phillips: #0, 1, 2, 3, Terminal #1, 2 Square #1, 2 Torx: T6, T7, T8, T9, T10, T15, T20 T25, T30, L-key 10.0mm & 1/2", T-Handles: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 4.0, 5.0, 6.0, 8.0mm in Rolling Tool Case  
Insulated 80 Pc Set In Rolling Tool Case  
Each Tool Has Dedicated Position For Easy Storage & Retrievals  
Lockable Rolling Water Tight Case Keeps Your Tools Secure  
Custom Molded Rolling Carry Case - Job Site Solution  
Professional Quality Tools - Made By Wiha  
Insulation 10,000 Volt Tested & 1000 Volt Rated  
All Wiha Insulated Tools Individually Tested For Insulation Integrity



## 32973

Insulated Linemans w/Crimper 9", 8" Long Nose Pliers, 8" Diagonal Cutters, Cable Stripping Knife, SlimLine Xeno Driver #1x80mm, #2x100mm, Slim Slotted: 3.5, 4.5, Slim Phillips #1, #2, Slim Square: #1, #2, T-Handles: 3/16", 7/32", 1/4", 5/16", 3/8", 5/32", Nut Drivers: 3/8", 7/16", 1/4", 5/16" In Tool Box/Insulated 22 Pc Pliers & Drivers Set  
Insulated 1000 Volt Rated, 10,000 Volt Tested  
Made By Wiha from High Quality Forged CV Tool Steels  
Individually Tested & Meet VDE, EN/IEC ASTM, NFPA, CSA, ISO  
Induction Hardened Cutting Edges and Jaws  
Heavy Duty Steel Riveted Joints  
Multi-Layered Hard Chrome Finish, Best Anti-Corrosion Surface  
All Tools Individually Tested for insulation Integrity



## 33478

4.0, 5.0, 6.0, 8.0, 10.0mm  
Insulated 5 Pc. T-Handle Hex Metric Set  
Insulated 1000 Volt Rated, 10,000 Volt Tested  
Meets ASTM, IEC, EN, VDE, NFPA Insulation Standards  
All Tools Individually tested for insulation integrity  
Handle & Insulation Molded On For Maximum Protection  
Blades of Wiha Special CRM-72 Tool Steel  
Through Hardened Durability - Avg 58-60 HRC  
Ergonomic Comfort Grip T-Handle, Maximum Power



## 33490

5/32, 3/16, 7/32, 1/4, 5/16, 3/8"  
Insulated 6 Pc. T-Handle Hex Inch Set  
Insulated 1000 Volt Rated, 10,000 Volt Tested  
Meets ASTM, IEC, EN, VDE, NFPA Insulation Standards  
All Tools Individually tested for insulation integrity  
Handle & Insulation Molded On For Maximum Protection  
Blades of Wiha Special CRM-72 Tool Steel  
Through Hardened Durability - Avg 58-60 HRC  
Ergonomic Comfort Grip T-Handle, Maximum Power

## 21103

Multi Screwdriver Bits, Size Square 5, 6, 8mm, Triangle 9mm, 2-way Key Bit 5mm Diam Internal, 9 mm Diam External, Slotted and Phillips Insert Bits In, Length 3", Die Cast Zinc, Zinc Finish  
Switch Cabinet Key

For applications with all common switch cabinets and locking systems for gas, water and electricity supplies

Also suitable for technical facilities in buildings such as air conditioning and ventilation systems, stop valves, network panels  
Diecast Zinc

Guaranteed Quality, Made in Germany



## 36900

Ball End-Mid Length Hex L-Keys .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8", 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm with 2 Holders


22 Pc. Combo Ball End Hex L-Key Inch & Metric Standard Mid Length Keys

Wiha Exclusive Chrome-V-Moly Super Tool Steel Precision Machined Standard Mid Length Keys  
Ball End Hex for 25° Angle Entry to Fasteners  
Through Hardened Industrial Durability  
Guaranteed Professional Quality  
Made in Germany



## 32602

8.0" Soft Grip Serrated Cable Cutters  
Made from High Quality Forged CV Tool Steels  
Induction Hardened Cutting Edges  
Heavy Duty Steel Riveted Joints  
Soft Vinyl Grip Handles are Oil and Solvent Resistant  
Made by Wiha, 100% Satisfaction Guaranteed



## 30138

Insulated 3/8" Ratcheting Torque Wrench  
Fully Visible Reading Scale For Easy Reading & No Hassel Adjustment  
Locking Endcap Torque Adjuster For Easy Adjustment  
Accuracy +/- 4% Accuracy  
Dual Scale Reading Ft./lbs. - Nm  
Separate Socket Release Button  
Insulated to EN/IEC 60900:2004, ASTM F1505, CSA Standards



 Contact your local Wajax Industrial Components branch for delivery information



# HAND TOOLS



Vendor Code: LENOXA

**VG4935098**  
Groove joint  
plier 12" straight

**VG4935351**  
6" Groovelock  
pliers V-jaw

**VG1078TRAY**  
10pc lock  
pliers sets  
10R-10CR-7R-7WR-  
7CR-5WR-6LN-9LN-  
6R-11R

**VG1078TRT**  
10pc  
FAST RELEASE  
pliers sets

**VG2078110**  
10" Groovelock  
Pliers V-Jaw

**VG2078112**  
12" Groovelock  
Pliers V-Jaw

**VG2078116**  
16" Groovelock  
Pliers V-Jaw

**VG2078120**  
20" Groovelock  
Pliers V-Jaw

**VG4935095**  
Groove joint  
plier 8" straight

**IRW21304ZR**  
9.5" Multi-Purpose snips

**VG4935096**  
Groove joint  
plier 10" straight



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: LENOXA



**IRW2073111**  
10" Aviation Snips  
Left and Right



**IRW2073112**  
10" Aviation Snips  
Right and Straight



**IRW2073113**  
10" Aviation Snips  
straight and  
wide curves



**IRW2073115**  
9" Aviation "Bulldog"  
Snips Notch  
and trim

**IRW22010**  
Tinner snips 10"



**IRW22012**  
Tinner snips 12"

**1794153**   
Magnetic  
torpedo 9"



**2031322**   
Chalk line 100'



**2031311**   
Chalk line large  
capacity 150'



**1903766**   
20Pc impact  
fastener drive  
set w mag



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: LENOXA



**4935506**  
Irwin mechanical  
vise 6" light Duty

Adjustable  
wrench

Series #	Size
2078608	8"
2078610	10"
2078608	12"

Vise grip  
locking plier

Series #	Size
1002L3	4"
702L3	7"
902L3	5"
502L3	10"

Curve Jaw  
locking plier

Series #	Size
4935579	5"
4935578	7"
4935576	10"

Long nose locking  
plier with  
wirer cutter

Series #	Size
1602L3	4"
1402L3	6"
1502L3	9"

**23**  
Locking sheet  
metal plier

**12L3**  
Large jaw locking plier

**1840316**  
19PC  
Impact drill/  
drive set




**1881280**   
Impact  
Turbomax Black  
& Gold set



**1902386**   
Impact  
right angle drill



**226306ZR**   
Mechanical vise 6"



Contact your local Wajax Industrial Components branch for delivery information

# HAND TOOLS



Vendor Code: STABIL



Series #	Description
36520	Type IP65-96M, 24" TECH electronic magnetic level
36540	Type IP65-96M, 48" TECH electronic magnetic level



Series #	Description
39324	Type 196LED, 24" level with lights
39340	Type 196LED, 48" level with lights
20090	Replacement Light Packs (2)



Stabila levels will maintain their stated accuracy for life. The vials on all Stabila levels will not fog, leak or become inaccurate. If they do, you will be given a new level. Original purchase receipt required. Damaged frames void warranty.

Series #	Description
25245	10" Type 81SMW450 Torpedo level with 45 degree vial
25360	10" Type 81SMW360 Torpedo level with 360 degree vial



Series #	Description
29224	Type 80A-2M, 24" magnetic level
29248	Type 80A-2M, 48" magnetic level
29272	Type 80A-2M, 72" magnetic level

Series #	Description
30003	Black Holster for torpedo level



Series #	Description
29924	24", 48" w/10" torpedo magnetic Pro Set



2 years warranty on any defects due to faulty materials or workmanship. Original purchase receipt required

Series #	Description
06320	Type LD320 Laser Measure, working range of 130', 1/16" accuracy

Series #	Description
11927	Quick check set – 27' tape with Pocket Pro magnetic level with holster



Resistant blade coating, scale on 2 sides, non-slip hook, rocker blade lock

Series #	Description
11901	Pocket PRO magnetic pocket level w/holster

Series #	Description
30316	16' Type BM40 Tape Measure
30327	27' Type BM40 Tape Measure
30333	33' Type BM40 Tape Measure

Also available in metric/imperial measurement

Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS



# BOSCH

Vendor Code: ROBBOS



**11253VSR**  
1" SDS-plus  
Rotary hammer  
pistol grip

**4100-09**

10" worksite table saw  
w/gravity rise stand



**11264EVS**  
1-5/8" SDS max  
combination hammer

**GCM12SD**

12" Dual bevel glide  
miter saw



**RH328VC**  
1 1/8" SDS plus  
Rotary hammer  
vibrate control

**DDB181-02**

18V Compact Drill Driver  
w/2/slim pack batteries



**HD21-2**

1/2" 2-speed  
hammer drill kit



Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS



# BOSCH

Vendor Code: ROBBOS

**CLPK237-181**  
18V, 2 Tool kit  
w/compact hammer  
drill, impact driver,  
2 batteries



**1380SLIM**  
4.5" small angle  
grinder 7.5amp



**AG50-10**  
5" angle grinder



**IDH182-02L**  
18V brushless impact  
driver w2/slim  
batteries w/L-boxx 2



**RS325**  
1" compact  
reciprocating saw  
(12amp)



Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS



Vendor Code: MAKCAN

## DTW281Z 18V Brushless 1/2" Impact wrench (tool only)

Variable 3 speed  
3 Impacts per minute  
207 ft/lbs



## DLX2005M 18V Brushless 2 Piece Cordless combo kit

2 - 18V 4.0 Ah batteries,  
fast charger & case  
Hammer drill DHP458Z  
1/4" Impact driver DTD146Z



## DSS680Z 18V Brushless 6 1/2" Circular saw (tool only)

Max cutting depth: 90° - 2 1/4", 45° - 1 9/16"  
6.8lbs



## DLX2055M 18V Brushless 2 Piece Cordless combo kit

2 - 18V 4.0 Ah batteries,  
fast charger & case  
Hammer drill DHP481Z  
1/4" Impact driver DTD145Z



## DJR187Z 18V Brushless Reciprocating saw (tool only)

Tool-less blade change  
Variable speed



## DTD148Z 18V Brushless Impact driver (tool only)

Variable 3 speed  
3 Impacts per minute  
1,500 in/lbs maximum torque



## DGA504Z 5" 18V Brushless Grinder (tool only)

Automatic speed control  
8,500 RPM  
4.2 lbs



## DTW450Z 18V 1/2" Impact wrench (tool only)

1,600 RPM  
325 ft/lbs - 7.5 lbs



## DMR102 Cordless or Electric Jobsite Radio

Operates on 7.2V - 18V  
8.8 lbs



## DML801 14.4V / 18V LED Flashlight

Rotatable / left - right  
Foldable head features 7 positive stops



Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS



Vendor Code: MAKCAN



## DC18RC Li-Ion Rapid Charger

22 min...3.0Ah battery  
36 min...4.0Ah battery  
45 min...5.0Ah battery



## DC18RD Li-Ion Dual Port Rapid Charger

22 min...3.0Ah battery  
36 min...4.0Ah battery  
45 min...5.0Ah battery



## 194205-3 18V Li-Ion Battery 3.0Ah



## 196401-9 18V Li-Ion Battery 4.0Ah



## 196675-2 18V Li-Ion Battery 5.0Ah



## LS1018L 10" Dual Sliding Compound Mitre Saw

Sliding rail mechanism incorporating  
3 linear bearings  
Battery operated laser  
43.7 lbs



## 5007FA 7 1/4" Circular saw with brake

Heavy duty aluminium base - LED job light  
15.0 Amps  
11.1 lbs



## 5008MGA 8 1/4" Circular saw with brake

Magnesium blade case and base  
Cutting depth capacity of 3"  
15.0 Amps  
11.2 lbs



## JR3070CT Anti-vibration - Reciprocating Saw

3 orbital settings  
Adjustable variable speed -  
tool-less blade change system  
15.0 Amps - 10.1 lbs - case



## 4350FCT Jig Saw

Electronic speed control - variable speed  
3 orbital settings  
Tool-less blade change system



## 6408K 3/8" Drill

Variable Speed (0-2,500) reversible  
4.9 Amp

Contact your local Wajax Industrial Components branch for delivery information



# POWER TOOLS



Vendor Code: MAKCAN

## HP2010N 1/2" Drill

2 mode: Hammer & Rotation / Rotation only  
2 variable speed  
6.4 lbs



## HR2611F 1" Anti vibration SDS Plus Rotary Hammer

3 mode: Hammer only / Hammer  
& rotation / Rotation only  
Variable speed (0-1,200)



## HR5212C 2" Anti Vibration Technology SDS Max Rotary Hammer

Highest impact energy rating  
(21J) in-class  
Constant speed control  
Variable speed / soft start  
2 modes: hammer & rotation - hammer only



## 2107FK Portable Band Saw

4 3/4" Round work piece diameter  
Adjustable variable speed



## 4114 14" Angle Cutter

SJS Technology - maximum cutting depth 5"  
3,500 RPM  
22.7 lbs net weight



## TW0350 1/2" Impact wrench

Fastening torque 258 ft/lbs  
2,000 RPM  
6.6 lbs net weight



## 6906 3/4" Impact wrench

Fastening torque 433 pi/lbs  
1,500 RPM  
12.3 lbs net weight



## GA5020Y 5" Angle Grinder

Two-stage safety trigger switch  
SJS technology / electric brake  
10.5 AMPS / 6.0 lbs



## 2414DB 14" Portable Cut-Off Saw

Mitres 45° right and left  
Quick release vice  
15.0 AMPS



## GA4543C01 4 1/2" Angle Grinder

SJS technology  
Variable speed / electric brake  
Thumb switch with lock-on  
6.2 lbs



## GD0801C 1/4" Die Grinder

SJS system prevents kickback  
during wheel lock up  
Two-stage safety paddle switch  
Constant speed control 7,000 to  
29,000 RPM Soft start



## EK7301 14" / 5.1 HP - 2 Stroke Power Cutter

New scavenging losses rejection (SLR)  
muffler recycles exhaust unburnt gas  
Advanced 5 stage air filtration  
Reversible cutting arm enables  
cutting disc to be side or centre  
20mm Arbor - 22.5 lbs



## EK7651H 14" / 4.1 HP - 4 Strokes Power Cutter

The first 4 stroke power cutter on the  
market  
Reduced noise and  
fuel consumption  
Automatic decompression  
reduces required start up  
force by 40%  
20mm Arbor - 28.4 lbs



Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS HITACHI

Vendor Code: HITKOK

## 18V HXP Li-ion Compact Pro 3-Piece Combo Kit



### KC18DHL

1,280 in/lbs of torque to power through the toughest jobs (WH18DSAL)  
1.5 Ah HXP Li-ion Slide batteries feature extended run time, fade free power, 40% less weight (0.9 lbs) than standard Ni-Cd/Ni-Mh batteries  
1/2" ratcheting keyless metal chuck accepts a wide range of bits that can be changed quickly and easily (DS18DSAL)

### Includes

- (2) 1.5Ah HXP Li-ion Slide Batteries
- Quick Charger
- Carrying Case

## WR16SE AC brushless motor, no carbon brushes means longer service life & maintenance free

Powerful 370W brushless motor with a maximum torque of 360Nm for high torque applications

Tightening mode switch function allows the user to adjust the impact rate according to the application

Soft start suppresses kickback when starting

Overload protection shuts power off to the motor in the event of excessive load

Can be used with a petrol engine generator when access to mains power is limited  
Large rocker switch for easy forward and reverse.

Large front & rear rubber bumper protects the outer frame and helps protects work pieces

Soft grip handle for easy handling and user comfort

Convenient metal belt hook



## WR22SA 3/4" Impact Wrench

The WR22SA 3/4 inch impact wrench tightens and loosens high tension bolts M16 (5/8") - M22 (7/8") and ordinary bolts M14 (9/16") - M24 (15/16"). This tool is ideal for building construction, bridge construction, automobile, ship building, agricultural, electrical & HVAC installation and other various fastening applications.



## DH24PF3 15/16" SDS Plus Rotary Hammer

The DH24PF3 15/16" SDS Plus Rotary Hammer offers the end-user 3-modes of operation. It hammers drills into concrete, brick or stone with ease and offers a best in class drilling speed and impact rate. The DH24PF3 is the ideal tool for plumbing and conduit installation, HVAC and pest control installation, electrical installation, construction and repair work and other civil engineering applications.

## DH40MEY Rotary Demolition Hammer with Brushless Motor

Class leading drilling speed  
UVP vibration reduction system for operator safety  
Brushless motor means no carbon brushes for reduced maintenance



Aluminium housing for greater durability on site  
High drilling performance even with extension cables

Compatible with petrol generators thanks to Hitachi's original compact and high efficiency inverter circuit

Low vibration rear handle

Push button variable speed

Constant speed control

Large trigger and mode select switch

One push bit mounting

## C7BMR 7-1/4" Circular Saw Featuring IDI Technology

Powerful 15 amp motor to tackle the toughest cutting jobs

Patented IDI (Internal Double Insulation) technology reduces vibration and extends tool life

Bevel capacity adjustable from 0-55° with positive stops at 45° and 55°

Heavy duty die-cast aluminum base with integrated scale provides stability and accuracy

Large all metal levers for adjusting depth and bevel angles



Electric brake stops the blade quickly after the switch is released  
Magnesium housing, gear cover, blade cover and lower guard for increased strength and smooth operation

New ergonomic soft grip handle provides extra comfort for extended periods of use

Includes 24 tooth premium framing blade for fast, high performance cuts

### Includes

- 24 Tooth Blade (327-761)
- Wrench (940-543)



Contact your local Wajax Industrial Components branch for delivery information

## CC14SF 14" Portable Chop Saw

Hefty 15 Amp (2000W) motor produces a no-load speed of 3,800 RPM for greater cutting efficiency

Portable, rugged and lightest in class (36.4 lbs) to withstand daily transport between trucks and jobsites

Adjustable fence is easy to use and miters 45 degrees to the right or left for versatility

Chute off back of saw diverts sparks and can be angled to suit the workspace

Conveniently located trigger switch with lock-off button operates the saw and prevents accidental starts

Elastomer coated D-handle absorbs vibration, adds comfort and prevents slippage when making cuts

Quick-lock/release vise provides fast feeding and changing of materials of different sizes spindle lock provides easy mounting/removal of cutting wheel

Versatile to cut various steel materials like pipes, shaped steel, round bars, angle iron and other materials like conduit pipe, channels, tubing and drywall track



### Includes

- Cut-Off Wheel (306858)
- 8mm Hex Bar Wrench (955857)

## CN16SA 16 Gauge Sheet Metal Nibbler

3.5 Amp motor, intense power that cuts through corrugated and flat sheet metal

3-position indexing die holder, for quick and easy direction changes

Smallest grip circumference in its class, for comfort and maximum control

Downward punching, minimizes chips on the work piece

One-touch, quick-off slide switch for enhanced safety

Impressive cutting speed, 5.7ft per minute of 16-gauge mild steel

Externally replaceable carbon brush, for quick and easy brush changes and extended tool life

3.5 lbs, portable and lightweight design facilitates maneuverability and ease of use



### Includes

- Punch (998030)
- Die (998039)
- Hex Bar Wrench 2.5mm (990666)
- Hex Bar Wrench 4mm (944458)

# POWER TOOLS HITACHI

Vendor Code: HITKOK

## C7SB2 7-1/4" 15 Amp Circular Saw

2005 Best Value Winner Awarded by Taunton Press

15 Amp motor, forcible power for the toughest cutting jobs

Bevel capacity from 0-55 degrees, adjustable lever stops at 0,45 and 55 degrees presenting a wide range of beveling applications

Heavy-duty die-case aluminum alloy, one-piece base, offers easy to read front and side scales for accurate measurement

Cutting depth lever, adds convenience and facilitates ease of use

Non-slip Elastomer grip handle, maximizes user comfort and control

10 lbs, lightweight design facilitates maneuverability and ease of transport

Carbon brush access, allows users to replace brush as needed to greatly prolong the life of the tool

### Includes

- Carrying Case (321188)
- 24-Tooth Carbide Tipped Blade (320843)
- Wrench (320976)



## G12SS2 4 1/2" Angle Grinder

-Best in Class Grinding performance Approx 19% Higher Durability and 5% higher Grinding performance

-Lightweight. 4.0Lbs. With a Slim Grip of 197MM for more comfort

-Newly-Designed large fan and optimized air flow ensure efficient motor cooling for long lifetime. - 5 AMPS AC top slide switch

## G13SC2Q1 5" Disc Grinder, AC

11 Amp motor, forcible output power (2,000W) for the toughest grinding jobs

Low-profile head, permits access in tight areas

Dust-proof construction prolongs armature, switch and bearing life

Dust seal, prevents dust from entering the ball bearing on the commutator side

Removable side handle, improves control and comfort

6.2lbs, compact and lightweight design facilitates maneuverability and is excellent for overhead applications

### Includes

- Spanner Wrench (937913Z)
- Resinoid Wheel
- Side Handle (994322)
- Wheel Guard

## Type 1 Flat Cutting Wheels

Stationary Machine Cut-off Wheel 14" for Metal Light Gauge Stud Fast Cutting



Series #	Diameter	Shape	With or without Hub	Steel or Masonry	Type	Grit
727688B10	14"	Flat	N/A	Steel	1	A36Q-BF

Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS HITACHI

Vendor Code: HITKOK

## DS18DBL 18V Lithium Ion Brushless Driver Drill (3.0Ah)

Features Brushless Motor Technology for up to 50% more run time, increased power and extended durability with essentially no maintenance

Powered by a 3.0Ah Lithium Ion slide-type battery for fade free power, less weight and 3x the total battery life of a traditional battery Professional grade power with 593 in/lbs of turning torque and up to 1,800 RPM

Four-way electric speed toggle and two-way speed switch allows for 8 different speed/power calibrations which gives the user the ability to finely set the driver drill depending on the application

Ratcheting 1/2" keyless all metal chuck for quick and simple bit replacements and secure holding power

22-stage clutch delivers 22 torque settings and a drill mode for ultimate precision and control

Optical trigger switch provides a more responsive variable speed actuation and wear resistant trigger assembly

Ergonomic and lightweight at just 4.4 lbs to reduce fatigue during extended or elevated use

New Hitachi Brushless Technology [Learn More](#)  
Hitachi Digital Control Panel [Learn More](#)

### Includes

- (2) 3.0Ah 18V Lithium Ion Slide-Type Batteries (330067)
- 14.4V-18V Universal Rapid Battery Charger (UC18YRSL)
- 2-Sided #2 Phillips Driver Bit (983006)
- Side Handle
- Carrying Case



## DV18DBL 18V Lithium Ion Brushless Hammer Drill (3.0 Ah)

Features Brushless Motor Technology for up to 50% more run time, increased power and extended durability with essentially no maintenance Powered by a 3.0Ah Lithium Ion slide-type battery for fade free power, less weight and 3x the total battery life of a traditional battery

Professional grade motor produces 654 in/lbs of turning torque, 27,000 BPM and up to 1,800 RPM

Ratcheting 1/2" keyless all metal chuck for quick and simple bit replacements and secure holding power 22-stage keyless clutch delivers 22 torque settings and a drill mode for ultimate precision and control

Optical trigger switch provides a more responsive variable speed actuation and wear resistant trigger assembly

Ergonomic and lightweight at just 4.8 lbs

Base mounted LED light maximizes efficiency in low-light work areas without casting a shadow from the chuck

Battery level indicator displays the amount of power remaining in the battery pack to avoid downtime

Four-way electric speed toggle and two-way speed switch allows for 8 different speed/power calibrations which gives the user the ability to finely set the driver drill depending on the application  
[Hitachi Digital Control Panel Learn More](#)



### Includes

- (2) 3.0Ah 18V Lithium Ion Slide-Type Batteries
- 14.4V-18V Universal Rapid Battery Charger
- 2-Sided #2 Phillips Driver Bit
- Carrying Case
- Side Handle

## G13SE2 5" Disc Grinder, AC/DC

Powerful 9.5 Amp motor for heavy duty grinding and cutting

Tool-less adjustable wheel guard

Superior power and overload durability

### Includes

- Wheel Guard (311742)
- Resinoid Wheel (316822)
- Side Handle (994322)
- Wrench (938332Z)



## Metal Cutting

Metal cutting blade 14" 80-teeth carbide tipped, high rpm

Series #	Diameter	Purpose	Arbor	Teeth	Grind	Hook	Kerf	Carbide Grade
726137	14"	Ferrous Metals- Dry Cutting	1"	80	TCG	N/A	N/A	C6 micrograin

Contact your local Wajax Industrial Components branch for delivery information



Vendor Code:  
HISHYD



**Sockets 1/4" Dr Regular & Deep  
Metric & Imperial Flex  
Deep & Shallow  
3/16 - 9/16 4mm - 15mm  
6 Pt. - 12 Pt.**



**Adapters, Extensions, and Universal Joints**

Code	Description	Code	Description
2228A	Adapter 1/2" F - 3/8" M	3007E	Extension 3/4 Dr 7"
2229UJ	Universal Joint 1/2" Dr	3008A	Adaptor 3/4 F - 1/2" M
2238A	Adapter 1/2" F - 3/4" M	3009A	Adaptor 3/4 F - 1" M
2243E	Extension 1/2" Dr 3"	3009AB	Adaptor 3/4 F - 1" M Ball
2245E	Extension 1/2" Dr 5"	4007E	Extension 1" Dr 7"
2247E	Extension 1/2" Dr 7"	4008A	Adaptor 1" Dr F 3/4 Dr M
		4008AB	Adaptor 1" Dr F 3/4 Dr M Ball

**Sockets 3/8" Dr  
Regular & Deep  
Metric & Imperial  
Flex Deep & Shallow  
5/16 - 1", 7mm - 22mm  
6 Pt - 12 Pt**



**1/2" Sockets Regular & Deep Sizes**

Code	Description	Code	Description
2010R	Socket 1/2" Dr 5/16"	2010D	Socket 1/2" Dr Deep 5/16"
2012R	Socket 1/2" Dr 3/8"	2012D	Socket 1/2" Dr Deep 3/8"
2014R	Socket 1/2" Dr 7/16"	2014D	Socket 1/2" Dr Deep 7/16"
2016R	Socket 1/2" Dr 1/2"	2016D	Socket 1/2" Dr Deep 1/2"
2018R	Socket 1/2" Dr 9/16"	2018D	Socket 1/2" Dr Deep 9/16"
2020R	Socket 1/2" Dr 5/8"	2020D	Socket 1/2" Dr Deep 5/8"
2022R	Socket 1/2" Dr 11/16"	2022D	Socket 1/2" Dr Deep 11/16"
2024R	Socket 1/2" Dr 3/4"	2024D	Socket 1/2" Dr Deep 3/4"
2026R	Socket 1/2" Dr 13/16"	2026D	Socket 1/2" Dr Deep 13/16"
2028R	Socket 1/2" Dr 7/8"	2028D	Socket 1/2" Dr Deep 7/8"
2030R	Socket 1/2" Dr 15/16"	2030D	Socket 1/2" Dr Deep 15/16"
2032R	Socket 1/2" Dr 1"	2032D	Socket 1/2" Dr Deep 1"
2034R	Socket 1/2" Dr 1 1/16"	2034D	Socket 1/2" Dr Deep 1 1/16"
2036R	Socket 1/2" Dr 1 1/8"	2036D	Socket 1/2" Dr Deep 1 1/8"
2038R	Socket 1/2" Dr 1 3/16"	2038D	Socket 1/2" Dr Deep 1 3/16"
2040R	Socket 1/2" Dr 1 1/4"	2040D	Socket 1/2" Dr Deep 1 1/4"
2042R	Socket 1/2" Dr 1 5/16"	2042D	Socket 1/2" Dr Deep 1 5/16"
2044R	Socket 1/2" Dr 1 3/8"	2044D	Socket 1/2" Dr Deep 1 3/8"
2046R	Socket 1/2" Dr 1 7/16"	2046D	Socket 1/2" Dr Deep 1 7/16"
2048R	Socket 1/2" Dr 1 1/2"	2048D	Socket 1/2" Dr Deep 1 1/2"

**1/2" Sockets Regular & Deep Metric Sizes**

Code	Description	Code	Description
2010M	Socket 1/2" Dr 10mm	2010MD	Socket 1/2" Dr Deep 10mm
2011M	Socket 1/2" Dr 11mm	2011MD	Socket 1/2" Dr Deep 11mm
2012M	Socket 1/2" Dr 12mm	2012MD	Socket 1/2" Dr Deep 12mm
203M	Socket 1/2" Dr 13mm	2013MD	Socket 1/2" Dr Deep 13mm
2014M	Socket 1/2" Dr 14mm	2014MD	Socket 1/2" Dr Deep 14mm
2015M	Socket 1/2" Dr 15mm	2015MD	Socket 1/2" Dr Deep 15mm
2016M	Socket 1/2" Dr 16mm	2016MD	Socket 1/2" Dr Deep 16mm
2017M	Socket 1/2" Dr 17mm	2017MD	Socket 1/2" Dr Deep 17mm
2018M	Socket 1/2" Dr 18mm	2018MD	Socket 1/2" Dr Deep 18mm
2019M	Socket 1/2" Dr 19mm	2019MD	Socket 1/2" Dr Deep 19mm
2020M	Socket 1/2" Dr 20mm	2020MD	Socket 1/2" Dr Deep 20mm
2021M	Socket 1/2" Dr 21mm	2021MD	Socket 1/2" Dr Deep 21mm
2022M	Socket 1/2" Dr 22mm	2022MD	Socket 1/2" Dr Deep 22mm
2023M	Socket 1/2" Dr 23mm	2023MD	Socket 1/2" Dr Deep 23mm
2024M	Socket 1/2" Dr 24mm	2024MD	Socket 1/2" Dr Deep 24mm
2025M	Socket 1/2" Dr 25mm	2025MD	Socket 1/2" Dr Deep 25mm
2026M	Socket 1/2" Dr 26mm	2026MD	Socket 1/2" Dr Deep 26mm
2027M	Socket 1/2" Dr 27mm	2027MD	Socket 1/2" Dr Deep 27mm
2028M	Socket 1/2" Dr 28mm	2028MD	Socket 1/2" Dr Deep 28mm
2029M	Socket 1/2" Dr 29mm	2029MD	Socket 1/2" Dr Deep 29mm
2030M	Socket 1/2" Dr 30mm	2030MD	Socket 1/2" Dr Deep 30mm
2032M	Socket 1/2" Dr 32mm	2032MD	Socket 1/2" Dr Deep 32mm
2033M	Socket 1/2" Dr 33mm	2033MD	Socket 1/2" Dr Deep 33mm
2034M	Socket 1/2" Dr 34mm	2034MD	Socket 1/2" Dr Deep 34mm
2035M	Socket 1/2" Dr 35mm	2035MD	Socket 1/2" Dr Deep 35mm
2036M	Socket 1/2" Dr 36mm	2036MD	Socket 1/2" Dr Deep 36mm

**Sockets 1/2" Dr  
Regular & Deep  
Extra Long 5"  
Metric & Imperial  
Flex Deep & Shallow 5/16" - 2 1/4"  
8mm - 36mm 6 Pt - 12 Pt**



**3/4" Sockets Regular & Deep Sizes**

Code	Description	Code	Description
3016R	Socket 3/4 Dr 1/2"	3016D	Socket 3/4 Dr Deep 1/2"
3018R	Socket 3/4 Dr 9/16"	3018D	Socket 3/4 Dr Deep 9/16"
3020R	Socket 3/4 Dr 5/8"	3020D	Socket 3/4 Dr Deep 5/8"
3022R	Socket 3/4 Dr 11/16"	3022D	Socket 3/4 Dr Deep 11/16"
3024R	Socket 3/4 Dr 3/4"	3024D	Socket 3/4 Dr Deep 3/4"
3026R	Socket 3/4 Dr 13/16"	3026D	Socket 3/4 Dr Deep 13/16"
3028R	Socket 3/4 Dr 7/8"	3028D	Socket 3/4 Dr Deep 7/8"
3030R	Socket 3/4 Dr 15/16"	3030D	Socket 3/4 Dr Deep 15/16"
3032R	Socket 3/4 Dr 1"	3032D	Socket 3/4 Dr Deep 1"
3034R	Socket 3/4 Dr 1 1/16"	3034D	Socket 3/4 Dr Deep 1 1/16"
3036R	Socket 3/4 Dr 1 1/8"	3036D	Socket 3/4 Dr Deep 1 1/8"
3038R	Socket 3/4 Dr 1 3/16"	3038D	Socket 3/4 Dr Deep 1 3/16"
3040R	Socket 3/4 Dr 1 1/4"	3040D	Socket 3/4 Dr Deep 1 1/4"
3042R	Socket 3/4 Dr 1 5/16"	3042D	Socket 3/4 Dr Deep 1 5/16"
3044R	Socket 3/4 Dr 1 3/8"	3044D	Socket 3/4 Dr Deep 1 3/8"
3046R	Socket 3/4 Dr 1 7/16"	3046D	Socket 3/4 Dr Deep 1 7/16"
3048R	Socket 3/4 Dr 1 1/2"	3048D	Socket 3/4 Dr Deep 1 1/2"
3050R	Socket 3/4 Dr 1 9/16"	3050D	Socket 3/4 Dr Deep 1 9/16"
3052R	Socket 3/4 Dr 1 5/8"	3052D	Socket 3/4 Dr Deep 1 5/8"
3054R	Socket 3/4 Dr 1 11/16"	3054D	Socket 3/4 Dr Deep 1 11/16"
3056R	Socket 3/4 Dr 1 3/4"	3056D	Socket 3/4 Dr Deep 1 3/4"
3058R	Socket 3/4 Dr 1 13/16"	3058D	Socket 3/4 Dr Deep 1 13/16"
3060R	Socket 3/4 Dr 1 7/8"	3060D	Socket 3/4 Dr Deep 1 7/8"
3062R	Socket 3/4 Dr 1 15/16"	3062D	Socket 3/4 Dr Deep 1 15/16"
3064R	Socket 3/4 Dr 2"	3064D	Socket 3/4 Dr Deep 2"

Contact your local Wajax Industrial Components branch for delivery information

# POWER TOOLS



Vendor Code:  
HISHYD

**Sockets 3/4" Dr , Regular & Deep  
Metric & Imperial  
Flex Deep & Shallow  
1/2" - 3"  
19mm - 50mm  
6 Pt - 12 Pt**



**Sockets 1" Dr, Regular & Deep  
Metric & Imperial  
Flex Deep & Shallow 3/4" - 4 1/2"  
19mm - 115mm  
6 Pt - 12 Pt**



## 3/4" Sockets Regular & Deep Metric Sizes

Code	Description	Code	Description
3019M	Socket 3/4 Dr 19mm	3019MD	Socket 3/4 Dr Deep 19mm
3020M	Socket 3/4 Dr 20mm	3020MD	Socket 3/4 Dr Deep 20mm
3021M	Socket 3/4 Dr 21mm	3022MD	Socket 3/4 Dr Deep 22mm
3022M	Socket 3/4 Dr 22mm	3023MD	Socket 3/4 Dr Deep 23mm
3023M	Socket 3/4 Dr 23mm	3024MD	Socket 3/4 Dr Deep 24mm
3024M	Socket 3/4 Dr 24mm	3025MD	Socket 3/4 Dr Deep 25mm
3025M	Socket 3/4 Dr 25mm	3026MD	Socket 3/4 Dr Deep 26mm
3026M	Socket 3/4 Dr 26mm	3027MD	Socket 3/4 Dr Deep 27mm
3027M	Socket 3/4 Dr 27mm	3028MD	Socket 3/4 Dr Deep 28mm
3028M	Socket 3/4 Dr 28mm	3029MD	Socket 3/4 Dr Deep 29mm
3029M	Socket 3/4 Dr 29mm	3030MD	Socket 3/4 Dr Deep 30mm
3030M	Socket 3/4 Dr 30mm	3031MD	Socket 3/4 Dr Deep 31mm
3031M	Socket 3/4 Dr 31mm	3032MD	Socket 3/4 Dr Deep 32mm
3032M	Socket 3/4 Dr 32mm	3033MD	Socket 3/4 Dr Deep 33mm
3033M	Socket 3/4 Dr 33mm	3034MD	Socket 3/4 Dr Deep 34mm
3034M	Socket 3/4 Dr 34mm	3035MD	Socket 3/4 Dr Deep 35mm
3035M	Socket 3/4 Dr 35mm	3036MD	Socket 3/4 Dr Deep 36mm
3036M	Socket 3/4 Dr 36mm	3038MD	Socket 3/4 Dr Deep 38mm
3038M	Socket 3/4 Dr 38mm	3040MD	Socket 3/4 Dr Deep 40mm
3040M	Socket 3/4 Dr 40mm	3042MD	Socket 3/4 Dr Deep 42mm
3041M	Socket 3/4 Dr 41mm	3043MD	Socket 3/4 Dr Deep 43mm
3042M	Socket 3/4 Dr 42mm	3044MD	Socket 3/4 Dr Deep 44mm
3043M	Socket 3/4 Dr 43mm	3046MD	Socket 3/4 Dr Deep 46mm
3044M	Socket 3/4 Dr 44mm	3050MD	Socket 3/4 Dr Deep 50mm
3046M	Socket 3/4 Dr 46mm		
3050M	Socket 3/4 Dr 50mm		

## 1" Sockets Regular & Deep Sizes

Code	Description	Code	Description
4024R	Socket 1" Dr 3/4"	4024D	Socket 1" Dr Deep 3/4"
4026R	Socket 1" Dr 13/16"	4026D	Socket 1" Dr Deep 13/16"
4028R	Socket 1" Dr 7/8"	4028D	Socket 1" Dr Deep 7/8"
4030R	Socket 1" Dr 15/16"	4030D	Socket 1" Dr Deep 15/16"
4032R	Socket 1" Dr 1"	4032D	Socket 1" Dr Deep 1"
4034R	Socket 1" Dr 1 1/8"	4034D	Socket 1" Dr Deep 1 1/8"
4036R	Socket 1" Dr 1 1/4"	4036D	Socket 1" Dr Deep 1 1/4"
4038R	Socket 1" Dr 1 3/8"	4038D	Socket 1" Dr Deep 1 3/8"
4040R	Socket 1" Dr 1 1/2"	4040D	Socket 1" Dr Deep 1 1/2"
4042R	Socket 1" Dr 1 5/8"	4042D	Socket 1" Dr Deep 1 5/8"
4044R	Socket 1" Dr 1 3/4"	4044D	Socket 1" Dr Deep 1 3/4"
4046R	Socket 1" Dr 1 7/8"	4046D	Socket 1" Dr Deep 1 7/8"
4048R	Socket 1" Dr 1 1/2"	4048D	Socket 1" Dr Deep 1 1/2"
4050R	Socket 1" Dr 1 9/16"	4050D	Socket 1" Dr Deep 1 9/16"
4052R	Socket 1" Dr 1 5/8"	4052D	Socket 1" Dr Deep 1 5/8"
4054R	Socket 1" Dr 1 11/16"	4054D	Socket 1" Dr Deep 1 11/16"
4056R	Socket 1" Dr 1 3/4"	4056D	Socket 1" Dr Deep 1 3/4"
4058R	Socket 1" Dr 1 13/16"	4058D	Socket 1" Dr Deep 1 13/16"
4060R	Socket 1" Dr 1 7/8"	4060D	Socket 1" Dr Deep 1 7/8"
4062R	Socket 1" Dr 1 15/16"	4062D	Socket 1" Dr Deep 1 15/16"
4064R	Socket 1" Dr 1 1/2"	4064D	Socket 1" Dr Deep 1 1/2"

**Sockets 1 1/2" Dr , Regular & Deep  
Metric & Imperial, Flex Deep & Shallow  
1 3/8" - 6 1/2", 30MM - 175MM, 6 Pt - 12 Pt**



## 1" Sockets Regular & Deep Metric Sizes

Code	Description	Code	Description
4019M	Socket 1" Dr 19mm	4019MD	Socket 1" Dr Deep 19mm
4021M	Socket 1" Dr 21mm	4021MD	Socket 1" Dr Deep 21mm
4022M	Socket 1" Dr 22mm	4022MD	Socket 1" Dr Deep 22mm
4023M	Socket 1" Dr 23mm	4023MD	Socket 1" Dr Deep 23mm
4024M	Socket 1" Dr 24mm	4024MD	Socket 1" Dr Deep 24mm
4025M	Socket 1" Dr 25mm	4025MD	Socket 1" Dr Deep 25mm
4026M	Socket 1" Dr 26mm	4026MD	Socket 1" Dr Deep 26mm
4027M	Socket 1" Dr 27mm	4027MD	Socket 1" Dr Deep 27mm
4028M	Socket 1" Dr 28mm	4028MD	Socket 1" Dr Deep 28mm
4029M	Socket 1" Dr 29mm	4029MD	Socket 1" Dr Deep 29mm
4030M	Socket 1" Dr 30mm	4030MD	Socket 1" Dr Deep 30mm
4031M	Socket 1" Dr 31mm	4031MD	Socket 1" Dr Deep 31mm
4032M	Socket 1" Dr 32mm	4032MD	Socket 1" Dr Deep 32mm
4033M	Socket 1" Dr 33mm	4033MD	Socket 1" Dr Deep 33mm
4035M	Socket 1" Dr 35mm	4035MD	Socket 1" Dr Deep 35mm
4036M	Socket 1" Dr 36mm	4036MD	Socket 1" Dr Deep 36mm
4038M	Socket 1" Dr 38mm	4038MD	Socket 1" Dr Deep 38mm
4040M	Socket 1" Dr 40mm	4040MD	Socket 1" Dr Deep 40mm
4041M	Socket 1" Dr 41mm	4041MD	Socket 1" Dr Deep 41mm
4042M	Socket 1" Dr 42mm	4042MD	Socket 1" Dr Deep 42mm
4043M	Socket 1" Dr 43mm	4043MD	Socket 1" Dr Deep 43mm
4046M	Socket 1" Dr 46mm	4046MD	Socket 1" Dr Deep 46mm
4050M	Socket 1" Dr 50mm	4050MD	Socket 1" Dr Deep 50mm

## Sockets Set Displays

Code	Description
D298	1/2" Drive 6 point fractional & metric display kit
D354	3/4" drive 6 point fractional
D352M	3/4" drive 6 point metric
D445	1" drive 6 point fractional display
D446M	1" drive 6 point metric display



**Sockets 2 1/2" Dr  
Regular & Deep  
Metric & Imperial  
Flex Deep & Shallow  
3" - 8", 77mm - 210mm  
6 Pt - 12 Pt**



Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS

**DORMER PRAMET**

Vendor Code:  
DORTOO

Series #	Description
46481073	Mechanical drill set MASTER ( 1/16-1/2"x 64ths )
46481072	Jobber drill set MASTER ( 1/16-1/2" x 64ths)
0573952	A012 jobber drill series 1/64
0573969	A012 jobber drill series 1/32
0573976	A012 jobber drill series 3/64
0578636	A012 jobber drill series 1/16
0578643	A012 jobber drill series 5/64
0572061	A012 jobber drill series 3/32
0572184	A012 jobber drill series 7/64
0572214	A012 jobber drill series 9/64
0572146	A012 jobber drill series 5/32
0571910	A012 jobber drill series 11/64
0571347	A012 jobber drill series 3/16
0571934	A012 jobber drill series 13/64
0572177	A012 jobber drill series 7/32
0571958	A012 jobber drill series 15/64
0571125	A012 jobber drill series 1/4
0571972	A012 jobber drill series 17/64
0572207	A012 jobber drill series 9/32
0571996	A012 jobber drill series 19/64
0572139	A012 jobber drill series 5/16
0572009	A012 jobber drill series 21/64
0571903	A012 jobber drill series 11/32
0572016	A012 jobber drill series 23/64
0572078	A012 jobber drill series 3/8
0572023	A012 jobber drill series 25/64
0571927	A012 jobber drill series 13/32
0572030	A012 jobber drill series 27/64
0572160	A012 jobber drill series 7/16
0572047	A012 jobber drill series 29/64
0571941	A012 jobber drill series 15/32
0572085	A012 jobber drill series 31/64
0571880	A012 jobber drill series 1/2
0572092	Jobber drill series A012 33/64
0571965	Jobber drill series A012 17/32
0572108	Jobber drill series A012 35/64
0572191	Jobber drill series A012 9/16
0572115	Jobber drill series A012 37/64
0571989	Jobber drill series A012 19/32
0572122	Jobber drill series A012 39/64
0572153	Jobber drill series A012 5/8
0578728	Jobber drill series A012 21/32
0578711	Jobber drill series A012 11/16
0578742	Jobber drill series A012 45/64
0578735	Jobber drill series A012 23/32
0578766	Jobber drill series A012 47/64
0578759	Jobber drill series A012 3/4
020032	tapered shank drill 1/2"

Series #	Description
020033	tapered shank drill 33/64"
020034	tapered shank drill 17/32"
020035	tapered shank drill 35/64"
020036	tapered shank drill 9/16"
020037	tapered shank drill 37/64"
020038	tapered shank drill 19/32"
020039	tapered shank drill 39/64"
020040	tapered shank drill 5/8"
020041	tapered shank drill 41/64"
020042	tapered shank drill 21/32"
020043	tapered shank drill 43/64"
020044	tapered shank drill 11/16"
020045	tapered shank drill 45/64"
020046	tapered shank drill 23/32"
020047	tapered shank drill 47/64"
020048	tapered shank drill 3/4"
020049	tapered shank drill 49/64"
020050	tapered shank drill 25/32"
020051	tapered shank drill 51/64"
020052	tapered shank drill 13/16"
020053	tapered shank drill 53/64"
020054	tapered shank drill 27/32"
020055	tapered shank drill 55/64"
020056	tapered shank drill 7/8"
0583203	E026 Spiral Point Taps 2-56
0581254	E026 Spiral Point Taps 4-40
0581261	E026 Spiral Point Taps 5-40
0581278	E026 Spiral Point Taps 6-32
0581285	E026 Spiral Point Taps 8-32
0581292	E026 Spiral Point Taps 10-24
0581308	E026 Spiral Point Taps 12-24
0581315	E026 Spiral Point Taps 1/4-20
0581346	E026 Spiral Point Taps 5/16-18
0581377	E026 Spiral Point Taps 3/8-16
0581407	E026 Spiral Point Taps 7/16-14
0581414	E026 Spiral Point Taps 1/2-13
0581643	E028 Spiral Flute Taps 4-40
0581650	E028 Spiral Flute Taps 5-40
0581667	E028 Spiral Flute Taps 6-32
0581674	E028 Spiral Flute Taps 8-32
0581681	E028 Spiral Flute Taps 10-24
0581698	E028 Spiral Flute Taps 12-24
0581704	E028 Spiral Flute Taps 1/4-20
0581711	E028 Spiral Flute Taps 5/16-18
0581728	E028 Spiral Flute Taps 3/8-16
0581742	E028 Spiral Flute Taps 7/16-14
0581759	E028 Spiral Flute Taps 1/2-13
0348291	E0616-32N01 Hand TaperTaps



Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS

**DORMER PRAMET**

Vendor Code:  
DORTOO



Series #	Description
0348307	E0616-32NO2 Hand PlugTaps
0348314	E0616-32NO3 Hand Bott Taps
0348321	E0616-32NO6 Hand Tap Set
0348284	E0618-32NO1 Hand Taper Taps
0348338	E0618-32NO2 Hand Plug Taps
0348345	E0618-32NO3 Hand Bott Taps
0348352	E0618-32NO6 Hand Tap Set
0348369	E06110-24NO1 Hand Taper Taps
0348376	E06110-24NO2 Hand Plug Taps
0348383	E06110-24NO3 Hand Bott Taps
0348390	E06110-24NO6 Hand Tap Set
0348406	E06112-24NO1 Hand Taper Taps
0348413	E06112-24NO2 Hand Plug Taps
0348420	E06112-24NO3 Hand Bott Taps
0348437	E06112-24NO6 Hand Tap Set
0348444	E0611/4NO1 Hand Taper Taps
0348451	E0611/4NO2 Hand Plug Taps
0348468	E0611/4NO3 Hand Bott Taps
0348475	E0611/4NO6 Hand Tap Set
0348482	E0615/16NO1 Hand Taper Taps
0348499	E0615/16NO2 Hand Plug Taps
0348505	E0615/16NO3 Hand Bott Taps
0348512	E0615/16NO6 Hand Tap Set
0348529	E0613/8NO1 Hand Taper Taps
0348536	E0613/8NO2 Hand Plug Taps
0348543	E0613/8NO3 Hand Bott Taps
0348550	E0613/8NO6 Hand Tap Set
0349427	E0716-40NO1 Hand Taps Taper
0349434	E0716-40NO2 Hand Taps Plug
0349441	E0716-40NO3 Hand Taps Bott
0349458	E0716-40NO6 Hand Tap Set
0349465	E0718-36NO1 Hand Taps Taper
0349472	E0718-36NO2 Hand Taps Plug
0349489	E0718-36NO3 Hand Taps Bott
0349496	E0718-36NO6 Hand Tap Set
0349502	E07110-32NO1 Hand Taps Taper
0349519	E07110-32NO2 Hand Taps Plug
0349526	E07110-32NO3 Hand Taps Bott
0349533	E07110-32NO6 Hand Tap Set
0349540	E07112-28NO1 Hand Taps Taper

Series #	Description
0349557	E07112-28NO2 Hand Taps Plug
0349564	E07112-28NO3 Hand Taps Bott
0349571	E07112-28NO6 Hand Tap Set
0349588	E0711/4NO1 Hand Taps Taper
0349595	E0711/4NO2 Hand Taps Plug
0349601	E0711/4NO3 Hand Taps Bott
0349618	E0711/4NO6 Hand Tap Set
0349625	E0715/16NO1 Hand Taps Taper
0349632	E0715/16NO2 Hand Taps Plug
0349649	E0715/16NO3 Hand Taps Bott
0349656	E0715/16NO6 Hand Tap Set
0349663	E0713/8NO1 Hand Taps Taper
0349670	E0713/8NO2 Hand Taps Plug
0349687	E0713/8NO3 Hand Taps Bott
0349694	E0713/8NO6 Hand Tap Set
0154786	E500M4NO1 Hand Taps Taper
0094648	E500M4NO2 Hand Taps Plug
0094655	E500M4NO3 Hand Taps Bott
0094662	E500M4NO6 Hand Tap Set
0160213	E500M4X.75NO1 Hand Taps Taper
0160220	E500M4X.75NO2 Hand Taps Plug
0160237	E500M4X.75NO3 Hand Taps Bott
0154762	E500M4.5NO1 Hand Taps Taper
0094617	E500M4.5NO2 Hand Taps Plug
0094624	E500M4.5NO3 Hand Taps Bott
0154755	E500M4.5NO6 Hand Tap Set
0154731	E500M5NO1 Hand Taps Taper
0094761	E500M5NO2 Hand Taps Plug
0094778	E500M5NO3 Hand Taps Bott
0154724	E500M5NO6 Hand Tap Set
0159958	E500M5X.9NO1 Hand Taps Taper
0159965	E500M5X.9NO2 Hand Taps Plug
0159972	E500M5X.9NO3 Hand Taps Bott
0159996	E500M5.5X.9NO1 Hand Taps Taper
0160008	E500M5.5X.9NO2 Hand Taps Plug
0160015	E500M5.5X.9NO3 Hand Taps Bott
0094808	E500M6NO1 Hand Taps Taper
0094815	E500M6NO2 Hand Taps Plug
0094822	E500M6NO3 Hand Taps Bott
0154700	E500M6NO6 Hand Tap Set
0154687	E500M7NO1 Hand Taps Taper
139967	E500M7NO2 Hand Taps Plug
0094846	E500M7NO3 Hand Taps Bott
0094853	E500M7NO6 Hand Tap Set
0154663	E500M8NO1 Hand Taps Taper
0094877	E500M8NO2 Hand Taps Plug
0094884	E500M8NO3 Hand Taps Bott
0094891	E500M8NO6 Hand Tap Set

Contact your local Wajax Industrial Components branch for delivery information



# CUTTING TOOLS



Vendor Code:  
JETEQU



## 532922 Engineers Files - Individuals JET-KUT File Handles

Full size impact plastic handles offer comfort and long service life

Available in carded package with four different hole sizes, use the product number from the file handle selection chart to choose the correct handle for your file

## 532811

### Engineers Files - Sets JET-KET® 5 PC File Set - Premium

Set includes 1 of each:

- 531410 10" Half Round Bastard
- 531510 10" Mill Bastard
- 531308 8" Flat Bastard
- 531548 8" Mill Smooth
- 532522 6" Slim Taper



## 532851

### Engineers Files - Sets JET-KUT® 9 PC File Set - Premium

Set includes 1 of each:

- 10" Half Round Bastard
- 10" Mill Bastard, 10" Flat Bastard
- 10" Flat Smooth, 10" Round Bastard
- 8" Half Round Bastard, 8" Flat Bastard
- 8" Mill Bastard, 6" Slim Taper



## 240153 Bench Grinders Heavy Duty

- Heavy duty construction for maximum service life
- CSA electrics for safety and reliability
- All ball bearing construction
- Steel wheel covers with rear dust exhaust ports
- Easy to adjust steel tool rests
- Eye shields and spark guards for operator safety
- Rubber feet on base for reduced vibration
- Includes coarse and medium grinding wheels



## 240154 Bench Grinders Heavy Duty

- Heavy duty construction for maximum service life
- CSA electrics for safety and reliability
- All ball bearing construction
- Steel wheel covers with rear dust exhaust ports
- Easy to adjust steel tool rests
- Eye shields and spark guards for operator safety
- Rubber feet on base for reduced vibration
- Includes coarse and medium grinding wheels



## 522174 Bench Grinding Wheels - Vitrified Aluminum Oxide General Purpose

For general purpose grinding of steel on bench and pedestal grinders  
6 x 1 x 1 A46 Bench Grinding Wheel



## 522264 Bench Grinding Wheels Vitrified Aluminum Oxide General Purpose

For general purpose grinding of steel on bench and pedestal grinders  
8 x 3/4 x 1 A46



Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS



## NH-1 9043 OLF

Ratchet-wheel blade lock for extra control.  
Unlimited blade adjustment with acetone resistant rubber grip handle.  
Includes LB Blade.



## LA-X 1072198 OLF

Fiberglass rubber grip utility knife  
The snap-off cutter features automatic blade lock. Built-in hard metal pick for opening paint cans etc.  
Includes Ultra-sharp lbb black blade.



## L-2 5004 OLF

Ratchet-wheel blade lock for extra control.  
High-impact ABS plastic handle with anti-slip rubber inset for secure handling. Includes LB heavy duty blade.



## SVR-2 5019 OLF

Stainless Steel Auto-Lock utility knife  
Perfect for used in moist environments where rust is a concern.  
Built-in pocket clip/ blade snapper.  
Includes ABS blade.



## SK-4 9048 OLF

Self-retracting safety knife  
Cut a variety of materials that require different blade styles. Textured, slip-resistant handle design for both right- and left-hand  
Preloaded with the SKB-2 safety blade



## SK-7 1077174 OLF

Compact self-retracting safety knife  
Small size fits in a pocket and is ideal for on-the-go areas  
Tool-free blade change for both right- and left-hand  
Preloaded with the SKB-7 safety blade



## SK-8 1077171 OLF

Self-retracting safety knife with automatic retraction. Anti-slip, cushion grip handle with a large blade slide for easy use. Tool-free blade change for both right- and left-hand. Preloaded with the SKB-8 safety blade.



## SK-10 1096854 OLF


Concealed blade design allows for continual blade exposure for demanding cutting jobs. Tool-free blade change, four cutting points on a single-edge blade. Symmetrical handle designed for both right- and left-hand. Preloaded with the four-point SKB-10 Safety blade



 Contact your local Wajax Industrial Components branch for delivery information

## HB-20B 9061 OLF

Made from high quality carbon tool steel 7 cutting edges per blade



## HBB-20B 1082209 OLF

UltraSharp™ Snap-Off Black Blade is 25% sharper than silver HB blade  
7 cutting edges per blade



## LB-10B 5009 OLF

Heavy-Duty snap off blade  
10 packs/ 8 cutting edges per blade



## LB-50B 5016 OLF

Heavy-Duty snap off blade  
50 packs/ 8 cutting edges per blade



## AB-10B 5010 OLF

Made from high quality carbon steel  
10 packs / 7 cutting edges per blade



## AB-50B 5015 OLF

Made from high quality carbon tool steel  
50 packs / 7 cutting edges per blade



## SKB-2/10B 9613 OLF

Superior sharpness and edge retention for general use. Compatible with SK-4 and SK-9



## SKB-7/10B 1077172 OLF

Superior sharpness and edge retention for general use.



## SKB-8/10B 1077173 OLF

Superior sharpness and edge retention for general use.



## SKB-10/10B 1096855 OLF

Four position blade provide twice as many blade position than a standard trapezoid blade. Compatible with sk-10



## SCS-2 9766 OLF

Designed for heavy-duty cutting. One of the blades has a serrated edge which helps to prevent slippage of the material being cut. The handles are crafted of durable ABS plastic for a right-or left-handed. Comfortable, you cut through thicker material like Kevelar®, leather, vinyl, rubber and other materials.



# CUTTING TOOLS

# KDS®

Vendor Code: MURKDS

## 'EVO Black" Blades

### LB-10B-EVO

3/4" wide x 0.5mm thick.  
Fits all brands  
of L-knives.  
10-pack

### LB-50B-EVO

3/4" wide x 0.5mm thick.  
Fits all brands of L-knives.  
50-pack

### HB-10B-EVO

1" wide x 0.7mm thick. The  
KDS . 40% thicker than  
L-blades. The biggest,  
strongest, most durable  
snap-blade.  
10 Pack

### TB-10C

Trapezoid blade, fits all  
trapezoid-blade knives,  
including the KDS SA-11T  
safety knife.  
10-blades per pack.



### SA-11T

StainlessSlim: Stainless body and blade slim  
knife. Toggle-lock slider. Three stainless blades  
included.  
Pack: 10 /200

### SA-12D

SafetyMaster Metal: Auto-retracting blade,  
ergonomic handle, with adjustable depth  
settings. With 10 spare blades included.  
Pack: 10 /100



### L-18

AutoLock L: A revised version of our popular  
knife: a bit longer and more ergonomic. With  
an auto-locking slider. Loaded with one Power  
Black blade and two Power Black spares in the  
handle.  
Pack: 10 /100



### L-19

TwistLockL: A revised version of our best-selling  
knife: a bit longer and more ergonomic. With a  
screw-lock slider. Loaded with one Power Black  
blade and two Power Black spares in the handle.  
Pack: 10 / 100



### S-11

StainlessSlim: Stainless body and blade slim  
knife. Toggle-lock slider. Three stainless blades  
included.  
Pack: 10 /200



## Drop-Protection Measuring Tapes

Work safely at height using the KDS Drop Protection  
measuring tape. A complete system, with locking belt clip, lanyard,  
and top-quality measuring tape. Safe, secure, and easy to use.  
Available in various sizes:

**GGEVO25-55WE AR BP**   
18ft x 1" Imperial meas.

**GEVO25-55WME AR BP**   
18ft/5.5m x 1" Metric/Imperial meas.

**GGEVO25-75WE AR BP**  
25ft x 1" Imperial meas.

**GGEVO25-55WE AR BP**  
25ft/7.5 x 1" Imperial meas.

### DVG25-75YMEB

GoodGrip Steel Tape:  
25'/7.5M x 1" wide, with  
metric and imperial  
graduations. Scales on both  
sides of the blade. Pull up  
on the thumb slider to apply  
a brake, push down to lock  
the blade. Dura-coat on the  
blade; 100 times stronger  
than acrylic. Diamond-pat-  
tern rivets.

Pack: 4 / 40



 Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS



Vendor Code: MPISIN



## Ferret ALD

Safety knife in detectable composite material adapted to the food industry.

Safety knife with a retractable blade and a metal reinforcement at the front limiting the wear due to intensive work.

Blade locked in a safe position at rest.



## Mascaret ALD

Safety knife in detectable composite material adapted to the food industry.

With trigger and automatic retractable blade to open packages.


A difference of pressure during the cut allows the blade to retract for maximal safety.



## Sofiac

Safety knife designed to cut packing straps, adhesives and plastic films around the cardboard boxes.

Delivered with a blade covered with TIN.



## Taillan

Safety knife to enter the edge of the paper roll. Composite material with fiberglass.

Disposable knife without any blade for maximal safety.



## Grepin

4 in 1 light Knife, made of magnesium (90g), very durable.

Multifunction : to cut plastic films and straps, to tear and cut packaging.

A special safety prevents an undesired release of the blade.



## Tanin

First knife in magnesium with trigger and an automatic retractable blade.

Very resistant and light (less than 100 g).

Ideal to open all types of packaging.

 Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS



Vendor Code: MORCUT



**81407**  
9/16" - 1" by 1/16ths; Reduced Shank;  
8 Piece Set; 1/2" 3-Flat; HSS;  
118 degrees split point  
Black & Gold;  
Made In U.S.A.



**81408**  
1/2" - 1" by 64ths; Reduced Shank;  
33 Piece Set; 1/2" 3-Flat; HSS  
118 degrees split point;  
Black & Gold;  
Made In U.S.A.



**81497**  
MARXBORE™ 1/16" to 1/2" by 64ths,  
A to Z, 1 to 60; Jobber Length;  
Heavy Duty; 115 Piece;  
Black & Gold  
135 Degree; HSS;  
Made In U.S.A.



**82144**  
1/16" to 1/2" by  
64ths; Mechanic  
Length; 29 Piece;  
HSS; Black & Gold;  
135 Degree; HSS  
Made In U.S.A.



MARXBORE™; Jobber Length;  
Heavy Duty;  
135 Degree; HSS;  
Black & Gold;  
Made In U.S.A.

Series #	Description
80590	HD jobber drill 1/16
80591	HD jobber drill 5/64
80592	HD jobber drill 3/32
80593	HD jobber drill 7/64
80594	HD jobber drill 1/8
80595	HD jobber drill 9/64
80596	HD jobber drill 5/32
80597	HD jobber drill 11/64
80598	HD jobber drill 3/16
80599	HD jobber drill 13/64
80600	HD jobber drill 7/32
80601	HD jobber drill 16/64
80602	HD jobber drill 1/4-E
80603	HD jobber drill 17/64
80604	HD jobber drill 9/32
80605	HD jobber drill 19/64
80606	HD jobber drill 5/16
80607	HD jobber drill 21/64
80608	HD jobber drill 11/32
80609	HD jobber drill 23/64
80610	HD jobber drill 3/8
80611	HD jobber drill 25/64
80612	HD jobber drill 13/32
80613	HD jobber drill 27/64
80614	HD jobber drill 7/16
80615	HD jobber drill 29/64
80616	HD jobber drill 15/32
80617	HD jobber drill 31/64
80618	HD jobber drill 1/2

MARXBORE™; Mechanic Length;  
3-Flat Shank; 135 Degree; HSS;  
Black & Gold;  
Made In U.S.A.

Series #	Description
82125	drill 7/32
82126	drill 15/64
82127	drill 1/4
82128	drill 17/64
82129	drill 9/32
82130	drill 19/64
82131	drill 5/16
82132	drill 21/64
82133	drill 11/32
82134	drill 23/64
82135	drill 3/8
82136	drill 25/64
82137	drill 13/32
82138	drill 27/64
82139	drill 7/16
82140	drill 29/64
82141	drill 15/32
82142	drill 31/64
82143	drill 1/2



**81399**  
1/16" to 1/2" by 32nds;  
Jobber Length; Heavy Duty; 15  
Piece; Cobalt  
135 Degree; HSS;  
Made In U.S.A.

Construction reamer; HSS  
Made In U.S.A.

Series #	Description
81700	reamer 3/8
81701	reamer 7/16
81702	reamer 1/2
81703	reamer 9/16
81704	reamer 5/8
81705	reamer 11/16
81706	reamer 3/4
81709	reamer 13/16
81707	reamer 7/8
81710	reamer 15/16
81708	reamer 1"



**81427**  
Screw Extractor; Set; #1 - #5;  
Carbon Steel;  
Made In China

Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS



Vendor Code: MORCUT



## MARXMAN Bi-Metal Hole Saws

Separate Arbor Style, M-3 HSS Cutting Edge, 4/6 Variable Tooth.

Series #	Dia. Inch	Dia. Metric	Thread Size
83023	3/4	19mm	1/2"-20
83025	7/8	22mm	1/2"-20
83027	1	25mm	1/2"-20
83029	1-1/8	29mm	1/2"-20
83031	1-1/4	32mm	5/8"-18
83035	1-1/2	38mm	5/8"-18
83038	1-3/4	44mm	5/8"-18
83041	2	51mm	5/8"-18
83047	2-1/2	64mm	5/8"-18
83052	3	76mm	5/8"-18

Full range of sizes to 6" dia. available.

## 83176 MARXMAN Hole Saw Kit

9-piece deluxe kit  
 Sizes 3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 1-3/4, 2, 2-1/4, & 2-1/2"  
 Also mandrels, mandrel adapter and pilot drill.



## 86350 Universal Handle "A"

Fits all holders B-C-D-E-F-N. Steel holders can be adjusted in the handle up to 4" in length and can be locked into any position.



## 86351 Steel holder "B"



## 86378 Deburring Tool "RNE"

Handy pocket-size tool with hexagonal aluminum handle and non-exchangeable E100 HSS blade.



## MARXBURR Deburring System

List 598 - Blades • Handles • Holders

### FEATURES

- For hand deburring in a wide variety of materials.
  - Ergonomic universal handle allows adjustment of steel blade holders up to 4" in length.
- Removable cap for extra blade storage in the handle.

**MADE IN GERMANY**



## 86373 Deburring Kit "B"

Includes handle A, holder B, blades B10 and B20.



## SOLID CARBIDE END MILLS

Morse carries a full range of styles, sizes and flute lengths in stock. These end mills are made from the finest quality sub micron carbide, in bright, TIN, TiCN and TiAlN coatings. Call your local Wajax branch for all your carbide end mill needs.



Contact your local Wajax Industrial Components branch for delivery information



## MORSE HSS Straight Flute Hand Taps

LIST 2046 - plug style - popular sizes

Series #	Size	No. of Flutes	Pitch Dia. Limit	Thread Length
32407	1/4-20 NC	4	H3	1
32449	1/2-13 NC	4	H3	1-21/32
32453	1/2-20 NC	4	H3	1-21/32
32461	5/8-11 NC	4	H3	1-13/16
32464	5/8-18 NC	4	H3	1-13/16
32469	3/4-10 NC	4	H3	2
32480	1-8 NC	4	H4	2-1/2
32482	1-12 NC	4	H4	2-1/2
32491	1-1/2-6 NC	4	H4	3

Taper, plug and bottoming in stock!

# CUTTING TOOLS



## MORSE Hand Tap & Drill Set

Series #. 8001 - 20-piece set #103/104

NC taps & drills Series #. 37103

NF taps & drills Series #. 37104

Left hand • Oversize • Cast iron

TiN coated • Metric sizes



## MORSE ONYX Spiral Point Taps

HSS, plug style, reduced neck design

LIST 2101 - popular sizes - oxide nitride finish



Series #	Size	Pitch Dia. Limit	No. of Flutes	Thread Length	OAL
34700	4-40 NC	H2	2	0.313	1-7/8
34710	1/4-20 NC	H3	2	0.625	2-1/2
34716	3/8-16 NC	H3	3	0.75	2-15/16
34720	1/2-13 NC	H3	3	0.938	3-3/8
34726	3/4-10 NC	H3	4	1.219	4-1/4
34730	1-8 NC	H4	4	1.5	5-1/8
34738	1-1/2-6	H4	6	2	6-3/8

Complete range of NC-NF sizes as well as Bright Finish in stock!

## FEATURES

- For general purpose tapping in a wide variety of materials up to 28Rc hardness.
- Steam oxide over nitride finish increases wear resistance, reduces friction, acts as a lubricant, reduces galling and chip welding and improves chip flow.
- Not recommended for non-ferrous materials.
- Additional fractional and metric sizes available.

## MORSE ONYX Spiral Flute Taps

HSS, semi-bottoming, reduced neck design

LIST 2102 - popular sizes - oxide nitride finish



Series #	Size	Pitch Dia. Limit	No. of Flutes	Thread Length	OAL
34750	4-40 NC	H2	3	0.236	1-7/8
34752	8-32 NC	H3	3	0.236	2-1/8
34757	1/4-20 NC	H3	3	0.433	2-1/2
34761	3/8-16 NC	H3	3	0.551	2-15/16
34765	1/2-13 NC	H3	3	0.63	3-3/8
34771	3/4-10 NC	H3	4	0.82	4-1/4
34775	1-8 NC	H4	4	1.025	5-1/8
34783	1-1/2-6 NC	H4	4	1.333	6-3/8

## APPLICATION

- Spiral Point taps are designed for machine tapping in through holes. The point ejects the chips ahead of the tap.
- Spiral flute taps lift the chips out of the hole in blind hole tapping.
- Not recommended for non-ferrous materials.
- Additional fractional and metric sizes available.



Contact your local Wajax Industrial Components branch for delivery information



1.866.546.3267

www.wajaxindustrial.com

# CUTTING TOOLS



Vendor Code: TRITWI

## Jobber Length, Fractional, MRO Series, HSS, 135° Split Point, Black & Bronze Finish, 3-Flats



Series #	Description	Qty/Pkg
22704	1/16	12
22705	5/64	12
22706	3/32	12
22707	7/64	12
22708	1/8	12
22709	9/64	12
22710	5/32	12
22711	11/64	12
22712	3/16	12
22713	13/64	12
22714	7/32	12
22715	15/64	12
22716	1/4	12
22717	17/64	12
22718	9/32	12
22719	19/64	12
22720	5/16	6
22721	21/64	6
22722	11/32	6
22723	23/64	6
22724	3/8	6
22725	25/64	6
22726	13/32	6
22727	27/64	6
22728	7/16	6
22729	29/64	6
22730	15/32	6
22731	31/64	6
22732	1/2	6



## MRO Plus Drill Bits sets, 3 Flats & Black & Gold Finish

Series #	Description	Qty/Pkg
090113	13 pc	1
090115	15 PC	1
090121	21 pc	1
90190	1/16"-3/8" by 64ths	1
090192	29 pc	1
090196	115 pc	1



## Fractional, ThunderBit®, S&D, HSS, 118° Split Point, 1/2" Shank, 3-Flats, Black & Bronze Oxide

Series #	Description	Qty/Pkg
094133	33/64	1
094134	17/32	1
094135	35/64	1
094136	9/16	1
094137	37/64	1
094138	19/32	1
094139	39/64	1
094140	5/8	1
094141	41/64	1
094142	21/32	1
094143	43/64	1
094144	11/16	1
094145	45/64	1
094146	23/32	1
094147	47/64	1
094148	3/4	1
094149	49/64	1
094150	25/32	1
094151	51/64	1
094152	13/16	1
094153	53/64	1
094154	27/32	1
094155	55/64	1
094156	7/8	1
094157	57/64	1
094158	29/32	1
094159	59/64	1
094160	15/16	1
094161	61/64	1
094162	31/32	1
094163	63/64	1
094164	1"	1



## ThunderBit®, Cobalt, Heavy-Duty, Bronze Oxide, Complete sets

Series #	Description	Qty/Pkg
099816	1/16"-3/8" by 64ths	1
099819	1/16"-1/2" by 32nds	1
099821	1/16"-1/2" by 64ths	1



Contact your local Wajax Industrial Components branch for delivery information



## MRO Series HSS Split Point, Black & Gold, 3-Flats Jobber Length



Series #	Description	Qty/Pkg
026701	A	12
026702	B	12
026703	C	12
026704	D	12
026705	E	12
026706	F	12
026707	G	12
026708	H	12
026709	I	12
026710	J	12
026711	K	12
026712	L	12
026713	M	12
026714	N	12
026715	O	6
026716	P	6
026717	Q	6
026718	R	6
026719	S	6
026720	T	6
026721	U	6
026722	V	6
026723	W	6
026724	X	6
026725	Y	6
026726	Z	6

## ThunderBit®, Cobalt, Heavy-Duty, Bronze Oxide

Series #	Description	Qty/ Pkg
013514	7/32	12
013515	15/64	12
013516	1/4	12
013517	17/64	12
013518	9/32	12
013519	19/64	12
013520	5/16	6
013521	21/64	6
013522	11/32	6
013523	23/64	6
013524	3/8	6
013525	25/64	6
013526	13/32	6
013527	27/64	6
013528	7/16	6
013529	29/64	6
013530	15/32	6
013531	31/64	6
013532	1/2	6

Series #	Description	Qty/ Pkg
013504	1/16	12
013505	5/64	12
013506	3/32	12
013507	7/64	12
013508	1/8	12
013509	9/64	12
013510	5/32	12
013511	11/64	12
013512	3/16	12
013513	13/64	12

## CUTTING TOOLS

Vendor Code: TRITWI



## MRO Series HSS Split Point, Black & Gold, 3-Flats Jobber Length



Series #	Description	Qty/ Pkg
024701	1	12
024702	2	12
024703	3	12
024704	4	12
024705	5	12
024706	6	12
024707	7	12
024708	8	12
024709	9	12
024710	10	12
024711	11	12
024712	12	12
024713	13	12
024714	14	12
024715	15	12
024716	16	12
024717	17	12
024718	18	12
024719	19	12
024720	20	12
024721	21	12
024722	22	12
024723	23	12
024724	24	12
024725	25	12
024726	26	12
024727	27	12
024728	28	12
024729	29	12
024730	30	12
024731	31	12
024732	32	12
024733	33	12
024734	34	12
024735	35	12
024736	36	12
024737	37	12
024738	38	12
024739	39	12
024740	40	12

Series #	Description	Qty/ Pkg
024740	40	12
024741	41	12
024742	42	12
024743	43	12
024744	44	12
024745	45	12
024746	46	12
024747	47	12
024748	48	12
024749	49	12
024750	50	12
024751	51	12
024752	52	12
024753	53	12
024754	54	12
024755	55	12
024756	56	12
024757	57	12
024758	58	12
024759	59	12
024760	60	12



Contact your local Wajax Industrial Components branch for delivery information



1.866.546.3267

www.wajaxindustrial.com

# CUTTING TOOLS



Vendor Code: TRITWI

## Fractional, ThunderTap®, HSS, Taper, Bronze Oxide



Series #	Description	Qty/Pkg
071000	1/4-20 NC	6
071001	1/4-28 NF	6
071002	5/16-18 NC	6
071003	5/16-24 NF	6
071004	3/8-16 NC	6
071005	3/8-24 NF	6
071006	7/16-14 NC	3
071007	7/16-20 NF	3
071008	1/2-13 NC	3
071009	1/2-20 NF	3
071010	9/16-12 NC	1
071011	9/16-18 NF	1
071012	5/8-11 NC	1
071013	5/8-18 NF	1
071014	3/4-10 NC	1
071015	3/4-16 NF	1
071016	7/8-9 NC	1
071017	7/8-14 NF	1
071018	1-8 NC	1
071019	1-12 NF	1
071020	1-1/8-7 NC	1

## HSS, Alignment Reamer, 3/8" Shank, Black & Bronze Oxide



Series #	Description	Qty/Pkg
072280	3/8	1
072281	1/2	1
072282	9/16	1
072283	5/8	1
072284	11/16	1
072285	3/4	1
072286	13/16	1
072287	7/8	1
072288	15/16	1
072289	1"	1

## Carbon Steel, 14 Piece Tap & Die Set, Combination Sizes

Series #	Description	Qty/Pkg
083572	17 Plug Taps, 16 Round or Hex Dies (1" O.D.)	1
083566	Fractional Sizes	1
071497	Combination Drill and Tap Sizes	1



## Magnetic Drill Press & Annular Cutters, Cobalt, HSS, Bright Finish, Chipbreaker Tooth Design

Series #	Description	Qty/Pkg
087553	EQ35-3	1
087501	7/16X1	1
087502	1/2X1	1
087503	9/16X1	1
087504	5/8X1	1
087505	11/16X1	1
087506	3/4X1	1
087507	13/16X1	1
087508	7/8X1	1
087509	15/16X1	1
087510	1X1	1
087511	1-1/16X1	1
087512	1-1/8X1	1
087513	1-3/16X1	1
087514	1-1/4X1	1
087515	1-5/16X1	1
087516	1-3/8X1	1



## Solid Carbide Bur

Series #	Description	Qty/Pkg
1/4" Shank, Cylinder Shape, Bright Finish		
071423	1/4	1
071424	3/8	1
071425	1/2	1
071426	3/4	1
1/4" Shank, Cylinder Shape w/ end cut, Bright Finish		
071427	1/4	1
071428	3/8	1
071429	1/2	1
071430	3/4	1
1/4" Shank, Cylinder Shape w/ radius, ball nose, Bright Finish		
071433	1/4	1
071434	3/8	1
071435	1/2"	1
071436	5/8	1
1/4" Shank, ball Shape, Bright Finish		
071439	1/4	1
071440	3/8"	1
071441	1/2	1
1/4" Shank, cone Shape 60°, Bright Finish		
071462	1/4	1
071463	3/8	1
071464	1/2	1
1/4" Shank, cone Shape, Bright Finish		
071477	1/4	1
071478	3/8	1
071479	1/2	1



Contact your local Wajax Industrial Components branch for delivery information

# CUTTING TOOLS



Vendor Code: GROFIL



**32.925**  
**Double cut carbide burs,**  
**8 piece set in a wooden box**  
**SA5-SC1-SC3-SD3-SE5**  
**SF5-SG1-SK5**



**32.950**  
**Double cut carbide burs, 5 piece**  
**set in a durable plastic case,**  
**1/4" shank**



**32.951SY**  
**Double cut Heavy Duty BEAR**  
**burs, 5 piece set in a durable**  
**plastic case, 1/4" shank**

## Flat file

Series #	Description
32.289	Flat file 6", bastard cut, 5/8" width
32.296	Flat file 6", Second cut, 5/8" width
32.303	Flat file 6", Smooth cut, 5/8" width
32.290	Flat file 8", bastard cut, 25/32" width
32.291	Flat file 10", bastard cut, 31/32" width
32.304	Flat file 8", smooth cut, 25/32" width
32.305	Flat file 10", smooth cut, 31/32" width



## Half-round File

Series #	Description
32.310	Half-round file 6", bastard cut, 19/32" width, popular with foundries and machinists
32.311	Half-round 8", bastard cut, 3/4" width, popular with foundries and machinists
32.312	Half-round 10", bastard cut, 15/16" width, popular with foundries and machinists
32.318	Half-round 6", Second cut, 19/32" width, popular with foundries and machinists
32.319	Half-round 8", Second cut, 3/4" width, popular with foundries and machinists
32.320	Half-round 10", Second cut, 15/16" width, popular with foundries and machinists
32.325	Half-round 6", smooth cut, 19/32" width, popular with foundries and machinists
32.326	Half-round 8", smooth cut, 3/4" width, popular with foundries and machinists
32.327	Half-round 10", smooth cut, 15/16" width, popular with foundries and machinists



## 5 pc File sets

Series #	Description
32.520	5 piece American Pattern file set, 8" bastard cut, best results on steel, cast iron, wood & thermoplastics
32.522	5 piece American Pattern file set, 10" bastard cut, best results on steel, cast iron, wood & thermoplastics
32.521	5 piece American Pattern file set, 8" Second cut, best results on steel, cast iron, wood & thermoplastics
32.523	5 piece American Pattern file set, 10", Second cut best results on steel, cast iron, wood & thermoplastics



Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS



Vendor Code:  
JUSTOO



## Impact Wrench

Series #	Square Drive (in.)	Max. Torque (ft./lbs.)	Speed (rpm)	Length (in.)	Weight (lbs.)
MI-3800EFS(R)	1	1,373	4,700	20	20-9/10
MI-3800ELS(R)	1	1,373	4,700	20	20-9/10

MI-3800EFL(R) – 1" Impact Wrench (with 6" Extended Anvil)

## Spring Balancers



Series #	Endo#	Capacity		Travel		Weight	
		lbs.	kgs.	ft.	m	lbs.	kgs.
SW-1	-	1.1 - 3.5	.5 - 1.5	3.9	1.2	1.1	.5
SW-3	EW3	2.2 - 6.5	1 - 3	5.4	1.5	3.1	1.52
SW-5	EW5	5.5 - 11	2.5 - 5	5.4	1.635	3.3	1.6
SW-9	EW9	9.9 - 19.8	4.5 - 9	4.3	1.65	7.5	3.7
5W-15	EW15	19.8 - 33	9 - 15	4.3	1.3	8.4	3.8

Large Capacities Also Available



## Chipping Hammer

Series #	Piston Diameter (in./mm)	Piston Stroke (in./mm)	Weight (lbs.)	Impact Rate (bpm)	CFM Req'd	Length (in.)	Hose Size (ID)	Air Inlet (NPT)
TCH-3	1-1/8 / 28.54	2-1/2 / 64	16 / 6.8	2,200	31.8	17-3/4	1/2"	3/8" / 7/8"
TCH-4	1-1/8 / 28.54	4-1/32 / 102	16.1 / 7	1,800	33.25	18-29/32	1/2"	3/8" / 7/8"
THH-3B	1-1/8 / 28.54	3-1/32 / 77	19.8 / 9	1,900	28.2	16-5/8	1/2"	7/8"-24
THH-4B	1-1/8 / 28.54	4-1/2 / 115	22 / 10	1,500	26.5	18-1/2	1/2"	7/8"-24

Working pressure for all tools – 90 psi. Available in Hex or Round Shank. Specify when ordering. We recommend running all Chippers with a Hose Whip.



## Hydraulic Torque Wrench

Series #	Sq. Drive	Torque Range
TTX-1	3/4"	105 – 1,150 ft. lbs.
TTX-3	1"	445 – 3,060 ft. lbs.
TTX-7	1-1/2"	1,100 – 6,980 ft. lbs.
TTX-11	1-1/2"	1,700 – 11,320 ft. lbs.
TTX-21	2-1/2"	3,040 – 20,570 ft. lbs.

The TTX Square Drive Tools comes complete with 360° uni-swivel 360° fine-spline adjustable reaction arm, anti-lock mechanism, 300,000 psi tensile strength square drive, uni-body housing, side load-free piston technology.



## Rivet Busters

Series #	Piston Diameter (in./mm)	Piston Stroke (in./mm)	Shank Type/Size	Weight (lbs.)	Impact Rate (bpm)	CFM Req'd	Length (in.)	Hose Size (ID)	Air Inlet (NPT)
B-70	1-3/16	7-3/8	Jumbo	28	940	37	19-3/4	1/2"	1/2"
B-90	1-3/16	9	Jumbo	31	870	36	23	1/2"	1/2"
B-110	1-3/16	11-5/16	Jumbo	32.1	800	33	26	1/2"	1/2"

Standard Shank (80X) available for all tools by special order.



Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS

## Descaling Guns



Series #	Piston Diameter (in.)	Length (in.)	Weight (lbs.)	Impact Rate (bpm)	CFM Req'd	Hose Size (ID)	Air Inlet (NPT)
110NS	15/16	13-1/5	6	3,700	10	3/8"	1/4"
120	1 1/8	15-3/4	11	2,500	10	3/8"	1/4"

Vendor Code:  
JUSTOO



## Long Reach Floor Scaler

Series #	Stroke (in)	Bore (in.)	Shank Size	Weight (lbs.)	Impact Rate (bpm)	CFM Req'd	Length (in)	Air Inlet (NPT)
130-LR-5	1.54	1.22	19/32" Hex	12.8	2,000	10	60	3/8"

## Weld Flux Scaler

Series #	Impact Rate (bpm)	Throttle Type	Shank Size	Piston Stroke	Bore	Weight (lbs.)	Length (in.)	Air Inlet (NPT)
182-L	4,000	Lever	IR	1-1/16"	15/16"	4	9	1/4"
P1-B-L	4,600	Lever	Cleco	1-1/8"	1"	4	9-1/2	3/8"



## Reversible Drill

Series #	Speed (rpm)	Chuck Size (in.)	Spindle Thread	Aver. Air Consumption (cfm)	Length (in.)	Weight (lbs.)	Hose Size (ID)	Air Inlet (NPT)
705 & 705K	1,800	3/8	3/8"-24	4	6-1/2	3	3/8"	1/4"

Air Pressure – 90 psi



## Die Grinder

Series #	Speed (rpm)	Collet Size (in.)	Aver. Air Consumption (cfm)	Length (in.)	Weight (lbs.)	Hose Size (ID)	Air Inlet (NPT)
5120	22,000	1/4	4	6-3/4	1-1/8	3/8"	1/4"
5120-E	22,000	1/4	4	7	1-7/10	3/8"	1/4"
5220	22,000	1/4	4	11	1-4/5	3/8"	1/4"



## Orbital Sander

Series #	Speed (rpm)	Pad Size (in.)	Spindle Thread	Aver. Air Consumption (cfm)	Length (in.)	Weight (lbs.)	Hose Size (ID)	Air Inlet (NPT)
6050N-5 / 6050N-6	10,000	5 / 6	5/16"-24	16	6	1-15/16	3/8"	1/4"

When ordering, advise Velcro or Vinyl Pad.



## Impact Wrench

Series #	Square Drive (in.)	Max Torque (ft./lbs)	Speed (rpm)	Aver. Air Consumption (cfm)	Length (in.)	Weight (lbs.)	Hose Size (ID)	Air Inlet (NPT)
7160	1/2	600	6,000	4	7-3/16	4	1/2"	1/4"
7500	3/4	1,200	5,500	7	8-1/2	7-1/3	1/2"	3/8"
7501	1	1,400	5,500	7	8-3/4	7-1/2	1/2"	3/8"

. Twin Hammer Impact Mechanism. . One Hand Operation - Forward/Reverse.



## Reversible Drill

Series #	Speed (rpm)	Chuck Size (in.)	Power Output (hp)	Aver. Air Consumption (cfm)	Length (in.)	Weight (lbs.)	Hose Size (ID)	Air Inlet (NPT)
7358	800	1/2"	1	30	12-15/46	7-1/5	1/2"	3/8"

Air Pressure – 90 psi



Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS



Vendor Code: JETEQU

## **402313** **5" Angle Grinder Heavy Duty**

Spindle lock for easy accessory changes  
Adjustable swivel guard has 9 positive lock settings, no tools required  
11,000 RPM

## **409015** **3" Cut-Off Tool Heavy Duty**

Powerful .6 HP motor  
Rear exhaust, compact motor housing

## **402113** **0.6 HP 1/4" Angle Head Die Grinder – Heavy Duty**

Rear exhaust, compact motor housing  
New improved drive gear system for longer life in heavy applications

## **402114** **0.6 HP 1/4" "Mini" Straight Die Grinder – Heavy Duty**

Front exhaust, compact motor housing - only 5-3/4" long!

## **402123** **0.9 HP 1/4" Die Grinder Heavy Duty**

Rear exhaust, compact motor housing

## **404203** **Straight Type Flux Chipper Heavy Duty**

Light-weight compact design allows maximum operator control and access to jobs in hard-to-reach areas

## **400252** **1/2" Drive Impact Wrench Heavy Duty**

Produces 550 ft/lbs of hard hitting torque  
Twin Hammer mechanism provides more power and smooth, balanced impact blows for reduced vibration  
Weighs only 5.7 lbs

## Drill Presses

Series #	Description
200275	13-1/2" 3/4 HP 12 Speed
200278	17" 1 HP 16 Speed
200357	22" 1-1/2 HP 12 Speed

## **400340** **3/4" Drive Composite Series Impact Wrench – Super Heavy Duty**

Produces 1,250 ft/lbs of nut wrenching torque in reverse

"Push Through" Forward / Reverse control conveniently allows one hand directional change

Weighs only 7.74 lbs

## **404412** **3/8" Reversible Drill - Keyed Chuck - Heavy Duty**

Excellent for a wide range of drilling jobs  
Pressure grease fitting on housing permits easy maintenance for longer tool life

## **391721** **Retractable – Heavy Duty Air / Water**

Superior heavy gauge steel for professional use

All metal parts powder coated for corrosion free performance

## **391726** **Retractable – Heavy Duty Air / Water**

Superior heavy gauge steel for professional use

All metal parts powder coated for corrosion free performance

## **391746** **Retractable – Heavy Duty Oxy/Acetylene**

Superior heavy gauge steel for professional

All metal parts powder coated for corrosion free performance



 Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS

# TOPRING

Vendor Code:  
TOPRIN

## PLUGS

### 1/4 INDUSTRIAL INTERCHANGE

Compatible with 1/4 INDUSTRIAL coupler.

Series #	Description
20.142	Plug 1/4(F) NPT Zinc Plated Steel
20.146	Plug 1/4(F) NPT Stainless Steel
20.162	Plug 3/8(F) NPT Zinc Plated Steel
20.242	Plug 1/4(M) NPT Zinc Plated Steel
20.246	Plug 1/4(M) NPT Stainless Steel With Sealant Coating
20.248	Plug 1/4(M) NPT Zinc Plated Steel With Sealant Coating
20.262	Plug 3/8(M) NPT Zinc Plated Steel



## QUIKSILVER

### AUTOMATIC QUICK COUPLERS

### 1/4 INDUSTRIAL TYPE

High pressure  
Drag guard protects against accidental disconnections  
Easy to connect, even under pressure  
500 PSI 44 SCFM

Series #	Description
20.446	Coupler QUIKSILVER Heavy-Duty (1/4 IND) 1/4(F)NPT
20.466	Coupler QUIKSILVER Heavy-Duty (1/4 IND) 3/8(F)NPT
20.646	Coupler QUIKSILVER Heavy-Duty (1/4 IND) 1/4(M)NPT
20.666	Coupler QUIKSILVER Heavy-Duty (1/4 IND) 3/8(M)NPT
20.246	About 1/4(M) NPT Stainless Steel With Sealant Coating
20.248	About 1/4(M) NPT Zinc Plated Steel With Sealant Coating
20.262	About 3/8(M) NPT Zinc Plated Steel



## AUTOMAX

### AUTOMATIC QUICK COUPLERS

1/4 INDUSTRIAL TYPE 250 PSI 37SCFM

Series #	Description
20.444	Coupler AUTOMAX (1/4 IND) 1/4(F)NPT
20.464	Coupler AUTOMAX (1/4 IND) 3/8(F)NPT
20.644	Coupler AUTOMAX (1/4 IND) 1/4(M) NPT
20.664	Coupler AUTOMAX (1/4 IND) 3/8(M) NPT



## TOPQUIK

### AUTOMATIC SAFETY QUICK COUPLERS

### 1/4 INDUSTRIAL TYPE

Two-step disconnection to prevent dangerous hose whip  
Ergonomic and safety solution  
Very resistant and non marking coupler  
225 PSI 36 SCFM

Series #	Description
20.449	Coupler TOPQUIK Safety (1/4 IND) 1/4(F)NPT
20.469	Coupler TOPQUIK Safety (1/4 IND) 3/8(F)NPT
20.649	Coupler TOPQUIK Safety (1/4 IND) 1/4(M)NPT
20.669	Coupler TOPQUIK Safety (1/4 IND) 3/8(M)NPT



## MAXQUIK

### MANUAL QUICK COUPLER

### 1/4 INDUSTRIAL TYPE

Sleeve must be manually retracted to connect and disconnect  
Deep knurled socket sleeve for positive gripping  
Compact and economical design  
250 PSI 24 SCFM

Series #	Description
20.842	Coupler MAXQUIK (1/4 IND) 1/4(F)NPT
20.862	Coupler MAXQUIK (1/4 IND) 3/8(F)NPT
20.942	Coupler MAXQUIK (1/4 IND) 1/4(M)NPT
20.962	Coupler MAXQUIK (1/4 IND) 3/8(M)NPT



 Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS

# TOPRING

Vendor Code:  
TOPRIN

## TOPQUIK SC MANUAL SAFETY QUICK COUPLER 1/4 INDUSTRIAL TYPE

Prevents dangerous hose whips through a 2-step disconnection  
Excellent air flow  
Safety solution  
360 PSI 38SCFM

Series #	Description
20.847	Coupler TOPQUIK SC Safety (1/4 IND) 1/4(F)NPT
20.867	Coupler TOPQUIK SC Safety (1/4 IND) 3/8(F)NPT
20.947	Coupler TOPQUIK SC Safety (1/4 IND) 1/4(M)NPT
20.967	Coupler TOPQUIK SC Safety (1/4 IND) 3/8(M)NPT

## PLUGS TYPE 3/8 INDUSTRIAL

Compatible with 3/8 INDUSTRIAL couplers  
-Zinc plated steel

Series #	Description
21.142	Plug (3/8 IND) 1/4(F)NPT
21.162	Plug (3/8 IND) 3/8(F)NPT
21.182	Plug (3/8 IND) 1/2(F)NPT
21.242	Plug (3/8 IND) 1/4(M)NPT
21.262	Plug (3/8 IND) 3/8(M)NPT
21.282	Plug (3/8 IND) 1/2(M)NPT

## QUIKSILVER AUTOMATIC QUICK COUPLER 3/8 INDUSTRIAL TYPE

High pressure  
Drag guard protects against accidental disconnections  
Easy to connect, even under pressure  
435 PSI 72 SCFM

Series #	Description
21.466	Coupler QUIKSILVER (3/8 IND) 3/8(F)NPT
21.486	Coupler QUIKSILVER (3/8 IND) 1/2(F)NPT
21.666	Coupler QUIKSILVER (3/8 IND) 3/8(M)NPT
21.686	Coupler QUIKSILVER (3/8 IND) 1/2(M)NPT

## TOPQUIK AUTOMATIC SAFETY QUICK COUPLER 3/8 INDUSTRIAL TYPE

Two-step disconnection to prevent dangerous hose whip  
Ergonomic and safety solution  
Very resistant and non marking coupler  
225 PSI 72 SCFM

Series #	Description
21.469	Coupler TOPQUIK Safety (3/8 IND) 3/8(F)NPT
21.489	Coupler TOPQUIK Safety (3/8 IND) 1/2(F)NPT
21.669	Coupler TOPQUIK Safety (3/8 IND) 3/8(M)NPT
21.689	Coupler TOPQUIK Safety (3/8 IND) 1/2(M)NPT

## MAXQUIK MANUAL QUICK COUPLERS 3/8 INDUSTRIAL TYPE

Sleeve must be manually retracted to connect and disconnect  
Deep knurled socket sleeve for positive gripping  
Compact design  
250 PSI 56 SCFM

Series #	Description
21.862	Coupler MAXQUIK (3/8 IND) 3/8(F)NPT
21.882	Coupler MAXQUIK (3/8 IND) 1/2(F)NPT
21.962	Coupler MAXQUIK (3/8 IND) 3/8(M)NPT
21.982	Coupler MAXQUIK (3/8 IND) 1/2(M)NPT



## TOPQUIK SC MANUAL SAFETY QUICK COUPLERS 3/8 INDUSTRIAL TYPE

Prevents dangerous hose whips through a 2-step disconnection  
Excellent air flow  
Safety solution  
360 PSI 75 SCFM

Series #	Description
21.867	Coupler TOPQUIK SC Safety (3/8 IND) 3/8(F)NPT
21.887	Coupler TOPQUIK SC Safety (3/8 IND) 1/2(F)NPT
21.967	Coupler TOPQUIK SC Safety (3/8 IND) 3/8(M)NPT
21.987	Coupler TOPQUIK SC Safety (3/8 IND) 1/2(M)NPT



## PLUGS TYPE 1/2 INDUSTRIAL

Compatible with 1/2 INDUSTRIAL couplers  
Zinc plated steel

Series #	Description
22.162	Plug (1/2 IND) 3/8(F)NPT
22.182	Plug (1/2 IND) 1/2(F)NPT
22.192	Plug (1/2 IND) 3/4(F)NPT
22.242	Plug (1/2 IND) 1/4(M)NPT
22.262	Plug (1/2 IND) 3/8(M)NPT
22.282	Plug (1/2 IND) 1/2(M)NPT
22.292	Plug (1/2 IND) 3/4(M)NPT



## TOPQUIK AUTOMATIC SAFETY QUICK COUPLER 1/2 INDUSTRIAL TYPE

Two-step disconnection to prevent dangerous hose whip  
Ergonomic and safety solution  
Very resistant and non marking coupler  
225 PSI 72 SCFM

Series #	Description
22.469	Coupler TOPQUIK Safety (1/2 IND) 3/8(F)NPT
22.489	Coupler TOPQUIK Safety (1/2 IND) 1/2(F)NPT
22.669	Coupler TOPQUIK Safety (1/2 IND) 3/8(M)NPT
22.689	Coupler TOPQUIK Safety (1/2 IND) 1/2(M)NPT



# PNEUMATIC TOOLS TOPRING

Vendor Code:  
TOPRIN

## QUIKSILVER AUTOMATIC QUICK COUPLERS 1/2 INDUSTRIAL TYPE


High pressure  
Drag guard protects against accidental disconnections  
Easy to connect, even under pressure  
500 PSI 145 SCFM

Series #	Description
22.486	Coupler QUIKSILVER (1/2 IND) 1/2(F)NPT
22.686	Coupler QUIKSILVER (1/2 IND) 1/2(M)NPT



## MAXQUIK MANUAL QUICK COUPLERS 1/2 INDUSTRIAL TYPE

Sleeve must be manually retracted to connect and disconnect  
Deep knurled socket sleeve for positive gripping  
Compact design  
250 PSI 75 SCFM

Series #	Description
22.882	Coupler MAXQUIK (1/2 IND) 1/2(F)NPT
22.892	Coupler MAXQUIK (1/2 IND) 3/4(F)NPT
22.982	Coupler MAXQUIK (1/2 IND) 1/2(M)NPT 
22.992	Coupler MAXQUIK (1/2 IND) 3/4(M)NPT



 Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS

# TOPRING

Vendor Code:  
TOPRIN

## TOPQUIK SC MANUAL SAFETY QUICK COUPLERS 1/2 INDUSTRIAL TYPE

Prevents dangerous hose whips through a 2-step disconnection  
Excellent air flow  
Safety solution  
360 PSI 175 SCFM

Series #	Description
22.887	Coupler TOPQUIK SC Safety (1/2 IND) 1/2(F)NPT
22.897	Coupler TOPQUIK SC Safety (1/2 IND) 3/4(F)NPT
22.987	Coupler TOPQUIK SC Safety (1/2 IND) 1/2(M)NPT
22.997	Coupler TOPQUIK SC Safety (1/2 IND) 3/4(M)NPT

## ULTRAFLO E 7.8 TYPE PLUGS

Accepts European style couplers (ULTRAFLO)

Series #	Description
31.542	Plug (ULTRAFLO) 1/4(F)NPT - Zinc Plated Steel
31.546	Plug (ULTRAFLO) 1/4(F)NPT - Stainless Steel
31.562	Plug (ULTRAFLO) 3/8(F)NPT - Zinc Plated Steel
31.646	Plug (ULTRAFLO) 1/4(M)NPT - Stainless Steel with sealant coating
31.648	Plug (ULTRAFLO) 1/4(M)NPT - Zinc Plated Steel with sealant coating
31.662	Plug (ULTRAFLO) 3/8(M)NPT - Zinc Plated Steel

## TOPQUIK SC MANUAL SAFETY QUICK COUPLERS ULTRAFLO E 7.8 TYPE

Prevents dangerous hose whips through a 2-step disconnection  
Excellent air flow  
Safety solution  
360 PSI 70 SCFM

Series #	Description
31.347	Coupler TOPQUIK SC Safety (ULTRAFLO) 1/4(M)NPT
31.367	Coupler TOPQUIK SC Safety (ULTRAFLO) 3/8(M)NPT
31.447	Coupler TOPQUIK SC Safety (ULTRAFLO) 1/4(F)NPT
31.467	Coupler TOPQUIK SC Safety (ULTRAFLO) 3/8(F)NPT

## QUIKSILVER AUTOMATIC QUICK COUPLER ULTRAFLO E 7.8 TYPE

Excellent high pressure  
Drag guard protects against accidental disconnections  
Easy to connect, even under pressure  
500 PSI 80 SCFM

Series #	Description
31.744	Coup. QUIKSILVER Heavy-Duty (ULTRAFLO) 1/4(F)NPT
31.764	Coupler QUIKSILVER (ULTRAFLO) 3/8(F)NPT
31.784	Coupler QUIKSILVER (ULTRAFLO) 1/2(F)NPT
31.844	Coup. QUIKSILVER Heavy-Duty (ULTRAFLO) 1/4(M)NPT
31.864	Coup. QUIKSILVER Heavy-Duty (ULTRAFLO) 3/8(M)NPT
31.884	Coup. QUIKSILVER Heavy-Duty (ULTRAFLO) 1/2(M)NPT

## TOPQUIK AUTOMATIC SAFETY QUICK COUPLERS ULTRAFLO TYPE E 7.8

Two-step disconnection to prevent dangerous hose whip  
Ergonomic and safety solution  
Very resistant and non marking coupler  
225 PSI 60 SCFM

# Série	Description
31.749	Coupler TOPQUIK Safety (ULTRAFLO) 1/4(F)NPT
31.769	Coupler TOPQUIK Safety (ULTRAFLO) 3/8(F)NPT
31.849	Coupler TOPQUIK Safety (ULTRAFLO) 1/4(M)NPT
31.869	Coupler TOPQUIK Safety (ULTRAFLO) 3/8(M)NPT

 Contact your local Wajax Industrial Components branch for delivery information

## TOP PRO SAFETY BLOW GUNS

Airflow can be precisely regulated  
Ergonomically designed non-slip grip  
Superior durability  
Mechanism can resist to more than 100 000 operation cycles  
Max. working pressure : 145 PSI  
Connection : 1/4 (F) NPT

Series #	Description	SCFM	dB
60.302	With 10 cm (4") tube	6.3	86
60.303	With 30 cm (12") long tube	6.3	103
60.304	With 50 cm (20") long tube	6.3	101
60.315	With Quiet tip	7.2	73
60.316	With Venturi tip	18.3	108

## MAXPRO SAFETY HIGH FLOW BLOW GUNS

Robust and powerful safety blow guns  
Designed to quickly move large volumes of debris  
Lightweight aluminium cast pistol-style body  
Max. working pressure : 120 PSI  
Connection : 1/4 (F) NPT

Series #	Description	SCFM	dB
60.561	With short tip	32	97
60.563	With 30 cm (12") long tube	32	97
60.564	With 60 cm (24") long tube	32	97
60.565	With 90 cm (36") long tube	32	97

## AIRPRO NON-RESTRICTED BLOW GUNS

Provides a narrow, high velocity jet of air  
Ergonomic design reduces fatigue and carpal tunnel syndrome  
Max. Working Pressure: 150 PSI  
Connection : 1/4 (F) NPT

Series #	Description	SCFM	dB
60.320	With 6 mm tube x 10 cm (4") Blue	10.2	84
60.390	With 8 mm tube x 10 cm (4") Red	10.2	84

## AIRPRO SILENT SAFETY BLOW GUN

Specially designed tip reduces noise level  
Tip prevents blockage  
Max. working pressure : 150 PSI  
Connection : 1/4 (F) NP

Series #	Description	SCFM	dB
60.387	With 8 mm tube x 13 cm (5")	6.7	71.6

## AIRPRO MAXIMUM SAFETY

This model combines full-strength air jet and low noise level  
Built-in tamper-proof regulator automatically shuts off the airflow if nozzle tip is blocked  
Max. working pressure : 150 PSI  
Connection : 1/4 (F) NPT

Series #	Description	SCFM	dB
60.389	With 8mm x 10 cm (4") tube	4.2	67

# PNEUMATIC TOOLS TOPRING

Vendor Code:  
TOPRIN



 Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS TOPRING

Vendor Code:  
TOPRIN



## MAXPRO® RUBBER AIR HOSE

Heavy duty for professional use  
Ozone and abrasion resistant  
Economical  
Max. working pressure : 300 PSI  
Working temperature range : 82 °C à -40 °C

Series #	Description
71.375	3/8 x 25' x 1/4(M)NPT
71.379	3/8 x 50' x 1/4(M)NPT

## EASYFLEX® PREMIUM ULTRA FLEXIBLE TECHNOPLYMER AIR HOSE

Tough and ultra-flexible at extremely low temperatures  
Easily re-coiled after use  
Excellent abrasion resistance  
RoHS compliant  
Max. working pressure : 300 PSI  
Working temperature range : +65 °C à -54 °C



Series #	Description
72.164	1/4 x 25' x 1/4(M)NPT
72.168	3/8 x 50' x 1/4(M)NPT
72.364	3/8 x 25' x 1/4(M)NPT
72.368	3/8 x 50' x 1/4(M)NPT
72.464	Air Hose 1/2 x 25' x 1/2(M)NPT - without rubber guard
72.468	Air Hose 1/2 x 50' x 1/2(M)NPT - without rubber guard

## THERMOFLEX® TECHNOPLYMER AIR HOSE

High quality flexible PVC compound air hose  
Ideal for applications in contact with paints  
and solvents  
Good abrasion resistance  
Max. working pressure : 300 PSI  
Working temperature range : 65 °C à -26 °C



Series #	Description
72.114	Vinyl Guard 1/4 x 25' x 1/4(M)NPT
72.118	Vinyl Guard 1/4 x 50' x 1/4(M)NPT
72.314	3/8 x 25' x 3/8(M)NPT
72.318	3/8 x 50' x 3/8(M)NPT
72.315	3/8 x 25' x 1/4(M)NPT
72.319	3/8 x 50' x 1/4(M)NPT
72.414	1/2 x 25' x 1/2(M)NPT
72.418	1/2 x 50' x 1/2(M)NPT



## SUPERFLEX® RUBBER AIR HOSE

Excellent resistance when in contact with oils and greases  
Resistance to paint and solvent makes this the  
ideal hose for paint shop applications  
Excellent flexibility  
Max. working pressure : 250 PSI  
Working temperature range : 100 °C à -40 °C

Series #	Description
75.114	1/4 x 25' x 1/4(M)NPT
75.118	1/4 x 50' x 1/4(M)NPT
75.315	3/8 x 25' x 1/4(M)NPT
75.319	3/8 x 50' x 1/4(M)NPT
75.415	1/2 x 25' x 3/8(M)NPT
75.419	1/2 x 50' x 3/8(M)NPT
75.525	3/4 x 25' x 3/4(M)NPT
75.560	3/4 x 50' x 3/4(M)NPT
75.625	1 x 25' x 1(M)NPT
75.660	1 x 50' x 1(M)NPT



## TOPFLEX® RUBBER AIR HOSE

« LOCK-ON » fittings  
Maximum oil and spark resistance  
Flame retardant synthetic rubber cover  
Extremely resistant to oils and heat  
Very flexible  
Max. working pressure : 300 PSI  
Working temperature range : 100 °C à -40 °C

Series #	Description
77.125	1/4 x 25' x 1/4(M)NPT
77.128	1/4 x 50' x 1/4(M)NPT
77.345	3/8 x 25' x 1/4(M)NPT
77.348	3/8 x 50' x 1/4(M)NPT
77.435	1/2 x 25' x 1/2(M)NPT
77.438	1/2 x 50' x 1/2(M)NPT
77.445	1/2 x 25' x 3/8(M)NPT
77.448	1/2 x 50' x 3/8(M)NPT

## TOPREEL HD HOSE REELS INDUSTRIAL HEAVY DUTY WITH AIRFLEX RUBBER AIR HOSE

Adjustable double-guide arm and automatic rewind  
Wide base with grooved reinforcement  
4-direction non-sag rollers to reduce hose wear  
Wall, ceiling or floor mounting possible  
Max. working pressure : 250 PSI



Series #	Description
79.503	3/8 x 33' x 1/4(M)NPT - Large
79.504	3/8 x 50' x 1/4(M)NPT - Large
79.508	1/2 x 33' x 3/8(M)NPT - Large
79.509	1/2 x 50' x 3/8(M)NPT - X-Large

Contact your local Wajax Industrial Components branch for delivery information

# ROLAIR PROFESSIONAL HOSE REELS

Automatic rewind  
Durable construction - made from high-impact resistant polypropylene  
Compact design  
Double adjustment action to lock hose at desired length

Series #	Description
79.365	With Flex Hybrid Air Hose 1/4 x 27' x 1/4(M)NPT
79.370	With PVC Air Hose 1/4 x 33' x 1/4(M)NPT
79.375	With PVC Air Hose 3/8 x 30' x 1/4(M)NPT
79.380	With PVC Air Hose 3/8 x 50' x 1/4(M)NPT



# PNEUMATIC TOOLS TOPRING

Vendor Code:  
TOPRIN



## SAFETY CLEANING UNIT

For Dry And Wet Applications, Powered by compressed air  
Vacuum only : does not create any air pressure making it safe for the cleaning of worker's clothing  
Vacuums liquids, metal shavings and chips, powders, sawdust and dirt, debris and small objects  
Wall mounting plate and body cleaning brush included - Capacity : 20 L  
Air Pressure : 100 PSI

Series #	Description
66.200	Safety Cleaning Unit (Standard Cartridge Filter)
66.201	Safety Cleaning Unit (HEPA Cartridge Filter)

## AIRFLO, COMBINATION UNIT F/R/L

Compact size  
Easy to put together, take apart and install  
Removable locking Push/Pull adjusting knob  
Semi-automatic drain  
Max. pressure range : 150 PSI  
Max. working temperature range : 5 °C à 60 °C  
Filtration : 5 micron



51.220



51.525

Series #	Description	Port size (F) NPT	Max. Airflow at 100 PSI	Filter bowl capacity	Lubricator bowl capacity
51.220	Semi Automatic	1/4	18 SCFM	15 ml	25 ml
51.325	Semi Automatic	3/8	70 SCFM	20 ml	50 ml
51.321	Automatic	1/4	70 SCFM	20 ml	50 ml
51.416	Automatic	1/2	141 SCFM	45 ml	130 ml
51.425	Semi Automatic	1/2	105 SCFM	45 ml	130 ml
51.525	Semi Automatic	1	140 SCFM	130 ml	190 ml

## AIRFLO, FILTERS / REGULATORS F/R

Easy to put together, take apart and install  
Removable locking Push/Pull adjusting knob  
Semi-automatic drain  
Max. pressure range : 150 PSI  
Max. working temperature range : 5 °C à 60 °C  
Filtration : 5 micron

Series #	Description	Port size (F) NPT	Max. Airflow at 100 PSI	Filter bowl capacity
51.250	Semi Automatic	1/4	19 SCFM	15 ml
51.351	Automatic	1/4	70 SCFM	20 ml
51.355	Semi Automatic	3/8	70 SCFM	20 ml
51.455	Semi Automatic	1/2	141 SCFM	45 ml
51.555	Semi Automatic	1	195 SCFM	190 ml
51.525	Semi Automatic	1	140 SCFM	130 ml



51.250

## WATER/OIL SEPERATORS

Simple and cost effective way to meet environmental regulations for condensate disposal.

Mineral and synthetic lubricants applications	Polyglycol applications	Max. flow capacity SCFM	Max. oil adsorption litres	I.D. Inlet / Outlet	Weight kg	Dimensions W x H x D cm
57.300	57.320	70	1.9	1/2	3.6	25.5 x 25 x 23
57.302	57.322	125	3	1/2	8.2	39.5 x 38.5 x 21
57.304	57.324	175	4.9	1/2	10.9	58 x 31 x 19
57.306	57.326	350	9.8	1/2	17.7	65 x 75 x 24
57.308	57.328	750	15.1	1/2	32.7	78 x 90 x 30.5
57.310	57.330	1250	24.9	1/2	48.5	97 x 90 x 38



 Contact your local Wajax Industrial Components branch for delivery information

# PNEUMATIC TOOLS

# TOPRING

Vendor Code:  
TOPRIN



## MINERAL AIR TOOL OIL PREMIUM

Formulated with high quality additives  
Pour Point : -32°C  
Grade ISO 32

Series #	Description
69.101	1 L
69.104	4 L



## SYNTHETIC AIR TOOLS FOR EXTREME TEMPERATURES

Pour point at -55 °C  
Grade ISO 32

Series #	Description
69.401	1 L
69.404	4 L



## MAXDRAIN® COMPACT ELECTRONIC AUTOMATIC DRAIN

Fully automatic - no maintenance  
Quick and simple to install  
Adjustable purge time from 0.5 to 10 seconds  
Adjustable cycle drain time of 30 to 45 minutes

Series #	Description	Inlets	Outlet
59.345	Drain with Y strain 1/2(M)-1/4(F)NPT	1/2(M) 1/4(F)NPT	1/2 (F) NPT

## TOPDRAIN® << ZERO AIR LOSS >> AUTOMATIC DRAIN

Suitable for all type of condensates  
Easy installation and maintenance  
Quiet drainage sound  
With electrical cord  
Compressor aftercooler: 106  
Refrigeration Air Dryer : 212  
Filter, Water Separator : 1059  
Inlet: 1/2 (M) NPT  
Max. working pressure. : 230 PSI  
Temp. range : 1°C to 60°C



Series #	Description	Inlets	Outlet
59.250	1/2(M)NPT	12 mm	115 VAC/ 1ph/50-60 Hz

## PREMIUM MINERAL OIL FOR RECIPROCATING COMPRESSOR

High quality, non-detergent oil  
Excellent anti-corrosion and anti-foam properties  
Pour Point : -18°C  
Grade ISO 150  
Period of use : 3000 to 4000 hours depending on the temperature used



Series #	Description
69.201	1 L
69.204	4 L



## SYNTHETIC OIL FOR RECIPROCATING TYPE COMPRESSOR - PISTON

Specially formulated for compressor cold weather use  
Excellent anti-corrosion and anti-foam properties  
Pour Point : -45 °C  
Grade ISO 150  
Service Life : 6000 to 8000 hours depending on the temperature

Series #	Description
69.601	1 L
69.604	4 L



## SYNTHETIC BIODEGRADABLE AIR TOOL OIL

Contains an active lubricating agent that increases lubricant adhesion  
Pour Point : -27 °C  
Grade ISO 32

Series #	Description
69.701	1 L
69.704	4 L

## MAXDRAIN® MECHANICAL AUTOMATIC DRAIN

Low maintenance  
With Float  
Economical  
No electricity required  
Max. supply pressure : 230 PSI  
Temp. Range : -10°C to 80°C  
Bowl capacity : 400 ml



Series #	Description
59.465	1/2 (M) NPT

Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES **PEARL**<sup>®</sup>

Vendor Code:  
PEABBR



## Xtreme PX-4000<sup>™</sup>

DIAMOND TOOLS FOR METAL APPLICATIONS!

Less is More!

Up to 65 times more life compared to conventional abrasives!

LOWEST COST PER CUT!

## **XTREME** **PX-4000<sup>™</sup>**

Series #	Description
PX4CW04	4 x .050 x 5/8, 3/8, 1/4
PX4CW45	4-1/2 x .050 x 7/8, 5/8
PX4CW05	5 x .050 x 7/8, 5/8
PX4CW06	6 x .050 x 7/8, 5/8
PX4CW07	7 x .060 x 7/8, 5/8
PX4CW14	14 x .125 x 1, 20mm



## **Slimcut<sup>™</sup>** **SRT<sup>™</sup>**

## **Slimcut<sup>™</sup> SRT<sup>™</sup>**

Synthetic Resinoid Technology  
Thin Cut-Off Wheels  
Ultra High Performance,  
Extremely Long Life,  
Cuts Fast And Will Not  
Contaminate Stainless Steel.

Series #	Description
T-1	
CWSRT4532A	4-1/2 x .045 x 7/8
CWSRT0532A	5 x .045 x 7/8
CWSRT0632A	6 x .045 x 7/8
CWSRT0732A	7 x .062 x 7/8
T-27	
DCWSRT45A	4-1/2 x .045 x 7/8
DCWSRT05A	5 x .045 x 7/8
DCWSRT06A	6 x .045 x 7/8
DCWSRT07A	7 x .062 x 7/8



## **GreenBack<sup>™</sup>**

Easy Trim Backing Zirconia

Maxidisc<sup>™</sup> Flap Disc

Trimable, Better Price,

Better Flap Backing!

## **GREENBACK<sup>™</sup>**

Series #	Description
MAX4540ZG	4-1/2 x 7/8 Z40
MAX4560ZG	4-1/2 x 7/8 Z60
MAX4580ZG	4-1/2 x 7/8 Z80
MAX45120Z	4-1/2 x 7/8 Z120
MAX5040ZG	5 x 7/8 Z40
MAX5060ZG	5 x 7/8 Z60
MAX5080ZG	5 x 7/8 Z80
MAX5120ZG	5 x 7/8 Z120
MAX6040ZG	6 x 7/8 Z40
MAX6060ZG	6 x 7/8 Z60
MAX6080ZG	6 x 7/8 Z80



## **REDLINE<sup>™</sup> MAX-A.O.**

## **Redline<sup>™</sup>**

Max A.o.<sup>™</sup> Depressed  
Center Grinding Wheel  
A Pearl Exclusive!  
33% More Efficient Than  
Standard Aluminum Oxide!

Series #	Description
DCRED45	4-1/2 x 1/4 x 7/8
DCRED50	5 x 1/4 x 7/8
DCRED60	6 x 1/4 x 7/8
DCRED70	7 x 1/4 x 7/8



Contact your local Wajax Industrial Components branch for delivery information



## Grinding wheel

Diameter	Tickness	Bore	Part Number	Grade
4-1/2"	1/4"	7/8"	0020.4706.01	A24/30S
5"	1/4"	7/8"	0020.4707.01	A24/30S
7"	1/4"	7/8"	0020.4738.01	A24/30S

## Cut-Off Wheels with depressed center

Diameter	Tickness	Bore	Part Number	Grade
4-1/2"	3/32"	7/8"	0020.4826.01	A30U
5"	3/32"	7/8"	0020.4827.01	A30U
5"	1/8"	7/8"	0020.4751.01	A30U



## Cut-off wheel

Diameter	Tickness	Bore	Part Number	Grade
3"	3/64"	3/8"	0020.4825.01	A46S
4-1/2"	3/64"	7/8"	0020.4697.01	A60S
4-1/2"	3/32"	7/8"	0020.4698.01	A24/30S
5"	3/64"	7/8"	0020.4699.01	A60S
5"	1/16"	7/8"	0020.4702.01	A46T
5"	3/32"	7/8"	0020.4733.01	A24/30S



## Flap discs (plastic)

Dimension	Grit	Part Number
4-1/2" x 7/8"	36	0020.4360
4-1/2" x 7/8"	40	0020.4361
4-1/2" x 7/8"	50	0020.4362
4-1/2" x 7/8"	60	0020.4363
4-1/2" x 7/8"	80	0020.4364
4-1/2" x 7/8"	120	0020.4365
5" x 7/8"	36	0020.8346
5" x 7/8"	40	0020.8347
5" x 7/8"	50	0020.8348
5" x 7/8"	60	0020.8349
5" x 7/8"	80	0020.8350
5" x 7/8"	120	0020.8351



## Flap discs (plastic)

Dimension	Grit	Part Number
4-1/2" x 7/8"	40	0020.6311
4-1/2" x 7/8"	60	0020.6312
4-1/2" x 7/8"	80	0020.6313
5" x 7/8"	40	0020.6317
5" x 7/8"	60	0020.6318
5" x 7/8"	80	0020.6319



Stainless steel

## Flap discs (Fiber)

Dimension	Grit	Part Number
4-1/2" x 7/8"	36	0020.2651
4-1/2" x 7/8"	40	0020.2652
4-1/2" x 7/8"	50	0020.2653
4-1/2" x 7/8"	60	0020.2654
4-1/2" x 7/8"	80	0020.2655
4-1/2" x 7/8"	120	0020.2656
5" x 7/8"	36	0020.3024
5" x 7/8"	40	0020.3025
5" x 7/8"	50	0020.3026
5" x 7/8"	60	0020.3027
5" x 7/8"	80	0020.3028
5" x 7/8"	120	0020.3029



## Flap discs (Fiber)

Dimension	Grit	Part Number
4-1/2" x 7/8"	40	xxxx.xxxx
4-1/2" x 7/8"	60	xxxx.xxxx
4-1/2" x 7/8"	80	xxxx.xxxx
5" x 7/8"	40	xxxx.xxxx
5" x 7/8"	60	xxxx.xxxx
5" x 7/8"	80	xxxx.xxxx



Stainless steel

## Fiber Discs

Dimension	Grit	Part Number
4-1/2" x 7/8"	24 - 120	7120.5813.xxxx
5" x 7/8"	24 - 120	7340.2591.xxxx
7" x 7/8"	24 - 120	5712.4043.xxxx



## Fiber Discs

Dimension	Grit	Part Number
4-1/2" x 7/8"	36 - 120	0550.1885.xxxx
5" x 7/8"	36 - 120	0748.2442.xxxx
7" x 7/8"	36 - 120	0239.8024.xxxx



Grit : 120, 100, 80, 60, 50, 36, 24

Grit : 120, 100, 80, 60, 50, 36



Contact your local Wajax Industrial Components branch for delivery information





## Your Key to a Perfect Surface

### Cloth Belts



Dimension	Grit	Part Number
4" x 24"	24	8037.6118.0024
4" x 24"	36 - 120	8072.1424.xxxx



Dimension	Grit	Part Number
6" x 48"	60 - 120	BE2925.648000.xxxx

### Cloth Rolls



Dimension	Grit	Part Number
1" x 55 yds	80 - 120	0430.8219.xxxx
1-1/2" x 55 yds	80 - 120	0388.1861.xxxx
2" x 55 yds	80 - 120	3415.8417.xxxx

### Siafast Discs



Dimension	Grit	Part Number
5"	40 - 1500	6736.2380
6"	40 - 1500	7285.4325



Dimension	Grit	Part Number
5"	24 - 120	3869.7936
6"	24 - 120	4418.9881

### Backup pad



Dimension		Part Number
5"	Hard	0020.6730
6"	Hard	0020.6736



Dimension		Part Number
5"		0020.3194

### Flap Wheels with Mandrel

Dia.	Thickness	Shaft	Part Number
1"	3/8"	1/4"	RL13814xxx
1"	1/2"	1/4"	RL1514xxx
1"	3/4"	1/4"	RL13414xxx
1"	1"	1/4"	RL1114xxx
1-1/2"	3/8"	1/4"	RL153814xxx
1-1/2"	1/2"	1/4"	RL15514xxx
1-1/2"	3/4"	1/4"	RL153414xxx
1-1/2"	1"	1/4"	RL15114xxx
1-1/2"	1-1/2"	1/4"	RL151514xxx
2"	3/8"	1/4"	RL23814xxx
2"	1/2"	1/4"	RL2514xxx
2"	3/4"	1/4"	RL23414xxx
2"	1"	1/4"	RL2114xxx
2"	1-1/2"	1/4"	RL21514xxx
2"	2"	1/4"	RL2214xxx
2-1/2"	1/2"	1/4"	RL25514xxx
2-1/2"	3/4"	1/4"	RL253414xxx
2-1/2"	1"	1/4"	RL25114xxx
2-1/2"	2"	1/4"	RL25214xxx
3"	1/2"	1/4"	RL3514xxx
3"	3/4"	1/4"	RL33414xxx
3"	1"	1/4"	RL3114xxx
3"	1-1/2"	1/4"	RL31514xxx
3"	2"	1/4"	RL3214xxx



Grit : 120, 100, 080, 060


### siaflex Sheet

Dimension	Grit	Part Number
9" x 11"	40 - 1500	3855.8589



### Sheet

Dimension	Grit	Part Number
9" x 11"	40 - 400	4818.6559



### Hand Sanding Block

Dimension	Part Number
2-3/4" x 5"	0020.0389



Contact your local Wajax Industrial Components branch for delivery information



## Spectrum Unitized Wheels

Dimension	Part Number
3" x 1/4" x 1/4"	5999.2080
6" x 1/4" x 7/8"	5999.2168
6" x 1/2" x 7/8"	5999.2192

Dimension	Part Number
3" x 1/4" x 1/4"	5999.2079
6" x 1/4" x 7/8"	5999.2169
6" x 1/2" x 7/8"	5999.2193

Dimension	Part Number
3" x 1/4" x 1/4"	5999.2078
6" x 1/4" x 7/8"	5999.2129
6" x 1/2" x 7/8"	5999.2194

Dimension	Part Number
3" x 1/4" x 1/4"	5999.2077
6" x 1/4" x 7/8"	5999.2128
6" x 1/2" x 7/8"	5999.2195

## Hand Pad

Dimension	Grit	Color	Part Number
6" x 9"	0000	White	4132.9840.0011
6" x 9"	1000	Gold	4132.9840.9911
6" x 9"	0800	Grey	4132.9840.8712
6" x 9"	0600	Grey	4132.9840.8711
6" x 9"	0320	Maroon	4132.9840.6932
6" x 9"	0180	Maroon	4132.9840.5911
6" x 9"	0120	Maroon	4132.9840.4921
6" x 9"	0110	Black	4132.9840.4721
6" x 9"	0100	Green	4132.9840.4923
6" x 9"	0080	Tan	4132.9840.2922

## Back Pads for Fiber Discs

Dimension	Description	Part Number
5"	hard	0020.0431
7"	hard	0020.0432

## Turbo Pads for Fiber Discs

Dimension	Description	Part Number
5"	hard	0020.3718

Grit : 120, 100, 80, 60, 50, 36, 24 (Ref. Grit: .0xxx)

## Your Key to a Perfect Surface

### Nonwoven Discs (Siafix)

Dimension	Grit	Color	Part Number
2"	0600	Grey	0020.2341
2"	0150	Blue	2544.2968.6922
2"	0100	Maroon	2544.2968.4922
2"	0060	Brown	2544.2968.2922
2"	0046	Navy blue	2544.2968.1922

### Zirconium Discs (Siafix)

Dimension	Grit	Part Number
2"	36	0020.1378.0036
2"	50	7864.7599.0050
2"	80	0020.1380.0080
2"	120	0020.1381.0120

### Nonwoven Discs (Siafix)

Dimension	Grit	Color	Part Number
3"	0600	Grey	0020.2344
3"	0150	Blue	3093.4446.6922
3"	0100	Maroon	3093.4446.4922
3"	0060	Brown	3093.4446.2922
3"	0046	Navy blue	3093.4446.1922

### Zirconium Discs (Siafix)

Dimension	Grit	Part Number
3"	36	0020.1382
3"	60	0020.1383
3"	80	0020.1384
3"	120	0020.1385

### Back Pads with 1/4" Shaft for Siafix Discs

Dimension		Part Number
2"	soft / mou	0020.0132
3"	soft / mou	0020.0133

### Nonwoven

Dimension	Grit	Part Number
4-1/2"	Medium / moyen	1097.9289.4923
4-1/2"	Coarse / Grossier	1097.9289.2923

Grit : 120, 100, 80, 60, 50, 36, 24 (Ref. Grit: .0xxx)

Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES



Vendor Code:  
WALT76



Series #	Description
06B454	4-1/2 GRID 40 ENDURO-FLEX
06B456	4-1/2 GRID 60 ENDURO-FLEX
06B458	4-1/2 GRID 80 ENDURO-FLEX
06B504	5" GRID 40 ENDURO-FLEX
06B506	5" GRID 60 ENDURO-FLEX
06B508	5" GRID 80 ENDURO-FLEX



Series #	Description
06B604	6" GR40 ENDURO-FLEX
06B606	6" GR60 ENDURO-FLEX
06B608	6" GR80 ENDURO-FLEX



Series #	Description
08B460	4-1/2X1/4X7/8 HP GRINDING WHEELS
08B510	5X1/4 X7/8 HP GRINDING WHEELS
08B600	6X1/4 HP GRINDING WHEELS



Series #	Description
08H452	4-1/2X1/8X7/8 ALLSTEEL XX
08H502	5X1/8X7/8 ALLSTEEL XX
08H602	6X1/8X7/8 ALLSTEEL XX



Series #	Description
08L452	4-1/2X1/8 A24 ALU GRINDING WHEELS
08L502	5X1/8 A24ALU GRINDING WHEELS
08L602	6X1/8 A24ALU GRINDING WHEELS



Series #	Description
08N452	4-1/2x1/8 A-36 PIPEFITTER
08N502	5x1/8 A-36 PIPEFITTER
08N602	6X1/8 PIPEFITTER WHEEL



Series #	Description
01A004	1/16 SST JOBBER QUICK SHANK
01A005	5/64 SST JOBBER QUICK SHANK
01A006	3/32 SST JOBBER QUICK SHANK
01A007	7/64 SST JOBBER QUICK SHANK
01A008	1/8 SST JOBBER QUICK SHANK
01A009	9/64 SST JOBBER QUICK SHANK
01A010	5/32 SST JOBBER QUICK SHANK
01A011	11/64 SST JOBBER QUICK SHANK
01A012	3/16 SST JOBBER QUICK SHANK
01A013	13/64 SST JOBBER QUICK SHANK
01A014	7/32 SST JOBBER QUICK SHANK
01A015	15/64 SST JOBBER QUICK SHANK
01A016	1/4 SST JOBBER QUICK SHANK
01A017	17/64 SST JOBBER QUICK SHANK
01A018	9/32 SST JOBBER QUICK SHANK
01A019	19/64 SST JOBBER QUICK SHANK
01A020	5/16 SST JOBBER QUICK SHANK
01A021	21/64 SST JOBBER QUICK SHANK
01A022	11/32 SST JOBBER QUICK SHANK
01A023	23/64 SST JOBBER QUICK SHANK
01A024	3/8 SST JOBBER QUICK SHANK
01A025	25/64 SST JOBBER QUICK SHANK
01A026	13/32 SST JOBBER QUICK SHANK
01A027	27/64 SST JOBBER QUICK SHANK
01A028	7/16 SST JOBBER QUICK SHANK
01A029	29/64 SST JOBBER QUICK SHANK
01A030	15/32 SST JOBBER QUICK SHANK
01A031	31/64 SST JOBBER QUICK SHANK
01A032	1/2 SST JOBBER QUICK SHANK



Series #	Description
06A452	4-1/2 X 5/8 ENDUROFLEX TURBO
06A502	5 X 5/8-11 ENDUROFLEX TURBO
06A602	6 X 5/8-11 ENDUROFLEX TURBO



Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES



Vendor Code:  
WALT76



Series #	Description
10Q123	12X3/32 A30 GRINDING WHEEL CHOPCUT
10Q143	14X3/32 GRINDING WHEEL CHOPCUT



Series #	Description
11T042	4-1/2X3/64 ZIPCUT WHEELS
11T052	5X3/64X7/8 ZIPCUT WHEELS
11T062	6X3/64X7/8 ZIPCUT WHEELS



Series #	Description
11U042	4-1/2X3/64 ZIPCUT WHEELS
11U052	5X3/64X7/8 ZIPCUT WHEELS
11U062	6 X 3/64 ZIP ALU WHEEL



Series #	Description
13F304	3" 5/8-11 WIRE CUP BRUSH
13F314	3" 5/8-11 ST ST CUP BRUSH



Series #	Description
13G304	3" 5/8-11 WIRE CUP BRUSH
13G314	3" 5/8-11 ST ST CUP BRUSH



Series #	Description
13L404	4X1/4/5/8-11 KNOT BRUSH
13L414	4X1/4/5/8-11 KNOT BRUSH INOX
13L454	4-1/2X1/4/5/8-11 KNOT BRUSH

Series #	Description
15L843	4-1/2" GR 36 FLEXCUT/MILL SCALE
15L853	5" GRID 36 GRINDING WHEEL FLEXCUT-MILL SCALE
15L863	6" GR 36 FLEXCUT/MILL SCALE



Series #	Description
30B017	FLANGE FOR 5/8" SPINDLE



Series #	Description
53B002	COOLCUT SPRAY_400 ML
53B013	COOLCUT LUB STICK_300 G



Series #	Description
53B203	STAINLESSCUT LIQUID_350 ML



Series #	Description
53B303	ALUCUT LUB STICK_300 G



Series #	Description
53C502	SLAP-SHOT AEROSOL_500 ML
53C503	SLAP-SHOT SPRAYER_500 ML



Series #	Description
53C552	SLAP SHOT PL_400 ML



Series #	Description
53D102	CHAIN GANG SPRAY_400 ML



Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES



Vendor Code:  
WALT76



Series #	Description
53G125	CB 100 ALU_ 3,78L
53G127	CB100 ALU 20 L
53G128	CB100 ALU 208 L
53G129	CB100 ALU 1000 L



Series #	Description
53G165	CB 100_3,78 L
53G167	CB 100 20 L
53G168	CB 100 208 L



Series #	Description
55D010CBMP	CLEANBOX DIP MOBILE KIT



Series #	Description
55D010CBP	CLEANBOX DIP KIT



Series #	Description
53H102	ZINC-100 SPRAY_326 G



Series #	Description
53L121	E-WELD NOZZLE APPLICATOR



Series #	Description
53X003	OMNI SPRAYER_500 ML



Series #	Description
53D602	FOOD ZONE AEROSOL 400 ML
53D652	FOOD ZONE V AEROSOL 400 ML



Series #	Description
53D893	BOLT-OUT SPRAYER_500 ML



Series #	Description
53E102	OPEN GEAR SPRAY_400 ML



Series #	Description
53F212	E-WELD NOZZLE AEROSOL_400 ML



Series #	Description
53G033	UNO S INDUSTRIAL STRENGTH DEGREASER_500 ML
53G037	UNO S INDUSTRIAL STRENGTH DEGREASER_20L

Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES



Vendor Code: NORTON



## Shop Rolls K227

Engineered For Flexibility and Fast Cutting  
Cloth sheets and rolls have a longer life than paper.  
They tear cleanly and straight without shedding and are packed in a protective dispenser to eliminate waste and damage.

Series #	Size	Grit	PKG
66261109180	1 x 50 Yds	P80-J	1
66261058721	1 x 50 Yds	P100-J	1
66261109170	1 x 50 Yds	P120-J	1
66261058720	1 x 50 Yds	P150-J	1
66261109160	1 x 50 Yds	P180-J	1
66261109150	1 x 50 Yds	P280-J	1
66261109140	1 x 50 Yds	P320-J	1
66261109255	1-1/2 x 50 Yds	P80-J	1
66261058719	1-1/2 x 50 Yds	P100-J	1
66261109245	1-1/2 x 50 Yds	P120-J	1
66261058717	1-1/2 x 50 Yds	P150-J	1
66261109235	1-1/2 x 50 Yds	P180-J	1
66261109225	1-1/2 x 50 Yds	P280-J	1
66261109215	1-1/2 x 50 Yds	P320-J	1
66261109335	2 x 50 Yds	P80-J	1
66261109325	2 x 50 Yds	P120-J	1
66261109320	2 x 50 Yds	P150-J	1
66261109315	2 x 50 Yds	P180-J	1
66261126293	2 x 50 Yds	P240-J	1

## Full Cable Twist Knot Wire Wheel Brushes - For Stainless Steel

Series #	Size	Grit	PKG
66252833488	5 x .020 x 5/8-11	Stainless Steel	5

## Full Cable Twist Knot Wire Wheel Brushes - For Steel

Series #	Size	Grit	PKG
66252833487	5 x .020 x 5/8-11	Carbon Steel	5

## Knotted Wire Cup Brushes - For Stainless Steel

Series #	Size	Grit	PKG
69936653340	2-3/4 X .020 X 5/8-11	Stainless Steel	5

## Knotted Wire Cup Brushes - For Steel

Series #	Size	Grit	PKG
66252833492	2-3/4 X .020 X 5/8-11	Carbon Steel	5

The Norton bench wheel line consists of all wheel diameters and arbor sizes, abrasive types and grit sizes. Our offering answers all metal removal, deburring, shaping and sharpening needs: white aluminum oxide for high-speed tool steels, brown aluminum oxide for carbon steel, and silicon carbide for non-ferrous metals and carbide tooling.

## NORTON GEMINI ALUMINUM OXIDE

GOOD CHOICE FOR ALL GENERAL-PURPOSE BENCH AND PEDESTAL APPLICATIONS

## NORTON GEMINI SILICON CARBIDE

GOOD CHOICE FOR ALL GENERAL-PURPOSE BENCH AND PEDESTAL APPLICATIONS ON NONFERROUS MATERIALS AND CARBIDE TOOLING

## Bench Wheels

### Norton Gemini Alumundum Crs 36/46 Bench Wheel, Bushed to 7/8, 3/4, 5/8, 1/2



Series #	Size	Grit	PKG
66252836132	6 x 1/2 x 1	36-46	1
66252836131	6 x 1/2 x 1	60-80	1
66252836133	6 x 1/2 x 1	100-120	1
07660788245	6 x 3/4 x 1	36-46	1
07660788240	6 x 3/4 x 1	60-80	1
07660788235	6 x 3/4 x 1	100-120	1
07660788260	6 x 1 x 1	36-46	1
07660788255	6 x 1 x 1	60-80	1
07660788250	6 x 1 x 1	100-120	1

## Bench Wheels

### Norton Gemini Crystolon Med 60 Bench Wheel Bushed to 7/8, 3/4, 5/8, 1/2



Series #	Size	Grit	PKG
66252836571	6 x 1/2 x 1	Medium 60	1
66252836572	6 x 1/2 x 1	Fine 80	1
66252836573	6 x 1/2 x 1	X fine 120	1
66252837190	6 x 3/4 x 1	Medium 60	1
66252837191	6 x 3/4 x 1	Fine 80	1
66252837192	6 x 3/4 x 1	X fine 120	1
66252837187	6 x 1 x 1	Medium 60	1
66252837193	6 x 1 x 1	Fine 80	1
66252837194	6 x 1 x 1	X fine 120	1

## Knotted Wire Cup Brushes - For Steel

Series #	Size	Grit	PKG
66252833497	5 x .020 x 5/8-11	Stainless Steel	5

## Knotted Wire Cup Brushes - For Steel

Series #	Size	Grit	PKG
69936653336	2-3/4 X .020 X 5/8-11	Carbon Steel	5

## Wire Saucer Cup Brushes

Series #	Size	Grit	PKG
66252835586	5 x .020 x 5/8-11	Stainless Steel	5

## Wire Saucer Cup Brushes

Series #	Size	Grit	PKG
66252835585	5 x .020 x 5/8-11	Carbon Steel	5



Contact your local Wajax Industrial Components branch for delivery information

## Non Woven 2 and 3 inch discs TR

Prep for the Future (Rapid Prep)

Cleaning and surface conditioning Norton Rapid Prep products deliver higher material removal, longer life and consistent, smear-free finishes, even on high nickel content alloys

Cleaning rust, scale and dirt; light deburring; edge blending; roughening for adhesion; finishing for appearance; finish preparation prior to plating or painting

## Vortex Rapid Prep Discs - Quick Change TR

Series #	Size	Grit	PKG
66623335414	2" x TR	Coarse	50
66623335427	2" x TR	Medium	50
66623325035	2" x TR	Fine	50
66623335433	2" x TR	Very Fine	50
66623335417	3" x TR	Coarse	25
66623335430	3" x TR	Medium	25
66623325038	3" x TR	Fine	25
66623335437	3" x TR	Very Fine	25



## Rapid Prep Discs - Quick Change TR

Series #	Size	Grit	PKG
66261009191	2" x TR	Coarse	50
66261009190	2" x TR	Medium	50
66261009190	2" x TR	Medium	50
66261009189	2" x TR	Very Fine	50
66261009194	3" x TR	Coarse	25
66261017522	3" x TR	Medium	25
66261017522	3" x TR	Medium	25
66261009192	3" x TR	Very Fine	25



## Merit Quick Change Holders TR Medium Density

Series #	Size	Grit	PKG
08834161174	1-1/2" TR	Medium	1
08834164922	2" TR	Medium	1
08834164949	3" TR	Medium	1



## Fiber disc Quick Change 2 and 3 inches

Series #	Size	PKG
66253214561	12" X 7/64 X 1"	20
66253313588	14" X 7/64 X 1"	20




## Construction Gas Saw 12 and 14 inches

Series #	Size	PKG
70184647561	12" iLube High-Speed Gas Saw	1
70184647565	14" Blade Cap iLube Hand Held	1
70184647559	12" Standard High-Speed Gas Saw	1
70184647563	14" Blade Cap Standard Hand Held	1



## Construction Diamond Blades

Series #	Size	PKG
70184684548	12 x .110 x 1"/20mm	1
70184684547	14 x .125 x 1"/20mm	1
70184684180	12 x .110 x 1"/20mm	1
70184684181	14 x .125 x 1"/20mm	1



# ABRASIVES

**NORTON**

## Stringer Bead Knot Wire Brushes - For Steel (Bulk Packed)

Vendor Code: NORTON

Series #	Size	Grit	PKG
66252833490	5 x .020 x 5/8-11	Carbon Steel	10
66252840469	6 x .020 x 5/8-11	Carbon Steel	10



## Non Woven Hand Pads

Surface finishing hand pads and rolls are made of a non-woven nylon web impregnated with abrasive grain and resin bond.

Light- to heavy-duty cleaning, deburring, blending, polishing, and finishing of metal, wood, composite, plastics, stone, solid surface and painted surfaces.

Series #	Size	Grit	PKG
66261074700	6 x 9	747 General Purpose Pad	60
66261074600	6 x 9	746 Metal Blending Pad	40
66261074000	6 x 9	740 Heavy Duty Pad	40
66261069600	6 x 9	696 Food Pro Pad	60



## Fiber disc Quick Change 2 and 3 inches

Blaze Your Way to Greater Productivity

The latest-generation, cooler cutting ceramic abrasive grain of Norton Blaze delivers highest productivity on the toughest jobs without the added operator pressure or heavy tool.

Norton SG ceramic grain with self-lubricating, supersize treatment provides coolest cut with significantly faster cut rates

Heaviest fiber backing, greater durability, longest life, and edge-fray resistance

## Norton Blaze 3-Ply Durable QC TR

Series #	Size	Grit	PKG
66261162318	2" x TR	36	25
66261162320	2" x TR	50	25
66261162322	2" x TR	60	25
66261162324	2" x TR	80	25
66261043386	2" x TR	120	25
66261162328	3" x TR	36	25
66261162330	3" x TR	50	25
66261162332	3" x TR	60	25
66261162334	3" x TR	80	25
66261043390	3" x TR	100	25



## Norton BlueFire QC TR

Series #	Size	Grit	PKG
66261138672	2" x TR	24	25
66261138671	2" x TR	36	25
66261138670	2" x TR	50	25
66261121048	2" x TR	60	25
66261121049	2" x TR	80	25
66261138675	3" x TR	24	25
66261138674	3" x TR	36	25
66261138673	3" x TR	50	25
66261121053	3" x TR	60	25
66261121054	3" x TR	80	25



Contact your local Wajax Industrial Components branch for delivery information

# ABRASIVES



Vendor Code:  
NORTON



## Gemini XXL Type 27 (Pipefitter) Wheel

Series #	Size	Grit	PKG
66253370271	4-1/2 x 1/8 (5/32)x 7/8		25
66252842038	5 x 1/8 (5/32)x 7/8		25
66252835580	6 x 1/8 (5/32) x 7/8		20
66252835581	7 x 1/8 (5/32) x 7/8		20

## NEON Flapdisc T 27 trimmable

Performance and Affordability 30%+ life versus competitive aluminum oxide flap discs. Their versatility and economical initial price make Norton Neon flap discs ideal for shops with numerous requirements – from stock removal to blending.

Good choice for soft metals to hard-to-grind stainless and carbon steel.



Series #	Size	Grit	PKG
66623399004	4-1/2 x 7/8	40	10
66623399005	4-1/2 x 7/8	60	10
66623399006	4-1/2 x 7/8	80	10
66623399008	5 x 7/8	40	10
66623399009	5 x 7/8	60	10
66623399010	5 x 7/8	80	10

## Premium Ceramic R980P Abrasive Grain

For the highest productivity on the toughest jobs, and for full use of the flaps, use Norton Blaze R980P premium ceramic abrasive flap discs. Latest-generation ceramic abrasive and durable Y-weight polyester flaps are mounted on our easily-trimmable plastic back plate.



Series #	Size	Grit	PKG
66254400253	4-1/2 x 7/8	40	10
66254400254	4-1/2 x 7/8	60	10
66254400255	4-1/2 x 7/8	80	10
66254400262	5 x 7/8	40	10
66254400264	5 x 7/8	60	10
66254400265	5 x 7/8	80	10

## Gemini XXL Type 27 Grinding Wheel

The Fastest Grinding 100% Aluminum Oxide Wheels in the Market

- 50% more life and metal removal than standard aluminum oxide wheels
- Best on hard-grade carbon steel applications, weld repairs, flashing and any job that requires a quick turnaround
- Made in our Texas, USA plant



Series #	Size	Grit	PKG
66252843784	4-1/2 x 1/4 x 7/8		25
66252843786	5 x 1/4 x 7/8		25
66252843788	6 x 1/4 x 7/8		20
66252843790	7 x 1/4 x 7/8		20

## “NEW” Type 1 GEMINI RIGHTCUT

The re-engineered Norton Gemini RightCut 100% oxide wheels provide thinner, faster cutting with a burr-free, precision cut and improved operator comfort.

Available in Type 1 and Type 27.

Series #	Size	Grit	PKG
66252823602	4-1/2 x .045 x 7/8		25
66252841213	4-1/2 x .045 x 7/8		250
66252823603	5 x .045 x 7/8		25
66252841214	5 x .045 x 7/8		250
66252823604	6 x .045 x 7/8		25
66252841215	6 x .045 x 7/8		250



## “NEW” Type 27 GEMINI RIGHTCUT

Series #	Size	Grit	PKG
66252842026	4-1/2 x .045 x 7/8		25
66253370065	4-1/2 x .045 x 7/8		250
66252842036	5 x .045 x 7/8		25
66253370066	5 x .045 x 7/8		250
66252842202	6 x .045 x 7/8		25
66253370067	6 x .045 x 7/8		250



## Blue Fire Fast Cut T 27 Grinding Wheel

Enhance Performance and Life Up to 20% With Our Proprietary Zirconia Grain

Highly versatile product that grinds and cuts a variety of materials with efficiency: stainless steel, carbon steel, alloys to gray iron

No other zirconia wheel will provide the superior performance-to-price ratio of Norton BlueFireance Pef Enhance Performance

Series #	Size	Grit	PKG
66252843214	4-1/2 x 1/4 x 7/8		25
66252843218	5 x 1/4 x 7/8		25
66252843203	6 x 1/4 x 7/8		20
66252843236	7 x 1/4 x 7/8		20



Contact your local Wajax Industrial Components branch for delivery information



# PAINTS & COATING



Series #	Description	Qty
1600 System	Get fast, high-quality color with Rust-Oleum Industrial Choice® 1600 System Enamel Spray. This multi-purpose paint provides up to twice the coverage of competitive brands. Finish more area in less time with fewer cans. Dries to the touch in 12 minutes. For indoor/outdoor industrial-maintenance use. Resists chipping, fading and peeling; withstands heat to 200° F. Extra-wide comfort nozzle prevents finger fatigue and sprays from any angle, even upside down. Meets USDA requirements for incidental food contact.	1
KrudKutter	Water Based. Non-Toxic. Biodegradable. Non-Flammable. mixed (1:10) with water, one gallon of concentrate will clean approximately 2,500 sq. ft. Can be applied by pressure washer, pump sprayer, brush or roller. Contains anti-corrosive agents to safeguard pressure washer. Safe for all carpet types, including synthetic, as well as stain resistant carpets. Concentrated formula will clean six 2.5m x 4.0m (9' x 12') carpets. Recommended for exterior siding (wood, vinyl, aluminum), roofing of all types (asphalt shingles, fiberglass shingles, cedar, tile), gutters, wood fences and decks, walkways and walls, even patio furniture, and boats.	1
5600 System	Get quick color and protection with Rust-Oleum Concrete Saver 5600 System Acrylic Urethane Floor Paint. This convenient, high-gloss, water-based coating is ideal for use in mild industrial or commercial settings. Great for floors, walkways, decks, etc. Protects concrete floors from dusting, water damage, staining and mildew. Paint and go—no measuring or mixing; minimal surface prep. Excellent coverage over new and previously coated surfaces; for interior/ exterior use. Dries fast—accepts next-day foot traffic; easy brush, spray or roller application. Low odor, soap-and-water clean-up, VOC-compliant nationwide Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities.	1
C740 System	Get excellent protection and coverage with Rust-Oleum Commercial C740 System 400 VOC DTM Alkyd Enamel. This ready-to-use formula provides an easy-to-maintain, high-gloss finish specifically for commercial applications. Multi-purpose direct-to-metal (DTM) coating; excellent coverage and hide. Convenient—requires no measuring or mixing; can be brushed, rolled or sprayed. Resists rust, chipping, general weathering, mild chemical fumes and light abrasion. For everyday commercial use—metal trim, structural steel, handrails, cabinets, etc. Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities.	1
ECO Prime	ECO Prime™ is a 100% solids, fast curing polyurea primer for use on concrete floors in industrial and commercial facilities. Use with Rust-Oleum's Fast Flooring products for the ultimate floor in 24. Penetrates and seals for long lasting protection. Excellent coverage - 2 gallon kit covers up to 1400 sq. ft. 100% solids, low VOC formula (<10 g/l) for nationwide compliance.	1
Flexible Joint Sealant	Create a strong, seamless floor with Rust-Oleum Concrete Saver Flexible Joint Sealant. This two-component polyurea formula is especially designed for extreme-use industrial floors, such as those with heavy-duty vehicle traffic or in freezers. Convenient cartridge format—no mixing required; includes static mixing nozzle. Self-leveling formula; creates a semi-rigid surface with over 80% elongation. Can withstand 10-15% movement in the floor. Dries quickly—can accept traffic in 90 minutes. For interior/exterior use; can be applied at -40°F, withstands temps to -120°F.	1
InstaPatch	Quickly patch and repair damaged concrete floors with InstaPatch® Ultra-Rapid Curing Concrete Repair. InstaPatch is a two component, 100% solids polyurea concrete repair compound that cures in 15 minutes or less. Versatile formula can be poured or trowel applied. Gray InstaPatch changes from black upon application to gray so you know when it's fully cured. Virtually no odor. Cures in 15 minutes or less. Can be applied in temperatures as low as -5 F.	1
M1400	Create bold, durable lines with Rust-Oleum Industrial Choice® Construction Marking Paint. This water-based formula is especially designed for the rigorous demands of construction, excavation, surveying, landscaping and other commercial operations. Best resistance to early fading and chalking; dries fast. Marks more linear feet than the leading competitor. Excellent visibility on concrete, pavement, dirt, gravel, grass and more. Sprays at any angle: upright, horizontal, inverted, etc. Easy to apply—no messy tip adjustments, non-clogging, locking spray tip won't pop off.	1
Overall	Overall Enamel Aerosol is an economical fast dry, multi-purpose, modified alkyd spray designed for everyday indoor/ outdoor applications.	1
S1600	Easily designate paths and boundaries with Rust-Oleum Industrial Choice® S1600 System Inverted Striping Paint Spray. This solvent-based paint creates crisp, long-lasting lines that withstand weather and wear. Sprays upside-down for easy use. Creates bright, sharp, well-defined lines; resists smudging. For indoor/outdoor use on concrete, gravel or other types of pavement. Dries in less than 10 minutes. Guaranteed not to clog; excellent coverage. Meets USDA requirements for incidental food contact.	1
SafeStep	Heavy duty preformed anti-slip products provide a protective cover for damaged, worn or slippery step edges or floors. Virtually indestructible. Excellent chemical and corrosion resistance. Extremely durable indoors or outdoors.	1
TurboKrete Bucket	Easily repair deep holes and cracks with Rust-Oleum Concrete Saver TurboKrete® Concrete Patching Compound. This 100%-solids epoxy patch kit is designed for floors exposed to heavy traffic and intermittent chemicals. Its fast cure time minimizes downtime. Protects against abrasion, impact and most chemicals—no sealer required. Creates an extremely hard surface—3-4 times stronger than concrete Dries quickly—can accept light traffic in 1.5-4 hours; heavy traffic in 6-8 hours. For interior/exterior use on damaged or severely spalled floors, curbs, ramps, etc.; odorless. Easy-mix kit includes base, activator and aggregate.	1
TurboKrete Tube	Quickly and easily repair concrete spalls and leaks with Rust-Oleum Concrete Saver TurboKrete® All-Purpose Epoxy Repair. This two-component, 100% solids epoxy won't sag, making it ideal for walls and overhead repairs. Can be used on wet or immersed surfaces. Convenient 2K cartridge format—no mixing required; includes static mixing nozzle. Creates a very hard surface—twice as strong as concrete. Dries quickly—fully cured in 2 hours; low odor, low VOCs. For interior/exterior use in mild to moderate industrial and commercial environments.	1
V2100	The ultimate spray paint for industrial applications is Rust-Oleum High Performance V2100 System Rust Preventative Spray. This advanced formula provides the best-possible corrosion protection with easy, one-coat coverage and long-lasting color, gloss and durability. Tough, professional finish—superior resistance to chipping, cracking and peeling. High-output tip covers 50% faster; dries in only 20 minutes to touch. Withstands heat to 200°F. Most colors match the 7400 or V7400 System for convenient touch-ups. Extra-wide comfort nozzle prevents finger fatigue and sprays from any angle, even upside down. Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities; VOC-compliant nationwide.	1
V7400	Get outstanding protection and color with the lower-VOC version of Rust-Oleum's original rust-preventative direct-to-metal (DTM) coating. Our High Performance V7400 System 340 VOC DTM Alkyd Enamel outperforms other brands in corrosion resistance and coverage. High-gloss finish; one-coat coverage; dries tack-free in 2-4 hours. Resists chipping, fading, weathering. Protects against mild chemicals—ideal for moderate to slightly severe industrial environments Two-year rust-proof guarantee—maximum corrosion protection. Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities; VOC <340 g/l.	1

Vendor Code:  
ROSOLE



Contact your local Wajax Industrial Components branch for delivery information



1.866.546.3267

www.wajaxindustrial.com

# PAINTS & COATING

**Markal**

Vendor Code:  
MARKAL



96820



97251



96025



6576



84622



80222



96100



96101



61129



61051

Series #	Description	Color
96820	Valve Action® Paint Marker	White
96821		Yellow
96822		Red
96823	Liquid paint marker for general marking	Black
96825		Blue
97250	PRO-LINE® XT	White
97251		Yellow
97252	Liquid paint marker for rough surfaces and extreme durability	Red
97253		Black
97254		Blue
84620	BALL PAINT MARKER®	White
84621		Yellow
84622	Metal roller ball marker for multiple surfaces	Red
84623		Black
84625		Blue
96023	DURA-INK® 15	Red
96022		Black
96025	Permanent ink marker with fine bullet tip	Blue
96026		Green
96575	DURA-INK® 20	Black
96576	Retractable permanent ink marker with fine bullet tip	Red
96222	DURA-INK® 25	Red
96223	Metal barrel, permanent ink marker with medium chisel tip	Black
80220	B® Paintstik®	White
80221		Yellow
80222	Multi-purpose permanent solid paint crayon	Red
80223		Black
80225		Blue
61049	Quik Stik®	Red
61050		Black
61051	Fast-drying solid paint in twist-up holder	White
61053		Yellow
61126	Quik Stik® Mini	White
61127		Yellow
61128	Fast-drying solid paint in twist-up holder	Red
61129		Black
96101	Silver Streak® Welder's Pencil	Pencil
96100	Red Riter® Welder's Pencil	Pencil

Contact your local Wajax Industrial Components branch for delivery information

 all non Stock

Series #	Description
86517	200F/93C
86522	206F/97C
86526	213F/101C
86535	219F/104C
86544	225F/107C
86553	238F/114C
86562	250F/121C
86569	256F/124C
86571	263F/128C
86580	269F/132C
86589	275F/135C
86598	282F/139C
86607	288F/142C
96616	294F/146C
86625	300F/149C
86634	306F/152C
86643	313F/156C
86652	319F/159C
86661	325F/163C
86670	331F/166C
86679	338F/170C
86688	344F/173C
86697	350F/177C
86706	363F/184C
86715	375F/191C
86724	388F/1989C
86733	400F/204C
86742	413F/212C
86751	425F/218C
86760	438F/225C
86769	450F/232C
86778	463F/239C
86787	475F/246C
86796	488F/253C
86805	500F/260C
86814	525F/274C
86823	550F/288C
86832	575F/302C
86841	600F/316C

# PAINTS & COATING

*Markal*<sup>®</sup>

Vendor Code:  
MARKAL

## Accurate surface temperature indicating stick

Accurate to within +/- 1% of Fahrenheit and +/- 3% Celsius rated temperatures; no need for sensor calibration



 Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code:  
WALT76



Series #	Description
55A007	BIO-CIRCLE L_ 20 L



Series #	Description
55A008	BIO-CIRCLE L 208 L



Series #	Description
55A107	BIO-CIRCLE ULTRA_ 20 L



Series #	Description
55A207	BIO-CIRCLE Aero 20 L



Series #	Description
55B046	LARGE STAINLESS EXTENSION FOR MAXI



Series #	Description
55D350BCLP	BIO CIRCLE COMPACT WITH BIO-CIRCLE L
55D350BCAP	BIO CIRCLE COMPACT WITH AERO
55D350BCUP	BIO-CIRCLE COMPACT WITH ULTRA



Series #	Description
55D600BCLP	BIO CIRCLE MAXI WITH BIO-CIRCLE L
55D600BCAP	BIO CIRCLE MAXI WITH AERO
55D600BCUP	BIO CIRCLE MAXI WITH ULTRA

# LUBRICANTS & CLEANERS



Vendor Code: CRCCAN

## XT-2000™ Precision Cleaner

A non-flammable, low odour, rapidly evaporating precision cleaner for use in electrical and industrial applications.

## QD™ Contact Cleaner

A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. QD evaporates quickly, leaves no residue. Contains no Class I or Class II Ozone Depleting Chemicals.

Series #	Description	Qty
72155	XT-2000™ Precision Cleaner 340g aerosol	1
72130	QD™ Contact Cleaner 312g aerosol	1
72131	QD™ Contact Cleaner 19L	1
02131	QD™ Contact Cleaner 208L	1



72155



72130



72131



02132

## Heavy Duty Degreaser

Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment. Heavy Duty Degreaser offers quick and efficient degreasing action and fast evaporation with no residue.

Series #	Description	Qty
73095	539g aerosol	1
03097	19L pail	1
03098	208L drum	1



73095



73120



03097



03098

## Heavy Duty Degreaser II

An excellent alternative for cleaning applications where chlorinated solvents are not acceptable. Heavy Duty Degreaser II effectively removes soils and cleans surfaces without residue build-up. Use caution on plastics.

Series #	Description	Qty
73120	425g aerosol	1

## Super Citrus™ Degreaser

A unique heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants without requiring water wash off and without leaving a residue. Use caution on plastics and paints.

Series #	Description	Qty
73170	425g aerosol	1



73170



73185



14409



14410

## Chlor-Free™ Degreaser Non-Chlorinated Degreaser

Innovative heavy duty non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Excellent for use where rapid turn-around is necessary and low flashpoint solvents can be used. Use caution on plastics.

Series #	Description	Qty
73185	425g aerosol	1

## HydroForce® All Purpose Degreaser

Versatile enough to use for all degreasing tasks. Breaks-up and lifts-off grease, oil and dirt deposits. Perfect for facilities seeking an improvement over their current all purpose aqueous degreaser.

Series #	Description	Qty
74407	946mL pump	1
14409	19L pail	1
14410	208L drum	1



74407

Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code: CRCCAN

## Knock'er Loose™ Penetrating Solvent

An industrial strength, low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. It quickly dissolves rust, scale, gum, grease and corrosion. Knock'er Loose eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs.

Series #	Description	Qty
73020	369g aerosol	1

## 3-36® Multi-Purpose Lubricant And Corrosion Inhibitor

Multi-purpose lubricant, penetrant and corrosion inhibitor forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates. 3-36 drives out moisture and leaves a thin, long lasting film to protect against corrosion. Accepted for use in Canadian Food Processing Facilities

Series #	Description	Qty
73005	312g aerosol	1
73009	19 L pail	1
73011	208 L pail	1

## Food Plant Machine Oil

Extremely efficient and effective general purpose lubricant for use on food processing equipment. Food Plant Machine Oil penetrates and loosens rust, scale, dirt and corrosion to free parts and fasteners. Zero VOC formula. Accepted for use in Canadian Food Processing Facilities.

Series #	Description	Qty
73081	312g aerosol	1

## Food Plant Chain Lube

Blend of synthetic lubricants and mineral oil to keep roller drive and conveyor chains lubricated. Accepted for use in Canadian Food Processing Facilities.

Series #	Description	Qty
73056	340g aerosol	1

## Chain & Wire Rope Lubricant

Specifically formulated blend of synthetic lubricants and an organic molybdenum, anti-wear additive that penetrates deep, and leaves a tough film that lubricates and protects. Reduces wear caused by friction and corrosion.

Series #	Description	Qty
73050	284g aerosol	1



## Freeze-Off® Super Penetrant

- Freezes and cracks rust for deep penetration and fast results
- Dissolves rust, gum and corrosion
- Lubricating film residue displaces water and prevents corrosion
- Low VOC formula.

Series #	Description	Qty
75222	326g aerosol	1



## Food Plant Silicone Lubricant

Multi-purpose silicone spray for food processing and handling applications. It forms a colorless, odourless, non-staining film that lubricates and insulates in most metal to non-metal applications. Accepted for use in Canadian Food Processing Facilities.

Series #	Description	Qty
73040	284g aerosol	1



## Food Plant Penetrating Oil

An effective and efficient general purpose lubricant for use on food processing equipment. Accepted for use in Canadian Food Processing Facilities.

Series #	Description	Qty
73086	312g aerosol	1



## Power Lube W/PTFE High-Performance Lubricant

High performance, multi-purpose lubricant with the benefits of PTFE to provide long lasting lubrication and protection against friction, wear and corrosion. Power Lube will increase the life and operating efficiency of parts and equipment, as well as withstand extreme load carrying situations.

Series #	Description	Qty
73045	312g aerosol	1



## Dry Moly Lube

Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS<sub>2</sub>). Dry Moly Lube lowers friction, prevents galling and helps to reduce torque and energy consumption.

Series #	Description	Qty
73084	312g aerosol	1



## Heavy Duty Clear Penetrating Grease

High tack, clear lubricating gel provides superior lubrication and withstands high temperatures and pressures. Penetrates deep to form a tenacious, long-lasting film and is resistant to acids, alkalis, salt, oxidation, weather and steam. This heavy duty clear penetrating gel can extend the operating service life of equipment and reduce wear, galling and scarring.

Series #	Description	Qty
73156	369g aerosol	1

Contact your local Wajax Industrial Components branch for delivery information

## Di-Electric Grease

Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Di-Electric Grease waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants.

Series #	Description	Qty
73082	284g aerosol	1

## Extreme Duty Open Gear Lube

A heavy duty, extreme pressure lubricant recommended for reducing friction and wear in harsh environments. Resists heat and pressure, will not wash or wear off because of weather.

Series #	Description	Qty
73058	340g aerosol	1

## Food Plant Grease Multi-Purpose

- Aluminum complex, NLGI #2
- Appropriate for food processing and handling equipment
- Will not pound out of bearings and bushings during shock loads
- Accepted for use in Canadian Food Processing Facilities

Series #	Description	Qty
73600	397g cartridge	1

## Air Tool Oil

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Series #	Description	Qty
74095	444mL bottle	1

## Zinc Mate™

High-performance coating of 92% pure zinc that electro-chemically bonds with ferrous metals to form a galvanic cell. ZINC-MATE is an excellent touch-up for damaged galvanized coatings.

Series #	Description	Qty
73054	369g aerosol	1

## Quick Flow™ Emergency Diesel-Gel Relief

Reliquefies gelled fuel in minutes! Totally disperses water and lowers pour point by as much as 19°C. Prevents future gelling since it contains anti-gel. ULSD Approved. OK for Biodiesel fuels.

Series #	Description	Qty
75911	888 mL bottle	1

## Smartwasher® 41

A self-contained, self-cleaning system that has a removable sink for easy cleaning, and side mounted electronic control panel.

Series #	Description	Qty
14144	7.87" H x 41" W x 21" D	1

## Smartwasher® Premium Grade Filter

Remove dirt and residue particles down to 50 microns. Filter must be used for proper cleaning and operation of Smart-Washer® System. Works with all fluids and contains 50% more microbes for maximum bioremediation.

Series #	Description	Qty
14147	50 microns	1

# LUBRICANTS & CLEANERS



Vendor Code: CRCCAN



## Cutting Oil

Superior thread cutting lubricant for use on all types of both ferrous and non-ferrous metals, including brass, copper and aluminum.

Series #	Description	Qty
73500	340g aerosol	1

## SP-400™ Corrosion Inhibitor

Long-term indoor/outdoor corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. Removable film provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres.

Series #	Description	Qty
73282	284g aerosol	1

## Brakleen® Premium Non-Chlorinated

The best non-chlorinated product on the market. Powerful formula quickly removes brake fluid, grease, oil, and other contaminants from all brake related parts. Safe for ABS, disc and drum brakes.

Series #	Description	Qty
75088	397g aerosol	1

## Brakleen® Original Non-Flammable

The original Brakleen, our premium strength formula! Chlorinated formula quickly removes brake dust, brake fluid, grease and other contaminants from all types of brake systems, including ABS. Cleans fast and dries faster.

Series #	Description	Qty
75089	539g aerosol	1

## Diesel Fuel Conditioner With Anti-Gel

Prevents diesel fuel from gelling in cold temperatures. Lowers pour point by as much as 19°C. Cleans injectors and helps restore spray pattern for more efficient combustion. ULSD Approved. OK for Biodiesel fuels.

Series #	Description	Qty
75212	888 mL bottle	1

## Smartwasher® Cleaning Solution

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and contain no VOCs. Solutions work in conjunction with filters when warmed to 41°C by the units. Industrial Grade

Series #	Description	Qty
14148	19 L jug	1

Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code:  
ITWPER

- Sensor safe & non-corrosive
- Seals instantly, forming a reliable, long lasting elastomeric rubber gasket
- Temp. range -60°C to 260°C intermittent

Series #	Description
30874	Right Stuff® Instant Gasket Maker 147ml
30876	Right Stuff® Instant Gasket Maker 300ml
26015	Right Stuff® Instant Gasket Maker 212g Aero

- OEM specified
- All sensor safe & non-corrosive
- Superior adhesion to oily surfaces with long term durability

Series #	Description
59813	Ultra Black® Sensor-Safe Gasket Maker 300ml
59713	Ultra Copper® High Temp. Gasket Maker 101C 300ml
59613	Ultra Blue® Sensor-Safe Gasket Maker 77C 300ml

- Gasket Makers
- Resists auto and shop fluids

- Adhesive Sealants
- Waterproof seal resists cracking, shrinking and migrating

Series #	Description
59213	Black Sensor-Safe Adhesive Sealant 300ml
59413	Red High Temp Gasket Maker 300ml
59113	Clear Silicone Adhesive Sealant 300ml
59107	Clear Silicone Adhesive Sealant 205g Aero

- OEM specified
- Removable strength, general purpose threadlocker
- Protects threads from corrosion and prevents vibration loosening

Series #	Description
24215	Blue GEL TWIST™ Threadlocker 10g
24240	Blue Medium Strength Threadlocker 36ml
24250	Blue Medium Strength Threadlocker 50ml
24225	Blue Medium Strength Threadlocker 250ml
24350	Blue Surface Insensitive Threadlocker 50ml

- OEM specified
- All High strength Threadlockers
- Protects threads from corrosion and prevents vibration loosening
- May require heat or special tools for removal

Series #	Description
26240	Red Permanent Strength Threadlocker 36ml
26250	Red Permanent Strength Threadlocker 50ml
26225	Red Permanent Strength Threadlocker 250ml
27150	Red High Strength Threadlocker 50ml
27250	Red High Temperature Threadlocker 50ml
27750	Red Large Diameter Threadlocker 50ml

- OEM specified
- Locks and seals threaded fittings
- Resists all auto shop fluids, fuels and gases

Series #	Description
56521	High Performance Thread Sealant 50ml
56525	High Performance Thread Sealant 250ml
56750	Maximum Temperature Thread Sealant 50ml
56725	Maximum Temperature Thread Sealant 250ml

- OEM specified
  - Bonds cylinder parts
- Applications: Wheel bearings, idler shaft, press fit bearings; replaces set screws, clamp rings, snap rings.

Series #	Description
60950	Bearing Mount for Close Fits 50ml
66050	Bearing Mount for Worn Parts 50ml
68050	Bearing Mount for Relaxed Fits 50ml
68025	Bearing Mount for Relaxed Fits 250ml

- Clear Adhesive
- Military Specified
- Resistant to aging and weathering

Series #	Description
70350	Instant Adhesive, GPE 30 28.4g
70213	Instant Adhesive, Rubber Bonding, GPE 15 9.4ml
72161	Instant Adhesive, Toughened, TE 1000 1lb

- Biodegradable, waterless, petroleum solvent-free pumice hand cleaner
- fresh-smelling natural citrus scent

Series #	Description
25117	Fast Orange Pumice Lotion Hand Cleaner 443ml
25218	Fast Orange Pumice Lotion Hand Cleaner 3.78L

Contact your local Wajax Industrial Components branch for delivery information



# LUBRICANTS & CLEANERS



Vendor Code:  
ITWPER



- Heavy duty, professional strength hand cleaner with pumice
- Contains lanolin, aloe vera and jojoba to soothe raw, rough hands.
- Eliminates gasoline and other foul odours

Series #	Description
25418	Fast Orange® Pro Pumice Lotion Hand Cleaner 3.78L



- Dual textured, premoistened towel with a powerful, natural citrus cleaning formula
- No rinsing, no drying, no residue

Series #	Description
25050	Fast Orange® Hand Cleaner Wipes 25
25051	Fast Orange® Hand Cleaner Wipes 72



- Dirt busting "poly scrubbers" remove the toughest dirt and grease
- Fresh lemon-lime scent eliminates fuel, oil, lubricant and unpleasant odours

Series #	Description
13104	Poly Scrub® Lime Hand Cleaner 1.72kg

- Biodegradable Cleaner, Degreaser and Disinfectant
- Kills 99.9% of bacteria and controls mold and mildew
- VOC compliant; replaces heavy solvent degreasers



Series #	Description
C26822	Spray Nine® Heavy Duty Cleaner/Disinfectant 650ml
C26832	Spray Nine® Heavy Duty Cleaner/Disinfectant 946ml
C26804	Spray Nine® Heavy Duty Cleaner/Disinfectant 4L
C26820	Spray Nine® Heavy Duty Cleaner/Disinfectant 20L



- Prevents rusting, cold welding, galvanic corrosion and galling during assembly
- Highly refined blend of aluminum, copper and graphite

Series #	Description
76762	Silver Anti-Seize 113g
76764	Silver Anti-Seize 454g
76765	Silver Anti-Seize 241g Aero

- Heavy-duty Biodegradable Degreaser
- Breaks down heavy grease, oil, tar, hydraulic fluid, lubricants and grime
- Safe on metal, plastic, vinyl, rubber, fibreglass



Series #	Description
C12532	Grez-Off® Heavy Duty Degreaser 946ml
C12520	Grez-Off® Heavy Duty Degreaser 20L



- Wool Wax oil formulation
- Multi-use, non-evaporating, non-drying
- Controls rust & corrosion with penetrating lubrication

Series #	Description
29217	Pro-Film® protectant & penetrant 333g

Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code:  
LOCTIT



## 660 Quick Metal

Used for repairing worn coaxial parts without re-machining; enables reuse of worn bearing seats, keys, splines, tapers, or for retaining shims. CFIA Approved

Series #	Description
66010	660 QUICK METAL® Press Fit Repair Retaining Compound 6ml tube
66040	660 QUICK METAL® Press Fit Repair Retaining Compound 50ml tube

## 680 Retaining

A high strength, high viscosity adhesive used to join fitted cylindrical parts. Fixtures in 10 minutes and allows relaxed machining tolerances, and replaces clamp rings, set screws, and snap rings.

Recommended for retaining shafts, gears, pulleys and similar cylindrical parts. NSF/ANSI 61 Certified



Series #	Description
1835196	680 Retaining Compound High Strength/High Viscosity 250ml bottle
1835201	680 Retaining Compound High Strength/High Viscosity 50ml bottle
1835205	680 Retaining Compound High Strength/High Viscosity 10ml bottle

## 609 Retaining

A low viscosity, rapid-curing adhesive that augments the strength of press fit assemblies or slip fit assemblies up to 0.006" diameter. Recommended for parts that will need subsequent dismantling ie. Retention of bearings onto shafts and into housings. Mil Spec (R-46082B) Type I



Series #	Description
60921	609 Retaining Compound General Purpose 10ml bottle
60931	609 Retaining Compound General Purpose 50ml bottle

## 222MS Threadlocker

Ideal for fastener diameters of 1/4" and smaller. Its controlled lubricity allows for accurate clamp loads. Parts can be separated using hand tools. Applications include adjustment screws, countersunk head screws, and set screws on collars, pulleys, tool holders and controllers. Mil Spec (Mil-S-46163A Type II, NSF P1 Certified



Series #	Description
22221	222MS Threadlocker Low Strength/Small Screw 10ml bottle
22231	222MS Threadlocker Low Strength/Small Screw 50ml bottle

## 243 Threadlocker

Primerless threadlocker that is oil tolerant, medium strength and designed for locking and sealing threaded fasteners between 1/4" and 3/4". Works on active eg. Brass, copper) and inactive (stainless steel, plated) metal fasteners

Series #	Description
1329467	243 Threadlocker Medium Strength 50ml bottle
1329837	243 Threadlocker Medium Strength 10ml bottle



## 248 Threadlocker

Semi-solid stick, medium strength threadlocker. Supplied as a wax like semi-solid conveniently packaged self-feeding stick applicator. Ideal for general purpose threadlocking purposes.

Series #	Description
37087	248 Threadlocker Medium Strength 19g stick



## 263 Threadlocker

Primerless threadlocker that is oil tolerant, high strength and designed for locking and sealing threaded fasteners between 1/4" and 3/4". Particularly suited for heavy duty applications such as studs into motor housings, nuts onto studs in pump housings and other areas where high strength threadlocking is required. Works on active (eg. Brass, copper) and inactive (stainless steel, plated) metal fasteners

Series #	Description
1330583	263 Threadlocker High Strength 10ml bottle
1330585	263 Threadlocker High Strength 50ml bottle



## 268 threadlocker

Semi-solid stick, high strength threadlocker. Supplied as a wax like semi-solid conveniently packaged self-feeding stick applicator. Ideal for general purpose threadlocking purposes.

Series #	Description
37686	268 Threadlocker High Strength 19g stick



## SF7649

Decreases the set up time of Loctite branded threadlockers and increases breakaway torque on most fastener surfaces.

Series #	Description
19269	SF 7649 Primer



## 567 Thread sealant

Thread sealant with PTFE is a general purpose instant sealer for tapered and straight/tapered fittings. Controlled strength for easy disassembly. It has excellent solvent resistance that prevents galling and is ideal for high pressure applications.

Series #	Description
56747	567 Thread Sealant High Temperature 50ml tube



Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code:  
LOCTIT



## LB8040

Penetrating oil that instantly freezes seized and rusted bolts, nuts and studs down to -38°F. The shock freeze effect causes microscopic cracks in the layer of the rust, allowing the lubricating ingredient to wick directly into the rust. The rusted bolt assembly can be easily dismantled after allowing it 1-2 minutes penetration time.

Series #	Description
996456	LB 8040 Freeze and Release - Fast Acting Corrosion Release 400ml aerosol



## LB8023

Marine-grade anti-seize that is metal free and used to protect assemblies exposed directly or indirectly to fresh and salt water. Works especially well in high humidity conditions and has excellent lubricity, superior water wash-out and water spray resistance and prevents galvanic corrosion.

Series #	Description
34026	LB 8023 Marine Grade Anti-Seize 16oz Brush-Top



## LB8150

Heavy duty, temperature resistant, petroleum based lubricant compound that is fortified with graphite and metallic flake. Inert, will not evaporate or harden in extreme cold or heat. For use in assemblies up to 160°F

Series #	Description
76764	LB 8150 Silver Grade Anti-Seize 1lb Brush-Top



## LB8008

Copper based anti-seize suspends copper and graphite in a high quality grease. Protects metal parts from rust, corrosion, galling and seizing at temperatures to 180°F

Series #	Description
51007	LB 8008 C5-A Copper Based Anti-Seize 1lb Brush-Top



## 404

Quick Set™ instant adhesive is a general purpose adhesive designed for general maintenance and repair. It is a one-part room temperature cure, instant adhesive that is excellent for bonding rubber and is frequently used for rubber O-ring bonding.

Series #	Description
46551	404 Industrial Adhesive 1/3oz bottle

## 561 Thread sealant

Patented semi-solid stick formula offers added convenience and portability. Has immediate low pressure sealing, eases disassembly and will not contaminate or clogs lines. Formulated for fast, reliable curing on metal, tapered pipe threads and fittings. NSF/ANSI 61 Certified

Series #	Description
37127	561 Thread Sealant 19g stick



## PC9410

A two-component, rapid setting concrete repair and grouting system. Chemically resistant to most common liquids and chemicals. Bonds to concrete, wood, glass, and construction materials.

Series #	Description
95551	PC 9410
95555	PC 9410



## PC6231

A Two-component, rapid setting 1:1 ratio joint filler designed for heavy traffic and freezer applications. It is a self-leveling, 100% solid, flexible system that provides 10-15% movement of installed joint widths.

Series #	Description
1291113	PC 6231 Crack Filler SL Self-Leveling



## LB8034

Advanced multi-purpose NLGI Grade 2 grease that provides superior protection for equipment exposed to a wide range of operating temperatures and environments. Use as a lubricant and protective anti-rust film on bearings, machine parts, equipment, or as a release agent on gaskets and seals. NSF H1 rated for incidental food contact

Series #	Description
36781	LB 8034 High Performance Synthetic Grease 3oz tube
36782	LB 8034 High Performance Synthetic Grease 14.1oz cartridge



Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS

# LOCTITE®

Vendor Code:  
LOCTIT



## 454

A gel, one-part, surface insensitive instant adhesive designed for the OEM assembly of difficult-to-bond materials which require uniform stress distribution. Particularly suited for bonding porous or absorbent materials and is a non-run adhesive for large gaps and vertical surfaces.

Series #	Description
45404	454 Surface Insensitive Gel 3g tube
39202	454 Instant Adhesive Gel 4g bottle



## 515 Flange sealant

A flexible, gasketing material for use on rigid machine flanges with less than 0.015" gap. Flex with flanges that move in service. Eliminates pre-formed, pre-cut, paper, rubber and cork gaskets.

Series #	Description
51517	515 Flange Sealant 6ml tube
51531	515 Flange Sealant 50ml tube



## PC9020

Backing compound is an epoxy system for backing wear metal in gyratory and cone crushers under typical dry service temperatures of -20°F to 22°F

Series #	Description
1694850	PC 9020 High Performance Backing Material 2 gallon kit
1694859	PC 9020 High Performance Backing Material 5 gallon kit



## MR5000

Premium quality belt repair product designed for repairing conveyor belts and damaged rubber equipment quickly and easily. Repairs will have the same durability and flexibility as the belt.

Series #	Description
96677	MR 5000 Rapid Rubber Repair Kit
98783	Universal Dispenser

## PC7227

Brushable ceramic brushes on to form a smooth, corrosion resistant coating. Protects against turbulence, abrasion and cavitation. Can also be used as a top coat over Loctite wearing compounds for surface rebuilding and lasting protection. Resists temperatures to 20°F



Series #	Description
98733	PC 7227 Brushable Ceramic - Grey 2lb kit
98732	PC 7227 Brushable Ceramic - Grey 25lb kit

## EA3478

Non-rusting, ferro-silicone filled epoxy. Extremely high compressive strength and wear resistance. Ideal for rebuilding worn surfaces exposed to harsh environments. Can be machined, drilled and tapped in under 8 hours.



Series #	Description
97473	EA 3478 Superior Metal 1lb kit

## EA3463

Versatile, dual component steel-filled epoxy repair putty. It is applied like a putty and when cured it exhibits high compressive strength and good adhesion to most surfaces. This products stops leaks in pipes and tanks, fills oversized bolt holes, smoothes welds, and repairs non-structural defects in castings or holes in tanks.

Series #	Description
98853	EA 3463 METAL MAGIC STEEL™ 4oz stick



## SF7900

A ceramic dry film protective coating for MIG/MAG welding processes. This product protects contact tips and welding nozzles by preventing adhesion of welding spatter.

Series #	Description
1616692	SF 7900 Ceramic Shield for Welding 10oz aerosol



Contact your local Wajax Industrial Components branch for delivery information

# LUBRICANTS & CLEANERS



Vendor Code:  
ROSOLE



## 274827 HD cleaner

Clean industrial surfaces quickly and easily with Rust-Oleum Heavy Duty Cleaner. This foaming cleanser penetrates, emulsifies and removes soil spots in minutes. Just spray on and wipe away. Leaves no dirt-attracting film.

Easily cleans walls, doors, fixtures, tools, machinery, equipment and more

Professional-grade formula—for heavy-duty use

Safe to use anywhere you can use water

Convenient, extra-large can; sprays from any angle, even upside down

For Best Results

Allow to penetrate for a few moments before wiping dry with a cloth.

Available Sizes

16 oz. Spray

## 274825

### Multi purpose lubricant

Stop squeaks, ensure smooth operation and prevent rust with Rust-Oleum Multi-Purpose Lubricant. This versatile spray can loosen rusted parts, drive out moisture and provide ongoing lubrication. One can does it all.

Leaves behind a lubricating film that protects against rust and corrosion

Resists water wash-off—provides lasting protection

Specifically designed for the demands of industrial settings

Great for metal parts that are rusted or exposed to moisture—hinges, bolts, etc.

Convenient, extra-large can; sprays from any angle, even upside down

For Best Results

Allow a few minutes for penetration before attempting to loosen a stuck part

Available Sizes

16 oz. Spray



## 274826

### Penetrant lubricant

Loosen even the most stuck, rusted parts with Rust-Oleum Penetrating Lubricant. This heavy-duty formula permeates metal better than other brands by seeping into the tiniest of crevices. Its unique, foaming action helps to easily set frozen parts free.

Provides constant lubrication while penetrating deeply to attack corroded areas

Loosens stuck threads and fittings, releases severely rusted parts

Leaves behind a protective coat of lubrication

Removes and protects against hidden deposits of rust

Convenient, extra-large can; sprays from any angle, even upside down

For Best Results

Tap on extremely frozen parts to deepen the penetrating action.

Available Sizes

16 oz. Spray



## 274829

### HD Brake cleaner

Ensure safe and proper braking functions by using Rust-Oleum Heavy Duty Brake Cleaner to easily remove heavy oil, grease and other contaminants from braking equipment.

Powerful, non-chlorinated solvent

Dries quickly; leaves no residue

Ultra-low VOCs—VOC-compliant nationwide

Cleans brake linings, drums, pads, etc.—also great for clutches and engine components

Convenient, extra-large can; sprays from any angle, even upside down

For Best Results

Only spray on room-temperature—not hot or warm—surfaces.

Available Sizes

15 oz. Spray



## 274833

### DRY PTFE lubricant

Reduce friction and wear on industrial equipment with Rust-Oleum Dry PTFE Lubricant. This high-performance formula dries in seconds, providing powerful, non-oily lubrication that will not pick up dirt or dust.

Non-staining, odorless, silicone-free; can be used on metal, wood, vinyl or rubber

Resists heat up to 500° F—will not become gummy or melt

Will not interfere with paint adhesion

Perfect for bearings, tracks, pulleys, etc.

Convenient, extra-large can; sprays from any angle, even upside down

For Best Results

Apply a light, even coat

Available Sizes

11 oz. Spray



Contact your local Wajax Industrial Components branch for delivery information

# TOOL STORAGE



**GRAY  
TOOLS**

**Dynamic**

Vendor Code: GRAHAN



**93106**

PRO+ - 26" Top  
Chest - 6 Drawers  
26" w x 16" d x 16.3" h



**93109**

PRO+ - 26" Top  
Chest - 9 Drawers  
26" w x 19" d x 21" h



**93211**

PRO+ - 26" Roller  
Cabinet - 11 Drawers  
26" w x 19" d x 42" h



**93250**

PRO+ - 26" Roller  
Cabinet - 5 Drawers  
26" w x 19" d x 36" h

**99808SB**

Marquis - 26" Top  
Chest - 8 Drawers  
26" w x 16" d x 19 1/4" h



**99507SB**

Marquis - 26" Roller  
Cabinet - 7 Drawers  
26 1/2" w x 18" d x 39-1/8" h



**D069208**

Dynamic - 28" Top  
Chest - 9 Drawers  
28" w x 18" d x 20" h



**D069201**

Dynamic - 28" Roller  
Cabinet - 7 Drawers  
28" w x 18" d x 40" h



# TOOL STORAGE



**Dynamic**

Vendor Code: GRAHAN



**99105SB**  
Marquis - 34" Top  
Chest - 5 Drawers  
33½" w x 19-1/8" d x 19¼" h



**99508SB**  
Marquis - 54" Top  
Chest - 9 Drawers  
53-3/8" w x 24" d x 19¾" h



**99206SB**  
Marquis - 34" Roller  
Cabinet - 6 Drawers  
34" w x 19½" d x 39-1/8" h



**99209SB**  
Marquis - 54" Roller  
Cabinet - 9 Drawers  
53-3/8" w x 24" d x 39½" h



**D069207**  
Dynamic - 36" Roller  
Cabinet - 8 Drawers  
36" w x 18" d x 39¼" h



**D069209**  
Dynamic - 52" Roller  
Cabinet - 12 Drawers  
52½" w x 31-5/8" d x 40¼" h

Contact your local Wajax Industrial Components branch for delivery information

# TOOL STORAGE



**GRAY  
TOOLS**

**Dynamic**

Vendor Code: GRAHAN



**99108SB**

Marquis - 42" Top  
Chest - 8 Drawers

41½" w x 18½" d x 20½" h



**93119**

PRO + 42" Top  
Chest - 9 Drawers

42" w x 19" d x 23½" h

**93212**

PRO+ - 42" Roller  
Cabinet - 12 Drawers  
42" w x 19" d x 43½" h



**93215**

PRO + 42" Roller  
Cabinet - 15 Drawers  
42" w x 19" d x 43½" h



**D069204**

Dynamic - 42" Top  
Chest - 8 Drawers  
42" w x 18" d x 18" h

**D069202**

Dynamic - 28" Top  
Chest - 8 Drawers  
28" w x 18" d x 20" h



**99210SB**

Marquis - 42" Roller  
Cabinet - 10 Drawers  
42" w x 19" d x 40" h

**D069203**

Dynamic - 42" Roller  
Cabinet - 12 Drawers  
42" w x 18" d x 41" h



Contact your local Wajax Industrial Components branch for delivery information



# POUCHES & STORING DEVICES

## SW1528

23 Pocket - Large Electrical & Maintenance Tool Carrier, 11"x 6" Multi-compartment plastic tray included that slides securely into bottom of tool carrier to organize small parts. 16 Multi-use outside pockets and 7 inside to organize a wide range of tools and accessories. Box shaped design prevents tipping over. Extra padded carrying handle and adjustable shoulder strap. Electrical tape strap.



Vendor Code:  
KUNLEA

## P235

35 Pocket - Power Distribution 18" Tool Bag, Integrated UL approved power distribution system with surge protector. Bag has front slots with flaps to charge devices internally with bag closed. Cord management system with hoop and loop cord retainer and side cord clips. Bigmouth™ design gives easy access to tools and accessories. 12 Pockets inside and 23 outside to help organize a wide variety of hand tools. Padded web carrying handles and adjustable shoulder strap.



## SW1134

48 Pocket - Tool Backpack, 41 inside and 7 outside pockets to organize a wide variety of tools and accessories. Adjustable padded shoulder straps. Large pads on back for extra comfort. Reinforced padded carrying handles. 14"W x 16"H x 6"D

## EL1609

20 Pocket - 3 Piece Electrical Combo. Easy carry handle design provides simple adjustments, easy carrying and storage of apron without spilling contents. Totally versatile - all parts removable and interchangeable.

Double layer of rugged, lightweight poly fabric. Metal clip holds all measuring tape sizes. Metal tape chain and tool snap. Pocket to hold cordless drill. 3" Wide padded comfort belt with double tongue steel roller buckle. Fits waist sizes 29" - 46".



## KP314

Durable Foam Kneepads. Extra length thick molded foam for comfort and protection. Hook and loop fasteners. Double adjustable elastic straps for a better fit. One size fits all.



## KP367

Airflow™ Gel Kneepads, Layered Gel, high density closed cell foam and neoprene padding for superior all-day comfort. Airflow side panel design helps ventilate kneepad and reduce heat build-up. One size fits most. Stabili-cap™ design provides a solid kneeling base and also allows for easier forward movement, effectively increasing your range of motion. Elastic web straps with hook and loop closures provide for a perfect fit.



## SW1539

58 Pocket - 18" Large Multi-Compartment Tool Carrier, 52 pockets inside and 6 outside to organize tools and accessories. Large center compartment to carry power tools and C25 accessories and 2 separate outside compartments. Zippered side panels prevent spillage of tools when carrying or storing carrier. Vertical tool pockets keep them in sight for quick access. 18"L x 7"W x 14"H



## EL1524

Medium Ziptop™ Utility Pouch, Made of polyester fabric and ballistic binding. Snap-back feature helps keep cover out of the way. Metal tool clip. Tape strap and measuring tape clip. Zipper cover secures parts and tools in pouch and accommodates long-handled tools.



## EL5508

20 Pocket Professional Electrician's Tool Pouch. Double layer of rugged, lightweight ballistic poly fabric. Handle and padded shoulder strap design for easy storage and the ideal way to carry loaded tool pouch. Heavy-duty tool snap and electrical tape strap. Steel hammer loop. Adjustable shoulder strap. 6 Large screwdriver holders.

## SW1579

27 Pocket - 20" Open Top Soft-sided Tool Box. Removable and adjustable partition slides into place to customize tool box to your storage needs. Reinforced internal pocket for utility knife or other tools. Adjustable padded shoulder strap. Wide open main compartment. Sturdy metal handle bar with molded foam grip for easy carrying. 20"L x 11"W x 11"H



Contact your local Wajax Industrial Components branch for delivery information

# FLASHLIGHTS & LIGHTING



Vendor Code:  
PROPRL



## WOBBLELIGHT

### Wobblelight

A bright and dependable self-righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

Floating shock system protects bulb from impact  
360° lighting adjustable to 180° with optional reflector

No set up – plugs into 120VAC supply  
Convenience receptacle for connecting units in a series  
CUL listed

Series #	Description	Lumens	Lighting Area
111302	500 watt Halogen Work Light	8000	16-24ft range
111102	175 watt Metal Halide Work Light	15000	30-42ft range
111104	400 watt Metal Halide Work Light	40000	78-110ft range

### Wobblelight Junior

Durable and portable, the 27" tall WOBBLELIGHT is a self righting, highly work light that can take rough handling at home or on the job. The high-output, cool burning fluorescent light is ideal for use in small, confined areas. No hot surfaces and low energy consumption.  
No Set-up. Just plug it in.

Floating shock system protects bulb from impact  
5000 lumens, 15-25 ft. lighting range

High-impact thermoplastic housing and lens  
360° lighting adjustable to 180° with optional reflector shield  
Integrated 5-foot power cord, CSA certified

Series #	Description	Lumens	Lighting Area
111203	85W fluorescent work light	5000	area up to 25ft

### ProBUILT XLE 5000

The ProBUILT XLE 5000 is an energy efficient alternative to halogen lights.

Weatherproof – Sealed on/off switch

Durable alloy aluminum and tempered glass  
No hot surfaces, can be mounted to tripod

Series #	Description	Lumens	Lighting Area
111500	ProBUILT XLE 5000	5000	20-25 ft.

### ProBUILT LED Flood Light Series

The ProBUILT LED Work Lights bring the convenience of a traditional work light that can be used on the floor or with a tripod but with the energy efficiency and durability of LEDs.

5 ft. power cord (SJTW), waterproof – (IP65)

Durable alloy aluminum and tempered glass  
Can be mounted to a tripod or magnetic base

Cool to the touch, pure white light

Cushioned handle, Bridgelux LEDs

Series #	Description	Lumens	Lighting Area
311020	ProBUILT 20 watt LED	1700	10 – 15 ft.
311030	ProBUILT 30 watt LED	2350	15 – 20 ft.
311050	ProBUILT 50 watt LED	3800	20 – 25 ft.

## NightSearcher WorkStar Battery Operated LED Flood Light

With 2 mode options and superior battery technology, the WorkStar is a fully portable and rechargeable light that is portable and easy to carry.

10 high powered LEDs, Li-Ion battery, 110° pivoting head

Can be mounted to a tripod. Cool to the touch

Water and shock resistant

Battery status and charging indicators

Chargers can be stored in back of the unit

USB charging port on back

Can operate while plugged in

Supplied with: 120v wall charger and car charger



Series #	Description	Lumens	Lighting Area	Run Time
511500	NightSearcher WorkStar	2200 high 1000 low	65 feet 30 feet	3 hours 7 hours

### NightSearcher Pulsars

The Pulsars are multi-mode, rechargeable LED Warning lights designed for traffic control, signaling, hazard awareness and vehicle safety.

Shock resistant, able to withstand most vehicle weights

Waterproof pods can be submerged up to 10 meters

Installed with strong magnet base

Available in: Amber, Blue, Green, Red or Infrared

9 modes including: flashing, rotating and SOS

Can be purchased individually or as a six pack



Series #	Description
511401	Set of 6 (Mix & Match Colors)
511402	Amber - Set of 6 w/case
511403	Blue - Set of 6 w/case
511404	Green - Set of 6 w/case
511405	Red - Set of 6 w/case
511410	Infrared - Set of 6 w/case
511406	Individual Amber w/chargers
511407	Individual Blue w/chargers
511408	Individual Green w/chargers
511409	Individual Red w/chargers

### Defender® Rechargeable LED Hand Lamp

Defender® Rechargeable LED Hand Lamp is water resistant and durable, with a tough housing and high-output LED's. It is perfect for small jobs and standard issue equipment for your tradesmen or maintenance teams.

26 High-output LEDs, multi-positioning retainer, rechargeable NiMH batteries, hi/low setting

IP44 design for dust and water resistance

Run time of 6 hours (low) and 3 hours (high)

Supplied with 120V adapter/charge

Series #	Description	Lumens	Lighting Area
E712810	Rechargeable LED Hand Lamp	133	up to 8ft range



### Defender® Mini Mobi E712848

Defender® Mini Mobi LED Hand Lamp is water resistant and durable, with a tough housing and high-output LED's. It is perfect for small jobs and standard issue equipment for your tradesmen or maintenance teams.

20 High-output LEDs – deliver 55 lumens

Wide spread beam of clean white light

Integrated floor stand, hanging hook and magnet offer multiple working positions

Run time: 3 hours high/8 hours (70%)

IP44 design for dust and water resistance

•Supplied with 3- AA batteries



Contact your local Wajax Industrial Components branch for delivery information

# FLASHLIGHTS & LIGHTING



Vendor Code:  
AIRINT

## The Original Saddle Vent® For Non-Hazardous Locations

The Saddle Vent® was developed by Air Systems and has been in use around the world for over 25 years to make it easier and safer for workers to enter and exit a confined space. The Saddle Vent® takes up only 3 inches in a manhole opening and functions as a fresh air conduit to the workers in the confined space. With the Saddle Vent® in place, continuous ventilation is supplied to the workers by eliminating the need to remove the 8" air duct each time a worker needs to enter or exit a confined space, increasing safety and productivity.



Series #	Description
SV-189	The Industrial Saddle Vent® - orange
SV-90	90° elbow - orange
SV-UM	Universal Saddle Vent® mounting bracket - steel

## CVF Axial Fans & Kits For Non-Hazardous Locations

Saddle Vent® Ventilation Kits




Series #	Description
CVF-8AC	AC Axial Fan - 1/3 HP, 115 VAC, 60 Hz, 18 lbs.
CVF8A15KIT	CVF-8AC axial fan, 6 foot duct with canister, 15 foot duct, Saddle Vent®, 90° elbow, and universal mount
CVF8A25KIT	CVF-8AC axial fan, 6 foot duct with canister, 25 foot duct, Saddle Vent®, 90° elbow, and universal mount
CVF-8AC	AC Axial Fan - 1/3 HP, 115 VAC, 60 Hz, 18 lbs.
CVF-15ACAN	CVF-8AC axial fan & 15 foot duct canister
CVF-25ACAN	CVF-8AC axial fan & 25 foot duct canister

## The Conductive Saddle Vent®

The original Saddle Vent® was constructed of standard polyethylene which carries the potential of static electricity build-up on its surface. Static electricity is a source of ignition for fire and explosions.

Air Systems developed an improved Saddle Vent® to safely remove potential static electrical charges from the ventilation system. The use of conductive polyethylene to construct the Saddle Vent® and conductive ventilation duct now provides the safest possible confined space ventilation procedure available.

The fully Conductive Saddle Vent® removes static electricity from the entire ventilation system when installed properly.



Series #	Description
SV-189CND	The Conductive Saddle Vent® - black
SV-90CND	Conductive 90° elbow - black
SV-UM	Universal Saddle Vent® mounting bracket - steel

## The Air-Light® DC Powered Portable Area Lights

With a high capacity 22 amp hour internal battery, and the ability to switch over to AC power or DC power from a response vehicle, the Air-Light® will see you through until your job is complete.

All models include 22 amp battery, internal 3 amp battery charger, and charging cables

Series #	Description
AL2CUBEBP	Air-Light® Dual Cube LED light - 2070 lumens
AL4CUBEBP	Air-Light® Quad Cube LED light - 4140 lumens
AL8600BP	Air-Light® 8600 LED light - 8600 lumens

## The Air Light® II DC Powered Portable Area Lights

Portable Area Lighting for Commercial, Industrial, and Emergency Applications.

All models include 35 amp battery, internal 3 amp battery charger, and charging cables

Series #	Description
AL2-2-35	Air-Light® II - Dual Cube, 2070 lumens
AL2-4-35	Air-Light® II - Quad Cube, 4140 lumens
AL2-7-35	Air-Light® II - Dual XP, 7000 lumens

## The Mini-Cube™ DC Powered Portable Area Lights

The Mini-Cube™ is a lightweight, highly portable light source with extended runtime to illuminate the job site in any weather condition.

Series #	Description
AL2MCBP	Mini-Cube™ Dual LED light, 2070 lumens

## Tank Saddle Vent®

The Tank Saddle Vent® is designed for ship and tank applications and fits small round and oval entry ports 20" and smaller. DOD approved for US Navy use.

Designed to fit 18"W x 20"L oval shipboard hatch openings.

Series #	Description
SV-189T	Tank Saddle Vent® - grey
SV-90T	90° elbow to fit Tank Saddle Vent® - grey
SV-UM	Universal Saddle Vent® mounting bracket - steel



Contact your local Wajax Industrial Components branch for delivery information

# FLASHLIGHTS & LIGHTING



Vendor Code:  
RAYCAN



## Alkaline Batteries

Rayovac Ultra Pro is specially engineered for professional use Proudly made in the United States! (excluding 9-volts)  
Guaranteed fresh for 10 years (5 years for 9-volts)  
Best used before date on battery  
Mercury Free formula  
Rayovac Lasts as Long as Energizer Max



## Shrink Wrapped Batteries

Conveniently shrink-wrapped to minimize packaging. Great for contractor or bid business

Series #	Description	Qty/Pkg
AL-AA GEN	8 batteries per shrink wrapped pack	1
AL-AAA GEN	8 batteries per shrink wrapped pack	1
AL-C GEN	6 batteries per shrink wrapped pack	1
AL-D GEN	6 batteries per shrink wrapped pack	1
AL-9V GEN	6 batteries per shrink wrapped pack	1



## Reclosable Contractor Packs

Reclosable container helps organize and protect batteries from damage and short circuiting  
Stackable packaging is easy to merchandise

Series #	Description	Qty/Pkg
ALAA-24 GENF	24 batteries per reclosable pack	1
ALAAA-18 GENF	18 batteries per reclosable pack	1
ALD-12 GENF	12 batteries per reclosable pack	1



Contact your local Wajax Industrial Components branch for delivery information

# FLASHLIGHTS & LIGHTING

## IS4AA

120 Lumens (high), 65 Lumens (low)  
 Class I, Div. I UL safety rating  
 MSHA Approved  
 9 ft. drop test rated  
 Battery run time: 7 hours (high), 25 hours (low)  
 Runs on 4 AA Alkaline batteries (Not Included)  
 Meets Intrinsically Safe Certification



IS4AA



Vendor Code:  
 RAYCAN

## IS3C

150 Lumens (high), 65 Lumens (low)  
 Class I, Div. I UL safety rating  
 MSHA Approved  
 7 ft. drop test rated  
 Battery run time: 37 hours (high), 88 hours (low)  
 Runs on 3 C Alkaline batteries (Not Included)  
 Meets Intrinsically Safe Certification



IS3C



DIY3AAA-B

## DIY3AAA-B

120 Lumens  
 30 Foot Drop Test Performance!  
 IPX4 water resistant  
 160 meter beam distance  
 5 hour run time  
 Runs on 3 AAA Alkaline batteries (Included)



DIYHL3AAA-B

## DIYHL3AAA-B

50 Lumens  
 30 Foot Drop Test Performance!  
 IPX4 water resistant  
 30 meter beam distance  
 17 hour run time  
 Runs on 3 AAA Alkaline batteries (Included)



DIY2AA-B

## DIY2D-B

140 Lumens  
 20 Foot Drop Test Performance!  
 IPX4 water resistant  
 136 meter beam distance  
 12 hour run time  
 Runs on 2 D Alkaline batteries (Included)



DIY2D-B

## DIY2AA-B

100 Lumens  
 30 Foot Drop Test Performance!  
 IPX4 water resistant  
 149 meter beam distance  
 15 hour run time  
 Runs on 2 AA Alkaline batteries (Included)



I2AAAPEN-B

## DIYHPL-B

120 Lumens  
 30 Foot Drop Test Performance!  
 IPX4 water resistant  
 100 meter beam distance  
 3 hour run time  
 Runs on 3 AAA Alkaline batteries (Included)



DIYHPL-B

## I2AAAPEN-B

18 Lumens  
 23 hour run time  
 Machined aluminum body design  
 LED lens cover prevents dirt/dust from inhibiting the LED area  
 Runs on 2 AAA Alkaline batteries (Included)



ICLIP-B

## ICLIP-B

60 Lumens  
 6 hour run time  
 Impact, chemical, water and corrosion resistant  
 3 colored lenses included - Red, Blue, Green  
 Holster with lens storage (Included)  
 Runs on 2 AA Alkaline batteries (Included)

Contact your local Wajax Industrial Components branch for delivery information

# FLASHLIGHTS & LIGHTING



Vendor Code: LINEQU

Series #	Description	Qty
LE970LED-PL	50W LED floodlight with polycarbonate lens and yoke	1
LE970LED-FS-PL	50W LED floodlight with polycarbonate lens and cast aluminum floorstand	1
LE970LED-TR-PL	50W LED floodlight with polycarbonate lens and 4'-8' tripod	1
LE965LEDC-FS-PL	30W LED rechargeable floodlight with polycarbonate lens and cast aluminum floorstand	1
LE360LED-TR	360 degree LED area light, 120W, "Beacon 360" with 4'-8' tripod	1
LE360LED-FS	360 degree LED area light, 120W, "Beacon 360" with cast aluminum floorstand	1
LE975LED-TR-PL	140W Portable high powered LED floodlight	1
L41LED-PL	Heavy duty LED dock light with polycarbonate lens	1
LE1725LED-O	Heavy-duty LED worklight, 2 side LEDs, 1 flashlight LED, 25' cord, 5-15 outlet	1
LE1625LED-O	Heavy-duty LED work light, 1 extra bright side LED, 25' cord, 5-15 outlet inline	1
LED1425C	Heavy-duty rechargeable LED worklight with end light, c/w battery & 120V charger	1
XP300LED	Rechargeable LED hazardous location worklight, comes with battery pack and 120V	1
XP87B-50P	Explosion proof fluorescent hand lamp, 26W, 50' 16/3 SOOW cord, non-XP plug	1
XP162-50P	Explosion proof incandescent work light, 50' 16/3 SOOW cord, non-XP plug	1
XP1830LED-50P	39W LED Explosion proof floodlight, w/50' cord, non-XP plug	1
LE1640RLED	40' 18/2 SJTOW cable reel, LE1625LED HD LED work light, 5-15 outlet inline	1
LE2630B14	30' 14/3 SJT industrial cable reel, 13A triple outlet	1
8040T	40' 12/3 SJTW industrial cable reel, 15A triple outlet	1
700-50R	50' industrial static grounding reel, plated steel cable, LE-21C copper alligator clip	1
2620L-2001	Inline GFCI cord set, 120V/15A, 14" 12/3 cord, with indicator light	1
LE945-1LED	Rechargeable lantern with 120V AC wall-mount charger and LED array	1
LE946-1LED	Emergency-on rechargeable lantern with 120V AC wall-mount charger and LED array	1
LE9025123QB2	Heavy-duty cord reel, 25' 12/3 SJOW, 5-20P input, 5-20R quadbox (20A)	1
LE9025123S2	Heavy-duty cord reel, 25' 12/3 SJOW, 5-20P input, 5-20R single receptacle (20A)	1
LE9050123QB2	Heavy-duty cord reel, 50' 12/3 SJOW, 5-20P input, 5-20R quadbox (20A)	1
LE9050123S2	Heavy-duty cord reel, 50' 12/3 SJOW, 5-20P input, 5-20R single receptacle (20A)	1



XP87B-50P



Contact your local Wajax Industrial Components branch for delivery information

# ROPES / SLING LIFTING



Vendor Code: GROBBH

Series #	Description	Diameter	Length	Minimum Tensile strength	Application(s)
A1M/140BB	Polypropylene tying twine	N/A	9,000'	140 lbs.	Electrician/Hydro pull line
A1M/180BB	Polypropylene tying twine	N/A	7,000'	180 lbs.	Electrician/Hydro pull line
A1M/800BB	Polypropylene tying twine	N/A	1,450'	800 lbs.	Electrician/Hydro pull line
A1M/90BB	Polypropylene tying twine	N/A	14,000'	90 lbs.	Electrician/Hydro pull line
A1M240BB	Polypropylene tying twine	N/A	5,250'	240 lbs.	Electrician/Hydro pull line



Series #	Description	Diameter	Length	Minimum Tensile strength	Application(s)
A1PD014/550W	3 Strand Polypropylene, White	1/4"	550'	1,120 lbs.	Hydro heavy duty pull line
A1PD014/550Y	3 Strand Polypropylene, Yellow	1/4"	550'	1,120 lbs.	Hydro heavy duty pull line
A1PD038/250Y	3 Strand Polypropylene, Yellow	3/8"	250'	2,120 lbs.	Hydro heavy duty pull line
A1PD316/900W	3 Strand Polypropylene, White	3/16"	900'	720 lbs.	Hydro heavy duty pull line
A1PD316/900Y	3 Strand Polypropylene, Yellow	3/16"	900'	720 lbs.	Hydro heavy duty pull line
A1PD516/400Y	3 Strand Polypropylene, Yellow	5/16"	400'	1,490 lbs.	Hydro heavy duty pull line
A1PJ/012	3 Strand Polypropylene Jumbo, Yellow	1/2"	335'	3,650 lbs.	Hydro heavy duty pull line
A1PJ/014	3 Strand Polypropylene Jumbo, Yellow	1/4"	1,300'	1,120 lbs.	Hydro heavy duty pull line
A1PJ/034	3 Strand Polypropylene Jumbo, Yellow	3/4"	125'	7,830 lbs.	Hydro heavy duty pull line
A1PJ/038	3 Strand Polypropylene Jumbo, Yellow	3/8"	630'	2,120 lbs.	Hydro heavy duty pull line
A1PJ/058	3 Strand Polypropylene Jumbo, Yellow	5/8"	200'	5,450 lbs.	Hydro heavy duty pull line
A1PJ/316	3 Strand Polypropylene Jumbo, Yellow	3/16"	2,125'	720 lbs.	Hydro heavy duty pull line
A1PJ/516	3 Strand Polypropylene Jumbo, Yellow	5/16"	975'	1,490 lbs.	Hydro heavy duty pull line
A1PY038X2000	3 Strand Polypropylene, industrial, yellow	3/8"	2,000'	2,120 lbs.	Hydro heavy duty pull line
A1PY014/50	3 Strand Polypropylene, industrial, yellow tracer	1/4"	5,000'	1,120 lbs.	Hydro heavy duty pull line



Series #	Description	Diameter	Length	Minimum Tensile strength	Application(s)
C1MFP018/10	MFP Braided yellow curb line	1/8"	1,000'	250 lbs.	Border line, tie down



Series #	Description	Diameter	Length	Minimum Tensile strength	Application(s)
C2TT058/50	Nylon double braid, eye to eye	5/8"	50'	14,700 lbs.	Tow rope
C1TP038/06	Polyester double braid	3/8"	600'	5,600 lbs.	Pull line



Series #	Description	Diameter	Length	Minimum Tensile strength	Application(s)
F2CS18/1	Sein twine, twisted polyester/cotton		984'	46 lbs.	Masonry
F2CS18/2	(CB18) sein twine ,twisted polyester/cotton		246'	46 lbs.	Masonry
F2CS18/5	(CB12) Sein twine, twisted polyester/cotton		492'	46 lbs.	Masonry
G1200/18	(CB18) Mason Line, nylon braid - White		200'	185 lbs.	Masonry
G1250/18	(CB15) Mason line, nylon braid - White		550'	185 lbs.	Masonry
G1300/18	(CB18) Mason line, nylon braid - Pink		200'	185 lbs.	Masonry
G1350/18	(CB15) Mason line, nylon braid - Pink		550'	185 lbs.	Masonry
G1400/18	(CB18) Mason line, nylon twisted - White		260'	168 lbs.	Masonry
G1450/18	(CB12) Mason line, nylon twisted - White		525'	168 lbs.	Masonry
G1500/18	(CB18) Mason line, nylon twisted - Pink		260'	168 lbs.	Masonry
G1550/18	(CB10) Mason line, nylon twisted - Pink		525'	168 lbs.	Masonry
E1CT8/10	Sash cord, cotton braid, hank		100'	200lbs.	Oversize chalk line
Z1SGS/11	(CB30) Plastic ground stake - Hi-vis Orange		11"	N/A	Anchor
Z1SGS/16	(CB20) Plastic ground stake - Hi-vis Orange		16"	N/A	Anchor




Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING




Vendor Code: BENMOR

## AIRCRAFT CABLE AND PREFORMED STRAND

 7 x 7	Code	Diameter In.	Minimum Breaking Strength lbs.	Weight per 100 ft. lbs.
	36477G	3/64	270	0.42
	11677G	1/16	480	0.75
	56477G	5/64	650	1.1
	33277G	3/32	920	1.6
	01877G	1/8	1,700	2.85


Other diameters available. Stainless steel available.

## WIRE ROPE CLIPS (MALLEABLE, ZINC PLATED)

	Code	For cable diameter in.	Weight / ea. lbs.
	WRCMA-116	1/16	0.03
	WRCMA-018	3/32 - 1/8	0.04
	WRCMA-316	3/16	0.06
	WRCMA-014	1/4	0.12
	WRCMA-516	5/16	0.14
	WRCMA-038	3/8	0.21
	WRCMA-716	7/16	0.27
	WRCMA-012	1/2	0.35


Federal Specification: FF-C-450. Other dimensions available upon request. Stamped with size on the saddle.

## AN THIMBLES (ZINC PLATED)


	Code	For cable diameter in.
	ANTZ-116	3/64 - 1/16 - 5/64
	ANTZ-018	3/32 - 7/64 - 1/8
	ANTZ-532	5/32
	ANTZ-316	3/16
	ANTZ-014	7/32 - 1/4
	ANTZ-516	9/32 - 5/16
	ANTZ-038	3/8

Other diameters available.

## CARBINE SNAP HOOKS (ZINC PLATED, COLD DRAWN MILD STEEL)


	Code	Dimensions In.	Working Load Limit lbs.	Weight / ea. lbs.
	S10-1	3/16	100	0.04
	S10-2	1/4	140	0.06
	S10-3	5/16	240	0.15
	S10-4	3/8	400	0.32
	S10-4.5	7/16	485	0.42
	S10-5	1/2	560	0.60

## AIRCRAFT CABLE AND PREFORMED STRAND

 7 x 19	Code	Diameter In.	Minimum Breaking Strength lbs.	Weight per 100 ft. lbs.
	018719G	1/8	2,000	2.9
	532719G	5/32	2,800	4.5
	316719G	3/16	4,200	6.5
	732719G	7/32	5,600	8.6
	014719G	1/4	7,000	11.0
	516719G	5/16	9,800	17.3
	038719G	3/8	14,400	24.3


Stainless steel available.

## WIRE ROPE CLIPS BROWN PIN® (DROP-FORGED, HOT DIPPED GALVANIZED)

 Brown Pin®	Code	For cable diameter in.	Weight / ea. lbs.
	WRCDF-BP-018	1/8	0.06
	WRCDF-BP-316	3/16	0.10
	WRCDF-BP-014	1/4	0.19
	WRCDF-BP-516	5/16	0.28
	WRCDF-BP-038	3/8	0.48
	WRCDF-BP-716	7/16	0.76
	WRCDF-BP-012	1/2	0.80
	WRCDF-BP-916	9/16	1.04
	WRCDF-BP-058	5/8	1.10
WRCDF-BP-034	3/4	1.42	


Federal Specification: FF-C-450. Other dimensions available upon request. Stamped with size and BM for "Ben-Mor" identification code on the saddle.

## STANDARD THIMBLES (HOT DIP GALVANIZED)

	Code	For cable diameter in.
	STDTG-018	1/8 - 5/32
	STDTG-316	3/16
	STDTG-014	1/4
	STDTG-516	5/16
	STDTG-038	3/8
	STDTG-012	1/2
	STDTG-058	5/8
	STDTG-034	3/4
	STDTG-078	7/8
STDTG-001	1	

Other diameters available.

## QUICK LINKS RATED AND NON-RATED (ZINC PLATED, COLD DRAWN MILD STEEL)

	Code rated	Code Non-rated	Working Load Limit lbs.	Weight / ea. lbs.
	QLZ-018	70700	220	0.03
	QLZ-532	70699	500	0.05
	QLZ-316	70701	660	0.06
	QLZ-014	70702	880	0.09
	QLZ-516	70703	1,760	0.18
	QLZ-038	70704	2,640	0.28
	QLZ-716	70706	2,900	0.48
	QLZ-012	70705	3,300	0.70
	QLZ-058	70707	6,000	1.16

Autres diamètres disponibles.

Contact your local Wajax Industrial Components branch for delivery information




# ROPES, SLING/LIFTING




Vendor Code: BENMOR

SCREW PIN ANCHOR SHACKLES BROWN PIN®,  
RATED (DROP FORGED, HOT DIP GALVANIZED)

 Brown Pin®	Code	Size In.	Working Load Limit TON	Weight / ea. lbs.
	SPASX-BP-316	3/16	1/3	0.06
	SPASX-BP-014	1/4	1/2	0.10
	SPASX-BP-516	5/16	3/4	0.19
	SPASX-BP-038	3/8	1	0.31
	SPASX-BP-716	7/16	1 1/2	0.38
	SPASX-BP-012	1/2	2	0.72
	SPASX-BP-058	5/8	3 1/4	1.37
SPASX-BP-034	3/4	4 3/4	2.35	


Other dimensions and types available upon request.

HOT DIP GALVANIZED TURNBUCKLES (EYE & EYE), DROP-FORGED

	Code	Threaded Dia. x Take-Up in.	Working Load Limit lbs.	Weight Each lbs.
	TEEG-01404	1/4 x 4	500	0.26
	TEEG-516412	5/16 x 4 1/2	800	0.45
	TEEG-03806	3/8 x 6	1,200	0.75
	TEEG-01206	1/2 x 6	2,200	1.50
	TEEG-01209	1/2 x 9	2,200	1.75
	TEEG-01212	1/2 x 12	2,200	2.18
	TEEG-05806	5/8 x 6	3,500	2.63
	TEEG-05809	5/8 x 9	3,500	3.00
	TEEG-05812	5/8 x 12	3,500	3.25
	TEEG-03406	3/4 x 6	5,200	3.75
	TEEG-03409	3/4 x 9	5,200	4.50
	TEEG-03412	3/4 x 12	5,200	5.75
	TEEG-03418	3/4 x 18	5,200	7.00
	TEEG-07812	7/8 x 12	7,200	8.35
	TEEG-07818	7/8 x 18	7,200	10.25
	TEEG-00106	1 x 6	10,000	9.04


Other dimensions and types available upon request.

SHOULDER TYPE MACHINERY EYE BOLTS  
(SELF-COLORED, DROP-FORGED, CARBON STEEL QUENCHED AND TEMPERED)

	Code	Working Load Limit lbs.	Weight / ea. lbs.
	STEB-014001SC	500	0.05
	STEB-516118SC	900	0.10
	STEB-038114SC	1,300	0.16
	STEB-012112SC	2,400	0.35
	STEB-058134SC	4,000	0.67
	STEB-034002SC	5,000	1.00
	STEB-078214SC	7,000	1.63
STEB-001212SC	9,000	2.22	


Other dimensions and types available upon request.

EYE HOOKS WITH LATCH (ALLOY, ZINC PLATED, FORGED ALLOY STEEL, QUENCHED AND TEMPERED)

 Lock nut with Nylon insert nut	Code	Working Load Limit TON	Weight / ea. lbs.
	EH-034	3/4	0.54
	EH-001	1	0.61
	EH-112	1 1/2	0.89
	EH-002	2	1.44
	EH-003	3	2.07
	EH-412	4 1/2	4.30


Other dimensions available upon request.

GRADE 30 PROOF COIL CHAIN – LOW CARBON STEEL

				
Code	Diameter In.	Pack ft.	Working Load Limit lbs.	Weight / 100 ft. lbs.
52020	1/8	250	325	20
52021	3/16	150	630	29
52022	1/4	100	1,100	52
52023	5/16	75	1,900	85
52024	3/8	45	2,650	124
52025	1/2	25	4,500	234


GR40, GR70, GR80, GR100 Also available.

HOT DIP GALVANIZED TURNBUCKLES (JAW & JAW), DROP-FORGED

	Code	Threaded Dia. x Take-Up in.	Working Load Limit lbs.	Weight Each lbs.
	TJJG-01404	1/4 x 4	500	0.36
	TJJG-516412	5/16 x 4 1/2	800	0.52
	TJJG-03806	3/8 x 6	1,200	0.93
	TJJG-01206	1/2 x 6	2,200	1.68
	TJJG-01209	1/2 x 9	2,200	1.85
	TJJG-01212	1/2 x 12	2,200	2.20
	TJJG-05806	5/8 x 6	3,500	2.82
	TJJG-05809	5/8 x 9	3,500	3.25
	TJJG-05812	5/8 x 12	3,500	3.75
	TJJG-03406	3/4 x 6	5,200	4.68
	TJJG-03409	3/4 x 9	5,200	5.36
	TJJG-03412	3/4 x 12	5,200	6.12
	TJJG-03418	3/4 x 18	5,200	7.75
	TJJG-07812	7/8 x 12	7,200	9.38
	TJJG-07818	7/8 x 18	7,200	11.44
	TJJG-00106	1 x 6	10,000	10.20


Other dimensions and types available upon request.

SHOULDER TYPE MACHINERY EYE BOLTS  
(ZINC PLATED, DROP-FORGED, CARBON STEEL QUENCHED AND TEMPERED)

	Code	Working Load Limit lbs.	Weight / ea. lbs.
	STEB-014001	500	0.05
	STEB-516118	900	0.10
	STEB-038114	1,300	0.16
	STEB-012112	2,400	0.35
	STEB-058134	4,000	0.67
	STEB-034002	5,000	1.00

Other dimensions and types available upon request.

SWIVEL HOOKS WITH LATCH (ALLOY, ZINC PLATED, FORGED ALLOY STEEL, QUENCHED AND TEMPERED)

 Lock nut with Nylon insert nut	Code	Working Load Limit TON	Weight / ea. lbs.
	SH-001	1	0.75
	SH-112	1 1/2	1.25
	SH-002	2	2.25
	SH-003	3	2.30
	SH-412	4 1/2	4.96

Other dimensions available upon request.

Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING



Vendor Code: BENMOR

## SYNTHETIC WEB SLING TYPE # 3 - 4

TYPE 3 TYPE 4	DOUBLE PLY						
	Width In.	Working Load Limit lbs.					
		Vertical	Choker	Basket 90°	Basket 60°	Basket 45°	Basket 30°
1	3,100	2,400	6,200	5,300	4,300	3,100	
2	6,200	4,960	12,400	10,700	8,700	6,200	
3	8,800	7,040	17,600	15,200	12,400	8,800	
4	11,000	8,800	22,000	19,000	15,500	11,000	

## SYNTHETIC WEB SLING TYPE # 5

TYPE 5	DOUBLE PLY						
	Width In.	Working Load Limit lbs.					
		Vertical	Choker	Basket 90°	Basket 60°	Basket 45°	Basket 30°
1	6,200	4,960	12,400	10,700	8,700	6,200	
2	12,400	9,920	24,800	21,400	17,500	12,400	
3	17,600	14,080	35,200	30,400	24,800	17,600	
4	22,000	17,600	44,000	38,100	31,100	22,000	

Length ft.	2 PLYS/ T5			
	1"	2"	3"	4"
4	EN2901Y04T5	EN2902Y04T5	EN2903Y04T5	EN2904Y04T5
6	EN2901Y06T5	EN2902Y06T5	EN2903Y06T5	EN2904Y06T5
8	EN2901Y08T5	EN2902Y08T5	EN2903Y08T5	EN2904Y08T5
10	EN2901Y10T5	EN2902Y10T5	EN2903Y10T5	EN2904Y10T5

Length ft.	2 PLYS/ T3			
	1"	2"	3"	4"
4	EE2901Y04T3	EE2902Y04T3	EE2903Y04T3	EE2904Y04T3
6	EE2901Y06T3	EE2902Y06T3	EE2903Y06T3	EE2904Y06T3
8	EE2901Y08T3	EE2902Y08T3	EE2903Y08T3	EE2904Y08T3
10	EE2901Y10T3	EE2902Y10T3	EE2903Y10T3	EE2904Y10T3

Length ft.	2 PLYS/ T4			
	1"	2"	3"	4"
4	EE2901Y04T4	EE2902Y04T4	EE2903Y04T4	EE2904Y04T4
6	EE2901Y06T4	EE2902Y06T4	EE2903Y06T4	EE2904Y06T4
8	EE2901Y08T4	EE2902Y08T4	EE2903Y08T4	EE2904Y08T4
10	EE2901Y10T4	EE2902Y10T4	EE2903Y10T4	EE2904Y10T4

Other dimensions and lengths available upon request.

## CHAIN SLINGS, CERTIFIED — GRADE 80

Chain Diameter In.	Working Load Limit (lbs.)				GRADE 80 Oblong Master Link	
	Single Leg 90°	Double Legs 60°	Double Legs 45°	Double Legs 30°	SIMPLE	DOUBLE
9/32	3,500	6,100	4,900	3,500	A342-012BM	A342-058BM
3/8	7,100	12,300	10,000	7,100	A342-034BM	A342-034BM
1/2	12,000	20,800	17,000	12,000	A342-001BM	A342-001BM

Length ft.	SINGLE					
	SOS 9/32	SGS 9/32	SOS 3/8	SGS 3/8	SOS 1/2	SGS 1/2
4	SOS80932004-00	SGS80932004-00	SOS80038004-00	SGS80038004-00	SOS80012004-00	SGS80012004-00
6	SOS80932006-00	SGS80932006-00	SOS80038006-00	SGS80038006-00	SOS80012006-00	SGS80012006-00
8	SOS80932008-00	SGS80932008-00	SOS80038008-00	SGS80038008-00	SOS80012008-00	SGS80012008-00
10	SOS80932010-00	SGS80932010-00	SOS80038010-00	SGS80038010-00	SOS80012010-00	SGS80012010-00

Length ft.	DOUBLE					
	DOS 9/32	DOG 9/32	DOS 3/8	DOG 3/8	DOS 1/2	DOG 1/2
4	DOS80932004-00	DOG80932004-00	DOS80038004-00	DOG80038004-00	DOS80012004-00	DOG80012004-00
6	DOS80932006-00	DOG80932006-00	DOS80038006-00	DOG80038006-00	DOS80012006-00	DOG80012006-00
8	DOS80932008-00	DOG80932008-00	DOS80038008-00	DOG80038008-00	DOS80012008-00	DOG80012008-00
10	DOS80932010-00	DOG80932010-00	DOS80038010-00	DOG80038010-00	DOS80012010-00	DOG80012010-00

Other types, diameters, grade 100, available upon request.

## WIRE ROPE SLINGS SINGLE LEG, 6 x 19, 6 x 26, 6 x 36, 6 x 41 STEEL CORE EIPS/IPS

Dia. in.	Standard loops Inside Dim. in.	Hooks Capacity TON	EIPS Working Load Limit lbs.					
			Vertical 90°	Choker 90°	Basket			
					90°	60°	45°	30°
3/8	3 x 6	1.5	2,800	2,200	5,800	5,000	4,000	2,800
7/16	4 x 8	2.0	3,800	2,800	7,800	6,800	5,400	3,800
1/2	4 x 8	3.0	5,000	3,800	10,200	8,800	7,200	5,000
5/8	5 x 10	4.5	7,800	5,800	15,600	13,600	11,000	7,800
3/4	6 x 12	7.0	11,200	8,200	22,000	19,400	15,800	11,200

Length ft.	SINGLE			
	E/E 3/8	E/E 1/2	E/E 5/8	E/E 3/4
4	SUNS11038004-00	SUNS11012004-00	SUNS11058004-00	SUNS11034004-00
6	SUNS11038006-00	SUNS11012006-00	SUNS11058006-00	SUNS11034006-00
8	SUNS11038008-00	SUNS11012008-00	SUNS11058008-00	SUNS11034008-00
10	SUNS11038010-00	SUNS11012010-00	SUNS11058010-00	SUNS11034010-00

Other types, diameters, lengths available.

Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING



Vendor Code:  
TRAGRI



## TracX Harness

TracX pad  
Dorsal D-ring  
Auto-lock buckles leg adjustment  
Adjustable sub-pelvic strap  
Leg pads on some models

*Also available in tongue and buckle leg adjustment*



## Versafit Harness

Dorsal D-ring  
Quick-connect leg adjustment  
Adjustable sub-pelvic strap

*Also available in tongue and buckle leg adjustment*

Series #	Description
AU732/X	TracX harness with auto-buckle buckles, one size
AU732XL/X	TracX harness with auto-buckle buckles, XL
AU732/XT	TracX harness with auto-lock buckles, leg pads, one size
AU732XL/XT	TracX harness with auto-lock buckles, leg pads, XL


Series #	Description
AC732	Versafit harness, one size
AC732XL	Versafit harness, XL



## Stretchfor Shock-Absorbing Lanyard reduces tripping hazards

Stretchable from 4½ to 6 ft. (1.4 to 1.8 m)  
¾ in. (20 mm) self-locking snap hook at one end  
*Also available in E6*

Series #	Description
C506Z/E4	6 ft. (1.8 m) lanyard with ¾ in. (20 mm) self-locking snap hook at other end
C506H/E4	6 ft. (1.8 m) lanyard with 2¼ in. (57 mm) self-locking snap hook at other end



## Tracpac High-Abrasion Web Energy-Absorbing Lanyard

Available lengths: 4 or 6 ft. (1.2 or 1.8 m)  
¾ in. (20 mm) self-locking snap hook at shock pack end  
*Also available in E6*

Series #	Description
C106Z/E4	6 ft. (1.8 m) lanyard with ¾ in. (20 mm) self-locking snap hook at other end
C106H/E4	6 ft. (1.8 m) lanyard with 2¼ in. (57 mm) self-locking snap hook at other end
C126Z/E4	6 ft. (1.8 m) lanyard with two arms, ¾ in. (20 mm) self-locking snap hooks at arms
C126H/E4	6 ft. (1.8 m) lanyard with two arms, 2¼ in. (57 mm) self-locking snap hooks at arms

Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING



Vendor Code:  
TRAGRI



## Tempo III Temporary Horizontal Lifeline System

Tempo III rope adjuster with integral carabiner  
60 ft. (18 m) of ½ in. (12.5 mm) rope  
Two endless slings  
One carabiner  
Three travel O-rings  
Storage bag

Series #	Description
H66500	60 ft. (18 m) Tempo III

## Blocfor® AES Self-Retracting Lifelines

Lightweight  
Polyamid housing  
Swivel snap hook with impact indicator  
Rubber recoil bumper  
20 and 30 ft. (6 and 9 m) galvanized or stainless  
steel wire rope or synthetic rope available



Series #	Description
RA20G	Blocfor® AES with 20 ft (6 m) galvanized steel wire rope
RA20S	Blocfor® AES with 20 ft (6 m) stainless steel wire rope
RA30G	Blocfor® AES with 30 ft (9 m) galvanized steel wire rope
RA30S	Blocfor® AES with 30 ft (9 m) stainless steel wire rope

## Blocfor® Self-Retracting Lifelines

Lightweight  
Polyamid housing  
Carrying handles  
Swivel snap hook with impact indicator  
Rubber recoil bumper  
50 ft. (15 m) galvanized or stainless  
steel wire rope or synthetic rope available



Series #	Description
RT50G	Blocfor® with 50 ft (6 m) galvanized steel wire rope
RT50S	Blocfor® with 50 ft (6 m) stainless steel wire rope

 Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING



Vendor Code:  
TRAGRI

## Bravo® Lever Hoist

Made of high tensile alloy steel  
Excellent weight / capacity / size ratio  
Over-load opening indicator  
Optional load limiter  
Working load limit of 500 to 12,000 lbs. (¼ to 6 ton)  
Operates in temperatures between  
-40°F and 140°F (-40°C and 60°C)



Series #	Description
41289	Bravo®, 5 ft. of chain, ¼ t capacity
19659	Bravo®, 5 ft. of chain, ½ t capacity
19669	Bravo®, 5 ft. of chain, ¾ t capacity
19679	Bravo®, 5 ft. of chain, 1½ t capacity
19689	Bravo®, 5 ft. of chain, 3 t capacity
19699	Bravo®, 5 ft. of chain, 6 t capacity
19660	Bravo®, 10 ft. of chain, ½ t capacity
19670	Bravo®, 10 ft. of chain, ¾ t capacity
19680	Bravo®, 10 ft. of chain, 1½ t capacity
19690	Bravo®, 10 ft. of chain, 3 t capacity
19700	Bravo®, 10 ft. of chain, 6 t capacity

Other lengths available

## Tralift® Manual Chain Hoist

Automatic brake  
Self-lubricating chain  
Optional load limiter available  
Working load limit of 500 to 40,000 lbs.  
(¼ to 20 tons)  
Operates in temperatures between  
-40°F and 140°F (-40°C and 60°C)



Series #	Description
19709	Tralift®, 10 ft. of chain, ½ t capacity
19719	Tralift®, 10 ft. of chain, 1 t capacity
19729	Tralift®, 10 ft. of chain, 1½ t capacity
19739	Tralift®, 10 ft. of chain, 2 t capacity
19749	Tralift®, 10 ft. of chain, 3 t capacity
19759	Tralift®, 10 ft. of chain, 5 t capacity
19769	Tralift®, 10 ft. of chain, 10 t capacity
19779	Tralift®, 10 ft. of chain, 20 t capacity
19711	Tralift®, 20 ft. of chain, ½ t capacity
19721	Tralift®, 20 ft. of chain, 1 t capacity
19731	Tralift®, 20 ft. of chain, 1½ t capacity
19741	Tralift®, 20 ft. of chain, 2 t capacity
19751	Tralift®, 20 ft. of chain, 3 t capacity
19761	Tralift®, 20 ft. of chain, 5 t capacity
19771	Tralift®, 20 ft. of chain, 10 t capacity
19781	Tralift®, 20 ft. of chain, 20 t capacity

Other lengths available

## Corso® Beam Trolley

Overdimensioned flanges  
Steel rollers mounted on bearings  
Easy and fast adjustment  
Very low head-room  
Working load limit from 1,000 to  
40,000 lbs. (½ to 20 tons) available



Series #	Description
23309	Corso®, ½ t capacity
23329	Corso®, 2 t capacity

## Corso® Beam Clamp

Compact and sturdy construction  
Simple and fast adjustment  
Variety of weight capacities and beam widths  
Working load limit (WLL) from 1 to 10 t available



Series #	Description
07009	Corso® LT 1B, 1 t capacity
07019	Corso® LT 2B, 2 t capacity

Contact your local Wajax Industrial Components branch for delivery information

# ROPES, SLING/LIFTING



Vendor Code:  
TRAGRI



## Tirfor®

Wire rope lifting and pulling hoist  
Work in any position: vertical, horizontal, angle  
Unlimited cable length  
Capacities from 2,000 to 8,000 lbs. (800 to 3,200 kg)

Series #	Description
18109	Tirfor® T 508D, 2,000 lbs. capacity
0702102020*	20 m of 8.3 mm Maxiflex wire rope with hook
18119	Tirfor® T 516D, 4,000 lbs. capacity
0702802020*	20 m of 11.5 mm Maxiflex wire rope with hook
18129	Tirfor® T 532D - Cap. 8,000 lbs.
0702902020*	20 m of 16.3 mm Maxiflex wire rope with hook

\*Other lengths available



Optional wireless  
remote display

## Dynafor® LLX1 Electronic Dynamometer

Strain gauge technology  
High strength aluminium alloy body  
LCD display  
Overload indicator  
Capacity range from 1,000 to 40,000 lbs. (0.5 to 20 t)

Series #	Description
210279	Dynafor® LLX1, 1 t capacity
210289	Dynafor® LLX1, 2 t capacity
210309	Dynafor® LLX1, 5 t capacity
210329	Dynafor® LLX1, 12.5 t capacity
243249	Optional wireless remote display



## Minifor® Portable Electric Hoist

Unlimited height of lift  
Optional rope reeler available  
Single phase  
Optional wireless remote control available  
Rated loads of 220, 660 and 1,100 lbs. (100, 300 and 500 kg) available which can be doubled with a sheave kit

Series #	Description
44729	Minifor® TR30, 300 kg capacity (110V)
58349	Minifor® TR50, 500 kg capacity (220V)
0705602030*	30 m of 6.5 mm wire rope with safety hook
0705602045*	45 m of 6.5 mm wire rope with safety hook

\*Other lengths available

## Topal KS Clamp

Clamping secured by spring  
Chain sling for easy manipulation  
Bites on one side to reduce marring  
Variety of different openings  
Working load limit from 1,650 to 6,600 lbs. (750 to 3,000 kg) available  
Opening up to 1½ in. (30 mm)



Series #	Description
50238	Topal KS075, 0–15 mm, 750 kg capacity
50248	Topal KS1, 0–20 mm, 1,000 kg capacity
50258	Topal KS2, 0–25 mm, 2,000 kg capacity

## Topal NX Clamp

Automatic clamping  
Non-marring polyurethane coated jaws  
Chain sling for easy manipulation  
Variety of different openings  
For any rigid load up to 3,300 lbs. (1,500 kg) and 1½ in. (30 mm) in thickness



Series #	Description
50408	Topal NX05, 0–20 mm, 500 kg capacity
50418	Topal NX1.5, 0–30 mm, 1,500 kg capacity

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code: NEWP01

- Specially-formulated, full-coverage adhesive backing holds tight but leaves no residue
- Eliminates the need for tapes and trays
- Eight layers of fine-fiber polypropylene safely absorb leaks, drips and overspray of oils, coolants, solvents and water to keep liquids from being tracked around
- Tough, spunbond top layer with heavy-duty zigzag stitching stands up to foot and light-wheeled traffic as well as heavy equipment driveovers
- When used as part of your floor safety program, high-traction surfaces such as PIG Grippy Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Tested and Certified by the National Floor Safety Institute (NFSI)™



Series #	Description	Qty
MAT3200	41cm W x 61cm L / 7,5 L bag	10 pads per bag
MAT1625	41cm W x 7,6 m L / 7,5 L roll	1 roll
MAT3250	81cm W x 15 m L / 30,3 l roll	1 roll
MAT32100	81cm W x 30 m L / 60,6 L roll	1 roll

- These pallets may be economical, but they're strong enough to handle long-term storage of fully loaded steel drums
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- 2-way forklift entry allows easy movement from either direction (unloaded only)
- We test all of our PIG Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility.



Series #	Description	Qty
PAK605-WD	135cm L x 73cm W x 41cm H 250 l Capacity	1 pallette
PAK605-WOD	135cm L x 73cm W x 41cm H 250 l Capacity	1 pallette

- The strongest drip decks you can buy won't buckle or bow. Guaranteed for life.
- Low-profile 15cm H design is easy to load or unload; pumps and funnels are easy to access;
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe;
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals;
- Textured grating adds traction and lifts out for easy sump access;
- Translucent white sidewalls allow easy visual inspection;
- We test all of our PIG Containment Deck designs at max load for months to ensure they can handle full capacity at your facility



Series #	Description	Qty
PAK565	132cm W x 66cm D x 14,6cm H 83 l Capacity	1 pallette

- The strongest standard pallet you can buy for everyday drum storage
- 2721,6 kg UDL capacity is strong enough to support four fully loaded steel or poly drums
- Low 25,4 cm height means loading and unloading require less effort and drum tops are within easier reach

•Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep your storage areas clean and safe

- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- 2-way forklift entry allows easy movement from either direction (unloaded only)
- Compact footprint reduces floor space needed for drum storage
- Optional drain plug lets you empty sump without removing drums or grating
- We test all of our PIG Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility

Series #	Description	Qty
PAK210-WD	130cm W x 130cm L x 25cm H 250 l Capacity	1 pallette
PAK210-WOD	130cm W x 130cm L x 25cm H 250 l Capacity	1 pallette

- Roll top slides up for easy access to drum tops while the rest of the unit stays closed; store drums with pumps or funnels in place
- Low-profile pallet with sump catches leaks, drips and spills while keeping drum tops and accessories within reach
- Weather-resistant design prevents contaminants from entering stormwater
- Heavy-duty construction allows hardcover and pallet to be lifted by a forklift with drums in place
- Low-density polyethylene (LDPE) with UV inhibitors resists UV rays, rust, corrosion and most chemicals for long, trouble-free life
- Ergonomically designed roll top only goes down to waist height to eliminate bending and reaching
- Doors and roll top can be secured with a padlock (sold separately)
- Durable swing-out doors on front and rear provide easy access from both sides



•Doors and roll top can be secured with a padlock (sold separately)

Series #	Description	Qty
PAK-901-WD	164cm W x 157cm D x 201cm H 284 l Capacity	1 pallette
PAK-901-WOD	164cm W x 157cm D x 201cm H 284 l Capacity	1 pallette



- The strongest drip decks you can buy won't buckle or bow. Guaranteed for life.
- Low-profile 15cm H design is easy to load or unload; pumps and funnels are easy to access
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- We test all of our PIG Containment Deck designs at max load for months to ensure they can handle full capacity at your facility

Series #	Description	Qty
PAK566	132cm W x 66cm D x 14,6cm H 167 l Capacity	1 pallette



Contact your local Wajax Industrial Components branch for delivery information



1.866.546.3267

www.wajaxindustrial.com

# GENERAL MAINTENANCE



Vendor Code: NEWP01



- Light-weight polyethylene construction is chemical-resistant and easy to position
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Ribbed surface provides traction for added safety
- Note: Ramp must be detached to close doors
- Steel clamps securely attach ramp to pallet or deck

Series #	Description	Qty
PAK726	81cm W x 61cm D x 15cm H 272kg Capacity	1 ramp



- Heavy-duty steel construction is strong and durable
- Adjustable legs for use with a range of pallet and deck heights
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Lip of ramp secures to edge of pallet or deck
- Note: Ramp must be detached to close doors
- Diamond plate surface provides traction for added safety

Series #	Description	Qty
PAK538	68cm W x 97cm 453,6kg Capacity	1 ramp

- Exclusive New Pig formulation features a tear-resistant top layer and a flexible, tacky bottom layer that seals tight to smooth surfaces and blocks liquids
- Fast protection for when a spill is heading right for your drain; just place dike in front of spill to contain liquid
- Built-in dovetail connectors create a liquid-proof seal and allow you to join as many sections as you need without extra parts
- Confines and diverts fluids without absorbing them, making cleanup or reclamation simpler
- 7,62 cm height is great for containing deeper pools of liquid and larger flows
- Polyurethane material resists water, oil and many chemicals
- Smaller sections are easy to handle and deploy
- Reusable dikes clean easily with soap and water



Series #	Description	Qty
PLR267Y	9cm I x 152cm L x 7,6cm h	2/box



- Add this handy corner piece to a pair of SpillBlocker Dikes to create a 90° angle
- Built-in dovetail connectors form a liquid-proof seal
- Build any shape or configuration to suit your application or environment

Series #	Description	Qty
PLR268 Y	9cm I x 11,5cm L x 7,6cm h	2/box

- Fast protection for when a leak is starting to spread; just surround machine with dike to contain liquid
- Exclusive New Pig formulation is flexible and tacky; seals tight to smooth surfaces and blocks liquids
- Built-in, interlocking end joints create a liquid-proof seal and allow you to join as many sections as you need without extra parts
- Confines and diverts fluids without absorbing them, making cleanup or reclamation simpler
- Polyurethane material resists water, oils and many chemicals
- High-visibility yellow color draws attention to spill for increased safety
- Reusable dike cleans easily with soap and water



Series #	Description	Qty
PLR212	300 cm x 5,7 cm x 3,5 cm	1 Carton

- Ideal for maintenance crews, as well as labs or other areas prone to small spills
- PIG Blue Socks stop spreading spills; PIG Mat and Pillows absorb; wipers clean surfaces and hands; PIG Repair Putty can patch a drum leak or fix a crack in a fluid reservoir
- Temporary disposal bags help make cleanup easier
- Prepacked, compartmentalized cart provides easy access to contents
- Narrow width fits easily through doors and aisles
- How-to instructions are printed on the cabinet doors
- Lockable for added security



Series #	Description	Qty
KIT244	99cm x 43cm x 58cm Exterior 51,5 l / kit	1 kit

- Swing-out doors, prepacked shelves and compartments make cart easy to inventory and access
- Narrow width fits easily through doors and aisles
- Cart holds and dispenses a 18.29m roll of PIG Rip-&-Fit Oil-Only Mat for tearing off pads or sections as needed
- PIG Skimmer Socks stop spreading spills; PIG Rip-&-Fit Oil-Only Mat and Pillows absorb; PIG Repair Putty plugs or patches leaks and cracks
- Ideal for maintenance crews, labs and other areas prone to small spills
- Highly visible yellow cart is easy to locate in the event of a spill
- Lockable for added security
- Note: Not for outdoor storage



Series #	Description	Qty
KIT444	99cm x 43cm x 58cm Exterior 56,2 l / kit	1 kit

Contact your local Wajax Industrial Components branch for delivery information



# GENERAL MAINTENANCE



Vendor Code: NEWP01



- Ideal for maintenance crews, as well as labs or other areas prone to small spills
- PIG Blue Socks stop spreading spills; PIG Mat and Pillows absorb; wipers clean surfaces and hands; PIG Repair Putty can patch a drum leak or fix a crack in a fluid reservoir
- Temporary disposal bags help make clean-up easier
- Prepacked, compartmentalized cart provides easy access to contents
- Narrow width fits easily through doors and aisles
- How-to instructions are printed on the cabinet doors
- Lockable for added security

Series #	Description	Qty
TLS667	152cm l x 152 cm L 7 l box	1 ch



- Contains supplies for rapid response to roof leaks, all in a 24,6 liter pail
- Pail can be used as a collection container for diverted liquid; printed "Caution" message doubles as a warning sign
- Nonpermeable tarp is vinyl coated for strength and durability; resists punctures, UV and mildew for long life
- Hangs easily in problem spots to catch nuisance leaks and channel them to a floor drain or collection container
- Flow rate of 12,6 liters per minute when used with a 1,27 cm ID hose
- Translucent material lets light through and allows easy monitoring of leak
- Preinstalled quick connect set lets you attach hose to leak diverter in seconds
- Adjustable straps allow fast setup and response
- High-visibility yellow PIG Mat Pads soak up puddles to keep floors safe; "Caution" message draws attention to spill
- PIG All-Purpose Wipers are great for wiping down diverter kit before storage or for cleaning up small spills

Series #	Description	Qty
TLS668	213cm l x 213 cm L 7 l box	1 ch

- Installs faster than any leak diverter in our offering; just hang the hook, pull off the cover and connect the hose for hassle-free setup in minutes
- All-in-one kit is perfect for quick responses to help prevent ruined inventory, damaged machinery and slip hazards
- Hangs easily in problem spots to catch nuisance leaks; flexible PVC drain hose channels them to a floor drain or collection container
- Impermeable tarp is vinyl coated for strength and durability; resists punctures, UV and mildew for long life
- Your choice of three colors: yellow material draws attention; clear material shows liquids and lets light pass through; translucent material shows liquids and blends in with white ceilings
- Tapered sides help funnel liquids toward center for better drainage
- 1,9 cm drain fitting accepts longer hoses if necessary
- Flow rate of 12,6 l per minute when used with a 1,27 cm ID hose




Series #	Description	Qty
TLS461	76cm l x 76cm L	1 ch

## WORKWIPES SERIES 60 WIPERS DELIVER VALUE AND TACKLE HEAVY-DUTY, INDUSTRIAL JOBS.

### WorkWipes®

Lightest of the heavy-duty wipers  
Cellulose-polypropylene blend  
remove dirt and grime quickly



Textured surface grabs dirt and dust.

WIP661



WIP660



Series #	Wipers/Unit	Color	Size
WIP660	75/pack	White	11.75"W x 12.5"L
WIP661	1,100/roll	White	12"W x 12"L
WIP662	110/box	White	8"W x 16"L
WIP663	110/box	White	8"W x 12"L



Contact your local Wajax Industrial Components branch for delivery information



1.866.546.3267


www.wajaxindustrial.com

# GENERAL MAINTENANCE

**CHECKERS®**  
INDUSTRIAL SAFETY PRODUCTS  
Vendor Code: CHESAF



**GD5X125-o/B**  
5 channel guard dog



**GD5X125-ADA-O/B**  
5 channel Guard dog  
ADA ramps



**GD3-DO-O**  
3 channel guard  
dog orange



**GD3-DO-B**  
3 channel guard dog  
black



**CP1X125-GP-DO-O**  
1 channel lineback drop  
over 1.25"



**CP1X225-GP-DO-O**  
2 channel lineback  
drop over 2.25"

**CHFSSK-B**  
General purpose forklift  
kit



**CHFSSK-C**  
HD forklift kit



**Kit for Crib**  
**BASK1**  
Crib toter kit, for mechanical  
**BASK2**  
Crib toter kit with SC1 black,  
4-4-20 wedges yellow, dou-  
ble wheel chock.



**SL.2250.HMA**  
Class 1 LED 6.5" dome magnet  
amber



**SL.2250.LMA**  
Class 1 LED 4" dome magnet  
amber

**SL.1350.HMA**  
Class II LED 6.5" dome magnet  
amber



**SL.1350.LMA**  
Class II LED 4" dome magnet  
amber

**SL.300.MA**  
Class III LED 4.5" dome magnet  
amber



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE

## 4 EN 1 MANCOOLER DIRECT DRIVE

- 4 Mounting Options (Ceiling, Hanging, Wall or Barrel Mounts)
- 1/2 HP, 115V, 2 Speed, Ball Bearing, Totally Enclosed Air Over Motor
- Guards, Barrel, Mountings Epoxy Coated
- Pull Chain Switch & Tilttable
- Easy to Assemble
- 2 Year Warranty
- CFM: 11,200 / 8090



EDP No.	Model	Diameter
60470	DD3041	30"
60471	DD3641	36"

## 42" MANCOOLER BELT DRIVE

 **Airmaster**®  
Vendor Code:  
POPEDW

- 1 HP, 2 Speed, ODP, 115V, Motor Out of Air Stream
- 4 Bladed Aluminum Prop (42")
- Epoxy Coated Steel Spiral, Vibration Isolated Mounted Guards
- Steel Hubbed Wheels with Locking Casters
- 10 ft. Cord and Plug
- Fully Assembled
- 2 Year Warranty
- CFM: 17,100 / 9558



EDP No.	Model	Diameter
60002	MC42OS	42"

# COMMERCIAL AIR CIRCULATORS

## PEDESTAL & WALL / CEILING MOUNTS

- *Oscillating*  
1/3 HP, 3 Speed, 115V, Ball Bearing, TEAOM  
Adjustable Pedestals (5' - 8')  
32" Base Diameter
- *Non-Oscillating*  
1/4 HP, 3 Speed, 115V, Ball Bearing, TEAOM  
Adjustable Pedestals (43" - 63")  
26" Base Diameter
- Galvanized Steel Propeller
- 15 ft. Supply Cord and Plug
- Wall / Ceiling Mount Safety Cables Included
- 2 Year Warranty

24" CFM: 44,00 / 3460 / 2460  
30" CFM: 6100 / 4400 / 2700



## OSCILLATING (Pedestal & Wall Mounts)

EDP No.	Model	Diameter
71580	CA24OAP (Ped.)	24"
71581	CA30OAP (Ped.)	30"
71583	CA24OW (Wall)	24"
71582	CA30OW (Wall)	30"

## NON-OSCILLATING (Pedestal & Wall/Ceiling)

EDP No.	Model	Diameter
71584	CA24APE (Ped.)	24"
71586	CA30APE (Ped.)	30"
71572	CA24WC (Wall/Ceiling)	24"
71573	CA30WC (Wall/Ceiling)	30"

# INDUSTRIAL & LIGHT AIR CIRCULATORS

## INDUSTRIAL CIRCULATORS (WORKSTATION & YOKE MOUNTS)

- 115V, 3 Speed, ODP Ball Bearing Motors
- Aluminum Propellers, Nickel Chrome Guards
- Work Stations Attaches with 1 Bolt or Screw
- Yoke Mounts Adjust 360
- 4 position easy reach switch
- 10 ft. Supply Cord and Plug
- 1 Year Warranty

12" CFM: 1448 / 1165 / 953 HP: 1/16  
18" CFM: 2996 / 2437 / 2013 HP: 1/8  
20" CFM: 3390 / 2755 / 2295 HP: 1/5

EDP No.	Model	Diameter
78973	I-12LS (Low Stand)	12"
78974	I-18LS (Low Stand)	18"
78975	I-20LS (Low Stand)	20"
78971	I-12YM (Yoke)	12"
78972	I-18YM (Yoke)	18"
78970	I-20YM (Yoke)	20"



## LIGHT COMMERCIAL CIRCULATORS

- Non Oscillating, 1/4 HP, 3 Speed, 120V, Ventilated Motor,
- Aluminum Propellers, Epoxy Coated Steel Guards
- Adjustable Pedestal (44" - 62")
- Pull Chain Switch
- 9.5 ft. Cord and Plug
- 1 Year Warranty
- CFM: 6000 / 5500 / 4800

## NON-OSCILLATING (Pedestal, Wall/Ceiling)

EDP No.	Model	Diameter
71531	LC30APE (Ped.)	30"
71533	LC30WC (Wall/Ceiling)	30"



 Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE

**Airmaster**® Vendor Code: POPEDW

## HEAVY DUTY AIR CIRCULATOR

- Totally Enclosed or Explosion Proof, Single or 3 Phase Motors
- Four Mounting Options
- Unique Cast Aluminum Airfoil Propeller - Ultra Quiet
- CFM Range from 2600 to 8402
- Super Safety Guards
- Energy Efficient
- 18", 20", 24" & 30" Sizes
- Oscillating Models Available
- UPS Shippable



**BEST FAN IN THE INDUSTRY**


## HEAVY DUTY INDUSTRIAL SPOT COOLER

- 208/230/460V, 1 HP, 3 Phase, Single Speed, Totally Enclosed Motor
- Four Mounting Options
- CFM Range from 7700 to 12,400
- Heavy Gauge Galvanized Steel Propeller for Severe Conditions
- 24" & 30" Sizes



## INDUSTRIAL AIR CIRCULATOR

- 115V, 2 or 3 Speed Motors
- Five Mounting Options
- CFM Range from 2520 to 7794
- UPS Shippable
- Solid or Open Base
- Sizes from 18" to 30"
- 24" and 30" Oscillating Models Available



## COMMERCIAL AIR CIRCULATOR

- 115V, 1/4 HP, 3 Speed, Totally Enclosed, Single Phase Motor
- Four Mounting Options
- Steel Propeller
- CFM Range from 2520 to 6100
- Sizes from 18" to 30"
- 24" and 30" Oscillating Models Available



## SAFETY FAN

- 115V, Totally Enclosed, 1/3 HP, 2 Speed Motor
- Six Mounting Options
- PCV Coated Yellow Safety Guards
- CFM Range from 3317 to 6915
- 20", 24" & 30" Sizes
- Optional Drop Cord 2 Speed or Pull Chain Switch



## MISTING BARREL & PEDESTAL FANS

- 115V, 1/3 HP, Indoor/Outdoor Motor
- 3 Nozzle Misting Head
- Variable Water Output
- Dual Point Filtering System
- Misting Pattern of 60' X 20'
- CFM Range from 4100 to 8800



## FOOD SERVICE WASHDOWN® AIR CIRCULATOR

- 115V & 115/230V Motors
- BISSC Approved
- Withstands Moist/Wet Environment & High Pressure Cleaning
- Available in Non-Adjustable Pedestals or Wall Mounts
- Stainless Steel Motor & Construction
- 20", 24" and 30" Sizes



## WASHDOWN® BARREL FAN

- 115V, 1/4 HP & 1/2 HP Motor
- Withstands Moist/Wet Environment Without Affecting Performance
- Motor Meets IEEE 45 and CCM-1807 Specifications
- Tiltable
- Epoxy Coated
- Toggle Switch (36"); Push Button Switch (20", 24", 30")



## PIVOT STANDS & WORK STATIONS

- 115V, 3 Speed, ODP Motors
- Sizes 12", 18" & 20" (Low Stand & Yoke Mount); 18" High Stand
- CFM Range from 953 to 3390
- Chrome Plated Tubular Steel Frame
- Aluminum Propellers



## 18" HIGH VELOCITY LOW STAND

- Totally Enclosed, 3 Speed, 1/8 HP, TE Motor
- CFM Range 4550 to 3346
- Nickel Chrome Guards
- Chrome Yoke Mount Included
- Aluminum Propellers
- Adjustable Tilt



TE Low Stand

## DIRECT DRIVE MANCOOLERS®

### 4-IN-1® MANCOOLER®

- One Fan - Four Mountings in One Box: Ceiling, Wall, Hanging & Portable Barrel Mounts
- 115V, 1 Phase, Direct Drive, Totally Enclosed Air Over Motor
- Epoxy Coated Guards, Barrel, Mountings
- CFM Range from 3410 to 11,200
- Sizes 30" & 36"



### DDMC24C MANCOOLER®

- 24" Diameter Portable Barrel
- 115V, 1/4 HP, 1 Phase, TEAO Motor
- CFM 4000 high, 2100 low
- Epoxy Coated Barrel & Steel Spiral Guards
- Two Speed Rocker Switch
- Handle with Cord Wrap
- 10' Cord, 3 Prong Plug



## BELT DRIVE PORTABLE MANCOOLERS®

- 115V, Belt Drive, ODP Motor
- CFM Range from 5300 to 17,730
- Deep Spun Venturi & Deep Pitched Blades
- Pull Handles
- Epoxy Coated Barrel Propellers & Guards
- Sizes 36" to 48"
- Cabinet Fan Sizes from 30" to 48" Include 4" Wheels & Handle



MC42/48B SWIVEL

Cabinet Fan

### MC420S

- Motor Out of Air Stream
- Locking Casters
- Epoxy Coated Steel Spiral, Vibration Isolated Guards
- Quiet - Db: High 75, Low 67



MC420S

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE CENTURY®

Vendor Code:  
CENWIR



Series #	Description
D17444050P	50 ft Pro Glo extension cord 12/3 green
D17444100P	100 ft Pro Glo extension cord 12/3 green



Series #	Description
D16821025P	25 ft SubZero extension cord blue 12/3
D16821050P	50 ft SubZero extension cord 12/3 blue
D16821100P	100 ft SubZero extension cord 12/3 blue



Series #	Description
D17446050P	50 ft Pro Glo extension cord 12/3 blue
D17446100P	100 ft Pro Glo extension cord 12/3 blue



Series #	Description
D17443050P	50 ft Pro Glo extension cord 12/3 yellow
D17443100P	100 ft Pro Glo extension cord 12/3 yellow



Series #	Description
D17449050P	50 ft Pro Glo extension cord 12/3 purple
D17449100P	100 ft Pro Glo extension cord 12/3 purple



Series #	Description
D17442050P	50 ft Pro Glo extension cord 12/3 orange
D17442100P	100 ft Pro Glo extension cord 12/3 orange



Series #	Description
D17227050P	50 ft Pro Glo tri taps red ext cord 12/3
D17227100P	100 ft Pro Glo tri taps red ext cord 12/3



Series #	Description
D12012050	50 ft HD string lite ext cord 12/3
D12012100	100 ft HD string lite ext cord 12/3

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code:  
GARANT



**GIPP21KD**  
Snow pusher, 21" polypro blade,  
kd, ash handle



**G28SBMSV**  
Snow brush, 28"  
with EVA foam



**G36SBMSV**  
Snow brush, 36"  
with EVA foam



**G52PSBT**  
Snow brush, telescopic, 52",  
pivoting Eva head



**TTHR2FD**  
Shovel, rp blade, fw turned  
steps, ash handle, dh



**TTHS2FD**  
Shovel, sp blade, FTS,  
hardwood handle, py ergo grip



**TTHGS2FD**  
Garden spade, ash handle,  
ergo py grip



**TTCR14**  
Level rake, double back,  
14 tines, 60" handle


**TTLR22**  
Springback lawn rake,  
24" steel tines



**GPWB30**   
30" Demolition bar

**GPMB24**  
Manhole cover pry  
bar 24"



**D14W14**   
Rubber mallet  
white 14 oz 14"



**CAP40**   
Pick clay, 6 lbs,  
36" ash handle



**TIFS600FF**   
Wheelbarrow, 6 cu. ft.  
steel tray, heavy duty  
industrial, Flat Free

 Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Security Tech Germany

Vendor Code:  
ABUSCA

## Key Features

- High-precision 5-pin tumbler
- Coloured vinyl bumper for easy identification (8 colours)
- Made from high-quality recycled steel
- FDA-approved lubricant - ideal for the food industry
- Meets OSHA lockout/tagout guidelines
- Available keyed-different, keyed-alike or master-keyed
- ULE Validated
- Hardened steel shackle and body plates are individually coated with ETERNA™ plating for rust protection

Series #	Shackle Clearance (Width)	Shackle Clearance (Height)	Body Width	Body Height	Shackle Diameter	Key Options
41/30	15mm	15mm	35mm	54mm	5mm	KA, KD, KAMK, KDMK
41/30HB50	15mm	50mm	35mm	83mm	5mm	KA, KD, KAMK, KDMK
41/40	18mm	19.5mm	44mm	62mm	7mm	KA, KD, KAMK, KDMK
41/40HB50	18mm	50mm	44mm	87mm	7mm	KA, KD, KAMK, KDMK
41/45	20mm	23mm	49mm	67mm	8mm	KA, KD, KAMK, KDMK
41/45HB50	20mm	50mm	49mm	94mm	8mm	KA, KD, KAMK, KDMK
41/50	23mm	25mm	53mm	75mm	9mm	KA, KD, KAMK, KDMK
41/50HB50	23mm	50mm	53mm	100mm	9mm	KA, KD, KAMK, KDMK
41/50HB125	23mm	125mm	53mm	174mm	9mm	KA, KD, KAMK, KDMK
41/40-PART-BUMPER-BLACK						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-BLUE						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-GREEN						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-ORANGE						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-PURPLE						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-RED						KA, KD, KAMK, KDMK
41/40-PART-BUMPER-WHITE						KA, KD, KAMK, KDMK



41-30



41-40HB50



41-40



41-40



41-40



41-40

## Key Features

- Body and shackle made from hardened steel with NANO PROTECT™ plating
- High-precision pin tumbler with patented pinning window
- Patented “Z-bar” for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds
- Durable weather cover with drainage system
- Can be keyed into many popular security keyways
- ULE Validated

Series #	Shackle Clearance (Width)	Shackle Clearance (Height)	Body Width	Body Height	Shackle Diameter	Key Options
83WP/53	23.5mm	28mm	57mm	97mm	8mm	KA, KD, KAMK, KDMK
83WP/53HB63	23.5mm	63mm	57mm	132mm	8mm	KA, KD, KAMK, KDMK
83WPCS/53	18mm	24.5mm	56.5mm	97mm	8mm	KA, KD, KAMK, KDMK
83WPIC/53	23.5mm	28mm	57mm	97mm	8mm	KA, KD, KAMK, KDMK
83WPIC/53HB63	23.5mm	63mm	57mm	132mm	8mm	KA, KD, KAMK, KDMK
83WP/63	25mm	35.5mm	65mm	112mm	11mm	KA, KD, KAMK, KDMK
83WPIC/63	25mm	35.5mm	65mm	112mm	11mm	KA, KD, KAMK, KDMK



83WP/53



83WPCS/53



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Security Tech Germany

Vendor Code:  
ABUSCA

## Key Features

- Shackle made of stainless steel
- Patented "Pinning Window" makes rekeying of the cylinder very easy
- Durable weather cover with drainage system
- Easy Shackle Change: Shackle can be exchanged within seconds
- ULE Validated
- Patented "Z-bar" for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds

Series #	Shackle Clearance (Width)	Shackle Clearance (Height)	Body Width	Body Height	Shackle Diameter	Key Options
83WPIB/53	24mm	28mm	57mm	97mm	8mm	KA, KD, KAMK, KDMK
83MAR/45	23.5mm	25mm	47mm	86mm	8mm	KA, KD, KAMK, KDMK



83PIB//53

83MAR/45

## Key Features

- Cylinder cover with drainage channels protects padlock from water and dirt
- Inner components made from non-corrosive materials
- Available keyed-different, keyed-alike and master-keyed
- IB: comes with stainless steel shackle
- ULE Validated
- Solid brass body and hardened steel shackle with shock-absorbing vinyl cover provide ultimate weather resistance

Series #	Shackle Clearance (Width)	Shackle Clearance (Height)	Body Width	Body Height	Shackle Diameter	Key Options
70/45	20.5mm	24.5mm	49mm	72.5mm	8mm	KA, KD, KAMK, KDMK
70/45HB63	20.5mm	63mm	49mm	111mm	8mm	KA, KD, KAMK, KDMK
70/50	23.5mm	27mm	55mm	81mm	9mm	KA, KD, KAMK, KDMK



70/45



70/45HB63

70/50

## Key Features

- Body made from solid brass - offers maximum corrosion resistance
- Hardened steel shackle with NANO PROTECT™ coating
- Inner components made from non-corrosive materials
- Precision pin tumbler
- Available keyed-different and keyed-alike
- ULE Validated

Series #	Shackle Clearance (Width)	Shackle Clearance (Height)	Body Width	Body Height	Shackle Diameter	Key Options
65/20	9.5mm	11.5mm	20mm	35mm	3.5mm	KA, KD, KAMK, KDMK
65/25	13mm	14mm	25mm	42mm	4mm	KA, KD, KAMK, KDMK
65/30	16mm	17mm	30mm	49mm	5mm	KA, KD, KAMK, KDMK
65/40	22mm	23mm	39mm	61mm	6.5mm	KA, KD, KAMK, KDMK
65/40HB40	22mm	40mm	39mm	78mm	6.5mm	KA, KD, KAMK, KDMK
65/40HB63	22mm	63mm	39mm	101mm	6.5mm	KA, KD, KAMK, KDMK
65/45	25mm	25mm	45mm	68mm	7mm	KA, KD, KAMK, KDMK
65/50	28mm	29.5mm	50mm	77.5mm	8mm	KA, KD, KAMK, KDMK
65/50HB80	28mm	80mm	50mm	128.5mm	8mm	KA, KD, KAMK, KDMK
65/60	34mm	35mm	60mm	91mm	10mm	KA, KD, KAMK, KDMK
65CS/40	14mm	18mm	39mm	61mm	7mm	KA, KD, KAMK, KDMK
65CS/50	19mm	21mm	50mm	77mm	8mm	KA, KD, KAMK, KDMK



65/30

65/40



65/50



Contact your local Wajax Industrial Components branch for delivery information



# GENERAL MAINTENANCE

**FEATHERLITE**  
A LOUISVILLE LADDER COMPANY

Vendor Code:  
FEAIND



Series #	Description
6504	stepladder 6500-4'
6505	stepladder 6500-5'
6506	stepladder 6500-6'
6507	stepladder 6500-7'
6508	stepladder 6500-8'
6510	stepladder 6500-10'
6512	stepladder 6500-12'

Series #	Description
6804-AA	stepladder 6800- 4'
6805-AA	stepladder 6800-5'
6806-AA	stepladder6800- 6'
6807-AA	stepladder 6800- 7'
6808-AA	stepladder 6800-8'
6810-AA	stepladder 6800-10'
6812-AA	stepladder 6800-12'



Series #	Description
6904	stepladder 6900-4'
6905	stepladder 6900-5'
6906	stepladder 6900-6'
6907	stepladder 6900-7'
6908	stepladder 6900-8'
6910	stepladder 6900-10'
6912	stepladder 6900-12'

Series #	Description
6504-AA	stepladder 6500-4'
6505-AA	stepladder 6500-5'
6506-AA	stepladder 6500-6'
6507-AA	stepladder 6500-7'
6508-AA	stepladder 6500-8'
6510-AA	stepladder 6500-10'
6512-AA	stepladder 6500-12'



Series #	Description
6916	ladder 16'
6920	ladder 20'
6924	ladder 24'
6928	ladder 28'
6932	ladder 32'

Series #	Description
6404	stepladder 6400 -4'
6405	stepladder 6400 -5'
6406	stepladder 6400 -6'
6407	stepladder 6400 -7'
6408	stepladder 6400 -8'
6410	stepladder 6400 -10'
6412	stepladder 6400 -12'



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code:  
MASLOC



Series #	Description
A5400	Food industry lock stainless 1-1/2"



Series #	Description
A810	NEW HD gate hasp



Series #	Description
410RED	Zenex ser. Red Keyed diff. 1-1/2" schakle, key controlled, 1 key
410GRN	Zenex series Green keyed diff. 1-1/2" schakle, key controlled, 1 key
410BLU	Zenex series Blue keyed diff. 1-1/2" schakle, key controlled, 1 key
410KARED	Zenex series Red Keyed alike, key controlled, 1 key
410KAGRN	Zenex series Green Keyed alike, key controlled, 1 key
410KABLU	Zenex series Blue Keyed alike, key controlled, 1 key
410MKRED	Zenex series Red Master keyed, key controlled, 1 key
410KAMKRED	Zenex Keyed alike, Master keyed Red, key controlled, 1 key
406RED	Zenex non-conduct. Red, key controlled, 1 key



Series #	Description
6835RED	Alu. Red Key Diff. 1" schakle, 2 keys
6835GRN	Alu. Green Key Diff. 1" schakle, 2 keys
6835BLU	Alu. Blue Key Diff. 1" schakle, 2 keys
6835LFRED	Alu. Red Key Diff. 1-1/2" schakle, 2 keys

Series #	Description
720DPF	Heavy Duty Hasps



Series #	Description
6321	Pro Series® Shrouded Padlocks 2-1/8"
6121	Pro Series® Weather Tough Padlocks 2-1/8"
6125	Pro Series® Rekeyable Padlocks 2-3/8"
6830	Pro Series® Padlocks Solid Brass 1-9/16"
6840	Pro Series® Padlocks Solid Brass 1-3/4"



Series #	Description
3DCOM	Laminated steel lock 1-9/16"
1DCOM	Laminated steel lock 1-3/4"
5DCOM	Laminated steel lock 2"



Series #	Description
4140	Brass lock 1-1/2"



Series #	Description
175	Resettable combination lock



Series #	Description
1502	Combination lock



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE

## Master Lock

Vendor Code:  
MASLOC



Series #	Description
453L	Oversize plug & hoist cover 17"
453XL	Oversize plug & hoist cover 26"
453XXL	Oversize plug & hoist cover 36"

Series #	Description
S1105REDCOV	Alu. Red Key Diff 1" schakle with cover for harch environment
S1105RED	Alu. Red Keyed diff. 1" schakle, key controlled, 1 key
S1105GRN	Alu. Green Keyed diff. 1" schakle, key controlled, 1 key
S1105BLU	Alu. Blue Keyed diff. 1" schakle, key controlled, 1 key
S1105KARED	Alu. Red Keyed alike. 1" schakle, key controlled, 1 key
S1105KAGRN	Alu. Green Keyed alike. 1" schakle, key controlled, 1 key
S1105KABLU	Alu. Blue Keyed alike. 1" schakle, key controlled, 1 key
S1105MKRED	Alu. Red Master key 1" schakle, key controlled, 1 key
S1105KAM-KRED	Alu, Red Key Alike Master Key 1" schakle, key controlled, 1 key
S1106RED	Alu. Red Key Dif. 1,5" schakle, key controlled, 1 key
S1106KARED	Alu. Blue Key Alike. 1,5" schakle, key controlled, 1 key
S1106MKRED	Alu. Red Master Key 1,5" schakle, key controlled, 1 key
S1106KAM-KRED	Alu. Red Key Alike Master key 1,5" schakle, key controlled, 1 key



Series #	Description
491B	Circuit breaker grip tite Double & tall
493B	Circuit breaker grip tite Single & double
506	Circuit breaker grip tite Kit 1 ea 491B-493B



Series #	Description
487	Electrical plug lockout 120V
488	Electrical plug lockout 230-480-550V



Series #	Description
S2005	Compact plug prong LO 120V



Series #	Description
S2151	Rotary Removable push button cover



Series #	Description
S2153	Permanent push button cover



Series #	Description
AL080	Safety Hasps red 1"
AL0802	Safety Hasps red 1-1/2"



Series #	Description
420	Safety Hasps red 1"
421	Safety Hasps red 1-1/2"
422	Safety Hasp Yellow 1"
424	Safety Hasp Yellow 1-1/2"

Series #	Description
496B	Wall switch 2LL



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE

## Master Lock®

Vendor Code:  
MASLOC



Series #	Description
4716	Steering wheel cover LO 16"
4720	Steering wheel cover LO 20"
4724	Steering wheel cover LO 24"

Series #	Description
1482BFRC	4 Padlocks LO station empty
1483BFRC	10 Padlocks LO station empty
1484BFRC	20 Padlocks LO station empty

Series #	Description
S1900FRC	6 Padlocks Delux LO station holds access, empty

Series #	Description
497ABLC	Laminated tags w-ties (Bag of 12)

Series #	Description
S4002LFRLN	Extreme tags w-ties(Bag of 6)
S4801LFRLN	Extreme tags w-ties (Bag of 6)

S4002LFRLN

S4801LFRLN

Series #	Description
S806	Cable LO 5/32" X 6'

Series #	Description
S3920	Butterfly LO device

Series #	Description
S3921	Butterfly LO Kit w-S806CBL3

Series #	Description
480	Rotating gate valve LO 1 to 3"
481	Rotating gate valve LO 2 to 5"
482	Rotating gate valve LO 4 to 6-1/2"
483	Rotating gate valve LO 6 to 10"
484	Rotating gate valve LO 8 to 13"

Series #	Description
485	Rotating gate valve LO Kit of 5 from 1" to 13"

Series #	Description
S3910	Pressurized.gas valve LO up to 3"

Series #	Description
498A	Group Lock Box

Series #	Description
S3081	Adjust. Ball valve LO



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code: GOJCAN

Series #	Description	Qty
	<b>Sentinel</b>	
1911-02	GOJO® Clear & Mild Foam Handwash	1200 mL
1916-02	GOJO® Pomeberry Foam Handwash	1200 mL
1918-02-CAN00	GOJO® Antibacterial Plum Scent Foam Handwash Triclosan Liquid	1200 mL
1919-02-CAN00	GOJO® Antibacterial Foam Handwash Triclosan Liquid	1200 mL
1903-02-CAN00	PURELL® Advanced Hand Rub	1200 mL
1984-04	GOJO® LTX-12™ Dispenser - Grey/White	1200 mL
1920-04	PURELL® LTX-12™ Dispenser - White/White	1200 mL
8811-03	GOJO® Clear & Mild Foam Handwash	1250 mL
8816-03	GOJO® Botanical Foam Handwash	1250 mL
8817-03-CAN00	GOJO® Antibacterial Plum Scent Foam Handwash Triclosan Liquid	1250 mL
8813-03	GOJO® Citrus Ginger Foam Hand & Showerwash	1250 mL
8809-03-CAN00	PURELL® Advanced Moisturizing Foam Hand Rub	1200 mL
8884-06	GOJO® ADX-12™ Dispenser	1250 mL
8886-06	GOJO® ADX-12™ Dispenser -Black/Black	1250 mL
7200-01	GOJO® PRO™ TDX™ 2000mL Dispenser	2000 mL
7272-04	GOJO® SUPRO MAX™ Hand Cleaner	2000 mL
5395-02-CAN00	PURELL® Advanced Moisturizing Foam Hand Rub	1200 mL
2720-12-CAN00	PURELL® TFX™ Touch Free Dispenser	1200 mL
7290-04	GOJO® Cherry Gel Pumice Hand Cleaner	2000 mL
8242-06	GOJO® HAND MEDIC® Professional Skin Conditioner	500 mL
8200-12	GOJO® HAND MEDIC® Dispenser	800 mL
6396-06	GOJO® Scrubbing Wipes	72 ct
2358-02	GOJO® Cherry Gel Pumice Hand Cleaner	1 Gallon
2156-08-CAN00	PURELL® Instant Hand Sanitizer	1000 mL
2120-06-CAN00	PURELL® NXT® SPACE SAVER™ Dispenser	1000 mL
7572-02	GOJO® SUPRO MAX™ Hand Cleaner	5000 mL
7590-02	GOJO® Cherry Gel Pumice Hand Cleaner	5000 mL
7500-01	GOJO® PRO™ TDX™ 5000mL Dispenser	5000 mL
0955-04	GOJO® NATURAL* ORANGE™ Pumice Hand Cleaner	1 Gallon
5262-02-CAN00	GOJO® Antibacterial Luxury Foam Handwash Chloroxylenol Liquid	2000 mL
5250-06	GOJO® FMX-20™ Dispenser	2000 mL
5267-02	GOJO® E1 Foam Handwash	2000 mL



1911-02 1916-02



1920-04 1903-02-CAN00



8884-06 8817-03-CAN00



7272-04 7290-04



7200-01



8242-06



5250-02



5267-02



0955-04



5262-02-CAN00



2358-02



6396-06



7572-02



2120-06-CAN00



2156-08-CAN00

Contact your local Wajax Industrial Components branch for delivery information



Vendor Code: CANROS



SBOP-50

SBOP-70



SBOP-90



SBOP-TT310



SBGMP-70



SBGMP-90

SBOE-70



SBOE-92




SBOE-55



SBGM-92



SBGM-70



SBGM-TT3420



TOP-100



TOR-300



Series #	Description	Qty/Pkg
<b>"Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil"</b>		
SBOP-50	Boom Oil Only Premium 8IN x 10FT	4
SBOP-55	Boom Oil Only Premium 5IN x 10FT	4
SBOP-70	Pad Oil Only Premium 17IN x 19IN x single weight	200
SBOP-75	Pad Oil Only Premium 17IN x 19IN x double weight	100
SBOP-90	Roll Oil Only Premium 38IN x 144FT x double weight	1
SBOP-91	Roll Oil Only Premium 19IN x 144FT x double weight	2
SBOP-92	Roll Oil Only Premium 38IN x 288FT x single weight	1
SBOP-TT3420	Sock Oil Only Premium 3IN x 4FT	20
SBOP-TT310	Sock Oil Only Premium 3IN x 10FT	4
<b>Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime, Universal adsorbs All Non-Aggressive Liquids</b>		
SBGMP-70	Pad General Maintenance Premium 17IN x 19IN x single weight	200
SBGMP-75	Pad General Maintenance Premium 17IN x 19IN x double weight	100
SBGMP-90	Roll General Maintenance Premium 38IN x 144FT x double weight	1
SBGMP-91	Roll General Maintenance Premium 19IN x 144FT x double weight	2
SBGMP-92	Roll General Maintenance Premium 38IN x 288FT x single weight	1
<b>Fine Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs most Aggressive &amp; Hazardous Liquids</b>		
SBHMP-70	Pad Haz-Mat Premium 17IN x 19IN x single weight	200
SBHMP-75	Pad Haz-Mat Premium 17IN x 19IN x double weight	100
SBHMP-90	Roll Haz-Mat Premium 38IN x 144FT x double weight	1
SBHMP-91	Roll Haz-Mat Premium 19IN x 144FT double weight	2
SBHMP-92	Roll Haz-Mat Premium 38IN x 288FT x single weight	1
SBHMP-TT3420	Sock Haz-Mat Premium 3IN x 4FT	20
SBHMP-TT310	Sock Haz-Mat Premium 3IN x 10FT	4
<b>Coarse Fiber, High Retention, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil</b>		
SBOE-50	Boom Oil Only Economy 8IN x 10FT	4
SBOE-55	Boom Oil Only Economy 5IN x 10FT	4
SBOE-70	Pad Oil Only Economy 17IN x 19IN x single weight	200
SBOE-75	Pad Oil Only Economy 17IN x 19IN x double weight	100
SBOE-90	Roll Oil Only Economy 38IN x 144FT x double weight	1
SBOE-91	Roll Oil Only Economy 19IN x 144FT x double weight	2
SBOE-92	Roll Oil Only Economy 38IN x 288FT x single weight	1
<b>Coarse Fiber, Lower Retention, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime Universal adsorbs All Non-Aggressive Liquids</b>		
SBGM-70	Pad General Maintenance 17IN x 19IN x single weight	200
SBGM-75	Pad General Maintenance 17IN x 19IN x double weight	100
SBGM-90	Roll General Maintenance 38IN x 144FT x double weight	1
SBGM-91	Roll General Maintenance 19" x 144FT (2) x double weight	2
SBGM-92	Roll General Maintenance 36IN x 288FT x single weight	1
SBGM-TT3420	Sock General Maintenance 3IN x 4FT	20
SBGM-TT310	Sock General Maintenance 3IN x 10FT	10
<b>SMS, Quick Absorption, Economical, Low Lint, Re-useable, Adsorbs only oil</b>		
TOP-100	Pad Ultra-Economy Oil Only 17IN x 19IN x double weight	100
TOP-200	Pad Ultra-Economy Oil Only 17IN x 19IN x single weight	200
TOR-150	Roll Ultra-Economy Oil Only 38IN x 144FT x double weight	1
TOR-300	Roll Ultra-Economy Oil Only 38IN x 288FT x single weight	1

Contact your local Wajax Industrial Components branch for delivery information

Series #	Description	Qty/Pkg
<b>SMS, Quick Absorption, Economical, Low Lint, Re-useable</b>		
TUP-100	Pad Ultra-Economy General Maintenance 17IN x 19IN x double weight	100
TUP-200	Pad Ultra-Economy General Maintenance 17IN x 19IN x single weight	200
TUR-150	Roll Ultra-Economy General Maintenance 38IN X 144FT X double weight	1
TUR-300	Roll Ultra-Economy General Maintenance 38IN X 288FT X single weight	1
<b>Contractor Grade Material, Economical, Quick Absorption, Low Lint, Re-useable, Adsorbs only oil</b>		
CG-100	Oil Only Mid Weight Pad 15"X15"	100
CG-200	Oil Only Light Weight Pad 15"X15"	200
CG-150	Oil Only Mid Weight Roll 30" x 150'	1
CG-510	Oil Only Boom 5" x 10'	4
CG-810	Oil Only Boom 8" x 10'	4
<b>Contractor Grade Material, Economical, Quick Absorption, Low Lint, Re-useable, Disguises Industrial Grime, Universal adsorbs all Non-Aggressive Liquids</b>		
CGU-100	Universal Pad Mid Weight, 15" x 15"	100
CGU-200	Universal Pad Light Weight, 15" x 15"	200
CGU-150	Universal Roll Mid Weight, 30" x 150'	1
<b>Spill Kit Oil Only Premium 15LT capacity</b>		
SK-SBOP-HND	Contained in a Yellow Nylon Bag, • 1 Oil Only Sock (3" x 10'), • 10 Oil Only Pads (17" x 19"), • 3 Disposal Bags (20" x 24") with ties	1
<b>Spill Kit Oil Only Premium 15LT capacity</b>		
SK-SBOP-HND-D	Contained in a Yellow Nylon Bag, • 1 Oil Only Sock (3" x 10'), • 10 Oil Only Pads (17" x 19"), • 3 Disposal Bags (20" x 24") with ties, • 1 Neoprene Drain Cover (36"x36"x1/16")	1
<b>Spill Kit Oil Only Premium 30LT capacity</b>		
SK-SBOP-TRK	Contained in a Yellow Nylon Bag, • 1 pair of Nitrile Gloves, • 1 Oil Only Pillow (12"x13"), • 1 Oil Only Sock (3"x10'), • 3 Yellow Plastic Bags (20"x24"x4 mil) with ties, • 1 PCOD Plugging Compound (1/2 lb), • 1 PCOM Plugging Compound (1 lb), • 30 Oil Only Absorbent Pads S/W, • Instruction Booklet	1
<b>Spill Kit Oil Only Premium 20LT capacity</b>		
SK-SBOP-5	Contained in a 20 litre/5 gallon Polyethylene Pail, • 1 Oil Only Sock (3" x 10'), • 20 Oil Only Pads (17" x 19" x Single weight), • 1 Pair Nitrile Gloves, • 2 Disposal Bags (20" x 24"), • 1 Instruction Book	1
<b>Spill Kit Oil Only Premium 90LT capacity</b>		
SK-SBOP-30	Contained in a 135 litre/30 gallon Polyethylene Pail, • 4 Oil Only Socks (3" x 10'), • 50 Oil Only Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • 453 g (1 lb.) Plugging Compound (pre-mixed), • 2 Pair Nitrile Gloves, • 5 Printed Disposal Bags (24" x 48"), • 1 Instruction Book	1
<b>Spill Kit Oil Only Premium 240LT capacity</b>		
SK-SBOP-OVP	Contained in 95 Gal Salvage Drum, • 4 Oil Only Socks (5" x 10'), • 100 Oil Only Pads (17" x 19" D/W), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 lb Mixed Plugging Compound, • 2 Pair Protective Coveralls, • 2 Pair Goggles, • 2 Pair Nitrile Gloves, • 1 Roll Caution Tape, • 10 Disposal Bags with ties (20" x 24", yellow, Handle with Care), • 1 Instruction Book	1
<b>Spill Kit Oil Only Premium 240LT capacity</b>		
SK-SBOP-L	Contained in a Spill Control Locker (31" x 31" x 42"), • 4 Oil Only Socks (5" x 10'), • 100 Oil Only Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • (1 lb.) Plugging Compound (pre-mixed), • 1 Caution Tape (3" x 1000'), • 2 Pair Nitrile Gloves, • 2 Pairs Safety Goggles, • 2 Protective Coveralls, • 10 Printed Disposal Bags (24" x 48") • 1 Instruction Book	1



Vendor Code: CANROS

TUP-200



TUR-150



CG-100



CGU-150



CG-810



CGU-100



SK-SBOP-30



SK-SBOP-OVP



SK-SBOP-L



SK-SBOP-HND



SK-SBOP-TRK



SK-SBOP-HND-D



SK-SBOP-5



Contact your local Wajax Industrial Components branch for delivery information



Vendor Code: CANROS

SK-SBOP-CR100



SK-SBHMP-HND



SK-SBHMP-HND-D



SK-SBHMP-TRK



SK-SBHMP-5



SK-SBHMP-30



SK-SBHMP-L



SK-SBHMP-OVP



SK-SBHMP-CR100



ENVIRO-DRI-BAG



410SJ



1550P

Series #	Description	Qty/Pkg
<b>Spill Kit Oil Only Premium 215LT capacity</b>		
SK-SBOP-CR100	1 16 gauge, 45 gallon drum., • 1 Oil Only Blanket (30" x 75' x double weight), • 4 Oil Only Booms (5" x 10'), • 25 Oil Only Pads (17" x 19" x double weight), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 Pair Neoprene Oil and Chemical Resistant Gloves, • 1 Pair Safety Goggles, • 1 Pair Protective Coveralls, • 2 Disposal Bag (28" x 18" x 65", 3mm thick), • 1 Instruction Book	1
<b>Spill Kit Haz-Mat Premium 17LT capacity</b>		
SK-SBHMP-HND	Contained in a Yellow Nylon Bag, 1 Hazmat Sock (3" x 10'), 10 Hazmat Pads (17" x 19" x double weight), 3 Disposal Bags (20" x 24"), 1 Instruction Booklet	1
<b>Spill Kit Haz-Mat Premium 17LT capacity</b>		
SK-SBHMP-HND-D	Contained in a Yellow Nylon Bag, • 1 Hazmat Socks (3" x 10'), • 10 Hazmat Pads (17" x 19" x double weight), • 3 Disposal Bags (20" x 24"), • 1 Neoprene Drain Cover (36" x 36" x 1/16"), • 1 Instruction Booklet	1
<b>Spill Kit Haz-Mat Premium 30LT capacity</b>		
SK-SBHMP-TRK	Contained in a Yellow Nylon Bag, • 1 pair of Nitrile Gloves, • 3 Paper Ties, • 1 Haz-Mat Pillow (12"x13"), • 1 Haz-Mat Sock (3"x10'), • 3 Yellow Plastic Bags (20"x24"x4 mil), • 1 PCOD Plugging Compound Dry (1/2 lb), • 1 PCOM Pre-Mixed Plugging Compound (1lb), • 30 Spill Busters™ Haz-Mat Premium Absorbent Pads, • 1 Instruction Booklet	1
<b>Spill Kit Haz-Mat Premium 20LT capacity</b>		
SK-SBHMP-5	Contained in a 20 litre/5 gallon Polyethylene Pail, • 5 Hazmat Socks (3" x 4'), • 1 Pair Nitrile Gloves, • 2 Disposal Bags (20" x 24") with ties, • 1 Pair Goggles, • 1 Instruction Book	1
<b>Spill Kit Haz-Mat Premium 96LT capacity</b>		
SK-SBHMP-30	Contained in a 135 litre/30 gallon Polyethylene Drum, • 4 Hazmat Socks (3" x 10'), • 75 Hazmat Pads (17" x 19" x double weight), • 1 Drain Cover (36" x 36" x 1/16"), • 1 Caution Tape, • 2 Pair Nitrile Gloves, • 2 Pair Goggles, • 2 Protective Coveralls, • 5 Printed Disposal Bags (24" x 48"), • 1 Instruction Book	1
<b>Spill Kit Haz-Mat Premium 215LT capacity</b>		
SK-SBHMP-OVP	Contained in 95 Gal Salvage Drum, • 10 Haz-Mat Socks (3" x 10'), • 8 Haz-Mat Pillows (12" x 13") • 100 Haz-Mat Pads (17" x 19" D/W) • 1 Neoprene Drain Cover (36" x 36" x 1/16") • 2 Pair Protective Coveralls • 2 Pair Goggles, • 2 Pair Nitrile Gloves, • 1 Roll Caution Tape, • 10 Disposal Bags with ties (24" x 48"), • 1 Instruction Book	1
<b>Spill Kit Haz-Mat Premium 215LT capacity</b>		
SK-SBHMP-L	Contained in a Spill Control Locker (31" x 31" x 42"), • 10 Hazmat Socks (3" x 10'), • 100 Hazmat Pads (17" x 19" x double weight), • 8 Hazmat Pillows (12" x 13"), • 1 Drain Cover (36" x 36" x 1/16") • 1 Caution Tape (3" x 1000'), • 2 Pair Nitrile Gloves, • 2 Pairs Safety Goggles, • 2 Protective Coveralls, • 10 Printed Disposal Bags (24" x 48") with ties, • 1 Instruction Book	1
<b>Spill Kit Haz-Mat Premium 215LT capacity</b>		
SK-SBHMP-CR100	Contained in a 16 gauge, 45 gallon drum, 1 Haz-Mat Blanket (30" x 75' x double weight), 4 Haz-Mat Booms (5" x 10'), 25 Haz-Mat Pads (17" x 19" x double weight), 1 Neoprene Drain Cover (36" x 36" x 1/16"), 1 Pair Neoprene Oil and Chemical Resistant Gloves, 1 Pair Safety Goggles, 1 Pair Protective Coveralls, 2 Disposal Bags (28" x 18" x 65", 3mm thick), 1 Instruction Book	1
<b>Absorbs Oil, Grease, Water &amp; Other Non-Aggressive Liquids, Suitable for Landfill, 100% Crystalline Silica Free and Non-Flammable</b>		
ENVIRO-DRI BAG	Enviro-Dri™ Bag 25LB Bag	1 bag
ENVIRO-DRI SKID	Enviro-Dri™ Skid 25LB Bags / 70 bags per Skid	1 skid
<b>Recommended for any spill including most acids and bases, Not suitable for hydrofluoric acid, Suitable for Landfill, Non-WHMIS Controlled, Non-Flammable</b>		
410SJ	Enviro-Dri™ Universal Granular Sorbent - Shaker Jugs	4
1550P	Enviro-Dri™ Universal Granular Sorbent - 5 Litre Pail	1

Contact your local Wajax Industrial Components branch for delivery information



Series #	Description	Qty/Pkg
<b>Peat Sorb™ is an effective way to clean hazardous hydrocarbon spills. Peat Sorb™ is a lightweight biodegradable natural organic absorbent made from 100% Canadian Sphagnum Peat Moss. Peat Sorb™ absorbs cleanly and completely on contact.</b>		
PSL2	Peat Sorb™ 2CF Loose Filled Bag with Handle	1
PSC4	Peat Sorb™ 4CF Double Compressed Bag	1
PSC8	Peat Sorb™ 8CF Double Compressed Bag	1
<b>Constructed of 30oz XR-5 material, Aluminum L-bracket wall supports, Portable and compact, Ground Mat and Track Belting available (and recommended), All sizes available, Also Available in Arctic grade material</b>		
CRSB-6612-LB	Spill Berm 6' x 6' x 12"	1
CRSB-121212-LB	Spill Berm 12' x 12' x 12"	1
CRSB-CUSTOM	Custom Spill Berm	1
<b>45 gallon, Tighthead Drum</b>		
DOT5B TIGHTHEAD	Comes with chime ring, Interior lined with 2 coats of phenolic paint, UN Approved	1
<b>45 gallon, Openhead Drum</b>		
DOT5B OPENHEAD	Comes with chime ring and 12 gauge closing ring with glued in sponge rubber gasket, Interior is lined with 2 coats of phenolic paint	1
<b>Flammable Cabinets</b>		
1925E	23" x 18" x 35", 12 Gallon, safety cabinet, 1 door, manual closing, 1 shelf	1
1932E	43" x 18" x 44", 30 Gallon, safety cabinet, 2 doors, manual closing, 1 shelf	1
1976E	43" x 12" x 44", 24 Gallon, safety cabinet, 1 door, self-closing, 3 shelves	1
1947E	43" x 18" x 65", 45 Gallon, safety cabinet, 2 doors, manual closing, 2 shelves	1
1992E	43" x 34" x 65", 90 Gallon, safety cabinet, 2 doors, manual closing, 2 shelves	1
<b>Paint and Ink Cabinets</b>		
1976-REDE	43" x 12" x 44", 24 Gallon, cabinet, 1 door, self-closing, 3 shelves	1
PI-47E	43" x 18" x 65", 60 Gallon, security cabinet for paints / inks, 2 doors, manual closure, 5 shelves	1
<b>Acid and Corrosive Cabinets</b>		
CRA-1925E	23" x 18" x 35", 12 Gallon, security cabinet for acids / corrosives, 2 doors, manual closing, shelf option	1
CRA-1906E	23" x 18" x 44", 16 Gallon, security cabinet for acids / corrosives, 2 doors, manual closing, 1 shelf	1
CRA-47	43" x 18" x 65", 45 Gallon, security cabinet for acids / corrosives, 2 doors, manual closing, 1 shelf	1
<b>Ideal for the storage, transportation, clean up and spill containment of small containers (5 gallons or less). Constructed of 100% blow-molded high density polyethylene with UV inhibitors for superior strength and chemical resistance. These lightweight drums incinerate completely</b>		
1650E	20 Gal. Lab Pack w/Screw Top Lid, Yellow	2
1601E	30 Gal Lab Pack w/Plastic Lever-Lock Ring	3
1690E	95 Gal. Overpack Drum w/Screw Top Lid	4
<b>Eagle galvanized type-I safety cans meet OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of gasoline and other flammable liquids. Eagle cans feature environmentally friendly Lead Free Technology, constructed of 24-gauge hot dipped galvanized steel.</b>		
UI-10-FSE	1 Gallon Metal - Red w/F-15 Funnel	1
UI-20-FSE	2 Gallon Metal - Red w/F-15 Funnel	1
UI-50-FSE	2.5 Gallon Metal - Red w/F-15 Funnel	1
UI-10-FSYE	1 Gallon Metal - Yellow w/F-15 Funnel	1
UI-20-FSYE	2 Gallon Metal - Yellow w/F-15 Funnel	1
UI-50-FSYE	2.5 Gallon Metal - Yellow w/F-15 Funnel	1



Vendor Code: CANROS



PSL4



CRSB-6612-LB

1925E

DOT5B TIGHTHEAD



1976-REDE



1650E



UI-50-FSE



UI-10-FSE



Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code: WIPIND

Absorb-it universal sonic bonded melt blown sorbents deliver quick and reliable absorbency for many types of chemicals including; acids, bases, antifreeze and oil. Constructed from high grade polypropylene, our sorbents are available in three different weights, heavy, medium and lightweight.

Heavy weight is the most absorbent. It offers the maximum absorbency per square inch. Ideally suited for the biggest of jobs

Series #	Description	Size	Qty/CS
SPUQ-HR	Heavy Weight Grey Universal Only Roll	30" x 150'(76cm x 46m)	1
SPUQ-HSR	Heavy Weight Grey Universal Split Roll	15" x 150'(38cm x 46 m)	2
SPOQ-HS100	Heavy Weight Grey Universal Pads	15" x 18 " (38cm x 46 cm)	100

Medium weight offers the best value in terms of absorbency per piece and cost. Suited for any job.

Series #	Description	Size	Qty/CS
SPUQ-MR	Medium Weight Grey Universal Roll	30" x 150'(76cm x 46m)	1
SPUQ-MSR	Medium Weight White Oil Only Split Roll	15" x 150'(38cm x 46 m)	2
SPUQ-MS100	Medium Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	100

## Socks

Use as a preventative barrier around a tank or a reservoir, or as barrier to absorb spills.

Series #	Description	Size	Qty/CS
SSUQ-40	Grey Universal Absorbent Sock	3" x 4'(8 cm x 1 m)	40

## Booms

Grey universal booms can be used on land to contain chemical spills. These universal booms are handy in the plant or shop as way to keep fluids contained in one place during maintenance.

Series #	Description	Size	Qty/CS
SBUQ-4	Grey Universal Boom	5" x 10'(13 cm x 3 m)	4

Heavy weight is the most absorbent. It offers the maximum absorbency per square inch. Ideally suited for the biggest of jobs.

Series #	Description	Size	Qty/CS
SPOQ-HR	Heavy Weight White Oil Only Roll	30" x 150'(76cm x 46m)	1
SPOQ-HSR	Heavy Weight White Oil Only Split Roll	15" x 150'(38cm x 46 m)	2
SPOQ-HS100	Heavy Weight White Oil Only Pads	15" x 18 " (38cm x 46 cm)	100

## CLEANING SUPPLIES

Cloth rags (recycled materials), microfiber cloths, shop towels and recycled terry wipers\*\*

All rags are available in 10 or 25 lb. formats in compressed plastic bags\*\* Terry wipers are only available in 15 lb. compressed bags .

Microfiber cloths are available in packs of 10, 14"x14", 10 packs per master case

Shop towels are available in packs of 50, 12"x12", laundered and ready to use.

Series #	Description	Qty
BX-10C	COLOURED T-SHIRT WIPERS	10lbs
BX-25C	COLOURED T-SHIRT WIPERS	25lbs
BXW-10C	WHITE T-SHIRT WIPERS	10lbs
CWL-10C	LIGHT COLOURED WIPERS	10lbs
TLW-15C	WHITE LAUNDRED TERRY WIPERS	15lbs
STW-50P	WHITE SHOP TOWELS	25/bg
MFB-1414/10P	BLUE MICROFIBER CLOTHS	10/pk



BX-25C



BXW-10C



MBF1414-10P



STW-50P

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code:  
LENCAN



- Supervise subs, crews, operators
- Coordinate wire pulling & installations
- Manage deliveries & materials
- Increase safety & security for workers
- Respond quickly to emergencies
- Critical for disaster preparedness



**56531**  
Multi-unit Cloning & Charging Station - holds 6  
CLS radios – radio's sold separately

## CLS1413 SMALL & LIGHTWEIGHT

- 1 Watt UHF provides coverage up to 8 Km Range, 200,000 sq. ft. or 15 floors
- 1 Watt UHF
- 1 to 4 Channel operation



**PMLN6384A**  
Multi-unit Cloning & Charging Station - holds 6  
RMU radios – radio's sold separately

## RMU2043 ROBUST & POWERFUL

- 2 Watt UHF provides coverage up to 250,000 sq. ft./20 floors
- 1 - 4 Channels Operation
- Meet Military 810 C, D, E, F, G and IP54/55 specifications



**53862**  
Remote Speaker Microphone w/ Push-to-talk

## RDU4103 & RDU4163d HIGH POWER

- 4 Watt UHF provides coverage up to 350,000 sq.ft, 30 floors
- 1- 10 Channels operations
- Meet Military 810 C, D, E, F, G and IP54/55 specifications



**RLN6423A**  
Ear Hook swivel earpiece, external audio  
earpiece, PTT Switch.



MOTOROLA, MOT, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola. Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2015 Motorola Solutions, Inc. All rights reserved.

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code: JETEQU



## Floor Presses Super Heavy Duty

Welded Frame for added strength  
Protective guard, combination  
V block/pressing adaptors included

Series #	Description
32181SP20T-SHD	20 Ton Shop Press
32182SP30T-SHD	30 Ton Shop Press
32184SP50T-SHD	50 Ton Shop Press
32185SP75T-SHD	75 Ton Shop Press
32186SP100T-SHD	100 Ton Shop Press

## Drill Presses

Series #	Description
200275	13-1/2" 3/4 HP 12 Speed
200278	17" 1 HP 16 Speed
200357	22" 1-1/2 HP 12 Speed



## 842480

### Jobsite Tool Storage Box Super Heavy Duty

48-1/8" w x 24-1/8" d x 28-3/8" h (without wheels)  
Super Heavy Duty 16 gauge steel body  
and lid for maximum security  
Made in Canada



## 842481

### Jobsite Tool Storage Box Super Heavy Duty

48-1/8" w x 24-1/8" d x 28-3/8" h (without wheels)  
Super Heavy Duty 16 gauge steel body  
and lid for maximum security  
Made in Canada!

## Open Front Tool Chests

Series #	Description
842281	26"
842283	26"
842284	30"
842286	36"

Open front design keeps tools organized  
and visible at a glance

No spot welds!

TOOLS NOT INCLUDED



## Chain Hoists Manual Hoists & Pullers

Series #	Description
101002VCH-0510	1/2 Ton 10' Lift VCH Series
101012VCH-1010	1 Ton 10' Lift VCH Series
101102KCH-0510	1/2 Ton 10' Lift KCH Series
101112KCH-1010	1 Ton 10' Lift KCH Series
101132KCH-2010	2 Ton 10' Lift KCH Series
101212L90-1002	1 Ton 10' Lift L-90 Series
101232L90-2002	2 Ton 10' Lift L-90 Series



## 842712 Chests and Roller Cabinets Treasure Series

Unique styling stands out in any garage or shop!  
Dual drop down trays on chest and flip up trays on  
cabinet provide plenty of work space

Full width aluminum drawer pulls feature Safe  
Lock latches to prevent drawers opening when  
moving tool box

Ball bearing drawer slides with Auto Close feature  
ensure drawers are completely closed before  
locking



## 842762 Chests and Roller Cabinets Treasure Series

Unique styling stands out in any garage or shop!  
Dual drop down trays on chest and flip up trays on  
cabinet provide plenty of work space

Full width aluminum drawer pulls feature Safe  
Lock latches to prevent drawers opening when  
moving tool box

Ball bearing drawer slides with Auto Close feature  
ensure drawers are completely closed before  
locking



## 030415 Floor/Garage Jacks Hydraulic, 2-1/2 Ton - Standard Duty

Canadian industry standard for over 20 years  
Heavy duty casters and saddle  
Low Height: 5"  
High Height: 19-1/4"



## 030482 Forklift Hydraulic Jack 7 Ton - Heavy Duty

Fits a variety of popular forklift models  
Low Height: 2-3/4", High Height: 16"



## 190918 Pallet Truck PT Series - Heavy Duty

27" x 48" forks  
Entry rollers allow easy entry and exit from pallets

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code:  
SHOVAC

Series #	Description
92528-10	Industrial Shop-Vac single stage 8 (US) Gallon / 30.3L
92529-10	Industrial Shop-Vac single stage 10 (US) Gallon / 37.8L
97005-10	Shop-Vac Industrial 2 stage HD Series Vacuum 55 (US) Gallon / 208L
97006-10	Industrial two-stage Wet/Dry head assembly for 55 (US) gallon / 208L drum
96239-10	Industrial Shop-Vac 2- stage 10 (US) Gallon / 60.5L
92724-10	Shop-Vac commercial long life 2 stage 6 (US) Gallon / 15.1L
92726-10	Shop-Vac commercial long life 2 stage, Stainless, 4 (US) Gallon / 22.7L
96240-10	Industrial Shop-Vac 2- stage, stainless, 10 (US) Gallon / 37.8L
90340-00	Type W, HEPA Cartridge filter
90390-10	Type Z, HEPA Ultraweb Cartridge filter
91905-10	Type K high efficiency filter bags, 5 PK fits 5-8 (US) Gallon / 18.9-30.3 L vacs
91906-10	Type L high efficiency filter bags, 5 PK fits 10-14 (US) Gallon / 37.8-59L vacs
91907-10	Type M high efficiency filter bags, 5 PK fits 15-22 (US) Gallon / 56.8-83.3L vacs
90213-33	Standard tear resistant collection bag, 5-10 (US) Gallon, 18-37L
90214-33	Standard tear resistant collection bag, 12-20 (US)Gallon, 45-75L
90217-33	HEPA tear resistant collection bag, 5-10 (US) Gallon, 18-37L
90218-33	HEPA tear resistant collection bag, 12-20 (US) Gallon, 45-75L



92528-10



92529-10



97005-10



97006-10



92639-10



92724-10



92726-10



92640-10



90340-00



90390-10



91905-10

91906-10

91907-10



90213-33

90214-33



90217-33

90218-33

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



Vendor Code:  
SHOVAC



10320-00



10301-00

Series #	Description
10301-00	Air mover 1800 max.CFM, 3 speed air control
10320-00	MIGHTY mini™ air mover, 500 max.CFM
10330-00	Portable, 11 in. Diameter electric air circulator, 1000 max. CFM, ¼ HP motor
10332-00	Portable, 16 in. Diameter electric air circulator, 3000 max. CFM, ½ HP motor
10340-00	11 in. Diameter electric air circulator, 1000 max. CFM, ¼ HP motor
10342-00	16 in Diameter electric air circulator, 3000 max. CFM, ½ HP motor
90409-00	Filter Mounting Ring 11" Diameter
90410-00	Filter Mounting Ring 14" Diameter
90411-00	Filter Mounting Ring 16" Diameter
90337-00	Polyester air circulator filter, color blue
90338-00	Antimicrobial air circulator filter, color yellow
90339-00	Carbon air circulator filter, color black



10333-00



10332-00



10340-00



10342-00



90409-00



90410-00



90411-00



90337-00



90338-00



90339-00

Contact your local Wajax Industrial Components branch for delivery information

# GENERAL MAINTENANCE



**WOOD WYANT**  
Vendor Code: WOOWYC

Series #	Description	Qty
63403316	Envirologic Ultra Bath Tissue 2 ply	500 sheets x 48 rolls
63403634	Envirologic JRT 9" 2ply toilet tissue 9in diam, (12LBS)	8 rolls x 225 Meters
63404404	Envirologic facial tissue 2 ply	100 sheets x 30 boxes
63405306	Envirologic Hand towels Singlefold Brown	16 x 250 sheets
63405310	Envirologic Hand towels Brown	24 rolls x 205 ft
63405319	Envirologic Hand towels Multifold Brown	16 x 250 sheets
63405765	Envirologic Hand towels Brown	12 rolls 7.875 x 425 ft



63405765



63404404



63403316



63405319



63405306



63405310



63403634

Series #	Description	Qty
6320035	Wiper Gorag Georgia-Pacific industrial higher capacity, drc light weight, all purpose 330 li ft/rl, white	cs 6 rl
6320040	Brawny Georgia-Pacific industrial premium all purpose refillable wiper system 9.9"x13" orange	cs 2 x 200 wipers
6320054	Multi purpose oatmeal Brawny Georgia-Pacific, industrial medium duty, drc shop towel industrial centerpull 9.2" x 12"	cs 6 x 200 wipers
6320067	Wiper Gorag Georgia-Pacific all purpose drc roll 250 li ft/rl orange	cs 6 rl
6325065	Gorag Georgia-Pacific white heavy duty shop towels, 250 linear ft/rl	cs 3 rl
6327700	Preference Georgia-Pacific jumbo perforated roll towel, white, 2 ply, 250 sh/rl	cs 12 rl
6359465	Dispenser wiper Gorag automated, red (d-cell batt)	1

**GP Georgia-Pacific**  
Canada  
Vendor Code: WOOWYC



6325065



6320067



6327700



6320040



6320035



6359465



6320054

Contact your local Wajax Industrial Components branch for delivery information



Wajax Industrial Components

# Your Canadian Industrial Partner

## LOCATIONS

### NORTHWEST TERRITORIES

**Yellowknife**  
(T) 867.920.4175  
wic-yellowknife@wajax.com

### BRITISH COLUMBIA

**Cranbrook**  
(T) 250.426.3395  
wic-cranbrook@wajax.com

**Fort St. John**  
(T) 250.785.6605  
wic-ftstjohn@wajax.com

**Prince George**  
(T) 250.562.1334  
wic-prince-george@wajax.com

**Sparwood**  
(T) 250.425.2415  
wic-sparwood@wajax.com

**Surrey**  
(T) 604.513.0351  
wic-surrey@wajax.com

**Terrace**  
(T) 250.635.2926  
wic-terrace@wajax.com

### ALBERTA

**Calgary**  
(T) 403.259.3588  
wic-calgary@wajax.com

**Edmonton**  
(T) 780.463.5500  
wic-edmonton@wajax.com

**Edmonton**  
*Process Equipment*  
(T) 780.438.2322  
wic-edmonton@wajax.com

**Fort McMurray**  
(T) 780.747.7730  
wic-fort-mcmurray@wajax.com

**Nisku**  
(T) 780.955.2155  
wic-nisku@wajax.com

**Redcliff**  
(T) 403.526.2532  
wic-redcliff@wajax.com

### SASKATCHEWAN

**Regina**  
(T) 306.569.8878  
wic-regina@wajax.com

**Saskatoon**  
(T) 306.934.0700  
wic-saskatoon@wajax.com

### MANITOBA

**Flin Flon**  
(T) 306.688.3586  
wic-flin-flon@wajax.com

**Thompson**  
(T) 204.677.2318  
wic-thompson@wajax.com

**Winnipeg**  
(T) 204.786.4401  
wic-winnipeg@wajax.com

### ONTARIO

**Belleville**  
(T) 613.969.0402  
wic-belleville@wajax.com

**Concord**  
(T) 905.879.2009  
wic-concord@wajax.com

**Espanola**  
(T) 705.869.5260  
wic-espanola@wajax.com

**Guelph**  
(T) 519.821.3100  
wic-guelph@wajax.com

**Kapuskasing**  
(T) 705.335.6018  
wic-kapuskasing@wajax.com

**London**  
(T) 519.457.0050  
wic-london@wajax.com

**Mississauga**  
(T) 289.247.1070  
wic-mississauga@wajax.com

**Mississauga**  
*Process Equipment*  
(T) 905.813.8310  
wic-mississauga@wajax.com

**Ottawa**  
(T) 613.744.1161  
wic-ottawa@wajax.com

**Sault Ste-Marie**  
(T) 705.949.2550  
wic-sault-ste-marie@wajax.com

**Stoney Creek**  
(T) 905.664.7880  
wic-stoney-creek@wajax.com

**Sudbury**  
(T) 705.675.1185  
wic-sudbury@wajax.com

**Thunder Bay**  
(T) 807.344.2424  
wic-thunder-bay@wajax.com

**Thunder Bay**  
*Service*  
(T) 807.346.4491  
wic-thunder-bay-service@wajax.com

**Timmins**  
(T) 705.264.2337  
wic-timmins@wajax.com

**Windsor**  
(T) 519.948.7487  
wic-windsor@wajax.com

### QUÉBEC

**Chicoutimi**  
(T) 418.690.1447  
wic-chicoutimi@wajax.com

**Drummondville**  
(T) 819.477.9111  
wic-drummondville@wajax.com

**Granby**  
(T) 450.378.9888  
wic-granby@wajax.com

**Laval**  
(T) 450.668.1000  
wic-laval@wajax.com

**Longueuil**  
(T) 450.646.4939  
wic-longueuil@wajax.com

**Montréal (Anjou)**  
(T) 514.351.8880  
wic-anjou@wajax.com

**Montréal (Lachine)**  
(T) 514.636.3333  
wic-lachine@wajax.com

**Montréal (Lachine)**  
*Process Equipment*  
(T) 514.366.5757  
wic-lachine@wajax.com

**Rouyn-Noranda**  
(T) 819.797.1743  
wic-rouyn-noranda@wajax.com

**Québec**  
(T) 418.687.0204  
wic-quebec@wajax.com

**Rimouski**  
(T) 418.722.5164  
wic-rimouski@wajax.com

**Sept-Îles**  
(T) 418.962.9718  
wic-sept-iles@wajax.com

**Sherbrooke**  
(T) 819.565.9933  
wic-sherbrooke@wajax.com

**Sorel-Tracy**  
(T) 450.742.0115  
wic-sorel-tracy@wajax.com

**Témiscaming**  
(T) 819.627.1721  
wic-temiscaming@wajax.com

**Thetford Mines**  
(T) 418.338.3566  
wic-thetford-mines@wajax.com

**Trois-Rivières**  
(T) 819.693.1800  
wic-trois-rivieres@wajax.com

**Val-d'Or**  
(T) 819.874.7414  
wic-val-dor@wajax.com

**Valleyfield**  
(T) 450.371.7373  
wic-valleyfield@wajax.com

### NEW BRUNSWICK

**Bathurst**  
(T) 506.548.4571  
wic-bathurst@wajax.com

**Edmundston**  
(T) 506.735.8981  
wic-edmundston@wajax.com

### NOVA SCOTIA

**Dartmouth**  
(T) 902.468.4455  
wic-dartmouth@wajax.com

**Port Hawkesbury**  
(T) 902.625.2991  
wic-port-hawkesbury@wajax.com

**Stellarton**  
(T) 902.752.8307  
wic-stellarton@wajax.com

### PRINCE EDWARD ISLAND

**Charlottetown**  
(T) 902.892.6203  
wic-charlottetown@wajax.com

### NEWFOUNDLAND & LABRADOR

**Corner Brook**  
(T) 709.634.3177  
wic-corner-brook@wajax.com

**Mt Pearl**  
(T) 709.364.7959  
wic-mount-pearl@wajax.com

**Wabush**  
(T) 709.282.5256  
wic-wabush@wajax.com



Across Canada  
**1.866.546.3267**  
www.wajaxindustrial.com



**INDUSTRIAL COMPONENTS**