



6



10



Share



Email

🕒 JANUARY 10, 2020

## New assessment method reveals many fish stocks are in urgent need of sustainable management

by Valentina Ruiz-Leotaud | Sea Around Us, Sea Around Us



The white stumpnose stock in southern Africa was amongst those assessed for the first time. The speci...

**GoDaddy**

Mettez à jour votre site web sur votre mobile.

Commencez gratuitement

Featured   Last Comments   Popular

Hyperuniform disordered waveguides and devices for near infrared silicon photonics

🕒 3 HOURS AGO   🗨️ 0

Virtual Telescope Project confirms 2020 AV2— the first asteroid found to move entirely inside the orbit of Venus

🕒 4 HOURS AGO   🗨️ 0

Another state change of the variable gamma-ray pulsar PSR J2021+4026 observed by astronomers

🕒 4 HOURS AGO   🗨️ 0

Simulations show parts of Amazon could switch from carbon sink to carbon source by 2050

🕒 4 HOURS AGO   🗨️ 0

A newly developed method for assessing how abundant fish populations are and how fishing is affecting them revealed that several fish stocks across oceans are far below internationally agreed minimum levels and in urgent need of sustainable management.

The methodology, known as Abundance Maximum Sustainable Yields or AMSY, was developed by an international team of researchers at the GEOMAR Helmholtz Centre for Ocean Research, the *Sea Around Us* initiative at the University of British Columbia and a number of institutions in Europe, Africa, and North America.

In a paper published in *ICES Journal of Marine Science*, the researchers explain that, different from costly systems that require big amounts of information, the AMSY approach allows estimating stock size and exploitation levels with readily available data, such as the size of the fish and how much boats are able to catch per hour fishing.

"Our methods apply powerful statistics and heavy number crunching to find the combination of stock size and exploitation that is best compatible with the available information," said Rainer Froese, lead author of the study and a senior scientist at GEOMAR. "There is no excuse anymore for not managing fisheries such that healthy stocks produce healthy catches."

At present, size and exploitation levels are known for only about a quarter of the globally exploited stocks, mainly because data for traditional stock assessment methods are lacking.

"We found that out of 38 stocks that we analyzed, 24 or 63 percent were subject to overfishing," Froese said. "Most of these, like the stock of Black musselcracker in southern Africa, had never been assessed before because it was not possible to carry out traditional stock assessments due to lack of data and financial constraints."

The AMSY method, however, cracks such constraints and allows for estimates of relative stock size that are pretty close to those provided by simulated data or data-rich models.

"Knowing the status of commercially used species is key because stocks depleted from ongoing overfishing can deliver only a small fraction of the maximum yield that can be obtained from large stocks under sustainable exploitation," said Deng Palomares, one of the study's co-author and the *Sea Around Us* project manager. "Fisheries managers and politicians should be aware of this if they are interested in providing reasonable projections about how much food the oceans can deliver."

Some countries such as India and China, which look at the oceans as a major source of protein, are already implementing the AMSY approach. According to Daniel Pauly, the *Sea Around Us* Principal Investigator, their fisheries sector will greatly benefit from the new analyses "because they allow fisheries to be assessed straightforwardly, yet rigorously, and represent a revolution in fisheries science."

The paper "[Estimating stock status from relative abundance and resilience](#)" was published in the *ICES Journal of Marine Science*. Besides researchers from GEOMAR and the *Sea Around Us*, the article was prepared in collaboration with scientists from South Africa's Department of Environment, Forestry and Fisheries; the University of Cape Town; the National Research Council of Italy; Istanbul

University; Aristotle University of Thessaloniki; and Dalhousie University.

**More information:** Rainer Froese et al. Estimating stock status from relative abundance and resilience, *ICES Journal of Marine Science* (2019). [DOI: 10.1093/icesjms/fsz230](https://doi.org/10.1093/icesjms/fsz230)

Link: <https://phys.org/news/2020-01-method-reveals-fish-stocks-urgent.html>